DAILY RAINFALL 1911 - 1920

GLOUCESTER.

ALDERTON. RECTORY	1918 - 1920
ALMONSBURY OVER-COURT	1911 - 16, 19 - 1920
AVENING. HOUSE	1911 - 1920
BATH MONKS WOOD W.W.	1911 - 1920
BERKELEY CASTLE GARDENS	1911-13, 15 - 1918.
BERKELEY SHARPNESS DOCKS	1911 - 1920
BOURTON - ON - THE - WATER CHARDWAR	1913 -15, 17 - 1920
BOURTON - ON - THE - WATER EASTFIELD	1911 - 1920
BRISTOL COTHAM, VICTORIA SQUARE	[illegible] - 1920.
BRISTOL DOCKS	1911 - 1920
BROMSBERROW P.S	1911 - 17, 1919
BROOKTHORPE CHAMBERS FARM	1911 - 1915
CHALFORD HYDE HOUSE	1911 - 1914
CHARLTON THE GRANGE	1911 - 1920
CHELTENHAM. SWINDON VILLAGE BROOKVILLE	1912 - 1920
CHELTENHAM OLD BATH. ROAD	1917 - 1920
CHELTENHAM. A.P.	1911 - 1920
CHELTENHAM. SANDFORD MEAD.	1911 - 1920
CHELTENHAM OXFORD LAWN.	1914 - 1920
CHELTENHAM. PRESTBURY	1911 - 1917
CHELTENHAM HENLETTS RES	1911 - 1920.

CHELTENHAM. THIRLESTANE HOUSE	1920
CHEPSTOW. PEN MOEL.	1912 - 1920
CHEPSTOW. CASTLEFORD	1911 - 1920
CHILDS WYCKHAM VICARAGE	1915 - 1919
CHIPPING CAMPDEN HIDCOTE	1911 - 1920
CHIPPING SODBURY STANSHAWES	1911 - 1912
CHIPPING SODBURY THE RIDGE	1911 - 1920
COLESBORNE PARK.	1913, 15, 19, 1920.
CHURCHDOWN BARROW HILL	1913 - 1920
CINDERFORD	1914 - 1920
CIRENCESTER. BAUNTON MANOR FARM	1911 - 1912
CIRENCESTER. DOLLARWARD HOUSE	1911 - 1920
CIRENCESTER CRIPPS MEAD	1911 - 1920
CIRENCESTER. ROYAL AGRI COLL.	1911 - 1920
CLIFTON COLLEGE	1911 - 1920
CLIFTON, DURDHAM DOWN, HAMPTON LODGE	1911 - 1912
CLIFTON STOKE BISHOP	1911 - 1920
CLIFTON 7 HARLEY PLACE	1911 - 1920
CLIFTON PEMBROKE RD	1911 - 1917
DOWDESWELL RES	1911 - 1920
DURSLEY THE MANOR	1918 - 1919
FAIRFORD DUNFIELD	1911 - 1920

FAIRFORD THE CLOSE	1911	1915
FAIRFORD DRAYCOTT	1911	1920
FAIRFORD HATHEROP CASTLE GDNS	1913	1914
FAIRFORD VICARAGE	1919	1920
FILTON	1911	1920
FOREST OF DEAN MAILSCOT LODGE	1914 -15,	19 - 1920
FOREST OF DEAN RUARDEN HILL LODGE	1911 - 15,	19 - 1920
FOREST OF DEAN WHITEMEAD PARK	1911 -15	19 - 1920
FOREST OF DEAN BLAKENEY HILL	1911 - 15	19 - 1920
FOREST OF DEAN WORCESTER LODGE	1911 - 15,	19 - 1920
FOREST OF DEAN EDGE HILLS	1911 - 15,	19 - 1920
FOREST OF DEAN BRACELAND	1911 -	1912
FRAMPTON COTTERELL PARK HOUSE	1911	1920
GLOUCESTER WOTTON COUNTY ASYLUM	1911	1915
GLOUCESTER DENMARK ROAD	1918	1919
GLOUCESTER BARNWOOD VICARAGE	1911	1920
GLOUCESTER MAISEMORE LOCK	1911	1920
GLOUCESTER BELGRAVE ROAD	1911	1913
GLOUCESTER THE PARK	1911	1920
GLOUCESTER LLANTHONY	1911	1920
GREAT BARRINGTON	1911	1920
HARESCOMBE GRANGE	1911	1920

HORFIELD 462 GLOUCESTER RD	1914	1915
LETCHLADE SOUTHROP		1912
LETCHLADE ST JOHN'S LOCK	1913	1920
LECHLADE CLAYDON HOUSE	1911	1920
LITTLE BARRINGTON	1912	1913
LONGNEY VICARAGE	1911	
LYDBROOK VIADUCT HOUSE	1914	1920
LYDNEY CLANNA COTT	1911	1917
MICKLETON BANK HOUSE	1911	1920
MINCHINHAMPTON	1916	1920
MINCHINHAMPTON CAMPFIELD	1914	1920
MITCHELDEAN BLAISDON GDNS		1915
NAILSWORTH DUNKIRK MANOR HOUSE	1911	1916
NAILSWORTH THREE CORNERS	1911 - 12,	1920
NEWENT CLIFFORDS MANOR		1920
NORTHLEACH SHERBORNE HOUSE	1911	1920
NORTHLEACH LEYGORE MANOR	1911	1920
NORTHLEACH VICARAGE	1911	1918
OXENHALL DYMOCK WOODS	1919	1920
QUEDGELEY HOUSE	1912.	
SEDBURY PARK.	1911 - 15,	19-1920.
STAPLETON MILTON COTTAGE	1911	1915

STONEHOUSE WYECLIFFE COLLEGE	1911	1920
STOW-ON-THE-WOLD, NETHER SWELL MANOR	1911	
STOW-ON-THE-WOLD, ICOMB PLACE	1911, 15,	1916
STOW-ON-THE-WOLD, DUNCOMB	1911-13, 15-17, 19-1920	
STOW-ON-THE-WOLD, MAUGERSBURY	1911	1919
STOW-ON-THE-WOLD, QUAR WOOD	1911	1919
STROUD FIELD PLACE	1916	1920
STROUD STANLEY PARK	1911	1920
STROUD UPFIELD	1911	1915
TEWKESBURY W.W.	1913 -	1920
TEWKESBURY FORTHAMPTON COURT.	1911	1918
TEWKESBURY UPPER LODE	1911	1920
THORNBURY THORNBURY HOUSE	1913	1920
WESTBURY-ON-SEVERN NINNAGE LODGE	1911	1920
WHITMINSTER THE JUNCTION	1911	1920
WHITMINSTER PARKLANDS	1918,	1920
WICKWAR RECTORY	1911	
WICKWAR.	1914	1920
WINCHCOMBE	1911	1918.
WINCHCOMBE TEMPLE GUITING	1911, 1913 -	1915
WINTERBOURNE DOWN	1912	1919
WINTERBOURNE KENDLESHIRE	1911	1920

6

WITCOMBE RES	1911	1920
WYCK RISSINGTON	1911	1917

GLOUCESTER

ALDERTON.
RECTORY
1918 — 1920

REGIST 8

FORM A.
BRITISH RAINFALL.

17.1.19

Kept at Alderton
in the County of Gloucester
by Rev. A. D. Pennin

g. 2. 1
a.m.
BECKford (Mid)
ain Gauge ~~4~~ in.
bove Ground 2 ft. 2 in.
Sea Level 185 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–		.01	.06	.01	–	–	.01	–	.02	.20	–	1
2	–	.02	–	.01	–	–	–	.17	.01	.01	.02	.01	2
3	–	.05	.02	.05	.04	–	–	–	.31	–	.02	–	3
4	–	.07	.02	–	–	–	–	–	–	–	.40	.05	4
5	–	.03	–	.02	.17	–	–	–	.27	–	.02	–	5
6	–	.09	–	–	–	.03	–	–	.23	.04	–	.02	6
7	–	.10	–	–	.13	.01	–	–	.02	.09	.12	–	7
8	–	.03	–	–	–	–	–	–	.03	.08	–	.03	8
9	.03	.02	–	.12	–	.11	.06	–	.20	.10	–	.09	9
10	.07	–	–	.04	–	–	.12	–	.14	.09	.01	.08	10
11	.01	–	–	.03	–	–	.03	–	.01	.11	.06	.05	11
12	–	.01	–	–	.08	–	.15	–	.02	–	–	–	12
13	–	.02	.16	–	–	–	.01	–	.05	.02	–	.10	13
14	.15	–	.08	–	–	–	.09	–	.39	–	–	.03	14
15	.43	–	.01	.59	–	.02	.10	–	–	–	–	.24	15
16	.13	–	–	.90	–	.03	.02	–	.13	–	–	.02	16
17	.11	–	–	.08	.02	–	.16	–	.02	.05	–	–	17
18	.27	–	–	–	–	–	.10	–	1.00	–	–	.37	18
19	–	.05	.30	.09	–	.16	.02	–	.03	.11	–	.11	19
20	–	.03	–	.30	–	–	.06	–	.05	.03	–	.08	20
21	.03	–	–	.25	–	.02	.02	–	.21	.01	–	–	21
22	.03	–	–	–	.03	–	.05	–	.03	.10	–	.08	22
23	.03	–	–	–	.41	–	.09	–	.03	–	–	.09	23
24	–	.10	–	–	–	–	.04	.01	.03	.01	.03	.02	24
25	–	–	–	–	–	–	.09	.22	–	.02	.01	–	25
26	–	–	–	–	–	–	.49	–	.01	.01	.05	.07	26
27	–	.05	–	–	–	–	.01	.11	.03	.01	.08	.01	27
28	–	.11	.10	–	–	.02	–	–	–	–	.04	.02	28
29	–		.01	–	–	–	–	–	1.40	–	–	.05	29
30	–	✕	.09	–	–	–	–	–	–	–	.08	.02	30
31	–	✕	.18	✕	–	✕	–	.04	✕	–	✕	–	31
Total	1.29	.78	.98	2.54	.89	.40	1.71	.56	4.65	.91	1.14	1.64	YEAR'S TOTAL 17.49
Rain Days.	11	15	11	13	8	8	19	6	24	18	14	22	169

W. 8,000. X. 15.

REGIST 8

FORM A. BRITISH RAINFALL.

17.1.19

Kept at Alderton
in the County of Gloucester
by Rev. A. D. Pennington

Lat. 52.1 Long. 2°.1
Time of Observation 9 a.m.
Nearest Railway Station Beckford (Mid)
Diameter of Funnel of Rain Gauge ~~4~~ in.
Height of top of Gauge above Ground 2 ft. 2 in.
" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–		.01	.06	.01	–	–	.01	–	.02	.20	–	1
2	–	.02	–	.01	–	–	–	.17	.01	.01	.02	.01	2
3	–	.05	.02	.05	.04	–	–	–	.31	–	.02	–	3
4	–	.07	.02	–	–	–	–	–	–	–	.40	.05	4
5	–	.03	–	.02	.17	–	–	–	.27	–	.02	–	5
6	–	.09	–	–	–	.03	–	–	.23	.04	–	.02	6
7	–	.10	–	–	.13	.01	–	–	.02	.09	.12	–	7
8	–	.03	–	–	–	–	–	–	.03	.08	–	.03	8
9	.03	.02	–	.12	–	.11	.06	–	.20	.10	–	.09	9
10	.07	–	–	.04	–	–	.12	–	.14	.09	.01	.08	10
11	.01	–	–	.03	–	–	.03	–	.01	.11	.06	.05	11
12	–	.01	–	–	.08	–	.15	–	.02	–	–	–	12
13	–	.02	.16	–	–	–	.01	–	.05	.02	–	.10	13
14	.15	–	.08	–	–	–	.09	–	.39	–	–	.03	14
15	.43	–	.01	.59	–	.02	.10	–	–	–	–	.24	15
16	.13	–	–	.90	–	.03	.02	–	.13	–	–	.02	16
17	.11	–	–	.08	.02	–	.16	–	.02	.05	–	–	17
18	.27	–	–	–	–	–	.10	–	1.00	–	–	.37	18
19	–	.05	.30	.09	–	.16	.02	–	.03	.11	–	.11	19
20	–	.03	–	.30	–	–	.06	–	.05	.03	–	.08	20
21	.03	–	–	.25	–	.02	.02	–	.21	.01	–	–	21
22	.03	–	–	–	.03	–	.05	–	.03	.10	–	.08	22
23	.03	–	–	–	.41	–	.09	–	.03	–	–	.09	23
24	–	.10	–	–	–	–	.04	.01	.03	.01	.03	.02	24
25	–	–	–	–	–	–	.09	.22	–	.02	.01	–	25
26	–	–	–	–	–	–	.49	–	.01	.01	.05	.07	26
27	–	.05	–	–	–	–	.01	.11	.03	.01	.08	.01	27
28	–	.11	.10	–	–	.02	–	–	–	–	.04	.02	28
29	–		.01	–	–	–	–	–	1.40	–	–	.05	29
30	–		.09	–	–	–	–	–	–	–	.08	.02	30
31	–		.18		–		–	.04		–		–	31
Total	1.29	.78	.98	2.54	.89	.40	1.71	.56	4.65	.91	1.14	1.64	YEAR'S TOTAL 17.49
Rain Days.	11	15	11	13	8	8	19	6	24	18	14	22	169

W. 8,000. X. 15.

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Alderton

in the County of Gloucester

by Rev. A. D. Pennington.

Lat. 52° 1' N Long. 2° 1' W.

Time of Observation 9 a.m.

Nearest Railway Station Beckford

Diameter of Funnel of Rain Gauge 2 in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	—	.01	—	.28	.01	.18	—	—	.22	—	—	1
2	.18	—	—	—	.03	—	.16	—	—	—	.08	.03	2
3	.72	.01	.04	—	.03	.01	.02	—	.59	.02	.16	.05	3
4	—	—	.38	—	—	.11	.02	.04	.06	—	—	.08	4
5	—	.01	.32	—	—	—	—	—	.32	—	.01	.06	5
6	.10	.13	.05	—	—	—	—	—	—	—	.05	.04	6
7	.17	—	.17	.06	.56	—	—	—	—	—	.09	—	7
8	.06	—	—	.19	.19	—	—	—	—	—	—	—	8
9	.09	—	.02	.02	—	—	—	—	—	—	.01	—	9
10	—	—	.37	—	—	—	—	—	—	—	—	.05	10
11	—	—	.34	.01	.01	—	.44	—	—	—	—	.05	11
12	.01	—	.12	.04	—	.11	.01	—	.01	.12	.05	—	12
13	.08	—	—	.08	—	—	—	—	.01	.05	—	—	13
14	.10	.01	—	.04	—	—	.02	—	.14	.04	—	.02	14
15	.22	—	.03	.07	.05	—	—	—	—	.03	—	.10	15
16	.09	.67	—	—	—	—	—	—	—	—	.08	.02	16
17	—	.60	—	—	—	.02	—	—	—	—	.08	—	17
18	—	—	.30	—	—	—	—	—	—	—	.01	.02	18
19	.05	.19	.66	—	—	.09	1.55	.12	.05	—	.02	.01	19
20	.12	.02	.37	—	—	.02	.01	.38	—	—	.10	.01	20
21	—	.30	—	—	—	.03	.21	.19	—	—	—	.02	21
22	—	.06	—	—	—	—	.03	—	.42	—	—	.13	22
23	—	—	—	—	—	—	—	—	—	.56	.02	.03	23
24	—	—	—	.04	—	.04	—	—	—	.69	—	—	24
25	.12	—	—	.03	.05	—	—	—	—	—	—	.03	25
26	—	—	.09	.14	—	—	—	.12	—	—	—	.26	26
27	.17	—	.10	.70	—	—	—	.17	—	—	—	.05	27
28	.03	—	—	—	—	—	—	.43	—	—	.11	.21	28
29	—		—	—	—	—	—	.29	—	.14	.09	.18	29
30	.05		—	—	—	.26	—	.12	—	.10	.03	.21	30
31	—		.02		—		—	.09		.01		.02	31
TOTAL	2.53	2.00	3.39	1.42	1.20	.70	2.65	1.95	1.60	1.98	.99	1.68	YEAR'S TOTAL 22.09
Days with ·01 in. or more	18	10	17	12	8	10	11	10	8	11	16	23	154

(44;283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WCW

1896

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.
29 JAN 1921

Kept at Alderton

in the County of Gloucester

by Rev. A. D. Pennington

Lat. 52·1 Long. 2·1 W.

Time of Observation 9 am

Nearest Railway Station Beckford (Mid).

Diameter of Funnel of Rain Gauge ~~4~~ in.

Height of top of Gauge above Ground 2 ft. 2 in.

" " " " Sea Level 185 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.01	.18	.07	-	.20	-	.02	.11	-	.19	1
2	.03	-	.02	.05	.11	-	.05	.01	.06	.04	.	.03	2
3	.02	.02	-	.10	.02	-	.63	.01	.07	.09	-	-	3
4	-	-	-	.16	.01	-	.04	.13	-	.12	.	.	4
5	-	-	.15	-	.11	-	.47	.11	.01	.48	-	-	5
6	-	-	.14	-	.07	-	.10	.01	.01	.10	-	.01	6
7	-	-	-	.16	-	-	-	-	-	-	-	-	7
8	.09	.08	-	.42	-	-	.64	.01	-	-	.	-	8
9	.06	.01	-	.31	-	-	.22	.01	-	-	.	-	9
10	.24	.05	.06	.04	-	.09	.02	-	-	-	.06	-	10
11	.08	.03	.05	.10	.29	.03	.03	-	-	-	-	.01	11
12	.07	-	-	.09	.01	1.24	.02	.17	-	-	.01	-	12
13	.01	-	-	.02	-	-	.04	-	-	-	-	.03	13
14	-	-	.74	.14	-	.08	-	-	.12	.02	.02	-	14
15	-	.02	.02	.41	-	.19	-	-	.02	.01	-	-	15
16	-	-	-	.03	.04	.13	-	-	.22	-	-	-	16
17	.01	-	-	-	.08	.04	.11	-	.79	.25	-	.01	17
18	.07	-	-	.02	.05	.02	-	.25	.50	-	-	-	18
19	.02	.28	-	.07	-	.15	.05	.03	.02	-	-	-	19
20	.05	.03	-	.12	-	.09	-	-	.01	-	-	.07	20
21	-	-	-	.06	-	-	-	-	-	-	-	.03	21
22	-	-	-	.07	-	.01	-	.12	-	-	-	.09	22
23	-	-	-	-	-	-	.30	-	-	-	-	.27	23
24	.01	-	.12	.02	-	-	.	.04	-	-	-	.03	24
25	-	.03	.03	-	-	.18	.47	.03	-	-	-	.01	25
26	.09	-	.13	-	.01	.01	.06	-	-	-	.02	.05	26
27	.41	.02	.05	.13	.03	.34	.01	-	-	-	.01	.12	27
28	.49	-	.04	-	.12	.01	.01	-	-	-	-	.03	28
29	.10	-	.13	.01	.02	.04	.04	-	-	-	.02	.27	29
30	.01	X	.60	.05	-	.07	.[illegible]2	-	.14	-	.10	.07	30
31	(09) .0[illegible]	X	.02	X	-	X	-	-	X	.30	X	.01	31
Total	1.95	.57	2.31	2.76	1.04	2.72	3.53	.93	1.99	1.52	.24	1.23	YEAR'S TOTAL 20-89
Rain Days.	19 ✓	10 ✓	16	23	15	17	21	13	13	10	7	18	182
x·04	12	3	11	18	9	12	15	6	7	8	2	8	111

W. 8,000, VIII. 16

Park 9. ~~No 7~~

GLOUCESTER
ALMONSBURY
OVER-COURT.

1911-1916, 19, 1920.

2 GAUGES

FORM A.
BRITISH RAINFALL.

19 FEB 1912

REG... 1911

Kept at Over Cou...

in the County of ...

by R. C. Cann

... Long. ...

...ailway Station ...

... Observation 9 am

... 5 in. Snowdon

...f top above Ground ... ft. ... in.

„ Sea Level ... ft.

NOTE.—Full instructions respecti... British Rainfall Organization are given in "*Rules for Rainfall Observers*," ...32, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							–	·05	–	–	·02	–	1
2							–	·26	·01	·09	·25	·25	2
3							–	·07	·03	–	·17	·05	3
4							–	–	–	·05	·31	·31	4
5							–	·21	–	·03	·08	·01	5
6							–	·06	–	–	·09	·29	6
7							–	–	–	–	·44	·01	7
8							–	–	–	–	·10	·29	8
9							–	–	–	–	·15	·21	9
10							–	–	–	–	·01	·24	10
11							–	–	–	–	·86	·10	11
12							–	–	·03	–	·48	·11	12
13							–	–	·79	·21	–	·36	13
14							–	–	–	–	–	·90	14
15							–	–	–	·01	·19	·20	15
16							–	–	–	–	·29	·22	16
17							–	–	–	–	·07	·27	17
18							–	–	–	·05	–	·21	18
19							–	–	·22	·17	·01	·32	19
20							–	–	·11	·09	–	·35	20
21							–	·05	·01	·33	–	·27	21
22							–	–	–	·13	–	·42	22
23							–	–	·05	·25	·03	·22	23
24							–	·43	–	·34	–	·12	24
25							–	–	–	·05	–	·10	25
26							·01	·05	–	·23	·15	·27	26
27							–	·49	·16	–	·11	·13	27
28							–	·40	–	–	·04	·01	28
29							–	–	·16	·22	·01	–	29
30							–	·03	–	·31	·01	·02	30
31							–	–		·09	–	–	31
Totals							·01	2·10	1·57	2·65	3·87	6·26	
Total from Jan. 1							1	11	10	17	22	28	

K/1000/11/05.

EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.

Price, on extra tough paper. 3d.

Park 9. ~~No 7~~

RE 1911

FORM A.
BRITISH RAINFALL.
19 FEB 1912

Kept at Over Court, nr Bristol

in the County of Glos. 5

by R. C. Cann Lippincott Esq.

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation 9 am
Diameter 5 in. Snowdon
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							-	·05	-	-	·02	-	1
2							-	·26	·01	·09	·25	·25	2
3							-	·07	·03	-	·17	·05	3
4							-	-	-	·05	·31	·31	4
5							-	·21	-	·03	·08	·01	5
6							-	·06	-	-	·09	·29	6
7							-	-	-	-	·44	·01	7
8							-	-	-	-	·10	·29	8
9							-	-	-	-	·15	·21	9
10							-	-	-	-	·01	·24	10
11							-	-	-	-	·86	·10	11
12							-	-	·03	-	·48	·11	12
13							-	-	·79	·21	-	·36	13
14							-	-	-	-	-	·90	14
15							-	-	-	·01	·19	·20	15
16							-	-	-	-	·29	·22	16
17							-	-	-	-	·07	·27	17
18							-	-	-	·05	-	·21	18
19							-	-	·22	·17	·01	·32	19
20							-	-	·11	·09	-	·35	20
21							-	·05	·01	·33	-	·27	21
22							-	-	-	·13	-	·42	22
23							-	-	·05	·25	·03	·22	23
24							-	·43	-	·34	-	·12	24
25							-	-	-	·05	-	·10	25
26							·01	·05	-	·23	·15	·27	26
27							-	·49	·16	-	·11	·13	27
28							-	·40	-	-	·04	·01	28
29							-	-	·16	·22	·01	-	29
30							-	·03	-	·31	·01	·02	30
31							-	-		·09	-	-	31
Totals							·01	2·10	1·57	2·65	3·87	6·26	
Total from Jan. 1							1	11	10	17	22	28	

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Defective Park 9. No. 1. Ex. HBb

FORM A.
BRITISH RAINFALL.

19 FEB 1912

REGISTER OF RAINFALL ~~IN~~ 1911.

Kept at Overcourt, nr Bristol

in the County of Glos. 5

by R. C. Cann Lippincott Esq.

RAIN GAUGE.
Lat. Long.
Nearest Railway Station
Time of Observation 9 am
Diameter 5 in.
Height of top above Ground ft. in.
" " Sea Level ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	·02	·04	-	-	-	·05					1
2	·01	-	-	·03	·27	-	-	·26					2
3	-	·01	·01	-	·42	-	-	·07					3
4	·02	-	·21	·03	-	·15	-	-					4
5	·06	-	·06	-	-	-	-	·21					5
6	·23	-	·09	-	-	-	-	·06					6
7	-	-	-	-	-	-	-	-					7
8	·13	-	·13	-	-	-	-	-					8
9	·06	-	-	-	-	-	-	-					9
10	·05	·10	·18	-	-	-	-	-					10
11	·23	-	·01	-	·06	-	-	-					11
12	-	-	·70	-	-	-	-	-					12
13	-	-	-	-	·15	-	-	-					13
14	-	·05	-	-	-	-	-	-					14
15	·01	·03	-	-	-	·05	-	-					15
16	-	·02	-	-	-	·17	-	-					16
17	-	·02	-	-	-	·03	-	-					17
18	·02	·50	·06	·22	-	·30	-	-					18
19	·01	-	-	·05	-	·06	-	-					19
20	·02	·04	·15	·11	-	-	-	-					20
21	-	·19	·11	-	-	-	-	·05					21
22	-	·01	·37	·04	-	·61	-	-					22
23	-	·18	·16	-	-	·13	-	-					23
24	·01	·08	-	-	-	·44	-	·43					24
25	·01	·04	-	·17	-	·08	-	-					25
26	-	·12	-	·41	·05	·02	·01	·05					26
27	-	·34	·16	·02	-	-	-	·49					27
28	-	·32	-	·43	-	-	-	·40					28
29	-		-	·03	-	·50	-	-					29
30	-		·01	·05	-	·04	-	·03					30
31	-		-		-		-	-					31
Totals	·91	2·05	2·43	1·63	·95	2·58	·01	2·10	1·61	2·89	4·24	6·59	27·99
Total from Jan. 1	15	16	16	13	5	13	1	11		read monthly.			

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Park

90X. H66

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Over Court, Nr. Bristol

in the County of Gloucestershire

by R. C. Cann Lippincott Esqre

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ft.

Time of Observation 9 AM.

Nearest Railway Station
Name Pilning
Distance 3 m. Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.04	–	0.02	0.04	–	–	–	0.05	–	–	0.02	–	1
2	0.01	–	–	0.03	0.27	–	–	0.26	0.01	0.09	0.25	0.25	2
3	–	0.01	0.01	–	0.42	–	–	0.07	0.03	–	0.17	0.05	3
4	0.02	–	0.21	0.03	–	0.15	–	–	–	0.05	0.31	0.31	4
5	0.06	–	0.06	–	–	–	–	0.21	–	0.03	0.08	0.01	5
6	0.23	–	0.09	–	–	–	–	0.06	–	–	0.09	0.29	6
7	–	–	–	–	–	–	–	–	–	–	0.44	0.01	7
8	0.13	–	0.13	–	–	–	–	–	–	–	0.10	0.29	8
9	0.06	–	–	–	–	–	–	–	–	–	0.15	0.21	9
10	0.05	0.10	0.18	–	–	–	–	–	–	–	0.01	0.24	10
11	0.23	–	0.01	–	0.06	–	–	–	–	–	0.86	0.10	11
12	–	–	0.70	–	–	–	–	–	0.03	–	0.48	0.11	12
13	–	–	–	–	0.15	–	–	–	0.79	0.21	–	0.36	13
14	–	0.05	–	–	–	–	–	–	–	–	–	0.90	14
15	0.01	0.03	–	–	–	0.05	–	–	–	0.04	0.19	0.20	15
16	–	0.02	–	–	–	0.17	–	–	–	–	0.29	0.22	16
17	–	0.02	–	–	–	0.03	–	–	–	–	0.07	0.27	17
18	0.02	0.50	0.06	0.22	–	0.30	–	–	–	0.05	–	0.21	18
19	0.01	–	–	0.05	–	0.06	–	–	0.22	0.17	0.01	0.32	19
20	0.02	0.04	0.15	0.11	–	–	–	–	0.11	0.0[illegible]	–	0.35	20
21	–	0.19	0.11	–	–	–	–	0.05	0.01	0.33	–	0.27	21
22	–	0.01	0.37	0.04	–	0.61	–	–	–	0.13	–	0.42	22
23	–	0.18	0.16	–	–	0.13	–	–	0.05	0.25	0.03	0.22	23
24	0.01	0.08	–	–	–	0.44	–	0.43	–	0.34	–	0.12	24
25	0.01	0.04	–	0.17	–	0.08	–	–	–	0.05	–	0.10	25
26	–	0.12	–	0.41	0.05	0.02	0.01	0.05	–	0.23	0.15	0.27	26
27	–	0.34	0.16	0.02	–	–	–	0.49	0.16	–	0.11	0.13	27
28	–	0.32	–	0.43	–	–	–	0.40	–	–	0.04	0.01	28
29	–	–	–	0.03	–	0.50	–	–	0.16	0.22	0.01	–	29
30	–	–	0.01	0.05	–	0.04	–	0.03	–	0.31	0.01	0.02	30
31	–	–	–	–	–	–	–	–	–	0.09	–	–	31
Total	0.91	2.05	2.43	1.63	0.95	2.58	0.01	2.10	1.57	2.65	3.87	6.26	TOTAL for year
No. of Rain Days.		2.96	5.39	7.02	7.97	10.55	10.56	12.66	14.23	16.88	20.75	27.01	Rain days
Rain days '11.	15	16	16	13	0.05 5	13	1	11	10	17	22	28	167

Snowdon gauge [illegible]
July [illegible]
(Sept to Dec [illegible])

Garden

Ex. 1786

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kent at Over Court N. Bristol

in the County of Gloucestershire 5

by R. C. Cann Lippincott Esq.

Rain Gauge: Pattern Negretti
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Pilning
Distance 3 m. Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	–	0·01	0·04	–	–	–	0·05	–	–	0·02	–	1
2	0·01	–	–	0·02	0·25	–	–	0·26	–	0·10	0·25	0·25	2
3	–	0·01	0·01	–	0·39	–	–	0·07	0·04	–	0·19	0·05	3
4	0·01	–	0·20	0·03	–	0·18	–	–	–	0·05	0·32	0·30	4
5	0·05	–	0·05	–	–	–	–	0·21	–	0·02	0·08	0·01	5
6	0·20	–	0·08	–	–	–	–	0·07	–	–	0·08	0·31	6
7	–	–	–	–	–	–	–	–	–	–	0·43	0·01	7
8	0·15	–	0·12	–	–	–	–	–	–	0·01	0·11	0·30	8
9	0·07	–	–	–	–	–	–	–	–	–	0·15	0·21	9
10	0·05	0·09	0·17	–	–	–	–	–	–	–	0·02	0·23	10
11	0·22	–	0·01	–	0·06	–	–	–	–	–	0·87	0·11	11
12	–	–	0·63	–	–	–	–	–	0·02	–	0·50	0·12	12
13	–	–	–	–	0·15	–	–	–	0·78	0·21	–	0·37	13
14	–	0·05	–	–	–	–	–	–	–	–	–	0·91	14
15	0·01	0·02	–	–	–	0·04	–	–	–	0·01	0·19	0·20	15
16	–	0·02	–	–	–	0·17	–	–	–	–	0·29	0·25	16
17	–	0·02	–	–	–	0·02	–	–	–	–	0·07	0·26	17
18	0·01	0·51	0·05	0·20	–	0·29	–	–	–	0·05	–	0·22	18
19	0·01	–	–	0·05	–	0·05	–	–	0·22	0·16	0·01	0·32	19
20	0·01	0·04	0·14	0·10	–	–	–	–	0·11	0·08	–	0·35	20
21	–	0·18	0·10	–	–	–	–	0·05	0·01	0·33	–	0·27	21
22	–	0·01	0·34	0·03	–	0·60	–	–	–	0·13	–	0·43	22
23	–	0·17	0·15	–	–	0·12	–	–	0·05	0·25	0·03	0·21	23
24	0·01	0·07	–	–	–	0·43	–	0·43	–	0·35	–	0·11	24
25	0·01	0·03	–	0·15	–	0·07	–	–	–	0·05	–	0·10	25
26	–	0·12	–	0·37	0·03	0·01	0·01	0·05	–	0·24	0·15	0·27	26
27	–	0·33	0·16	0·02	–	–	–	0·49	0·16	–	0·10	0·12	27
28	–	0·31	–	0·40	–	–	–	0·41	–	0·01	0·04	0·01	28
29	–	–	–	0·03	–	0·48	–	–	0·16	0·21	0·01	–	29
30	–	–	0·01	0·04	–	0·03	–	0·02	–	0·32	0·01	0·02	30
31	–	–	–	–	–	–	–	–	–	0·09	–	–	31
Total	0·86	1·98	2·23	14 1·48	0·88	2·49	0·01	2·11	1·55	2·67	3·92	6·32	TOTAL for year Rain 26·50
No. of Rain Days.	15	16	16	13	5	13	1	11	9	~~17~~ 19	22	28	Days ~~166~~ 168

W. 8,000, X. '11.

Park Gauge

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913

Kept at Over Court, nr Bristol
in the County of Gloucestershire 5
by R. C. Cann Lippincott Esqre

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Pilning G. W. R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	0.13	–	–	0.52	0.18	–	–	0.56	–	0.26	1
2	–	–	0.11	0.01	–	0.88	0.45	–	–	0.01	–	–	2
3	–	–	0.22	–	–	0.27	0.02	0.44	0.05	–	0.05	0.01	3
4	0.15	–	0.63	–	0.07	0.36	–	0.03	–	–	0.19	–	4
5	0.44	0.09	0.07	–	0.07	0.01	–	0.60	–	–	–	0.07	5
6	0.24	0.11	0.02	–	0.06	–	0.02	0.54	–	–	0.01	0.04	6
7	0.03	0.15	0.09	–	0.03	0.41	–	0.02	–	–	–	0.08	7
8	0.47	0.13	0.28	–	–	0.07	0.03	0.04	–	–	–	0.19	8
9	0.06	0.05	0.19	–	–	0.09	0.03	0.18	–	–	–	0.25	9
10	0.10	0.06	–	0.03	–	1.15	–	0.15	–	–	0.08	0.03	10
11	0.08	0.03	–	–	–	–	–	–	–	–	–	0.42	11
12	0.01	0.35	0.05	0.09	0.05	0.02	0.03	–	–	–	–	0.04	12
13	0.01	–	0.02	–	–	–	–	–	–	0.01	–	0.37	13
14	0.12	–	0.63	–	0.26	0.01	–	0.07	–	0.03	–	0.06	14
15	0.12	0.14	–	–	0.25	0.66	–	0.02	–	–	–	0.31	15
16	0.55	–	0.33	–	0.02	0.03	–	0.20	–	0.09	0.06	0.02	16
17	0.96	–	0.35	–	0.01	0.06	–	0.70	–	0.01	0.03	0.50	17
18	0,15	0.04	0.27	–	–	–	–	0.27	–	0.01	0.01	0.09	18
19	0.04	0.05	0.01	–	–	0.04	0.24	1.63	–	0.11	0.01	–	19
20	0.01	0.01	0.30	–	0.19	–	0.08	0.02	–	0.48	–	–	20
21	0.01	0.05	0.13	–	0.70	–	0.10	0.14	–	0.14	–	–	21
22	0.48	0.38	0.06	–	0.08	0.05	0.17	0.25	–	0.02	0.01	0.04	22
23	0.38	0.38	0.45	–	–	0.07	–	0.38	–	0.14	0.05	0.31	23
24	0.07	0.01	0.22	–	–	0.19	0.03	0.02	–	–	–	0.14	24
25	–	–	–	–	–	0.41	–	0.75	–	0.12	0.39	0.45	25
26	–	0.07	0.01	–	–	–	0.21	0.43	–	0.51	0.76	0.24	26
27	–	0.01	–	–	–	0.30	1.28	–	–	0.81	–	0.62	27
28	–	0.07	–	–	–	0.30	0.64	0.77	0.12	0.42	0.38	0.82	28
29	–	0.09	–	–	–	0.31	0.61	0.02	0.29	0.47	–	0.08	29
30	–	–	0.01	–	–	0.04	0.15	–	0.07	0.16	–	0.01	30
31	–	–	0.23	–	0.12	–	0.37	0.05	–	–	–	0.17	31
Total	4.48	2.27	4.81	0.13	1.91	6.25	4.64	7.72	0.53	4.10	2.03	5.62	YEAR'S TOTAL 44.49
Rain Days.	21	20	24	3	13	23	18	24	4	18	13	26	207

W. 7,500, XI. 12

Kitchen Garden

Smaller

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

6 JAN 1913

Kept at Over Court, N Bristol

in the County of Gloucestershire 5

by R. C. Cann Lippincott Esq^re

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Piling G. W. R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 137 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.13	—	—	0.50	0.17	—	—	0.55	—	0.28	1
2	—	—	0.11	0.01	—	0.89	0.45	—	—	0.01	—	—	2
3	—	—	0.22	—	—	0.27	0.03	0.44	0.04	—	0.05	0.01	3
4	0.15	—	0.63	—	0.06	0.38	—	0.03	—	—	0.19	—	4
5	0.44	0.09	0.07	—	0.07	0.01	—	0.60	-	-	—	0.07	5
6	0.23	0.10	0.02	—	0.06	—	0.02	0.53	—	—	0.01	0.04	6
7	0.03	0.14	0.09	—	0.02	0.40	—	0.02	—	—	—	0.07	7
8	0.46	0.13	0.28	—	—	0.06	0.02	0.04	—	0.01	—	0.19	8
9	0.06	0.05	0.18	—	—	0.08	0.03	0.18	.	.	-	0.27	9
10	0.09	0.06	—	0.03	-	1.04	—	0.13	—	—	0.08	0.02	10
11	0.07	0.03	—	—	—	—	—	—	—	—	—	0.42	11
12	0.01	0.35	0.05	0.09	0.05	0.02	0.03	—	—	—	—	0.04	12
13	0.01	—	0.02	—	—	—	—	—	—	0.01	—	0.40	13
14	0.11	—	0.63	—	0.25	0.01	—	0.07	—	0.03	—	0.07	14
15	0.11	0.14	0.01	—	0.22	0.65	—	0.02	—	—	—	0.32	15
16	0.54	—	0.34	—	0.01	0.03	—	0.20	—	0.09	0.06	0.02	16
17	0.83	—	0.35	—	0.01	0.06	—	0.69	—	0.01	0.02	0.50	17
18	0.13	0.03	0.26	—	-	-	—	0.26	—	0.01	0.01	0.09	18
19	0.03	0.06	0.01	—	—	0.04	0.24	1.60	—	0.11	0.01	—	19
20	0.01	0.01	0.30	—	0.19	—	0.07	0.02	—	0.49	—	—	20
21	0.01	0.04	0.12	—	0.70	—	0.10	0.14	—	0.15	—	—	21
22	0.48	0.38	0.06	—	0.07	0.04	0.17	0.24	—	0.02	0.01	0.04	22
23	0.38	0.38	0.45	—	—	0.06	—	0.41	—	0.13	0.05	0.31	23
24	0.06	0.01	0.23	—	—	0.18	0.03	0.02	—	0.01	-	0.13	24
25	-	—	—	—	—	0.42	—	0.74	—	0.12	0.41	0.45	25
26	—	0.07	0.01	—	—	—	0.20	0.43	—	0.54	0.80	0.24	26
27	—	0.01	-	—	—	0.30	1.26	—	—	0.84	—	0.62	27
28	—	0.07	—	—	—	0.31	0.63	0.78	0.12	0.42	0.38	0.85	28
29	-	0.09	—	—	—	0.31	0.63	0.02	0.29	0.47	—	0.08	29
30	—	—	0.01	—	—	0.04	0.15	—	0.07	0.16	—	0.01	30
31	-	-	0.23	-	0.12	—	0.37	0.04	-	—	—	0.17	31
Total	4.24	2.24	4.81	0.13	1.83	6.10	4.60	7.65	0.52	4.18	2.08	5.71 ~~[illegible]~~	YEAR'S TOTAL 44.09 ✓
Rain Days.	21	20	25	3	13	23	18	24	4	20	13	26	210 ✓

W. 7,500, XI. 12

Snowdon Gauge ✓

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at Over Court, W. Bristol

in the County of Gloucestershire

by R. C. Cann Lippincott, Esqre

5

Lat. ________ Long. ________

Time of Observation 9 A.M.

Nearest Railway Station ________

Diameter of Rain Gauge 5 in. –

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·08	0·24	0·03	0·08	—	—	—	0·38	—	0·06	0·02	1
2	0·02	0·18	0·02	0·05	0·02	—	0·01	—	0·07	0·06	0·15	0·05	2
3	0·16	—	0·10	—	0·44	—	—	—	—	0·10	0·01	0·32	3
4	1·39	0·02	0·15	—	0·17	—	—	—	1·29	0·27	0·04	0·04	4
5	—	0·06	0·06	—	0·28	0·11	0·07	—	0·23	—	0·16	0·10	5
6	0·01	0·03	0·18	—	0·17	0·11	0·05	—	—	0·58	0·16	0·53	6
7	—	0·27	—	—	0·23	0·11	0·06	—	—	0·27	0·19	0·01	7
8	—	0·12	—	—	0·21	0·02	0·02	—	—	0·08	—	0·02	8
9	—	0·13	—	—	0·02	0·20	0·01	0·17	0·04	—	0·05	—	9
10	0·22	0·01	0·02	0·01	0·13	0·01	—	0·10	—	0·07	0·15	—	10
11	0·81	—	—	0·15	0·16	—	—	—	—	0·04	0·82	0·02	11
12	—	—	—	—	0·06	—	—	—	—	0·01	0·35	—	12
13	0·05	0·02	0·14	—	0·03	—	0·04	0·05	0·15	—	0·19	—	13
14	0·09	0·01	0·33	—	—	—	—	—	0·01	0·23	0·01	0·02	14
15	0·20	0·06	0·35	0·74	—	—	—	0·09	0·02	—	0·12	0·03	15
16	0·26	—	0·40	0·05	—	—	0·02	—	0·02	—	0·01	—	16
17	0·03	0·02	0·01	0·13	—	—	0·02	—	0·07	—	0·06	—	17
18	0·19	—	0·10	0·17	—	0·01	—	—	—	—	0·03	0·01	18
19	0·20	—	0·15	—	—	0·20	0·07	—	0·25	—	—	0·02	19
20	0·25	—	0·14	0·04	—	—	—	—	—	0·06	0·16	0·01	20
21	—	—	0·09	0·05	0·23	—	0·05	0·03	—	0·01	0·29	—	21
22	0·51	—	0·88	0·07	0·04	0·07	—	0·08	0·24	—	0·01	—	22
23	0·04	—	—	—	—	0·04	—	0·12	0·02	—	0·09	0·15	23
24	0·11	—	—	0·06	—	—	—	0·05	—	—	—	0·01	24
25	—	0·08	—	0·21	—	—	—	—	0·02	—	—	0·07	25
26	—	0·10	—	0·20	—	—	—	0·19	0·01	—	—	0·17	26
27	0·05	—	0·08	0·36	—	—	—	—	—	0·04	0·01	—	27
28	0·31	—	0·05	0·20	—	—	—	—	—	0·04	0·01	0·06	28
29	0·03	—	0·50	0·43	—	—	—	0·09	—	0·10	—	0·02	29
30	0·34	—	0·01	—	—	—	—	—	—	0·31	0·03	—	30
31	0·09	—	0·08	—	0·31	—	—	0·04	—	—	—	—	31
Total	5·36	1·19	4·08	2·95	2·58	0·88	0·42	1·01	2·82	2·27	3·16	1·68	YEAR'S TOTAL 28·40
Rain Days.	22	15	22	17	16	10	11	11	15	16	24	20	1·99

W.7,000, XI. 13

Kitchen Garden

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
27 JAN 1914

Kept at Over Court, Nr. Bristol

in the County of Gloucestershire

by R. C. Cann Lippincott Esqr.

5

Lat. ______ Long. ______

Time of Observation 9 AM.

Nearest Railway Station ______

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	0·08	0·24	0·03	0·08	–	–	–	0·37	–	0·06	0·02	1
2	0·02	0·18	0·02	0·05	0·02	–	0·01	–	0·07	0·06	0·15	0·05	2
3	0·16	–	0·10	–	0·44	–	–	–	–	0·10	0·01	0·33	3
4	1·37	0·02	0·15	–	0·17	–	–	–	1·26	0·26	0·04	0·04	4
5	–	0·06	0·06	–	0·28	0·11	0·07	–	0·22	–	0·16	0·10	5
6	0·02	0·02	0·19	–	0·16	0·11	0·05	–	–	0·56	0·16	0·53	6
7	–	0·28	–	–	0·23	0·11	0·06	–	–	0·27	0·18	0·01	7
8	–	0·12	–	–	0·20	0·02	0·02	–	–	0·07	–	0·02	8
9	–	0·12	–	–	0·02	0·20	0·01	0·17	0·04	–	0·05	–	9
10	0·22	0·01	0·02	0·01	0·13	0·01	–	0·10	–	0·07	0·15	–	10
11	0·78	–	–	0·16	0·16	–	–	–	–	0·04	0·82	0·02	11
12	–	–	–	–	0·05	–	–	–	–	0·01	0·35	–	12
13	0·05	0·02	0·14	–	0·03	–	0·04	0·05	0·16	–	0·19	–	13
14	0·09	0·01	0·35	–	–	–	–	–	0·01	0·22	0·01	0·02	14
15	0·20	0·06	0·35	0·75	–	–	–	0·09	0·01	–	0·12	0·03	15
16	0·26	–	0·40	0·05	–	–	0·02	–	0·02	–	0·01	–	16
17	0·03	0·02	0·01	0·13	–	–	0·02	–	0·06	–	0·06	–	17
18	0·18	–	0·11	0·17	–	0·01	–	–	–	–	0·03	0·01	18
19	0·21	–	0·15	–	–	0·20	0·08	–	0·25	–	–	0·02	19
20	0·24	–	0·15	0·04	–	–	–	–	–	0·06	0·17	0·01	20
21	–	–	0·09	0·05	0·25	–	0·05	0·03	–	0·01	0·29	–	21
22	0·52	–	0·87	0·06	0·04	0·07	–	0·08	0·24	–	0·01	–	22
23	0·04	–	–	–	–	0·04	–	0·12	0·02	–	0·09	0·15	23
24	0·11	–	–	0·05	–	–	–	0·05	–	–	–	0·01	24
25	–	0·09	–	0·21	–	–	–	–	0·02	–	–	0·07	25
26	–	0·09	–	0·22	–	–	–	0·18	0·01	–	–	0·17	26
27	0·04	–	0·08	0·34	–	–	–	–	–	0·04	0·01	–	27
28	0·31	–	0·05	0·20	–	–	–	–	–	0·04	0·01	0·06	28
29	0·03	–	0·52	0·42	–	–	–	0·08	–	0·10	–	0·01	29
30	0·33	–	0·01	–	–	–	–	–	–	0·31	0·03	–	30
31	0·09	–	0·07	–	0·30	–	–	0·04	–	–	–	–	31
Total	5·30	1·18	4·13	2·94	2·56	0·88	0·43	0·99	2·76	2·22	3·16	1·68	YEAR'S TOTAL 28·23
Rain Days.	22 ✓	15 ✓	22 ✓	17 ✓	16 ✓	10 ✓	11 ✓	11 ✓	15 ✓	16 ✓	24 ✓	20 ✓	199 ✓

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Kitchen Garden Gauge

Ex. W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Over Court, Nr Bristol

in the County of Gloucestershire

by R. C. Carne Lippincott, Esqr.

5

Lat. ______ Long. ______

Time of Observation 9 AM

Nearest Railway Station Pilning G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.02	0.06	—	0.02	1.40	0.69	—	—	0.14	0.02	1
2	—	—	—	0.01	0.04	—	0.79	0.06	—	—	0.48	0.42	2
3	—	—	0.03	0.20	0.41	—	0.03	0.03	—	—	0.02	0.15	3
4	0.29	—	—	0.30	0.20	—	0.27	0.11	—	—	0.48	0.69	4
5	0.02	—	0.06	0.27	0.03	—	0.09	—	—	—	0.04	0.06	5
6	—	0.10	0.09	0.06	0.06	—	0.21	0.05	—	—	0.01	0.19	6
7	0.02	0.36	0.36	0.24	0.27	0.04	0.26	0.09	—	—	0.01	0.08	7
8	0.14	—	0.61	0.03	0.03	0.58	—	0.03	0.09	—	0.01	0.02	8
9	0.23	0.01	0.28	0.17	0.02	0.82	—	0.13	0.07	—	—	—	9
10	0.02	0.14	0.01	0.15	0.01	—	—	—	0.36	—	—	—	10
11	—	0.10	0.19	—	0.04	0.37	0.44	—	—	—	0.05	0.45	11
12	—	0.11	0.09	—	—	—	—	—	0.17	—	0.05	0.30	12
13	—	0.43	0.47	—	—	—	0.03	—	0.26	0.17	0.02	0.43	13
14	0.02	0.47	0.39	—	—	—	—	0.11	0.03	0.14	0.23	—	14
15	0.01	—	0.11	—	—	—	—	0.59	0.97	—	0.37	—	15
16	—	—	—	—	—	—	0.06	—	0.16	—	—	—	16
17	—	0.30	0.14	—	—	—	0.05	—	0.02	—	—	0.59	17
18	—	0.01	0.04	—	—	—	0.16	—	0.04	—	—	0.34	18
19	—	0.12	0.24	—	—	—	0.46	—	0.01	—	0.03	0.16	19
20	—	0.31	0.07	—	—	0.15	—	—	—	—	—	0.20	20
21	—	0.42	—	—	—	0.08	0.07	—	—	0.12	—	0.04	21
22	—	0.02	—	—	0.36	0.02	—	0.05	—	0.09	—	—	22
23	—	0.04	0.30	—	0.03	—	—	—	—	0.31	—	—	23
24	—	—	0.04	—	—	—	—	0.04	—	0.08	0.08	—	24
25	0.07	—	0.16	—	—	—	—	0.40	—	0.29	0.01	0.26	25
26	—	—	—	—	—	—	0.05	0.02	—	0.06	0.19	0.37	26
27	0.04	—	—	—	—	—	—	—	—	0.04	0.30	0.24	27
28	0.02	0.15	0.18	—	0.09	—	—	—	—	—	0.32	0.79	28
29	0.36		0.31	—	0.06	—	0.02	—	—	0.13	0.28	—	29
30	0.10		0.10	—	0.01	0.07	—	—	—	0.19	0.65	0.48	30
31	0.04		—		—		0.50	—		0.14		0.07	31
Total	1.38	3.09	4.29	1.49	1.66	2.15	4.89	2.40	2.18	1.76	3.77	6.35	YEAR'S TOTAL 35.41 ✓
Rain Days.	14	16	23	10	15	9	17	14	11	12	21	22	184 ✓

W. 8,000. X. 14.

Snowdon Gauge

[illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Over-Court, Nr. Bristol
in the County of Gloucestershire 5
by R. C. Cann Lippincott, Esqre.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Pilning G. W. R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	0.02	0.07	—	0.02	1.44	0.70	—	—	0.15	0.02	1
2	—	—	—	0.01	0.04	—	0.80	0.06	—	—	0.48	0.42	2
3	—	—	0.03	0.21	0.41	—	0.03	0.03	—	—	0.02	0.15	3
4	0.28	—	—	0.30	0.20	—	0.27	0.11	—	—	0.47	0.68	4
5	0.02	—	0.06	0.27	0.03	—	0.09	—	—	—	0.04	0.07	5
6	—	0.10	0.09	0.06	0.06	—	0.21	0.05	—	—	0.01	0.20	6
7	0.02	0.35	0.36	0.24	0.27	0.04	0.26	0.09	—	—	0.01	0.09	7
8	0.14	—	0.62	0.03	0.03	0.58	—	0.06	0.09	—	0.01	0.02	8
9	0.23	0.02	0.28	0.18	0.02	0.82	—	0.14	0.07	—	—	—	9
10	0.02	0.14	0.01	0.16	0.01	—	—	—	0.37	—	—	—	10
11	—	0.10	0.20	—	0.04	0.38	0.44	—	—	—	0.05	0.45	11
12	—	0.11	0.10	—	—	—	—	—	0.16	—	0.05	0.29	12
13	—	0.42	0.47	—	—	—	0.04	—	0.26	0.17	0.03	0.40	13
14	0.02	0.47	0.39	—	—	—	—	0.12	0.03	0.14	0.23	—	14
15	0.01	—	0.11	—	—	—	—	0.60	0.96	—	0.38	—	15
16	—	—	—	—	—	—	0.07	—	0.17	—	—	—	16
17	—	0.30	0.14	—	—	—	0.06	—	0.03	—	—	0.59	17
18	—	0.01	0.05	—	—	—	0.16	—	0.05	—	—	0.34	18
19	—	0.13	0.24	—	—	—	0.46	—	0.01	—	0.03	0.15	19
20	—	0.32	0.08	—	—	0.15	—	—	—	—	—	0.19	20
21	—	0.41	—	—	—	0.08	0.07	—	—	0.12	—	0.04	21
22	—	0.02	—	—	0.39	0.02	—	0.05	—	0.08	—	—	22
23	—	0.04	0.30	—	0.04	—	—	—	—	0.31	—	—	23
24	—	—	0.05	—	—	—	—	0.04	—	0.08	0.08	—	24
25	0.07	—	0.16	—	—	—	—	0.40	—	0.29	0.01	0.26	25
26	—	—	—	—	—	—	0.05	0.02	—	0.06	0.18	0.39	26
27	0.05	—	—	—	—	—	—	—	—	0.05	0.29	0.25	27
28	0.02	0.14	0.18	—	0.09	—	—	—	—	—	0.34	0.77	28
29	0.36		0.32	—	0.07	—	0.02	—	—	0.13	0.28	—	29
30	0.10		0.11	—	0.02	0.07	—	—	—	0.20	0.64	0.46	30
31	0.04		—		—		0.49	—		0.14		0.07	31
Total	1.38	3.08	4.37	1.53	1.72	2.16	4.96	2.47	2.20	1.77	3.78	6.30	YEAR'S TOTAL 35.72 ✓
Rain Days.	14	16	23	10	15	9	17	14	11	12	21	22	184 ✓

W. 8,000. X. 14.

Snowdon pattern Gauge

2300?

FORM A.
BRITISH RAINFALL.
1 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Over Court, W. Bristol

in the County of Gloucestershire

by R. C. Cann Lippincott, Esqr.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Pilning GWR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·34	0·09	–	–	0·19	–	–	0·10	0·09	0·31	0·01	0·19	1
2	0·19	0·22	0·15	0·23	–	0·02	0·02	0·74	0·05	0·06	–	0·11	2
3	0·27	0·05	0·04	0·06	0·13	–	0·31	0·25	–	–	–	0·18	3
4	0·02	0·02	0·02	–	0·11	–	0·50	0·02	–	–	–	0·81	4
5	0·08	0·44	–	0·04	–	–	–	0·08	–	–	–	0·35	5
6	0·29	0·01	–	0·21	–	–	0·38	0·06	–	–	–	0·34	6
7	0·32	0·40	–	0·05	0·14	–	0·27	0·02	–	–	–	0·21	7
8	0·30	0·24	–	0·01	–	–	0·02	0·10	–	–	0·09	–	8
9	0·01	0·04	0·08	0·01	–	–	–	0·06	–	–	0·18	0·84	9
10	0·21	–	0·08	0·05	–	–	–	0·02	–	0·01	–	0·03	10
11	0·03	–	0·06	0·02	0·01	–	–	–	–	0·01	0·98	0·06	11
12	0·15	0·19	–	0·21	0·44	–	–	0·01	–	0·23	0·27	0·02	12
13	0·02	0·32	–	–	0·90	–	–	0·01	0·21	–	0·01	0·01	13
14	0·12	0·01	–	–	–	–	0·06	0·23	0·03	0·03	–	0·61	14
15	0·35	–	–	0·01	0·04	–	0·12	0·05	0·02	0·03	0·03	0·04	15
16	–	0·70	–	–	0·44	–	0·70	0·06	–	–	–	0·06	16
17	–	0·26	0·01	–	0·32	–	–	–	–	–	–	0·02	17
18	–	0·30	0·01	–	–	–	–	–	–	–	–	–	18
19	–	0·03	–	0·01	0·12	–	0·31	–	–	–	–	–	19
20	0·09	–	–	0·13	–	–	–	–	–	0·05	–	0·11	20
21	0·04	0·05	–	–	–	–	0·02	–	–	0·05	–	0·08	21
22	0·07	0·24	0·44	0·02	–	0·03	0·57	–	0·03	–	–	0·21	22
23	–	0·03	0·18	–	–	–	0·15	–	0·05	1·27	–	0·55	23
24	–	–	0·02	0·05	–	–	0·23	–	0·51	0·73	–	0·35	24
25	–	–	0·01	–	–	0·30	0·05	–	–	0·06	–	0·29	25
26	–	0·11	–	–	–	0·01	0·12	–	0·02	–	–	0·41	26
27	–	0·07	–	–	–	0·05	0·28	–	–	0·37	–	–	27
28	–	0·08	–	–	–	0·02	0·12	0·01	0·49	0·05	–	–	28
29	–		–	–	–	0·22	–	0·05	–	–	0·06	0·04	29
30	0·18	X	–	0·01	–	0·29	–	–	–	0·39	0·10	0·16	30
31	–	X	–	X	–	X	0·09	0·04	X	0·66	X	0·29	31
Total	3·08	3·90	1.10	1·12	2.84	0·94	4·32	1·91	1·50	4·31	1·73	6·37	YEAR'S TOTAL 33–12
Rain Days.	19	22	12	16	11	8	19	18	10	16	9	26	186

W. 8,000. X. 15.

Kitchen Garden Gauge

2303

FORM A.
BRITISH RAINFALL.

1 - FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Over Court, W. Bristol

in the County of Gloucestershire

by R. C. Cann Lippincott Esqre

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·34	0·09	–	–	0·19	–	–	0·10	0·08	0·30	0·01	0·19	1
2	0·18	0·23	0·15	0·23	–	0·02	0·02	0·75	0·04	0·06	–	0·11	2
3	0·27	0·04	0·04	0·05	0·12	–	0·28	0·24	–	–	–	0·18	3
4	0·02	0·02	0·02	–	0·11	–	0·50	0·02	–	–	–	0·80	4
5	0·08	0·45	–	0·04	–	–	–	0·07	–	–	–	0·36	5
6	0·28	0·01	–	0·21	–	–	0·37	0·05	–	–	–	0·34	6
7	0·32	0·40	–	0·05	0·12	–	0·27	0·02	–	–	–	0·22	7
8	0·30	0·24	–	0·01	–	–	0·02	0·10	–	–	0·09	–	8
9	0·01	0·03	0·08	0·05	–	–	–	0·05	–	–	0·18	0·85	9
10	0·21	–	0·08	0·05	–	–	–	0·02	–	0·01	–	0·03	10
11	0·03	–	0·06	0·01	0·01	–	–	–	–	0·01	0·98	0·05	11
12	0·14	0·21	–	0·20	0·44	–	–	0·01	–	0·23	0·28	0·02	12
13	0·02	0·31	–	–	0·91	–	–	0·01	0·20	–	0·01	0·01	13
14	0·12	0·01	–	–	–	–	0·06	0·23	0·02	0·03	–	0·61	14
15	0·35	–	–	0·01	0·04	–	0·12	0·05	0·02	0·02	0·04	0·04	15
16	–	0·71	–	–	0·45	–	0·69	0·06	–	–	–	0·06	16
17	–	0·28	0·01	–	0·31	–	–	–	–	–	–	0·02	17
18	–	0·30	0·01	–	–	–	–	–	–	–	–	–	18
19	–	0·03	–	0·01	0·12	–	0·32	–	–	–	–	–	19
20	0·09	–	–	0·14	–	–	–	–	–	0·05	–	0·12	20
21	0·04	0·05	–	–	–	–	0·02	–	–	0·05	–	0·08	21
22	0·08	0·24	0·45	0·01	–	0·02	0·58	–	0·03	–	–	0·21	22
23	–	0·02	0·17	–	–	–	0·14	–	0·05	1·27	–	0·55	23
24	–	–	0·02	0·04	–	–	0·23	–	0·51	0·73	–	0·35	24
25	–	–	0·01	–	–	0·28	0·05	–	–	0·06	–	0·29	25
26	–	0·12	–	–	–	0·01	0·12	–	0·01	–	–	0·41	26
27	–	0·11	–	–	–	0·04	0·27	–	–	0·37	–	–	27
28	–	0·08	–	–	–	0·02	0·12	0·01	0·50	0·04	–	–	28
29	–	X	–	–	–	0·22	–	0·04	–	–	0·06	0·04	29
30	0·18	X	–	0·01	–	0·28	–	–	–	0·39	0·10	0·16	30
31	–	X	–	X	–	X	0·09	0·04	X	0·66	X	0·30	31
Total	3·06	3·98	1.10	1·08	2.82	0·89	4·27	1·87	1·46	4·28	1·75	6·40	YEAR'S TOTAL 32·96
Rain Days.	19	22	12	16	11	8	19	18	10	16	9	26	186

W. 8,000. X. 15.

Kitchen Garden Gauge Ex DL

2239

FORM A.
BRITISH RAINFALL.
5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Over-Court, W. Bristol
in the County of Gloucestershire
by the Late R. C. Cam Lippincott, Esq.

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Pilning
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·04	–	0·02	–	0·16	0·12	0·70	–	0·01	0·26	0·18	–	1
2	1·07	0·04	0·05	–	0·05	0·01	–	–	0·06	1·32	0·04	–	2
3	–	0·75	–	–	–	0·02	–	–	0·03	0·32	0·10	–	3
4	0·45	0·12	–	–	0·28	0·54	–	–	0·13	0·17	0·31	–	4
5	0·02	–	0·03	–	0·17	0·16	0·01	–	–	0·03	0·06	–	5
6	0·07	0·19	0·03	–	0·38	0·05	0·64	–	–	0·36	0·40	–	6
7	0·05	0·08	0·12	–	0·05	0·01	–	–	–	0·06	0·65	0·27	7
8	–	0·04	0·07	–	0·27	–	–	–	–	–	0·01	0·23	8
9	–	–	–	–	0·07	0·08	0·15	–	–	0·02	0·01	0·05	9
10	–	0·45	0·04	0·08	0·03	0·01	–	–	–	0·09	–	0·03	10
11	0·02	0·01	0·04	0·14	0·09	0·20	–	–	–	0·02	–	–	11
12	0·02	0·11	0·05	–	0·37	–	0·16	0·08	–	0·19	–	–	12
13	–	0·39	0·22	–	–	–	–	0·27	–	0·07	–	–	13
14	–	0·39	0·17	–	0·09	–	–	0·52	–	0·12	–	0·01	14
15	–	0·16	0·06	0·08	0·04	–	–	0·39	–	–	–	–	15
16	0·03	0·06	–	0·34	0·01	–	0·11	0·26	–	0·03	–	–	16
17	0·07	0·10	–	0·10	–	–	–	0·10	0·37	0·35	0·13	–	17
18	–	–	0·10	0·02	–	–	–	–	0·03	0·02	0·29	0·08	18
19	0·27	–	0·35	0·18	–	–	–	–	–	–	0·09	–	19
20	0·29	0·07	0·64	0·02	–	–	–	–	–	–	0·03	0·55	20
21	0·26	0·11	0·55	–	0·13	0·01	–	–	–	–	–	0·28	21
22	0·02	–	–	0·02	–	0·24	–	–	–	0·22	0·07	0·59	22
23	–	0·41	–	0·05	–	0·03	–	0·19	–	0·08	0·11	0·18	23
24	–	0·12	0·02	0·09	0·89	0·04	–	0·10	–	0·23	0·02	0·20	24
25	–	0·41	0·27	–	–	–	–	0·75	–	0·02	0·18	0·01	25
26	0·06	0·17	0·06	–	–	0·22	–	0·01	0·35	0·24	–	–	26
27	0·10	0·06	1·45	–	0·03	0·24	0·04	0·14	0·31	0·53	–	0·01	27
28	–	0·22	0·04	0·03	–	0·02	–	–	0·01	0·35	–	0·90	28
29	–	0·26	0·01	–	–	0·40	–	1·79	–	0·45	–	0·62	29
30	–	X	–	0·02	–	–	–	–	–	0·59	–	0·02	30
31	–	X	–	X	–	X	–	0·03	X	0·27	X	0·01	31
Total	2·84	4·72	4·39	1·17	3·11	2·40	1·81	4·59	1·30	6·39	2·68	4·04	YEAR'S TOTAL 39·44
Rain Days.	16	23	22	13	17	18	7	13	9	26	17	17	198

W. 8,000, VIII. 16

Snowdon Gauge

Exd DL

2237

REGISTER OF RAINFALL IN 19 16

FORM A. BRITISH RAINFALL. 25. JAN. 1917

Kept at Over Court, W. Bristol

in the County of Gloucestershire

by the Late R. C. Cann Lippincott, Esq.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Pilning

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·04	–	0·02	–	0·16	0·12	0·70	–	0·01	0·27	0·18	–	1
2	1·08	0·04	0·06	–	0·05	0·01	–	–	0·05	1·33	0·04	–	2
3	–	0·75	–	–	–	0·02	–	–	0·03	0·33	0·10	–	3
4	0·44	0·12	–	–	0·29	0·55	–	–	0·13	0·17	0·32	–	4
5	0·02	–	0·03	–	0·17	0·17	0·01	–	–	0·03	0·06	–	5
6	0·07	0·19	0·03	–	0·38	0·05	0·63	–	–	0·36	0·41	–	6
7	0·05	0·09	0·12	–	0·05	0·01	–	–	–	0·06	0·61	0·27	7
8	–	0·04	0·07	–	0·27	–	–	–	–	–	0·02	0·23	8
9	–	–	–	–	0·08	0·08	0·16	–	–	0·02	0·02	0·05	9
10	–	0·46	0·05	0·08	0·03	0·01	–	–	–	0·09	–	0·03	10
11	0·02	0·01	0·05	0·14	0·09	0·18	–	–	–	0·02	–	–	11
12	0·02	0·11	0·05	–	0·38	–	0·16	0·04	–	0·20	–	–	12
13	–	0·39	0·23	–	–	–	–	0·27	–	0·07	–	–	13
14	–	0·39	0·18	–	0·09	–	–	0·54	–	0·12	–	0·01	14
15	–	0·15	0·06	0·08	0·04	–	–	0·38	–	–	–	–	15
16	0·04	0·06	–	0·34	0·01	–	0·11	0·26	–	0·03	–	–	16
17	0·07	0·11	–	0·10	–	–	–	0·10	0·37	0·35	0·14	–	17
18	–	–	0·11	0·02	–	–	–	–	0·02	0·02	0·29	0·09	18
19	0·26	–	0·36	0·18	–	–	–	–	–	–	0·10	–	19
20	0·30	0·07	0·65	0·03	–	–	–	–	–	–	0·04	0·55	20
21	0·26	0·11	0·56	–	0·14	0·01	–	–	–	–	–	0·28	21
22	0·01	–	–	0·02	–	0·24	–	–	–	0·22	0·07	0·59	22
23	–	0·41	–	0·05	–	0·03	–	0·20	–	0·08	0·11	0·18	23
24	–	0·12	0·02	0·09	0·90	0·04	–	0·11	–	0·24	0·02	0·21	24
25	–	0·41	0·27	–	–	–	–	0·75	–	0·03	0·18	0·01	25
26	0·06	0·15	0·06	–	–	0·22	–	0·01	0·35	0·25	–	–	26
27	0·10	0·06	1·45	–	0·03	0·25	0·04	0·14	0·31	0·53	–	0·01	27
28	–	0·23	0·05	0·03	–	0·01	–	–	0·01	0·36	–	0·90	28
29	–	0·27	0·01	–	–	0·40	–	1·78	–	0·45	–	0·65	29
30	–	X	–	0·02	–	–	–	–	–	0·56	–	0·02	30
31	–	X	–	X	–	X	–	0·03	X	0·26	X	0·01	31
Total	2·84	4·74	4·49	1·18	3.16	2·40	1·81	4·61	1·28	6·45	2·71	4·09	YEAR'S TOTAL 39·76
Rain Days.	16	23	22	13	17	18	7	13	9	26	17	17 ~~18~~	198

W. 8,000, VIII. 16

1912

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Over Court, nr Bristol.
in the County of Gloucestershire
by F. Delbridge

Lat. 51°32'N Long. 2°35'W
Time of Observation L.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. - in.
„ „ „ „ Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0.46	0.45	-	0.22	0.13	0.08	0.17	0.13	0.48	1
2	-	-	0.03	0.10	0.02	-	0.06	0.13	0.08	0.31	-	0.15	2
3	0.06	0.12	-	0.12	-	-	0.58	-	0.02	0.26	-	-	3
4	0.02	-	0.02	0.06	-	-	0.01	0.49	-	0.28	-	-	4
5	-	-	0.13	0.04	0.09	-	0.50	-	-	0.27	-	-	5
6	-	-	0.12	-	0.34	-	0.07	-	-	0.05	-	-	6
7	-	-	0.02	0.06	0.52	-	0.18	-	-	-	-	-	7
8	0.12	0.03	-	0.59	0.07	-	0.62	0.18	-	-	-	-	8
9	0.02	0.27	-	0.77	-	0.18	0.03	-	0.05	-	-	-	9
10	0.34	0.21	0.06	0.07	-	0.30	0.24	-	-	-	-	-	10
11	1.02	0.01	0.12	0.30	0.45	0.01	0.14	-	-	-	-	-	11
12	0.14	0.07	0.02	0.08	0.01	0.97	0.04	-	-	-	0.07	-	12
13	0.16	0.07	0.35	0.14	-	-	-	-	-	-	0.01	0.02	13
14	0.08	0.02	0.46	0.31	-	0.03	0.01	-	0.11	0.27	0.73	0.01	14
15	0.02	0.10	0.01	0.12	0.07	0.21	0.04	-	0.08	0.25	0.15	-	15
16	0.02	0.01	-	0.03	0.02	0.28	0.30	0.01	0.53	0.27	0.32	-	16
17	0.12	-	-	0.04	0.21	0.53	-	0.05	0.40	0.07	-	0.01	17
18	0.25	-	-	0.18	0.09	-	-	0.31	0.34	-	-	0.01	18
19	-	0.34	-	0.26	-	0.06	-	-	-	-	-	-	19
20	0.02	0.08	-	0.13	-	0.26	0.01	-	-	-	-	0.15	20
21	-	-	-	0.03	-	-	0.01	-	0.01	0.09	-	0.03	21
22	0.02	-	-	0.15	-	0.01	0.04	0.09	0.05	-	-	0.27	22
23	-	-	-	0.01	-	-	0.71	-	-	-	-	0.53	23
24	0.05	-	0.28	-	-	-	0.01	0.02	-	-	006	0.18	24
25	0.03	0.08	0.11	-	-	-	0.66	0.01	-	-	-	-	25
26	0.25	-	0.30	-	-	0.01	-	-	-	-	0.05	0.05	26
27	0.30	0.01	0.04	0.05	0.04	0.58	-	-	-	-	-	0.17	27
28	0.96	-	0.07	0.03	0.09	0.15	0.02	-	-	-	-	0.03	28
29	0.13	0.01	0.17	-	0.08	0.06	0.20	-	-	-	0.08	0.43	29
30	0.06	X	0.06	0.06	-	0.28	0.19	-	0.40	-	0.32	0.45	30
31	0.15	X	0.25	X	0.04	X	-	-	X	0.50	X	0.20	31
TOTAL	4.34	1.43 ✓	2.62 ✓	4.19 ✓	2.59 ✓	3.92 ✓	4.89 ✓	1.42 ✓	2.15 ✓	2.79 ✓	1.92 ✓	3.14 ✓	YEAR'S TOTAL 35.43 ✓
Days with ·01 in. or more	23	15 ✓	19 ✓	25 ✓	16 ✓	16 ✓	24 ✓	10 ✓	12 ✓	12 ✓	10 ✓	14 ✓	199 ✓
	16	9	14	21	13	12	17	7	10	12	9	11	151

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex. Cab. 5/2/20

7 FEB 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Over Court

in the County of Gloucester

by F Delbridge

Lat. 51° 32′ N Long. 2° 35′ W

Time of Observation 9h GMT

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 147 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·30	0·01	0·03	-	0·06	-	0·48	-	0·01	0·08	-	0·63	1
2	0·15	-	0·03	-	0·02	-	0 20	-	0·50	0·02	0·08	0·25	2
3	0·64	-	0·27	-	0·05	0·63	-	-	0·08	-	0·09	0·42	3
4	0·21	0·16	0·44	-	-	0·06	0·07	0·06	0·20	-	-	0·14	4
5	-	0·34	0·83	-	0·07	-	0·15	-	0·36	-	0·05	0·22	5
6	0·13	0·05	0·22	-	-	-	-	-	-	-	0·04	0·02	6
7	0·11	-	0·29	0·10	-	-	-	-	-	-	-	-	7
8	0·20	-	0·11	0·05	-	0·03	-	-	-	-	-	-	8
9	0·22	-	0·05	0·12	-	-	-	-	-	-	0·10	-	9
10	0·02	-	0·41	0·01	-	-	-	-	-	0·08	0·02	0·15	10
11	0·03	-	0·42	0·13	0·06	0·02	0·34	-	-	0·01	-	0·03	11
12	0·01	-	0·26	0·02	-	0·30	-	-	-	0·06	0·04	-	12
13	0·15	0·03	-	0·28	-	-	0·01	-	0·02	-	-	0·03	13
14	0·67	0·05	-	0·32	-	-	0·11	-	0·02	-	-	0·03	14
15	0·18	0·02	-	0·63	-	-	-	-	-	0·01	-	0·11	15
16	0·18	0·85	-	-	-	-	-	-	-	-	0·15	0·25	16
17	-	0·43	-	-	0·04	0·09	-	-	-	-	0·08	0·01	17
18	0·01	0·01	0·55	-	-	-	0·05	0·61	-	-	0·05	0·04	18
19	0·27	0·24	0·85	-	-	0·19	2·47	0·45	0·03	-	0·05	0·06	19
20	0·33	0·16	0·40	-	-	0·07	-	0·10	-	-	0·02	0·05	20
21	-	0·84	0·02	-	-	0·02	0·07	-	0·02	-	0·02	0·03	21
22	-	0·13	-	-	-	0·05	0·05	-	0·34	-	0·01	0·13	22
23	-	-	-	-	-	0·03	-	-	-	1·22	0·10	-	23
24	-	-	-	0·09	-	0·10	-	-	0·02	1·13	0·15	0·41	24
25	0·09	-	-	0·02	0·02	-	-	0·28	0·02	-	0·05	0·04	25
26	0·13	-	0·09	0·03	-	0·06	-	0·02	0·17	-	-	0·31	26
27	0·12	-	-	0·30	-	-	-	0·61	-	-	-	0·01	27
28	0·02	-	0·27	-	-	-	-	0·26	-	-	0·43	0·40	28
29	0·03		-	0·05	-	-	-	0·04	-	0·04	0·08	0·45	29
30	-		-	0·18	-	0·30	-	0·24	-	0·01	0·28	0·33	30
31	0·01		0·01		0·78		0·01	-		-		0·04	31
TOTAL	4·21	3·32	555	1·73	1·10	1·35	4·01	2·67	1·79	2·66	1·89	4·59	YEAR'S TOTAL 34·87
Days with ·01 in. or more	24	14	19	15	8	14	12	10	13	10	20	26	185

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from MT 3203

DL

352

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

y mm. stats 11.IV.12

AVENING
HOUSE

GLOUCESTER
1911 - 1920

…911

Kept at Avenin…
in the County of W…
by Maj Hon. …

…p……in.
…bove Ground……ft.……in.
„ Sea Level……ft.

…n { Name……
Distance…… Direction……

IMPORTANT N… and the result entered to the previous day. If an … universal rule, he is earnestly requested to add the … year in the space provided for it at the end of … rement of rain, the selection and pl… British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·15							·07	·04	1
2	·08			·10	·39			·26		·12	·34	·40	2
3					·30			·08			·11	·06	3
4			·17			·19			·04	·11	·30	·39	4
5	·05		·02					·28		·07		·05	5
6	·39		·38					·03			·08	·40	6
7											·48		7
8	·14		·16								·04	·34	8
9	·30		·12								·12	·29	9
10	}	·13	·23								} ·68	·30	10
11	} ·32	·01	·02								}		11
12			·56								·57		12
13					·26				·55	(·16) ·16		·61	13
14			·02									·69	14
15			·08								·19	·09	15
16						·27					·53	·22	16
17					·14	·07					·09	·21	17
18		·42	·11	·05		·27						·19	18
19				·09		·45			·31	·16	·10		19
20		·06	·09						·11	·10		·68	20
21		·20	·02					·64		·93		·17	21
22			·11			·45				·21		·56	22
23		·21	·21			·14			·09	·24		·24	23
24		·10				·44		} ·12		·50		·12	24
25		·10		·08		·13				·21			25
26		·11		·25		·09				·36	·07	·18	26
27		·25	·23	·13	·09			·27	·47		·21	·14	27
28		·42		·34				·26			·06		28
29			·02	·08		·42	·06		·14	·32			29
30					·06	·06				·16			30
31													31
Total	1·31	2·01	2·55	1·27 1·29	1·24	2·98	·06	1·94	1·71 1·61	3·65	4·04 4·94	6·37	TOTAL for year 29·13
No. of Rain Days	8	11	17	9	6	12	1	9	7	14	18	22	134

9,000, IX. '10.

Dh/ 352

y run. stats 11.IV.12

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Avening House

in the County of W. Gloucestershire 3

by Maj Hon. L. Byng

RAIN GAUGE
Pattern
Diameter of top ___ in.
Height of top above Ground ___ ft. ___ in.
" " " Sea Level ___ ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·15							·07	·04	1
2	·08			·10	·39			·26		·12	·34	·40	2
3					·30			·08			·11	·06	3
4			·17			·19			·04	·11	·30	·39	4
5	·05		·02					·28		·07		·05	5
6	·39		·38					·03			·08	·40	6
7											·48		7
8	·14		·16								·04	·34	8
9	·30		·12								·12	·29	9
10	}	·13	·23								} ·68	·30	10
11	} ·32	·01	·02										11
12			·56								·57		12
13					·26				·55	(·16) ·~~4~~6		·61	13
14			·02									·69	14
15			·08								·19	·09	15
16						·27					·53	·22	16
17					·14	·07					·09	·21	17
18		·42	·11	·05		·27						·19	18
19				·09		·45			·31	·16	·10		19
20		·06	·09						·11	·10		·68	20
21		·20	·02					·64		·93		·17	21
22			·11			·45				·21		·56	22
23		·21	·21			·14			·09	·24		·24	23
24		·10				·44		} ·12		·50		·12	24
25		·10		·08		·13		}		·21			25
26		·11		·25		·09				·36	·07	·18	26
27		·25	·23	·13	·09			·27	·47		·21	·14	27
28		·42		·34				·26			·06		28
29			·02	·08		·42	·06		·14	·32			29
30					·06	·06				·16			30
31													31
Total	1·31	2·01	2·55	1·27 ~~1·29~~	1·24	2·98	·06	1·94	1·71 ~~1·61~~	3·65 ✓	4·04 ~~4·94~~	6·37	TOTAL for year 29·13
No. of Rain Days	8	11	17	9	6	12	1	9 ✓	7	14	1~~8~~7	22	134

9,000, IX. '10.

82

34 S

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Avening House

in the County of Gloucestershire 3

by Maj. Hon. L. Byng

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10			·56	·16	·03	·05	·44		·20	1
2			·21	·18		·26	·29		·02				2
3	·07		·15			·20	·11	·45			·02	·04	3
4	·19		·81			·62		·02			·24		4
5	·39	·09	·18		·21	·06		·67				·13	5
6	·41	·06			·04		·04	1·14				·09	6
7		·15	·07		·10	·42						·03	7
8	·61	·16	·45			·24	·02	·23	·06			·08	8
9	·09	·16	·46	·06		·14		·09				·28	9
10			·04			·06		·34					10
11	·15	·09				·03					·09	·39	11
12	·04	·44	·14		·04		·02				·05	·06	12
13		·07	·12								·04	·09	13
14	·20		·55					·21				·07	14
15	·15	·14			·18	·65		·04				·41	15
16	1·03		·28			·04		·13		·18	·08		16
17	·97		·16			·07		·66				·48	17
18	·09	·04	·27					·10		·08		·07	18
19	·05	·11	·04		·02		·24	·47		·05			19
20			·56		·15		·15	·27		·53	·06		20
21		·05	·39		·71		·03	·26		·32	·04		21
22	·65	·18	·10		·62	·22	·40	·22		·07	·03	·11	22
23	·25	·34	·54					·25		·08	·05	·40	23
24	·05		·06			·34		·17		·40		·08	24
25			·02			·52		·55		·02	·41	·37	25
26		·10					·27	·53		·59	·56	·14	26
27						·22	·68			·61		·45	27
28					·04	·29	·13	1·00	·20	·58	·36	·80	28
29		·11				·33	·54	·02	·55	·35		·08	29
30					·03	·02	·17	·08	·10	·22		·02	30
31			·18		·05		·48	·10		·08		·20	31
Total	5·39	2·29	5·88	·24	2·19	5·29 ✓	3·73	8·03	·98	4·60	2·03	5·07 ✓	TOTAL for year 45·72
No. of Rain Days.	17	16	23	2	13 ✓	20	18 ✓	26 ✓	7 ✓	17 ✓	13	24	196

W. 8,000, X. '11.

88

cnd for arith 26·III·14

REGISTER OF RAINFALL IN 1913

W. Hld

28 JAN 1914

FORM A.
BRITISH RAINFALL.

35-9

Kept at Avening House
in the County of Gloucestershire 3
by Maj. Hon. L. Byng

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·25	·22	·09					·89		·06	·02	1
2	·02	·16	·04	·15						·51		·02	2
3	·06	·04	·10		·55		·03		·45			·01	3
4	1·26	·05	·08		·57					·50	·11	·25	4
5		·05				·13			1·10	·07	·22	·18	5
6		·03	·17		·41	·06	·42		·02	·30	·37	·15	6
7		·25			·18	·24	·11			·23	·28	·40	7
8		·16								·33		·03	8
9		·19			·09		·04	·11		·04	·08	·01	9
10	·20		·04	·07	·05	·14		·13	·15		·22		10
11	1·10			·15		·02				·25	·84		11
12			·05		·41						·47	·02	12
13	·02										·29		13
14	·19		·35						·16	·17	·04		14
15	·25	·10	·46	·54				·05					15
16	·26		·63	·21				·03	·10				16
17			·20	·14			·02		·03		·04		17
18	·14		·13	·35		·17	·13		·05		·01	·01	18
19	·34		·21				·05						19
20	·19		·13	·03		·04			·30	·10	·27	·02	20
21			·21	·13	·33			·01			·33		21
22	·52		·65	·13	·02		·05	·18					22
23	·02								·35		·02		23
24	·08			·03		·10						·09	24
25				·16									25
26		·02		·19				·35	·02	·02		·16	26
27				·38						·15		·09	27
28	·35		·22	·39						·35			28
29	·03		·37	·39						·41			29
30	·25							·14		·38			30
31	·02		·11		·05			·10					31
Total	5·32 5·32	1·30	4·37	3·53 ~~3·63~~	2·66	·90	·85	1·1[illegible]	3·62	3·81	3·65	1·46 1·46	YEAR'S TOTAL 32·57
Rain Days.	20	11	19	~~18~~ 17	10 ~~13~~	8	8	9	12	15	16	15	160

W. 7,500, XI. ·12

8L cwd for pl. WD 23111-93/ Exd X J 1 344

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Avening House
in the County of Gloucestershire 3
by Major. Hon: L. Byng

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01					·09	·34			·18	·58	1
2				·05			·57	·27			·22		2
3				·14	·45		·29				·40	·44	3
4			·02	·36	·15		·16	·05			·18	·08	4
5	·21		·13	·36	·09		·31	·03			·42	·54	5
6	·02			·16	·11			·04			·08		6
7		·12	·29	·15	·23	·16	·33	·24				·33	7
8	·01	·34	·48		·20	·64	·10	·04			·05	·11	8
9	·01		·48	·08	·08	·95		·07	·23				9
10	·13			·08	·08				·27			·07	10
11		·11	·32	·05	·15				·02			·58	11
12		·06	·16			·58	·14		·26		·14	·11	12
13		·12	·24				·03		·42		·05	·23	13
14		·49	·43				·05	·03		·10	·08	·55	14
15		·33	·10					·22		·36	·30		15
16	·03	·02					·17		·36		·29		16
17			·16				·05		·17				17
18		·22	·03				·02					·53	18
19	·01	·02	·31				·15		·01			·46	19
20		·11	·13				·62				·11	·20	20
21		·23								·01			21
22		·43				·04	·02	·06		·25			22
23		·02	·19		·11		·05			·15			23
24			·20		·05		·04			·11			24
25			·29				·01	·47		·06			25
26			·10				·18			·40	·10	·50	26
27										·10	·24	·61	27
28	·15	·15	·21		·03						·16	·81	28
29			·16		·08						·18	·79	29
30	·09		·18							·26	·36	·63	30
31	·07				·05		·51			·15 ·18	·58		31
Total	·73	2·78	4·61	1·43	2·86	2·37	3·89	1·86	1·74	~~1·95~~ 2·13	~~3·54~~ 3·94	~~8·15~~ 7·57	YEAR'S TOTAL 34·91
Rain Days.	(13) ~~10~~	16	21	9 ~~10~~	14	5	21	12	8	12	18	18	167

W.7,000, XI. 13

8l

cnd fr pt. W.D – 22.III.16

2342
~~337~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

8 APR. 1916

Kept at Avening

in the County of Gloucestershire

by L. Byng.

Exd Jl

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10								·10			·18	1
2	·55	·15	·22	·23				1·54	·30	·30		·18	2
3	·36	·25						·02		·20		·13	3
4	1·36	·04	·03					·10				·63	4
5	·06							·11				·43	5
6	·07	·66		·22				·10				·24	6
7	·26	·05										·25	7
8	·24	·58											8
9	·65	·18									·21	·81	9
10	·20	·06	·07	·26				·03					10
11	·10		·05								1·04	·05	11
12				·35							·30		12
13	·12	·04							·07				13
14		·74						·15				·71	14
15	·18	·04								·18		·07	15
16	·42											·14	16
17		·93						·06					17
18		·19											18
19		·33					1·75						19
20		·03		·20									20
21	·16									·15		·35	21
22		·03	·45									·32	22
23	·30		·57				·43		·23	2·00		·53	23
24			·02	·09					·37	·43		·44	24
25							·10					·08	25
26						·55						·43	26
27		·52				·09	·39			·50			27
28		·05										·05	28
29							·37		·59			·04	29
30		X						·14		·26	·43	·17	30
31	·10	X		X		X	·06		X	1·06	X	·25	31
Total	~~5·23~~ 5·13	(10) ~~4·87~~ 4·97	1·41	1·35	lost	·64	3·10	2·25	1·66	5·08	1·98	6·48	YEAR'S TOTAL
Rain Days.	~~+7~~ 16	~~+8~~ 19	7	6	—	2		9	6	9	4	22	

W. 8,000. X. 14.

8L
S made

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Avening House

in the County of Gloucestershire

by E. Byng.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21				·10	·27	·65		·02	·15	·27		1
2	·63	·03	·04		·13				·01	1·05	·08		2
3		·86	·03		·30				·09	·61	·20		3
4	·47	·11			·31	·55	·05		·20	·44	·50		4
5	·05		·06		·15	·04	·07			·13	·21		5
6	·04	37			·35	·19	·48			·37	·45		6
7	·04	·02	·05		·18					·12	·41	x	7
8		·08	·07		·47	·22					·07	x	8
9	·03				09		·17			·03	·02	·41	9
10		·49		·12	·04	·16				·14		·01	10
11	·05	·08	·08	·07	·05	·36							11
12	·02	·05		·05	·70		·15	·17		·15			12
13		·38	·07	·06				·24		·03	·08		13
14		·37	·04		·16			·15		·07			14
15		·41	·18					·39		·03	·10		15
16	·02	·10		·28			·53	·65					16
17	·16	·12		·14				·02	·51	·55			17
18		·04							·08	·17			18
19	·17		·41	·44					·05		·18	x	19
20	·20	·02	·57	·10							·19	x	20
21	·29		·67									1·35	21
22		·05			·22	·06				·14	·02	·53	22
23	·09	·06		·08				·07		·04	·08	·27	23
24		·06		·06	·41	·14		·08		·42	·01	·22	24
25		·04	·36					·73		·02	·25		25
26	·02	·21	·03			·23		·03	·08	·35			26
27	·06	·15	·53		12	·19	·20	·22	·27	·60	·08		27
28		·13	·26			·12			·11	·18		·41	28
29		·42				·41		1·73		·38		·43	29
30		X						·02		·55			30
31		X		X		X		·01	X	·56	X		31
Total	2·55	~~3·75~~ 4·65	3·45	1·40	3·78	2·94	2·30	4·51	1·42	7·28	3·20	3·63	YEAR'S TOTAL 41·11
Rain Days.	17	24	16	10	16	~~12~~ 13	~~7~~ 8	14	10	25	18	11	182

W. 8,000. X. 15.

81 √

2879
~~283~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Avening House

in the County of Gloucestershire

by E. Byng

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·19	·15		·06		·46	·15		·05		1
2			·01	·07		·16		·17			·03		2
3	·05						·08	·10		·81	·04		3
4		·14	·12				·11			·10			4
5	·28		·13	·17				·33	·14	·60			5
6			·26			·81		·23		·20	·40		6
7	·27						·22	·17					7
8	·58		·08	·11			·87	·87		·57	·05	·23	8
9			·12		·22		·02	·46	·34	·06	·09		9
10			·43	·20	·04			·26	·18	–			10
11	·35		·27	·41				·25	·33				11
12				·05	·21			·14		·51			12
13			·20	·10				·22	·10	·08			13
14				·03				·07		·14			14
15							·02	·30				·29	15
16	·03	·09		·07			·07	·07		·10		·09	16
17				·16	·48		·24		·25	·30			17
18		·03			·01		·53		1·05				18
19		·45	·19										19
20		·08	·24		·66				·11		·13		20
21			·10			·38							21
22			·05			·19							22
23		·19			·13			·70		1·04		·05	23
24		·06				·23	·01	·40					24
25		·09	·07										25
26					·10			·36	·18		·12		26
27					·90	·01		1·01					27
28			·07			·83		·34					28
29					·08	·58	·18				·01	·20	29
30		X	·17				·22	·34					30
31		X	·20	X		X		·20	X		X		31
Total	1·56	1·13	2·90	1·52	2·83	3·25	2·57 ~~2·35~~	7·45	2·83	4·51 ~~3·91~~	·92	·86	YEAR'S TOTAL 32·33 ~~31·51~~
Rain Days.	6	8	18	11	10	11	12	22	10	··3	9	5	···

W. 8,000, VIII. 16

113

Dl

23
~~266~~

FORM A.
BRITISH RAINFALL.

30 1 19

REGISTER OF RAINFALL IN 1918

Kept at Avening House

in the County of Gloucestershire

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·02	·08			·10		·03	·46		1
2		·06		·12				·38			·15	·15	2
3		·18			·17				·22	·02			3
4		·15						·07	·10	·05	·90	·07	4
5					·20			·05	·21		·07	·02	5
6	·12			·50		·02			·18	·20		·20	6
7		·18		·02	·60				·20	·11	·25		7
8		·23							·18	·33		·05	8
9		·30		·11		·33	·14		·65	·20	·03	·19	9
10		·01		·25			·35		·20	·17		·31	10
11				·02			·07		·31	·09	·11	·22	11
12		·13	·29		·24		·20		·03	·06			12
13	·07						·12		·43			·24	13
14	·47		·07			·10	·70		·48	·19		·18	14
15	·12			·48			·22		·05	·03		·20	15
16				·41			·01		·21			·07	16
17	·80			·16	·74		·26	·09	·25	·03		·09	17
18	·87					·61	·24		·62			·51	18
19			·18				·13		·10			·06	19
20	·07	·16		·28		·06	·07		·35	·13			20
21				·02		·02			·84	·14		·06	21
22	·10				·11		·11		·18			·34	22
23	·07				·24		·40						23
24		·22				·01	·15		·06		·14	·05	24
25							·23	·64			·05		25
26							·45	·24	·04	·03	·15	·16	26
27									·30	·03	·14		27
28		·17	·33								·16	·07	28
29			·23						1·12			·02	29
30		×	·40							·05	·11	·10	30
31		×	·06	×		×		·06	×	·04	×		31
Total	2·69	1·79	1·56	2·39	2·38	1·15	3·85	1·63	7·31	1·93	2·72	3·36	YEAR'S TOTAL 32·76
Rain Days.	9	11	7	12	8	7	17	8	24	19	13	22	157

W. 8,000, IX. 17.

81 1942 ~~246~~

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Avening
in the County of Gloucestershire
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30		·10		·01		·23			·13		·63	1
2	·13	-	·50		·01		·14	·01	·16		·09	·13	2
3			·30		·01		~~·80~~		·14		·05	·46	3
4			1·00			·10	~~·20~~	·08	·30			·29	4
5		+	·50		·05			·01	·46		·01	·25	5
6	·60		·12		·10							·13	6
7	1·00		·30	·10							·01		7
8	·14			·15		·03							8
9	·12		·16	·19							·05		9
10			·33	·05						·01		·18	10
11			·35		·10					·09		·02	11
12			·14			·67	·14			·03		·11	12
13	·22			·52			·19					·08	13
14	·59	+		·42			·12		·03			·02	14
15	·57	1·00		·06	·06							·27	15
16	·15	·75		·01						·14	·20		16
17						·05					·15	·01	17
18		·35	·68		·05		~~·40~~	·30	·05		·04	·08	18
19	·25		·64				1·33	·32	·12		·04	·02	19
20	·52					·13	~~·20~~	·25	·06		·01	·01	20
21		+				·10	·19	·02	·02		·02	·13	21
22		+				·02	·17		·27			·08	22
23						·02		·02		·50	·12	·01	23
24		(1·25)		·02		·01	·23	·03	·02	·78	·13	·25	24
25				·05	·03	·06		·26	·02				25
26			·40	·02		·01		·02				·45	26
27			·04	·55		·02		·57				·03	27
28				·01				·35				·31	28
29				·06		·02		·01	·15	·34		·45	29
30		X		·25		·24		·55		·01	·74	·44	30
31		X		X		X	~~·30~~		X		X	·02	31
Total	4·59	(3·35)	5·56	2·46	·42	1·48	~~4·54~~ 2·92	2·80	1·80	~~1·93~~ 2·03	1·66	4·86	YEAR'S TOTAL 33·93
Rain Days.	12	(7)	15	17	9	14	14	15	13	9	14	26	165

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

8 MAY 192

[illegible]

ne County of Lincoln

[illegible]

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30		10		1		23			13		13	1
2	13		50		1		14	1	16	.	9	13	2
3			30		1		8		14	.	5	16	3
4	[illegible]		100			10	2	2	30			29	4
5	[illegible]		50		5			1	46		1	25	5
6	60		12		10							12	6
7	100		30	10							1		7
8	14			13		3							8
9	12		16	19							5		9
10	[illegible]		33	3						1		18	10
11	[illegible]		35		10					9		2	11
12	[illegible]		14			69	14			3		11	12
13	22			52			17					8	13
14	59			42			12		3			2	14
15	57	100		6	6					14		27	15
16	15	75		1							20		16
17						5					15	1	17
18		35	68		~~54~~	~~4~~	4	30	5		4	8	18
19	25		64				122	32	12		4	2	19
20	52					13	6	25	6		1	1	20
21						10	10	2	2		2	13	21
22						2	18		27			8	22
23						2	1	2		50	12	1	23
24				2		1	3	3	2	40	13	25	24
25				5	8	6		26	2				25
26			40	2		1		2				45	26
27			4	55		2		57				3	27
28				1				53				31	28
29		X		6		2		1	15	34		45	29
30		X		25		24		55		341	14	44	30
31		X		X		X	3		X		X	2	31
otal	4·59	2·10	5·56	2·46	0·42	1·48							YEAR'S TOTAL
	12	3	15	17 15	9	14							

0, IX. 17.

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

8 MAY 192

Kept at Quening
in the County of Gloucester
by Lady Eleanor Byng

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				34	48		30			21	02	35	1
2	07			22	01		35	22	2	19		21	2
3	07	07	05	19			65	1	3	34		1	3
4	01		02	03				53		25			4
5			11	2	03		35	1		20			5
6			29		15		11			15			6
7	02			10	3		10						7
8		10		46	6		75					5	8
9	17	05	04	60		·02	·228						9
10	82	08	03	8	[illegible]	29	·05						10
11	32	05	16	34	11	03	01						11
12	15	03	04	18	3	50					11		12
13	04	03	26	22						13	[illegible]		13
14	02	02	62	37	1	55		[illegible]	11	09	44		14
15		9	27	23	01	05			10	17	14		15
16				04	01	48	33		47	7	11		16
17	02			03	24	02			25				17
18	24			08	20	6	02		65				18
19	07	23		29		09		29	29				19
20	04	18		18		22			2			24	20
21									2			1	21
22	01			16								31	22
23							70	10				40	23
24			25					5				21	24
25	04	11	11	05			57	4			~~2~~		25
26	30		27			02	12				03	5	26
27	28	02	2	26		6	5				04	29	27
28	93		13		20	05	2						28
29	13		6	07	3	4	11		~~27~~		07	39	29
30	07	X	8	02	01	14	35		27		28	49	30
31	16	X	27	X	01	X			X	27	X	22	31
Total	398	106	308	456	162	270	517	129	223	212	124	323	YEAR'S TOTAL 32·44
	22	13	19	24	17	15	19	8	11	11	9	14	182
	17	9	16	20	7	11	16	6	7	11	7	12	139

8, VIII. 16

BERKELEY

SHARPNESS DOCKS

GLOUCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

REG

Kept at Sharpn

in the County of Gl

by F. G. M

in.

ound 3 ft. 6 in.

Level 50 ft.

m.

ne Sharpness

tance 1100 yds Direction ENE

IMPORTANT NOTE.- ne result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·01	0·12	—	—	—	—	—	—	—	0·05	1
2	0·02	—	—	0·04	0·30	—	—	0·35	—	0·04	0·36	0·16	2
3	—	—	—	—	0·45	—	—	0·01	—	—	0·17	0·04	3
4	—	—	0·12	—	—	—	—	—	0·04	0·08	0·46	0·32	4
5	0·09	—	0·03	—	—	—	—	0·12	—	0·04	0·02	0·55	5
6	0·28	—	0·04	—	—	—	—	0·01	—	—	0·08	—	6
7	0·01	—	—	—	—	—	—	—	—	—	0·61	—	7
8	0·10	—	0·10	—	—	—	—	—	—	—	0·10	0·22	8
9	0·02	—	—	—	—	—	—	—	—	—	0·20	0·21	9
10	0·01	0·05	0·27	—	0·03	—	—	—	—	—	—	0·16	10
11	0·29	—	0·11	—	0·30	—	—	—	—	—	0·64	0·03	11
12	—	—	0·54	—	—	—	—	—	0·08	—	0·28	—	12
13	—	—	—	—	0·09	—	—	—	0·43	0·03	0·01	0·51	13
14	—	—	—	—	—	—	—	—	—	—	—	0·80	14
15	0·01	—	0·05	—	—	—	—	—	—	0·01	0·28	0·12	15
16	0·01	—	—	—	—	0·24	—	—	—	—	0·23	0·28	16
17	—	—	—	—	—	0·11	—	—	—	—	0·16	0·37	17
18	—	0·37	0·02	0·08	—	0·49	—	—	—	0·02	—	0·29	18
19	0·01	0·01	—	—	—	0·17	—	—	0·09	0·19	0·01	0·12	19
20	—	0·08	0·10	0·02	—	—	—	—	0·10	0·07	—	0·41	20
21	—	0·23	0·03	—	—	0·02	—	0·75	—	0·43	—	0·09	21
22	0·01	0·03	0·05	0·03	—	0·70	—	—	—	0·12	—	0·62	22
23	—	0·22	0·10	—	—	—	—	—	0·06	0·43	—	0·24	23
24	—	0·08	—	—	—	0·74	—	0·23	—	0·23	—	0·16	24
25	—	0·04	0·01	0·02	0·23	0·04	—	0·01	—	0·03	—	—	25
26	—	0·11	—	0·30	—	0·02	—	0·09	0·30	0·44	0·21	0·11	26
27	—	0·24	0·14	0·03	—	—	—	0·38	—	—	0·08	0·12	27
28	—	0·19	—	0·20	—	0·14	—	—	—	—	0·09	—	28
29	—		—	—	—	—	0·25	—	0·09	0·34	0·01	—	29
30	—		—	0·01	—	0·01	—	0·02	—	0·25	0·04	0·01	30
31	—		0·01		—		0·01	—		—		—	31
Total	0.86	1·65	1·73	0·85	1·40	2·68	0·26	1·97	1·19	2·75	4·04	5·99	TOTAL for year 25·37
No. of Rain Days	12	12	17	10	6	11	2	10	8	16	20	24	148

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

Kept at Sharpness

in the County of Gloucester 3

by F. G. Marling

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 50 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Sharpness
Distance 1100 yds Direction ENE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0.01	0.12	—	—	—	—	—	—	—	0.05	1
2	0.02	—	—	0.04	0.30	—	—	0.35	—	0.04	0.36	0.16	2
3	—	—	—	—	0.45	—	—	0.01	—	—	0.17	0.04	3
4	—	—	0.12	—	—	—	—	—	0.04	0.08	0.46	0.32	4
5	0.09	—	0.03	—	—	—	—	0.12	—	0.04	0.02	0.55	5
6	0.28	—	0.04	—	—	—	—	0.01	—	—	0.08	—	6
7	0.01	—	—	—	—	—	—	—	—	—	0.61	—	7
8	0.10	—	0.10	—	—	—	—	—	—	—	0.10	0.22	8
9	0.02	—	—	—	—	—	—	—	—	—	0.20	0.21	9
10	0.01	0.05	0.27	—	0.03	—	—	—	—	—	—	0.16	10
11	0.29	—	0.11	—	0.30	—	—	—	—	—	0.64	0.03	11
12	—	—	0.54	—	—	—	—	—	0.08	—	0.28	—	12
13	—	—	—	—	0.09	—	—	—	0.43	0.03	0.01	0.51	13
14	—	—	—	—	—	—	—	—	—	—	—	0.80	14
15	0.01	—	0.05	—	—	—	—	—	—	0.01	0.28	0.12	15
16	0.01	—	—	—	—	0.24	—	—	—	—	0.23	0.28	16
17	—	—	—	—	—	0.11	—	—	—	—	0.16	0.37	17
18	—	0.37	0.02	0.08	—	0.49	—	—	—	0.02	—	0.29	18
19	0.01	0.01	—	—	—	0.17	—	—	0.09	0.19	0.01	0.12	19
20	—	0.08	0.10	0.02	—	—	—	—	0.10	0.07	—	0.41	20
21	—	0.23	0.03	—	—	0.02	—	0.75	—	0.43	—	0.09	21
22	0.01	0.03	0.05	0.03	—	0.70	—	—	—	0.12	—	0.62	22
23	—	0.22	0.10	—	—	—	—	—	0.06	0.43	—	0.24	23
24	—	0.08	—	—	—	0.74	—	0.23	—	0.23	—	0.16	24
25	—	0.04	0.01	0.02	0.23	0.04	—	0.01	—	0.03	—	—	25
26	—	0.11	—	0.30	—	0.02	—	0.09	0.30	0.44	0.21	0.11	26
27	—	0.24	0.14	0.03	—	—	—	0.38	—	—	0.08	0.12	27
28	—	0.19	—	0.20	—	0.14	—	—	—	—	0.09	—	28
29	—		—	—	—	—	0.25	—	0.09	0.34	0.01	—	29
30	—		—	0.01	—	0.01	—	0.02	—	0.25	0.04	0.01	30
31	—		0.01		—		0.01	—		—		—	31
Total	0.86	1.65	1.73	0.85	1.40	2.68	0.26	1.97	1.19	2.75	4.04	5.99	TOTAL for year 25.37
No. of Rain Days	12	12	17	10	6	11	2	10	8	16	20	24	148

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
18 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Sharpness

in the County of Gloucester 3

by J. G. Marling

Lat. 51°43'10"N Long. 2°28'44"W

Time of Observation 9 am

Nearest Railway Station 1100 yds

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	0.05	-	-	0.33	0.17	0.01	-	0.50	-	0.16	1
2	-	-	0.17	0.05	-	0.33	0.17	0.09	-	-	-	-	2
3	-	-	0.20	-	-	0.21	0.15	0.38	-	-	0.04	0.01	3
4	0.12	-	0.68	-	0.06	0.34	-	0.07	-	-	0.22	-	4
5	0.30	^{S}0.10	0.06	-	0.02	0.03	-	0.20	-	-	-	0.08	5
6	0.43	0.18	-	-	0.11	0.02	-	0.35	-	-	-	-	6
7	-	0.14	0.04	-	0.03	0.57	-	0.01	-	-	-	0.04	7
8	0.38	0.11	0.18	-	-	0.01	0.09	0.41	-	-	-	0.12	8
9	0.06	0.06	0.23	0.02	-	0.30	0.01	0.28	-	-	0.02	0.23	9
10	0.07	0.06	-	-	-	0.21	0.01	0.14	-	-	0.07	-	10
11	0.07	0.04	0.01	-	-	0.06	-	0.01	-	-	-	0.35	11
12	0.02	0.27	0.06	0.05	0.02	0.01	-	-	-	-	-	0.13	12
13	0.02	-	-	-	-	-	-	0.06	0.02	0.03	0.02	0.17	13
14	0.07	-	0.63	-	0.18	-	-	0.03	-	-	-	0.15	14
15	0.17	0.14	-	-	0.31	0.26	-	0.04	-	-	-	0.13	15
16	0.83	0.02	0.27	-	0.01	0.02	-	0.09	-	0.09	0.07	0.02	16
17	^{S}0.69	-	0.31	-	0.01	0.07	-	0.89	-	-	0.03	0.38	17
18	^{S}0.18	0.04	0.10	-	-	-	-	0.51	-	-	-	0.03	18
19	0.06	0.04	-	-	-	-	0.17	0.51	-	0.01	-	-	19
20	-	0.01	0.37	-	0.07	-	0.12	0.08	-	0.41	-	-	20
21	0.03	0.08	0.31	-	0.72	-	-	0.19	-	0.38	-	-	21
22	^{S}0.67	0.23	0.06	-	0.22	0.04	0.56	0.23	-	0.02	-	0.06	22
23	0.18	0.44	0.30	-	-	0.35	0.02	0.33	-	-	0.09	0.34	23
24	0.05	0.02	0.03	-	-	0.34	0.04	0.04	0.01	-	0.01	0.08	24
25	-	-	-	-	-	0.43	-	1.09	-	0.13	0.51	0.40	25
26	-	0.11	0.01	-	-	-	0.18	0.37	-	0.30	0.44	0.11	26
27	-	0.03	-	-	-	0.57	1.07	-	-	1.41	-	0.56	27
28	-	0.08	-	-	-	0.21	1.28	0.85	0.05	0.40	0.31	0.45	28
29	-	0.20	-	-	-	0.08	0.66	0.31	0.35	0.35	-	0.14	29
30	-		-	-	-	0.02	0.08	0.01	0.04	0.15	-	-	30
31	-		0.27		0.09		0.60	0.12		-		0.16	31
Total	4.40	2.40	4.34	0.12	1.85	4.81	5.38	7.70	0.47	4.18	1.83	4.30	YEAR'S TOTAL 41.78
Rain Days.	19	21	21	3	13	23	17	29	5	13	12	23	199

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
22 JAN 1914

Kept at Sharpness 3
in the County of Glos
by J. G. Marling

Lat. 51°43'10"N Long. 2°28'44"W
Time of Observation 9 a.m.
Nearest Railway Station Sharpness
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.11	0.20	0.19	0.01	—	—	—	0.54	—	0.14	—	1
2	0.01	0.20	0.14	0.06	—	—	0.02	—	0.01	0.26	0.11	—	2
3	0.23	0.02	0.11	—	0.27	—	—	—	—	0.04	—	0.18	3
4	0.93	0.05	0.05	—	0.23	0.01	—	—	1.81	0.78	—	0.06	4
5	—	0.04	0.04	—	0.16	0.32	0.04	—	0.12	—	0.21	0.07	5
6	0.01	0.01	0.12	—	0.22	0.09	—	—	—	0.21	0.18	0.58	6
7	—	0.24	0.01	—	0.27	0.12	0.07	—	—	0.13	0.20	0.01	7
8	—	0.20	—	—	0.11	—	0.02	0.03	—	0.14	—	0.01	8
9	—	0.15	0.01	0.02	0.05	0.03	0.07	0.02	0.12	—	0.07	0.01	9
10	0.23	—	—	—	0.04	—	—	0.10	—	0.03	0.15	—	10
11	0.73	0.02	—	0.17	0.09	—	—	0.08	—	—	0.65	0.02	11
12	—	0.02	—	—	0.08	—	—	—	—	—	0.41	—	12
13	—	—	0.29	—	—	—	—	0.01	0.27	—	0.35	—	13
14	0.09	—	0.38	0.02	—	—	—	—	—	0.14	0.03	—	14
15	0.19	0.05	0.31	0.88	—	—	—	0.09	0.02	—	—	—	15
16	0.19	—	0.62	0.05	—	—	—	0.06	—	—	—	—	16
17	0.01	—	0.03	0.15	—	—	0.03	—	0.04	—	0.03	0.01	17
18	0.09	—	0.16	0.16	—	—	0.07	—	—	—	0.05	—	18
19	0.13	—	0.05	—	—	0.05	0.11	—	0.18	—	0.17	—	19
20	0.28	—	0.09	0.08	0.05	—	—	—	—	0.09	0.12	—	20
21	—	—	0.06	0.07	0.10	—	0.07	0.03	—	0.15	0.13	—	21
22	0.55	—	0.47	0.07	0.01	0.09	—	0.16	0.49	—	—	—	22
23	0.01	—	—	—	—	0.06	—	—	—	—	0.04	0.10	23
24	0.01	—	—	0.04	—	—	—	0.02	—	—	—	—	24
25	—	0.01	—	0.27	—	—	—	—	0.01	—	—	0.07	25
26	—	—	—	0.35	—	—	—	0.26	—	—	—	0.19	26
27	—	—	0.08	0.07	—	—	—	—	—	0.02	—	—	27
28	0.54	—	0.04	0.26	—	—	—	—	—	0.09	—	S 0.01	28
29	—		0.35	0.56	—	—	—	0.17	—	—	—	—	29
30	0.24		—	—	—	—	—	0.07	—	0.33	0.01	—	30
31	—		0.17		0.30		—	0.01		—		—	31
Total	4.48	1.12	3.78	3.47	1.99	0.77	0.50	1.11	3.61	2.41	3.05	1.32	YEAR'S TOTAL 27.61
Rain Days.	19	13	22	18	15	8	9	14	11	13	18	13	173

W.7,000, XI, 13

Exd DS

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

15 JAN 1915

Kept at Sharpness

in the County of Glos. 3

by J. G. Marling

Lat. 51° 43' 10" N Long. 2° 28' 44"
Time of Observation 9 a.m.
Nearest Railway Station Sharpness
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.03	0.01	0.08	—	0.04	1.11	0.40	—	—	0.16	0.10	1
2	—	—	—	—	0.08	0.02	0.54	0.09	—	—	0.59	0.61	2
3	—	—	0.02	0.15	0.52	—	0.01	—	—	—	0.01	0.06	3
4	0.16	—	—	0.18	0.01	—	0.25	0.02	—	—	0.43	0.53	4
5	0.07	—	0.11	0.27	0.08	—	0.20	0.02	—	—	0.07	—	5
6	—	0.11	0.03	0.02	0.06	—	0.18	0.03	—	—	0.01	0.22	6
7	0.01	0.18	0.19	0.10	0.25	0.08	0.17	0.11	—	—	—	0.12	7
8	0.01	—	0.31	0.04	0.03	0.97	0.01	0.05	0.02	—	—	0.08	8
9	0.02	0.05	0.23	0.16	0.04	1.41	—	0.05	0.11	—	—	—	9
10	—	0.13	—	0.25	0.02	—	—	—	0.29	—	—	—	10
11	—	0.16	0.28	0.01	0.02	0.49	0.71	—	—	—	0.04	0.42	11
12	—	0.04	0.15	—	0.01	—	—	—	0.19	—	0.03	0.06	12
13	—	0.61	0.37	—	—	—	0.07	—	0.24	0.09	0.05	0.44	13
14	—	0.43	0.34	—	—	—	—	0.06	0.01	0.25	0.20	—	14
15	—	0.04	0.08	—	—	—	0.04	0.19	0.14	—	0.21	—	15
16	—	—	0.01	—	—	—	0.09	—	0.12	—	—	—	16
17	—	0.29	0.11	—	—	—	0.04	—	0.01	—	—	0.55	17
18	—	—	0.01	—	—	—	0.17	—	—	—	—	0.38	18
19	—	0.07	0.09	—	—	—	0.37	—	0.03	—	—	0.12	19
20	—	0.35	0.03	—	—	—	—	—	—	—	—	0.11	20
21	—	0.22	—	—	—	0.06	0.02	—	—	0.14	—	—	21
22	—	0.08	0.04	—	0.20	0.04	—	0.06	—	0.13	—	—	22
23	—	0.10	0.25	—	0.08	—	—	0.01	—	0.15	—	—	23
24	—	0.01	0.06	—	0.01	—	0.01	0.05	—	0.12	0.10	—	24
25	0.15	—	0.16	—	—	—	—	0.43	—	0.32	0.01	0.30	25
26	—	—	0.02	—	—	—	0.03	—	—	0.09	0.15	0.29	26
27	0.05	—	—	—	—	—	—	—	—	—	0.45	0.32	27
28	0.01	0.19	0.30	—	0.02	—	0.09	—	—	—	0.20	1.10	28
29	0.15	—	0.11	—	0.18	—	0.01	—	—	0.20	0.31	—	29
30	0.12	✕	0.17	—	—	—	—	—	—	0.21	0.69	0.66	30
31	0.05	✕	—	✕	—	✕	0.61	—	✕	0.11	✕	0.02	31
Total	0.80	3.09	3.48	1.26	1.61	3.11	4.73	1.57	1.16	1.81	3.71	6.49	YEAR'S TOTAL 32.82 32.82
Rain Days.	11	18	25	10	16	8	21	14	10	11	18	20	182

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

28 JAN 1916

Kept at Sharpness
in the County of Gloucester
by F. G. Marling

Lat. 51° 43′ 10″ N Long. 2° 28′ 44″ W
Time of Observation 9 a m
Nearest Railway Station Sharpness
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·27	0·10	—	—	0·15	—	—	0·03	0·36	0·29	0·01	0·17	1
2	0·21	0·18	0·13	0·13	—	0·03	—	0·52	0·01	0·12	—	0·09	2
3	0·72	0·14	0·05	0·03	0·21	0·06	0·72	0·05	—	—	—	0·11	3
4	0·06	0·02	—	—	0·07	—	0·15	0·29	—	—	—	0·77	4
5	0·05	0·34	—	0·05	—	—	—	0·11	—	—	—	0·41	5
6	0·17	0·04	—	0·24	—	—	0·39	0·07	—	—	—	0·34	6
7	0·15	0·54	—	0·04	—	—	0·13	0·07	—	—	—	0·23	7
8	0·25	0·31	—	—	—	—	0·01	0·04	—	—	0·05	—	8
9	0·08	0·04	—	—	—	—	—	0·02	—	—	0·21	0·82	9
10	0·15	—	0·08	0·07	—	—	—	—	—	0·07	0·01	—	10
11	0·02	—	0·15	0·03	—	—	—	—	—	—	0·91	0·04	11
12	0·13	0·16	—	0·06	0·45	—	—	—	0·01	0·08	0·47	S 0·01	12
13	0·01	0·02	—	—	0·73	—	—	—	0·08	—	—	0·01	13
14	0·04	—	—	—	—	—	0·03	0·08	0·07	0·01	—	0·76	14
15	0·34	—	—	0·01	0·05	—	0·04	0·07	—	0·06	0·06	0·02	15
16	0·01	0·80	—	—	0·67	—	0·59	0·10	—	0·01	—	0·08	16
17	—	0·21	S 0·02	—	1·05	—	—	0·26	—	—	—	0·02	17
18	—	0·26	S 0·01	—	0·26	—	—	—	—	0·01	0·01	—	18
19	—	—	—	0·05	0·09	—	0·31	—	—	—	—	—	19
20	0·10	—	—	0·04	—	—	—	—	—	0·13	—	0·10	20
21	0·03	0·07	—	—	0·08	—	0·04	0·01	—	0·04	—	0·06	21
22	0·12	0·08	0·42	0·03	—	0·02	0·21	—	0·01	—	—	0·30	22
23	0·01	0·04	0·34	—	—	—	0·08	—	0·09	1·11	—	0·41	23
24	—	—	0·02	0·03	—	—	0·34	—	0·25	0·76	—	0·44	24
25	—	—	—	—	—	0·23	—	—	—	0·02	—	0·12	25
26	—	0·23	—	—	—	—	0·10	—	0·02	—	—	0·52	26
27	—	0·04	—	—	—	0·04	0·08	—	—	0·41	—	0·01	27
28	—	0·07	S 0·02	—	—	—	0·01	—	0·40	—	—	—	28
29	—		—	—	—	0·07	0·06	0·01	—	—	0·07	—	29
30	0·09		—	—	—	0·28	0·15	—	—	0·14	0·08	0·11	30
31	—		—		—		0·12	0·02		0·68		0·42	31
Total	3·01	3·69	1·24	0·81	3.81	0·73	3·56	1·75	1·30	3·94	1.88	6·37	YEAR'S TOTAL 32·09
Rain Days.	21	20	10	13	11	7	19	16	10	16	10	25	178

W. 8,000. X. 15.

Exd CJE

2178

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Sharpness

in the County of Gloucester

by F. G. Marling

Lat. 51° 43' 10" N. Long. 2° 28' 44" W.

Time of Observation 9 A.M.

Nearest Railway Station Sharpness.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·27		0·01		0·13	0·72	0·22			0·27	0·32		1
2	0·42	0·10	0·07		0·17	0·07			0·02	0·99	0·02		2
3	0·01	0·63	0·10		0·11				0·05	0·35	0·08		3
4	0·68	0·13			0·39	0·37			0·08	0·15	0·16		4
5		0·23	S 0·03		0·13	0·03	0·03			0·11	0·14		5
6	0·03	0·16	S 0·04		0·46	0·02	0·57			0·22	0·55		6
7	0·06		S 0·10		0·09		0·02			0·19	0·37	0·25	7
8	0·01		S 0·04		0·35						0·05	0·35	8
9					0·07	0·30				0·04	0·01	0·01	9
10		0·54	S 0·02	0·07	0·03	0·10				0·07		0·01	10
11	0·06	0·01	S 0·03	0·13	0·05					0·02			11
12		0·09	0·08	0·04	0·46		0·09			0·05			12
13		0·25	0·05	0·06				0 23		0·03	0·01		13
14		0·39	0·07	0·01	0·05			0·07		0·06			14
15		0·23	0·07	0·09	0·05			0·60					15
16	0·09	0·08		0·22			0·12	0·20		0·02			16
17	0·12	0·10		0·07				0 18	0·24	0·42	S 0·05		17
18	0·05	0·02	0·07					0·05	0·08	0·12	0·30	0·18	18
19	0·28		0·35	0·22							0·09		19
20	0·22		0·59	0·01							0·01	0·33	20
21	0·12		0·50		0·07							0·36	21
22						0·23				0·22	0·02	0·58	22
23		S 0·25				0·01		0·12		0·11	0·08	0·34	23
24		S 0·11	0·04	0·12	0·62	0·07		0·09		0·24	0·01		24
25		S 0·68	0·19		0·01	0·01		0·81	0·01		0·24		25
26		S 0·48	0·05			0·25		0·07	0·04	0·15			26
27		S 0·06	S 1·25			0·14		0·12	0·22	0·79			27
28		0·16	0·02				0·56		0·22	0·13		0·38	28
29		0·27	0·02			0·27		2·10		0·42		0·27	29
30		X				0·03				0·39			30
31		X		X		X		0·03	X	0·47	X	0·01	31
Total	2·42	4·37	3·73	1·04	3·24	2·02	1·61	4·67	0·96	6·03	2·51	3·07	YEAR'S TOTAL 35·67
Rain Days.	14	21	23	11	17	15	7	13	9	25	18	12	185

W. 8,000, VIII. 16

Exd 40

2081

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

18. JAN 1918

Kept at Sharpness

in the County of Gloucester

by J. G. Marling

Lat. 51° 43' 10" N Long. 2° 28' 44" W

Time of Observation 9 am

Nearest Railway Station Sharpness

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.09	Snow 0.33	-	0.16	-	0.80	-	-	0.03	-	1
2	-	-	-	0.16	-	-	-	0.04	-	0.04	0.02	-	2
3	-	Snow 0.06	0.01	-	-	-	0.08	0.03	-	0.75	-	-	3
4	-	Snow 0.20	0.07	0.24	-	-	0.15	0.03	-	0.25	-	-	4
5	0.20	-	0.08	-	-	0.15	-	0.42	0.41	0.22	0.09	-	5
6	-	-	0.20	-	-	0.10	-	-	-	0.18	0.23	-	6
7	0.17	-	-	-	-	-	0.12	021	-	0.16	-	0.02	7
8	0.67	-	Snow 0.08	0.10	-	0.05	0.65	0.43	-	0.33	0.07	0.09	8
9	-	-	Snow 0.24	Snow 0.03	0.13	-	-	0.29	0.22	0.02	0.07	0.01	9
10	0.18	-	0.39	0.19	0.08	-	-	0.19	0.02	-	-	-	10
11	0.05	-	0.23	Snow 0.51	0.15	-	-	1.43	-	0.07	0.01	-	11
12	-	-	-	-	0.81	0.03	-	0.13	-	0.27	001	-	12
13	-	-	0.16	0.17	-	0.07	-	0.09	0.12	0.02	-	-	13
14	-	-	-	0.02	-	-	-	0.10	-	0.06	-	-	14
15	-	-	-	-	-	-	0.02	0.10	-	0.16	-	020	15
16	Snow. 0.05	-	-	0.06	-	-	0.09	-	0.03	0.02	-	0.10	16
17	-	-	-	0.13	0.45	-	0.20	0.05	0.15	-	-	-	17
18	0.01	0.09	-	-		0.01	0.27	0.01	1.86	-	-	-	18
19	-	0.51	0.19	-	-	0.05	0.03	-	0.01	-	-	-	19
20	0.01	0.02	0.10	-	0.40	0.25	-	-		-	0.02	-	20
21	-	0.08	½ Snow 0.35	-	-	0.05	-	0.04	-	0.09	-		21
22	Snow 0.03	-	0.05	-	-	0.07	-	0.10	0.03	0.06	-	-	22
23	-	0.16	-	-	0.05	0.01	0.03	0.32	-	0.05		-	23
24	-	0.01	-	-	-	0.05	-	0.11	-	0.15	-	-	24
25	-	0.07	0.05	-	-	-	-	0.01	-	0.02	-	-	25
26	-	-	-	-	0.06	0.06	-	0.53	-	-	0.09	-	26
27	-	-	-	-	0.97	0.11	-	0.65	0.18	-	-	-	27
28	-	-	0.12	-	0.02	0.37	-	0.15	-	-	-	0.05	28
29	-		0.15	-	-	0.55	003	-	-	0.37	0.01	0.18	29
30	-	X	0.02	-	-		0.31	0.26	-	0.04	0.01	-	30
31	-	X	0.14	X	0.04	X	0.01	0.23	X	0.02	X	0.03	31
Total	1.37	1.20	2.72	1.94	3.16	2.14	1.99	6.75	3.03	3.35	0.66	0.68	YEAR'S TOTAL 28.99
Rain Days.	9	9	19	11	11	17	13.	26	10	22	12	8	167 ✓

W. 8 000, IX. 17.

CX9118

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Sharpness
in the County of Gloucester
by F. G. Marling.

Lat. 51°.43'.10".N. Long. 2°.28'.44" W.
Time of Observation 9 a.m
Nearest Railway Station Sharpness
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.12	—	0.01	—	—	—	0.12	—	0.03	0.49	—	1
2	—	0.27	—	—	0.01	—	—	0.35	—	0.02	0.01	0.23	2
3	—	0.13	—	0.11	—	—	—	0.31	0.35	0.02	0.02	0.01	3
4	—	0.03	0.01	0.02	—	—	—	0.07	0.11	0.02	0.88	0.17	4
5	—	0.04	—	0.02	—	—	—	0.08	0.37	0.19	004	0.02	5
6	0.09	0.23	—	0.20	—	0.02	—	0.02	0.16	0.08	—	0.12	6
7	—	0.16	—	0.03	—	—	—	—	0.10	—	0.30	0.02	7
8	S 0.01	0.13	—	—	0.04	—	0.01	—	0.06	0.19	—	0.08	8
9	—	0.16	—	0.20	—	0.11	0.07	—	0.57	0.09	—	0.12	9
10	0.01	—	—	0.29	0.25	—	0.32	—	0.52	0.05	—	0.27	10
11	—	—	0.06	0.02	0.01	—	0.16	—	0.22	—	0.09	0.11	11
12	—	0.04	0.26	—	0.08	—	0.05	—	0.01	—	—	—	12
13	—	—	0.01	—	—	—	0.04	—	0.33	0.03	—	0.11	13
14	0.63	—	0.07	—	0.04	—	0.17	—	0.50	0.11	—	0.09	14
15	Sx 0.77	—	—	0.37	—	—	0.27	—	—	0.01	—	0.42	15
16	S 0.41	—	—	0.49	—	0.05	0.01	0.03	0.50	0.01	—	0.08	16
17	0.16	—	0.02	0.16	—	—	0.20	—	0.16	0.05	—	0.13	17
18	0.94	—	—	—	—	0.43	0.15	—	0.93	0.01	—	0.38	18
19	0.09	0.06	0.11	0.07	—	—	0.21	—	—	0.03	—	0.03	19
20	0.01	0.14	—	0.23	0.02	0.03	0.06	—	0.54	0.01	—	—	20
21	0.01	0.01	—	0.03	—	0.01	—	—	0.57	0.01	—	0.04	21
22	0.02	—	—	—	0.07	—	0.15	—	0.12	0.02	—	0.26	22
23	0.02	—	—	—	0.16	—	0.38	—	0.01	—	—	—	23
24	—	0.14	—	—	—	—	0.07	0.02	0.05	—	—	0.01	24
25	—	—	—	—	—	—	0.41	0.40	—	0.03	—	—	25
26	—	—	—	—	—	—	0.76	—	0.11	0.03	0.21	0.17	26
27	—	0.03	0.05	—	—	—	—	0.26	0.06	—	0.07	0.01	27
28	—	0.14	—	—	—	—	—	—	—	0.01	0.13	0.01	28
29	—	X	0.30	—	—	—	—	—	1.40	0.01	—	0.01	29
30	—	X	0.36	—	—	—	—	—	—	—	0.04	0.03	30
31	—	X	0.37	X	—	X	—	0.02	X	0.01	X	—	31
Total	3.17	1.83	1.62	2.25	0.68	0.65	3.49	1.68	7.69	1.07	2.28	2.93	YEAR'S TOTAL 29.34
Rain Days.	13	16	11	15	9	6	18	11	23	24	11	25	182

·x· ·54 of this was snow.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Sharpness

in the County of Gloucester

by F. G. Marling.

Lat. 51°43'10" N Long. 2°28'44" W

Time of Observation 9 a.m.

Nearest Railway Station Sharpness

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·12	—	0·01	—	—	—	0·12	—	0·03	0·49	—	1
2	—	0·27	—	—	0·01	—	—	0·35	—	0·02	0·01	0·23	2
3	—	0·13	—	0·11	—	—	—	0·31	0·35	0·02	0·02	0·01	3
4	—	0·03	0·01	0·02	—	—	—	0·07	0·11	0·02	0·88	0·17	4
5	—	0·04	—	0·02	—	—	—	0·08	0·37	0·19	0·04	0·02	5
6	0·09	0·23	—	0·20	—	0·02	—	0·02	0·16	0·08	—	0·12	6
7	—	0·16	—	0·03	—	—	—	—	0·10	—	0·30	0·02	7
8	S 0·01	0·13	—	—	0·04	—	0·01	—	0·06	0·19	—	0·08	8
9	—	0·16	—	0·20	—	0·11	0·07	—	0·57	0·09	—	0·12	9
10	0·01	—	—	0·29	0·25	—	0·32	—	0·52	0·05	—	0·27	10
11	—	—	0·06	0·02	0·01	—	0·16	—	0·22	—	0·09	0·11	11
12	—	0·04	0·26	—	0·08	—	0·05	—	0·01	—	—	—	12
13	—	—	0·01	—	—	—	0·04	—	0·33	0·03	—	0·11	13
14	0·63	—	0·07	—	0·04	—	0·17	—	0·50	0·11	—	0·09	14
15	S.x. 0·77	—	—	0·37	—	—	0·27	—	—	0·01	—	0·42	15
16	S 0·41	—	—	0·49	—	0·05	0·01	0·03	0·50	0·01	—	0·08	16
17	0·16	—	0·02	0·16	—	—	0·20	—	0·16	0·05	—	0·13	17
18	0·94	—	—	—	—	0·43	0·15	—	0·93	0·01	—	0·38	18
19	0·09	0·06	0·11	0·07	—	—	0·21	—	—	0·03	—	0·03	19
20	0·01	0·14	—	0·23	0·02	0·03	0·06	—	0·54	0·01	—	—	20
21	0·01	0·01	—	0·03	~~0·0[illegible]~~	0·01	—	—	0·51	0·01	—	0·04	21
22	0·02	—	—	—	0·07	—	0·15	—	0·12	0·02	—	0·26	22
23	0·02	—	—	—	0·16	—	0·38	—	0·01	—	—	—	23
24	—	0·14	—	—	—	—	0·07	0·02	0·05	—	—	0·01	24
25	—	—	—	—	—	—	0·41	0·40	~~0·11~~	0·03	—	—	25
26	—	—	—	—	—	—	0·76	—	0·11	0·03	0·21	0·17	26
27	—	0·03	0·05	—	—	—	—	0·26	0·06	—	0·07	0·01	27
28	—	0·14	—	—	—	—	—	—		0·01	0·13	0·01	28
29	—		0·30	—	—	—	—	—	1·40	0·01	—	0·01	29
30	—	✕	0·36	—	—	—	—	—			0·04	0·03	30
31	—	✕	0·37	✕	—	✕		0·02	✕	0·01	✕		31
Total	3·17	1·83	1·62	2·25	0·68	0·65	3·49	1·68	7·69	1·07	2·28	2·93	YEAR'S TOTAL 29·34
Rain Days.	13	16	11	15	9	6	18	11	23	24	11	25	182

x ·54 of this was snow

Ex. 1856

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Sharpness
in the County of Gloucester
by F. G. Marling

Lat. 51°43'10" N Long. 2°28'44" W
Time of Observation 9 a.m.
Nearest Railway Station Sharpness – 1100 yds to S.S.E
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·40	—	0·03	—	0·03	—	0·23	—	0·06	0·11	—	0·60	1
2	0·27	—	0·04	—	—	—	0·14	0·01	0·22	—	0·09	0·13	2
3	S 0·48?	—	0·20	—	0·02	0·04	0·02	—	0·13	—	—	0·24	3
4	S 0·21	0·05	0·54	—	—	0·06	0·20	0·05	0·41	—	0·13	0·21	4
5	0·01	S 0·34	0·53	—	0·05	—	0·03	—	0·42	—	—	0·31	5
6	0·09	0·06	0·17	—	0·02	—	—	—	—	—	0·01	0·12	6
7	0·15	—	0·31	0·14	—	—	—	—	—	—	—	0·01	7
8	0·11	—	0·12	0·05	—	0·02	—	—	—	—	—	—	8
9	0·32	—	0·01	0·03	—	—	—	—	—	—	0·03	—	9
10	—	—	0·48	0·12	—	—	—	—	—	0·08	—	0·16	10
11	0·05	—	0·54	0·05	0·08	—	0·33	—	—	0·01	—	0·04	11
12	— ~~18~~	—	0·14	0·06	—	0·23	—	—	—	0·05	—	0·01	12
13	0·42	—	—	0·24	—	—	—	—	0·01	—	—	0·12	13
14	0·43	0·04	—	0·18	—	—	0·02	—	0·01	—	—	0·06	14
15	0·54	0·02	—	0·01	0·01	—	—	—	—	—	—	0·21	15
16	0·14	1·08	—	—	0·01	0·01	—	—	—	—	0·10	0·01	16
17	—	Parts. 0·60	—	—	—	0·01	—	—	—	—	0·05	—	17
18	0·02	0·04	0·51	—	—	—	0·01	0·39	—	—	0·13	0·03	18
19	0·20	0·52	Parts. 0·82	—	—	0·12	1·88	0·38	0·05	—	0·02	0·04	19
20	0·38	0·20	0·38	—	—	0·08	0·01	0·24	—	—	0·06	0·03	20
21	0·03	0·65	0·03	—	—	0·02	0·05	0·01	0·02	—	0·03	0·10	21
22	—	0·07	—	—	—	—	0·05	—	0·38	—	—	0·04	22
23	—	—	—	—	—	—	—	0·01	—	1·29	0·09	0·03	23
24	—	—	—	—	—	0·02	0·02	0·01	—	1·06	0·16	0·09	24
25	0·09	—	—	0·01	0·07	—	—	0·30	—	—	—	—	25
26	0·03	—	0·08	0·07	—	—	—	0·05	0·06	—	—	0·41	26
27	0·05	—	—	0·41	—	—	—	0·65	—	—	—	—	27
28	S 0·03	—	S 0·39	—	—	—	—	0·22	—	—	—	0·22	28
29	0·01	✕	—	0·03	—	—	—	—	—	0·13	S 0·40	0·46	29
30	—	✕	—	0·10	—	0·19	—	0·43	—	—	0·35	0·49	30
31	—	✕	—	✕	—	✕	—	0·01	✕	—	✕	0·06	31
Total	4·16?	3·67	5·32	1·50	0·28 0·29	0·80	2·99	2·76	1·77	2·73	1·65	4·23	Year's Total 31·87 ✓
Days with ·01 in. or more	23	12	18	14	8	11	13	14	11	7	14	26	171 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S = Snow – reduced to inches of rain

note for A

attachts 1950

Mirrone
Old Bath Rd
Cheltenham

26 Jany 1920

Sir

Herewith I send you 6 returns of Rainfall as usual. I regret to find a few clear evidences of error in one or two returns. In that for Sharpness it seems clear to me that the return for the 3rd Jany is incorrect. I think the gauge is not suitably placed for a drifting snowstorm & I fear this can hardly be rectified. In the case of Mrs Birtall returns there has been some difficulty owing to the man in charge having to be away at frequent intervals.

when he has to trust to his wife & daughter. The returns for the 28, 29th June should I think read for the 29 & 30th. The return for Dec 27 is very doubtful & those for the 21-22nd are also doubtful. I regret these suspicions but feel it right to point them out

Yours truly

T A Jones

I enclose P.O. for 10/- for the British Rainfall 1919

The Superintendent
British Rainfall Organization
Camden Square

-W- P/45 865

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sharpness.
in the County of Gloucester.
by J. G. Malling

Lat. 51°43'10" N Long 2° 28' 44" N.
Time of Observation 9 a.m.
Nearest Railway Station Sharpness.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	0·02	0·30	0·65	—	0·35	0·25	0·07	0·26	0·01	0·40	1
2	0·06	—	0·03	0·10	—	—	0·15	0·09	0·07	0·29	—	0·26	2
3	0·01	0·06	—	0·27	—	—	0·62	—	0·04	0·22	—	0·01	3
4	—	—	0·02	0·06	—	—	0·01	0·85	—	0·16	—	—	4
5	—	—	0·20	0·09	—	—	0·34	—	—	0·34	—	—	5
6	—	—	0·15	—	0·05	—	0·26	—	—	0·17	—	—	6
7	0·03	—	—	0·10	0·15	—	0·10	—	—	—	—	—	7
8	—	0·03	—	0·40	0·10	—	0·42	—	—	—	—	—	8
9	0·19	0·03	—	0·57	—	0·02	0·05	0·01	—	—	—	—	9
10	1·14	0·08	0·06	0·16	—	0·16	0·19	—	—	—	0·01	—	10
11	0·35	—	0·08	0·30	0·53	—	0·10	—	—	—	—	—	11
12	0·15	0·08	0·15	0·20	—	0·90	0·03	—	0·08	—	0·07	—	12
13	0·07	0·02	0·27	0·27	—	—	—	—	0·03	—	—	^{s}0·03	13
14	0·02	—	0·70	0·47	—	0·79	0·03	—	0·55	0·22	0·47	—	14
15	0·01	0·06	0·03	0·33	0·04	0·04	—	—	1·05	0·32	0·03	—	15
16	0·02	—	—	0·03	0·08	0·75	0·46	—	0·56	0·30	0·04	—	16
17	0·02	—	0·01	0·03	0·25	0·24	—	—	—	0·27	—	0·03	17
18	0·32	—	—	0·19	0·11	0·11	0·06	0·42	—	—	—	—	18
19	0·02	0·25	—	0·31	0·02	—	0·01	—	—	—	—	—	19
20	—	0·09	—	0·18	—	0·17	—	—	—	—	—	0·15	20
21	—	—	—	0·02	—	—	—	—	—	—	—	0·07	21
22	—	—	—	0·11	—	—	—	0·07	—	—	—	0·41	22
23	—	—	—	—	—	—	0·56	—	—	—	—	0·37	23
24	—	—	0·44	—	—	—	—	0·01	—	—	0·04	0·32	24
25	0·08	0·06	0·13	—	—	—	0·65	0·01	—	—	—	0·03	25
26	0·21	—	0·20	—	—	—	0·02	—	—	—	0·03	0·04	26
27	0·27	—	0·14	—	0·04	0·57	—	—	—	—	0·02	0·20	27
28	1·07	—	0·06	—	0·18	0·02	0·03	—	—	—	—	0·02	28
29	0·16	—	0·24	—	0·06	0·07	0·01	—	—	—	0·15	0·48	29
30	0·19	X	0·08	0·10	—	0·19	—	—	0·27	—	0·39	0·54	30
31	0·19	X	0·24	X	0·01	X	—	—	X	0·20	X	0·06	31
TOTAL	4·58	0·76	3·25	4·59	2·27	4·03	4·45	1·71	2·72	2·75	1·26	3·42	YEAR'S TOTAL 35·79
Days with ·01 in. or more	21	10	20	22	14	13	21	8	9	11	11	17	177
Days with ·04 in. or more	14	7	15	19	12	11	14	5	8	11	6	12	134

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

S. made ✓

R 3

FORM A.
BRITISH RAINFALL.
9- JAN 1914

BOURTON ON THE WATER
CHARDWAR
GLOUCESTER

1913 - 15, 17 - 1920

Kept at Chardwar

in the County of Glos

by G. F. Moo

5 in.

bove Ground 2 ft. 6 in.

Sea Level 430 ft.

NOTE.—Rain should be mea
of rain and particulars as to the
to Dr. H. R. MILL, 62, Camden

Full instructions for the measurement
servers," sent post-free on application

Date.	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date
	in.	in.	in							in.	in.	in.	
1	·03	·16	·2								·12		1
2	·01	·12	·02	·18	·01		·02		·12	1·73	·04		2
3	·12		·10		·65				·01	·06		·08	3
4	1·15	·02	·03		·24		·02		·01	·37	·05	·21	4
5	·02	·02	·01			·08	·07		·04	·14	·06	·03	5
6	·04	·03	·17		·26	·12	·73			·39		·29	6
7		44	·01		·24	·14	·10			·49	·23	·01	7
8		·08			·19	·04			·18	·41			8
9		·21			·04	·11	·07	·22			·07	·02	9
10	·10			·10	·07		·04	·07		·01	·43		10
11	1·18	·01		·41	·04				·02	·06	·39		11
~~12~~	13th ·06				·24					·01	·56		12
~~13~~	14th ·12		05		·01			·01	·25		·26		13
~~14~~	15th ·12	·01	·28				·25	·11	[illegible]	·09			14
~~15~~	16th ·03	·12	·45	·76			·73		·17			·01	15
~~16~~	17th ·06	·02	·55	·08							·01		16
~~17~~	18th ·05		·10	·05		·06	·23				·03	·01	17
~~18~~	19th ·41		·15	·15			·04		·56		·04		18
~~19~~	20th ·23		·12		·01	·18	·03		·23			·06	19
20			·10	·12						·26	·19		20
21			·22	·07	·17		·05			·08	·50		21
22	·50		·50	·01	·01	·01		·16	·38				22
23	·01					·05			·01		·01	·08	23
24	·04			·04				·11				·01	24
25		·06		·16						·03		·01	25
26		·06		·35	·14			·13		·14		·23	26
27		·02	·09	·33						·05			27
28	·39		·16	·43						·29		·05	28
29	01		·80	·62						·03		·09	29
30	·26									·33	·04		30
31	·03		·07		·14			·01					31
Total	4·94 7	1·38	4·19	4·04	2·48	·79	2·38	·82	2·95	4·97	3·03	1·19	TOTAL for year 33·16 9
No. of Rain Days	23	15	21	17	17	9	13	8	13	19	17	15	187

1,000, IX. '10 4·97

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d. 33·19

S. made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9- JAN 1914

Kept at Chardwar, Bourton on the Water

in the County of Glos — +7 RA

by G. F. Moore

Lat. ________ Long. ________
Nearest Railway Station ________
Time of Observation 9
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " 2 " Sea Level 430 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·16	·21	·18	·02				·97		·12		1
2	·01	·12	·02	·18	·01		·02		·12	1·73	·04		2
3	·12		·10		·65				·01	·06		·08	3
4	1·15	·02	·03		·24		·02		·01	·37	·05	·21	4
5	·02	·02	·01			·08	·07		·04	·14	·06	·03	5
6	·04	·03	·17		·26	·12	·73			·39		·29	6
7		44	·01		·24	·14	·10			·49	·23	·01	7
8		·08			·19	·04			·18	·41			8
9		·21			·04	·11	·07	·22			·07	·02	9
10	·10			·10	·07		·04	·07		·01	·43		10
11	1·18	·01		·41	·04				·02	·06	·39		11
12	13th ·06				·24					·01	·56		12
13	14th ·12		05		·01			·01	·25		·26		13
14	15th ·12	·01	·28				·25	·11		·09			14
15	16th ·03	·12	·45	·76			·73		·17			·01	15
16	17th ·06	·02	·55	·08							·01		16
17	18th ·05		·10	·05		·06	·23				·03	·01	17
18	19th ·41		·15	·15			·04		·56		·04		18
19	20th ·23		·12		·01	·18	·03		·23			·06	19
20			·10	·12						·26	·19		20
21			·22	·07	·17		·05			·08	·50		21
22	·50		·50	·01	·01	·01		·16	·38				22
23	·01					·05			·01		·01	·08	23
24	·04			·04				·11				·01	24
25		·06		·16						·03		·01	25
26		·06		·35	·14			·13		·14		·23	26
27		·02	·09	·33						·05			27
28	·39		·16	·43						·29		·05	28
29	01		·80	·62						·03		·09	29
30	·26									·33	·04		30
31	·03		·07		·14			·01					31
Total	4·94 7	1·38	4·19	4·04	2·48	·79	2·38	·82	2·95	4·97	3·03	1·19	TOTAL for year 33·16 9
No. of Rain Days	23	15	21	17	17	9	13	8	13	19	17	15	187

4·97

1,000, IX. '10

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

33·19

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Chastwar
in the County of Bourton on the Water - Glos
by J F Moore

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·26	·29			·06	·04	1
2	·01		·02	·01			·22	·13			1·01	·27	2
3			·12	·06	·35		·23	·01			·04	·02	3
4	·26		·02	·24	·04		·05	·20			·50	·46	4
5	·01		·05	·30	·20	·01	·40	·01			·35		5
6	·02	·05	·04	·02	·10	·06		·03			·10	·30	6
7		·55	·26	·12	·19	·04	·17	·10			·01	·08	7
8	·03	·04	·29	·06	·19	·86	·16	·17				·05	8
9	·21	·02	·35	·07	·05	1·12		·04	·05				9
10	·03	·31	·01	·13	·07	·01			·29		·01	·01	10
11		·11	·39	·04	·16	·50	·02		~~·05~~		·28	·43	11
12		·06	·16				·82		·32		·06	·42	12
13	·01	·49	·30						·22	·05	·03	·30	13
14		·25	·21				·13			·68	·25	·02	14
15	·06	·03	·12					·01	·21	·05	·09	·01	15
16	·04	·01	·01						·15			·01	16
17		·25	·12						·12			·43	17
18			·01				·17					·45	18
19		·01	·15				·93		·02		·06	·05	19
20		·31	·27			·06						·23	20
21		·40	·05					·27		·16	·01	·14	21
22		·01	·01	·01	·13	·03	·01	·01		·20			22
23		·04	·11		·12		·02	·01		·10		·02	23
24	·11	·01	·08		·08		·03			·13	·09		24
25			·25		·01		·07	·34		·41	·01	·14	25
26			·18				·01	03		·07	·21	·50	26
27	·07		·03							·02	·08	·20	27
28		·12	·13		·04				·02	·01	·17	1·10	28
29	·03		·16							·32	·66		29
30	·05		·20			·03				·12	·57	·55	30
31	·03						·29			·02		·01	31
Total	·97	3·07	4·10	1·15	1·73	2·72	3·99	1·65	1·40	2·34	4·65	6·24	YEAR'S TOTAL 34·01
Rain Days.	15	19	29	12	14	10	18	15	9	14	22	26	203

W. 8,000. X. 14.

2322

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Chardwar Bourton-on-the-Water

in the County of Glos

by C. F. Moore

Lat. Long.

Time of Observation 9.30

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·19	·05		·10			·05	·43	·25	·03	·09	1
2	·22	·22	·26	·12		·05		·99		·44		·05	2
3	1·05	·02	·06	·13	·03		·06	·31		·01		·13	3
4	·02				·02		·62	·09				·64	4
5	·01	·65		·01	·02			·04			·02	·47	5
6	·20	·07		·20			·49					·21	6
7	·11	·75		·02	·09	·12	·48	·08				·12	7
8	·20	·27		·04			·42	·02			·02		8
9	·04	·01		·19				·01			·17	·57	9
10	·24	·01	·03	·03						·01			10
11	·04		·07	·09	·01						·88		11
12	·05	·08		·15	·39			·07		·03	·65	·04	12
13	·01	·54			·93								13
14	·03	·09					·06	·37	·05	·02		·66	14
15	·32				·10		·01	·10		·05	·05	·14	15
16	·03	·77			·17		·73	·07				·06	16
17		·49			1·07							·01	17
18		·42	·08								·01		18
19		·01	·02		·08		·12						19
20	·28			·05			·01					·14	20
21	·13	·02					·12			·10		·06	21
22	·12	·14	·26	·02			·48		·01			·25	22
23	·01	·06	·12			~~·02~~	·03		·10	·61		·31	23
24	·08		·04	·07		·02	·03		·34	·37		·18	24
25			·01			1·13	·13			·04		·31	25
26		·16				·11	·03					·51	26
27		·09				·16	·20			·60		·02	27
28		·10				·01		·07	·49	·01	·12		28
29						·58	·06	·07			·29	·03	29
30	·07	✕					·02			15		·17	30
31	·01	✕		✕		✕	·03	·05	✕	90	✕	·32	31
Total	3·58	5·16	1·00	1·12	3·01	2·18	3·73	2·39	1·42	3·59	2·24	5·49	YEAR'S TOTAL 34·91
Rain Days.	23	22	11	13	12	8	20	15	6	15	10	24	179

W. 500, X. 14.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Chardwar Bourton on the Water

in the County of Glos

by J. F. Moore

Lat. Long.

Time of Observation 9-30 AM

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date. 1917	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08	·09		·04		·62	·27		·07	·02	1
2			·01	·01		·08		·04		·03	·02		2
3	·11			·04				·36		·49			3
4		·18	·18	·04				·17		·64			4
5	·38		·09	·12					·08	·15	·07		5
6			·13	·01		·14				·10	·09	·02	6
7	·36						·20	·11		·51			7
8	·71			·20			·67	·45		·70	·12	·16	8
9			·18	·08	·17		·05	·12	·01	·03	·12		9
10	·16		·26	·32	·28		·02	·10					10
11	·21		·20	·26				·30	·75	·19	·02		11
12	·11		·17	·08				·05		·21	·01		12
13	·01			·05				·20	·04				13
14				·08				·02		·15			14
15							·01			·18		·15	15
16	·05	·08		·43			·04			·13		·75	16
17				·09	·06		·35	·07	·17	·04			17
18	·01	·03		·02	·60	·02	·26		1·12				18
19		·34					·02		·02				19
20	·02	·14	·35		·62				·02		·03		20
21		·01	·11			·10	·01				·07		21
22			·09					·03		·01			22
23		·15			·04			·61		·09		·02	23
24		·09	·03			·16		·16		·05	·03	·04	24
25		·11	·10						·01	·19	·03		25
26			·01			·01		·40	·11		·32		26
27					2·10	·08		·70					27
28		·02	·08			·74		·20				·03	28
29			·03		·01	·14	·06	·04		·41		·25	29
30		✕	·05				·34	·26		·01	·01	·01	30
31	·04	✕	·24	✕		✕	·01	·08	✕	·02	✕	·05	31
Total	2·17	1·08	2·39	1·92	3·88	1·517	2·04	5·09	2·60	4·33	1·01	1·60	YEAR'S TOTAL 29·52
Rain Days.	12	10	19	16	8	10	13	22	11	21	14	11	167

W. 1,000, X. 15.

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Ese 8L 92

15 3

REGISTER OF RAINFALL IN 1918

Kept at Chardwear-Bourton on the Water
in the County of Glos
by J T Moore

RAIN GAUGE.
Lat. Lon.
Time of Observation 9.30 AM
Diameter 5 in
Height of top above Ground 18 in
" " Sea Level 430

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date. Jan 19
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03	·01	·01	·01			·06		·02	·39	·01	1 ·37
2		·15		·06	·01			·06		·01	·05	·11	2
3		·05	·04	·01	·13			·04	·27	·03	·04	·02	3 ·82
4		·02	·01	·08				·06	·10		·95	·08	4 ·12
5		·02	·02		·28			·05	·19	·17		·01	5 ·08
6	·05	·13		·16					·01	·14		·02	6 ·10
7	·02	·11		·08	·31	·03			·04	·06	·27	·06	7 ·03
8	·01	·12		·01					·06	·30	·01	·09	8 ·14
9	·04	·10		·17		·33	·22		·51	·16	·01	·09	9 ·12
10	·04	·03		·06		·01	·25		·10	·17	·02	·25	10
11	·08			·01			·03		·07	·13	·01	·10	11
12		·04	·10		·20		·13					·01	12
13	·02				·14	·01	·08		·24	·02	·01	·12	13 20
14	·39		·13	·01	·01		·42		·50	·19	·12	·10	14 31
15	1·25		·01	·60			·21		·03			·22	15 36
16	·21			·61					·19			·02	16 13
17	·15			·05	·04		·30		·02	·02	·15	·10	17
18	·61			·06		·41	·12		·31	·07		·40	18
19	·04	·02	·13	·46			·03		·01	·07		·12	19 40
20		·10		·30		·05	·35		·33	·09		·10	20 41
21	·02						·03		·37	·06	·01	·07	21 ·02
22	·13				·59	·01	·13		·12		·02	·36	22
23	·07				·46	·03	·23		·04			·01	23
24	·01	·16					·05		·04				24
25							·15	·34		·02			25 ·12
26		·01					·38	·26	·03	·06	·10	·20	26 ·05
27									·19		·08	·05	27 ·18
28		·10	·33						·02		·20	·02	28 ·03
29			·06						1·54		·01	·01	29 ·01
30			·45						·03	·01	·08	·12	30 ·02
31			·10					·03		·03			31 ·01
Totals	3·15	1·29	1·39	2·74	2·18	·88	3·11	·90	5·36	1·82	2·53	2·87 2·89	4·07 28·2
Total from Jan. 1	18	16 4·44	12 5·83	17 8·57	11 10·76	8 11·63	17 14·74	19 15·64	26 26	21 22·82	19 25·35	28 28·22	201

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3d.

2015

Cox. H

B made

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 FEB 20

Kept at Chardwar. Bourton on the Water

in the County of Glos

by G. F. Moore

Lat. Long.

Time of Observation 9. 30 A. M

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·04	·05	·07	·05		·27			·11		·63	1
2							·06	·04	·40	·07	·21	·18	2
3	·82		·22				·10		·17			·38	3
4	·12		·37			·03	·02	·04	·43		·06	·18	4
5	·08	·30	·40			·16			·35		·01	·21	5
6	·10		·14		·37				·01			·08	6
7	·03		·23	·15							·15		7
8	·14		·03	·15									8
9	·12		·01	·15							·03		9
10			·41			·01	·30			·03		·22	10
11			·25	·07	·11						·02	·03	11
12			·46	·04						·07	·03	·08	12
13	·20		·04	·32					·02	·10		·10	13
14	·31			·20		·39			·02	·03			14
15	·36	·03		·11			·06			·05	·03	·57	15
16	·13	·85									·11		16
17		·46									·16	·02	17
18			·40					·30	·02		·06	·08	18
19	·40	·36	1·14			·08	1·05	·33	·04		·03		19
20	·41	·08	·22			·04	·08	·24	·03		·07	·01	20
21	·02	·77	·02				·19	·01	·01		·01	·11	21
22		·14							·11		·01	·21	22
23						·08		·01		·38	·11		23
24				·05				·02		·81		·03	24
25	·12			·03		·02		·18				·11	25
26	·05	·01	·14	·19		·01		·01	·15			·33	26
27	·18		·01	·84				·43				·02	27
28	·03							·52			·31	·29	28
29	·01			·01		·02		·02		·21	·01	·31	29
30	·02			·21		·18		·29		·05	·25	·34	30
31										·04		·02	31
Total	4·02	3·04	4·54	2·59	·53	1·02	2·13	2·44	1·76	1·95	1·67	4·54	Year's Total 30·23
Days with ·01 in. or more	21	10	18	15	3	11	9	14	13	12	19	24	169

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

St. No 2710

Kept at Chardwar - Bourton on the Water
in the County of Glos
by G F Moore

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 430 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·39

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30	·37		·26	·02	·03	·53		·27	1
2			·03	·19	·01		·13	·11	·05	·15		·20	2
3	·11	·03		·15	·04	·01	·32		·10	·33			3
4	·01		·08	·01	·15		·04	·45	·02	·24			4
5			·17	·13			·56	·15		·62		·01	5
6			·20		·13		·06			·05			6
7	·01		·01				·22	·02					7
8	·19	·10		·51			·52					·03	8
9	·22			1·08				·01					9
10	·45	·06	·07	·07		·17	·15				·03		10
11	·30	·04	·10	·24	·34	·15	·07					·02	11
12	·08	·11		·18		1·05	·01	·49			·04		12
13	·03	·01	·38	·10					·02	·05		·03	13
14	·61	·08	·71	·35		·16	·05		·21		·53		14
15	·01		·05	·37		·36	·01		·19				15
16		·08	·01	·61	·08	·30	·08		·22	·14		·02	16
17	·19			·01	·14				·23	·07			17
18	·09			·07	·10	·01		·20	·43			·02	18
19		·16		·45		·13		·05					19
20		·25		·32		·24				·03		·19	20
21				·01			·03	·01	·63			·08	21
22	·03			·18			·01	·04	·05			·26	22
23							·47	·07				·46	23
24			·25					·01			·06		24
25	·01	·12	·11	·06		·01	·53					·15	25
26	·23	·10	·32	·04	·13	·03	·06				·03	·15	26
27	·46		·03	·18		·46	·03				·02	·30	27
28	·57		·05		·29	·03	·05					·02	28
29	·23	·06	·07			·07	·19				·19	·48	29
30	·07		·37	·03	·05	·16	·10		·25		·19	·35	30
31	·04		·03				·01	·01		·85		·08	31
TOTAL	3·34	1·20	3·04	5·04	1·83	3·34	3·96	1·64	1·83	3·06	1·09	3·42	YEAR'S TOTAL 32·49 32·49
Days with ·01 in. or more	21	13	19	24	12	16	24	14	13	11	8	17	192
Days with ·04 in. or more	14	11	14	19	11	11	18	8	9	10	~~4~~ 5	10	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

8L ✓

002209 363

FORM A2. BRITISH RAINFALL.

26 JAN 1912

R

11

BOURTON ON THE WATER

EASTFIELD

GLOUCESTER

1911- 1920

Kept at Bourto

in the County of E

by E. W. Ke

in.

ve Ground ft. in.

, Sea Level ft. 2209

Name

Distance Direction

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t ement of rain, the selection and pla ritish Rainfall Organization are given in *Rules for Rainfall Observers,* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·03	·14			03				·02	·04	1
2	·05		·03	09	·30		·01	·24		·15	·21	·16	2
3				·01	·38			·03		·03	·10	·06	3
4	·03		·12	·02					·03	·11	·24	·37	4
5			·02	·01				·26		·01	·09	·01	5
6	·52		·01	·01							·05	·93	6
7	·02									·12	·40		7
8	·11		·10								·04	·24	8
9	·03		·01	·01							·04	·10	9
10	·02	·15	·40					·02			·02	·39	10
11	·32		·01								·64	·01	11
12			·56						·06		·46	·10	12
13			·01		·49				·35	·01		·29	13
14			·05									·67	14
15		·01	·02		·01						·28	·07	15
16						·16				·01	·40	·23	16
17				·08		·04					·04	·45	17
18		·27	·07	·01		·06				·02		·26	18
19		·07				·70			·20	·20	·12	·14	19
20			·14	·03		·01		·17	·10			·57	20
21		·15	·02					·12		·10		·10	21
22		·01	·07			·27		·07		·49	·01	·71	22
23		·15	·21			·25	·19		·25			·30	23
24	·04	·08	·03			·42		·09		·50		·16	24
25		·06	·02	·02	·13	·08			·07	·02		·12	25
26		·16		·18	·01	·03				·42	·11	·25	26
27		·36	·20	·02				·28	·34		·14	·23	27
28		·21		·20			·20	·10			·08	·01	28
29		×	·01	·03		·21	·03		·28	·42	·01		29
30		×		·03	·20	·01		·23		·19		·03	30
31		×		×	·05	×			×	·01	×		31
Total	1·23	1·68	2·14	·89	1·57	2·24	·46	1·61	1·68	2·81	3·50	7·00	TOTAL for year 26·81
No. of Rain Days	10	12	22	16	8	12	5	11	9	17	21	28	171

9,000, IX. '10.

8L ✓

002209 363

FORM A2. BRITISH RAINFALL 26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bourton-on-the-Water

in the County of E. Gloucestershire 7

by E. W. Kendall

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft. 2209

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·03	·14			·03				·02	·04	1
2	·05		·03	·09	·30		·01	·24		·15	·21	·16	2
3				·01	·38			·03		·03	·10	·06	3
4	·03		·12	·02					·03	·11	·24	·37	4
5			·02	·01				·26		·01	·09	·01	5
6	·52		·01	·01							·05	·93	6
7	·02									·12	·40		7
8	·11		·10								·04	·24	8
9	·03		·01	·01							·04	·10	9
10	·02	·15	·40					·02			·02	·39	10
11	·32		·01								·64	·01	11
12			·56						·06		·46	·10	12
13			·01		·49				·35	·01		·29	13
14			·05									·67	14
15		·01	·02		·01						·28	·07	15
16						·16				·01	·40	·23	16
17				·08		·04					·04	·45	17
18		·27	·07	·01		·06				·02		·26	18
19		·07				·70			·20	·20	·12	·14	19
20			·14	·03		·01		·17	·10			·57	20
21		·15	·02					·12		·10		·10	21
22		·01	·07			·27		·07		·49	·01	·71	22
23		·15	·21			·25	·19		·25			·30	23
24	·04	·08	·03			·42		·09		·50		·16	24
25		·06	·02	·02	·13	·08			·07	·02		·12	25
26		·16		·18	·01	·03				·42	·11	·25	26
27		·36	·20	·02				·28	·34		·14	·23	27
28		·21		·20			·20	·10			·08	·01	28
29		×	·01	·03		·21	·03		·28	·42	·01		29
30		×		·03	·20	·01		·23		·19		·03	30
31		×		×	·05	×			×	·01	×		31
Total	1·23	1·68	2·14	·89	1·57	2·24	·46	1·61	1·68	2·81	3·50	7·00	TOTAL for year 26·81
No. of Rain Days	10	12	22	16	8	12	5	11	9	17	21	28	171

9,000, IX. '10.

Dl

002209 363

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bourton-on-Water

in the County of Gloucestershire 7

by E. W. Kendall

RAIN GAUGE Pattern

Diameter of top in.

Height of top above Ground ft. in.

" " " Sea Level ft. 2209

Time of Observation

Nearest Railway Station Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·26	·42	·01	·02	·33		·13	1
2			·18			·23	·06						2
3	·01	·02	·09		·02	·10		·61	·01			·09	3
4	·09		·77	·02	·17	·92		·02			·21		4
5	·41	·02	·04		·11	·01		·57	·01			·15	5
6	·30	·16	·01		·03		·05	·66	·02			·09	6
7		·15		—	·04	·78	·13	·08				·08	7
8	·42	·18	·45			·23		·07	·01			·07	8
9	·08	·06	·24	·08		·30	·04	·05				·27	9
10		·09				·10		·03			·12	·01	10
11	·17	·11	·01			·05		·25			·15	·44	11
12	·06	·31	·20		·02		·02				·02	·02	12
13	·01	·06					·01	·01				·01	13
14	·25		·28		·17	·01		·11					14
15	·24	·12	·20		·24	·33		·01				·25	15
16	·50		·26		·16	·01		·07		·08	·02		16
17	1·25		·12			·09		·45				·35	17
18		·01	·36					·02		·04		·01	18
19	·22	·04	·02		·13		·20	·27					19
20		·04	·45		·72		·17	·68		·23			20
21		·05	·28		·30		·01	·23		·40			21
22	·33	·11	·10		·01	·24	·95	·19		·02		·04	22
23	·56	·37	·35			·10	·07	·20		·03	·05	·36	23
24	·08	·03				·28	·48	·10				·14	24
25						·38		·40			·33	·38	25
26		·05	·03			·02	·06	·62		·59	·29	·17	26
27						·09	·38			·67		·35	27
28		·10				·07	·17	·91	·18	·40	·25	·64	28
29		·13	·02			·57	·26	·03	·43	·19	·02	·05	29
30		X				·24	·20		·12	·22			30
31		X	·06	X	·20	X	·71	·11	X	·02	X	·10	31
Total	4·98	2·21	4·59	·10	2·32	5·41	4·39	6·76	·80	3·22	1·46	4·20	TOTAL for year 40·44
No. of Rain Days.	17	21	23	2	14	23	19	27	8	13	10	23	200

W. 8,000, X. '11.

002209 BRITISH RAINFALL. FORM A.

28 JAN 1914

2209

373

REGISTER OF RAINFALL IN 1913

Kept at Bourton-on-the Water

in the County of Gloucestershire 7

by E. W. Kendall

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.17	.20	.18	.01				1.02	.01	.17		1
2	.01	.12	.03	.17					.11	1.81	.04		2
3	.15		.08	-	.82					.05		.07	3
4	1.18		.02	-	.08				.01	.40	.04	.24	4
5		.01		-		.07	.08		.03	.13	.05		5
6	.04	.02	.16	-	.25	.10	.72			.39		.29	6
7		.45		-	.23	.14	.08			.49	.23		7
8		.09		-	.19	.01				.38	.06		8
9		.21		-	.03	.10	.06	.22	.17				9
10	.20			.10	.08		.04	.07			.46		10
11	1.14			.40				.01		.07	.35		11
12				-	.25						.55		12
13	.01		.04	-					.27		.25		13
14	.16		.29	.74			.25	.11		.09			14
15	.08	.12	.48	.05			.80		.20				15
16	.03	.02	.50	-									16
17	.05		.12	.04		.05	.24				.04		17
18	.05		.17	.14			.03		.62		.05		18
19	.40		.12	-		.18	.02		.23			.07	19
20	.23		.11	.12			.04			.26	.23		20
21			.21	.07	.16					.07	.50		21
22	.50		.50	-				.15	.39				22
23				-		.04							23
24	.04			.05				.10					24
25		.08		.15								.08	25
26		.04		.34				.13		.18		.27	26
27		.01	.10	.29	.16					.07			27
28	.37		.15	.41						.24		.06	28
29	.01	×	.80	.63						.01		.09	29
30	.29	×		-						.31	.04		30
31	.02	×	.07	×	.15	×			×		×		31
Total	4.96	1.34	4.15	3.88	2.41	.69	2.36	.79	3.05	4.96	3.06	1.17	YEAR'S TOTAL 32.82
Rain Days.	20	12	19	16	12	8	11	7	10	17	15	8	155

W. 7,500, XI. ·12

8L [illegible] 002209 359

FORM A. BRITISH RAINFALL.

28 JAN 1915

2209

REGISTER OF RAINFALL IN 1914

Kept at Bourton on the Water

in the County of Gloucestershire 7

by E. W. Kendall

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·26	·30			·05	·04	1
2			·02				·27	·12			1·06	·23	2
3			·07	·05	·35		·18	·01			·04	·01	3
4	·26		·01	·24	·04		·05	·20			·50	·43	4
5			·04	·30	·18	·01	·40				·40		5
6		·05	·06	·02	·09	·06		·03			·05	·30	6
7	·04	·62	·28	·11	·19		·16	·15				·08	7
8	·21	·01	·31	·05	·18	·95	·18	·12					8
9	·03		·26		·06	1·06		·04	·05			·03	9
10		·33			·04	·01			·27				10
11		·11	·38	·23	·16	·50	·04				·28	·42	11
12	·05	·06	·16				·80		·31		·07	·40	12
13	·04	·49	·30						·22		·01	·30	13
14		·25	·27				·13			·72	·26	·02	14
15			·12						·20	·05	·08		15
16			·11						·16			·01	16
17		·25							·14			·45	17
18							·17					·42	18
19		·01	·15				·90				·06	·20	19
20		·31	·27			·06						·05	20
21		·41	·01					·25		·16			21
22			·01		·13	·02	·01	·02		·20			22
23	·11	·04	·11		·12		·02			·10		·15	23
24			·08		·07		·08			·13	·09		24
25	·07		·25				·02	·35		·39	·01	·15	25
26			·19							·07	·19	·50	26
27	·04									·02	·23	·20	27
28	·05	·12	·17		·04				·02		·04	1·14	28
29	·04		·18							·32	·69		29
30			·15			·03				·12	·59	·55	30
31							·30	·01		·02		·01	31
Total	·94	3·06	3·96	1·09	1·65	2·70	3·97	1·60	1·37	2·30	4·70	6·09	YEAR'S TOTAL 33·43
Rain Days.	11	14	25	8	13	9	17	12	8	12	19	23	171

W.7,000, XI, 13

8L ✓ 002209 2321 ~~351~~

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

2209

Kept at Bourton-on-the-Water

in the County of Gloucestershire Ese Dt

by E. W. Kendall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground — ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28	·20	·06		·08			·05	·46	·25	·01	·07	1
2	·25	·22	·26	·15		·04		1·01		·44		·08	2
3	1·05	·02	·06	·10	·02		·06	·33				·15	3
4	·05				·01		·60	·03				·64	4
5		·63			·01			·03				·47	5
6	·20	·06		·20			·50					·21	6
7	·11	·86		·02	·10	·15	·47	·07			·01	·12	7
8	·20	·28		·05				·02			·02		8
9	·15	·01		·19							·17	·57	9
10	·24		·02	·03									10
11	·03		·06	·07							·90		11
12	·05	·05		·15	·43			·09		·03	·68	·01	12
13		·58			·88								13
14	·02	·05	—				·05	·30	·04	·02		·80	14
15	·31				·10		·01	·20		·04	·03	·10	15
16	·01	·87			·18		·75	·08				·07	16
17		·49			1·08						—		17
18	·01	·46	·09	—									18
19			·01		·08		·12	—					19
20	·27	—		·04								·15	20
21	·10	·01					·11			·09		·05	21
22	·12	·13	·25	·01		—	·48					·25	22
23	·04	·06	·13				·02		·10	·64		·30	23
24	·07			·07		·01	·02		·34	·31	—	·33	24
25						1·16	·16			·03		·16	25
26		·16				·12	·03					·52	26
27		·09				·14	·19			·62	—	·01	27
28		·09				·01	·05	·10	·48				28
29		✕		—				·03			·12	·03	29
30	·07	✕			—	·67	·01			·13	·31	·20	30
31		✕		✕		✕	·02	·06	✕	·81	✕	·34	31
Total	3·63	5·32	·94	1·08	2·97	2·30	3·65	2·40	1·42	3·41	2·25	5·63	YEAR'S TOTAL ✓ 35·00
Rain Days.	21	20	9	12	11	8	18	14	5	12	9	23	162

W. 8,000. X. 14.

Ex 8L

002209

2253
314

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Bourton-on-the-Water

in the County of Gloucestershire

by E. W. Kendall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in. 2209
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·02		·16	·07	·45			·05	·27		1
2	·38	·03	·13		·46	·05			·01	·72	·05		2
3		·92	·06		·03				·05	·43	·10		3
4	·50	·06			·18	·40			·04	·02	·48		4
5	·01	·02	·01		·15	·03	·01			·11	·33		5
6		·15	·04		·16	·14	·57			·16	·62		6
7	·04		·23		·04		·12			·07	·40	·14	7
8	·01		·04		·20							·32	8
9			·01		·08	·20				·05			9
10		·48	·03	·08	·02	·04	·02		·02	·06	·01	·03	10
11	·03	·03	·09	·14	·04	·10						·20	11
12	·01	·02	·01	·37	·30		·33			·15			12
13		·30	·15	·08			·03	·13		·01			13
14		·42	·03		·03			·06		·05			14
15		·28	·56	·10	·18		·01	·14	·01	·02			15
16	·02	·03	·16	·10	·01		·05	·16		·02			16
17	·17	·22		·27				·05	·40	·60			17
18	·01	·06	·01	·14				·18	·20	·06	·47	·45	18
19	·30		·12	·07					·12		·31		19
20	·03		·10	·03								·61	20
21	·10		·96	·02	·04		·01					·65	21
22			·02			·02				·08		·50	22
23	·03	·51						·04		·13	·20	·35	23
24		·22	·01	·01	·25	·13		·03		·27		·22	24
25		·40	·20					·44			·30		25
26		·09	·02		·01	·20			·65	·18			26
27	·08	·12	1·08			·03		·32	·07	·60			27
28		·55	·13			·11			·32	·15		·18	28
29		·22				·50		2·40		·43		·21	29
30		╳		·04	·04	·10				·23			30
31		╳		╳		╳			╳	·32	╳	·03	31
Total	1·83	5·13	4·22	1·45	2·38	2·12	1·60	3·95	1·89	4·97	3·54	3·89	YEAR'S TOTAL 36·97
Rain Days.	16	21	25	13	19	15	10	11	11	25	12	13	191

W. 8,000. X. 15.

81 002209 2140 295

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bourton-on-the Water

in the County of Gloucestershire

by E. W. Kendall

Lat. Long.

Time of Observation

Nearest Railway Station 2209

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·11		·03		·63	·26		·06		1
2			·02	·02		·08		·04		·03	·03	·01	2
3	·08			·07				·36		·53			3
4		·10	·20					·17		·66			4
5	·38		·09	·11					·08	·15	·08		5
6			·14			·16				·10	·08		6
7	·36						·21	·15		·51	·01	·03	7
8	·70			·17			·68	·40		·70	} ·10	·13	8
9			·18	·10	·18		·04	·12	·01	·03	} ·14		9
10	·16		·30	·31	·28			·09			·01		10
11	·20		·20	·26				·30	·75	·22	·01		11
12	·11	·01	·17	·06				·05		·21	·01		12
13	·01			·04				·19	·04				13
14				·07				·02					14
15										·14		·20	15
16	·05	·08		·43			·04			·18		·75	16
17				·08	·66		·36	·06	·17	·14			17
18	·01	·03		·01		·01	·27		1·10	·03			18
19		·33				·01			·02				19
20	·02	·15	·35		·62		·01				·01		20
21		·01	·11			·10					·06		21
22			·08					·03		·10			22
23		·15			·04			·60		·07	·01	·01	23
24		·07	·03			·15		·15		·19	·05	·01	24
25		·12	·09						·02				25
26			·01			·01		·40	·11		·37		26
27					2·14	·10		·70					27
28		·02	·08			·76		·20				·02	28
29		X	·03		·01	·12	·06	·04		·48		·25	29
30		X	·05				·34	·25		·01			30
31	·04	X	·20	X		X	·01	·08	X	·02	X	·02	31
Total	2·12	1·07	2·40	1·84	3·93	1·53	2·02	5·03	2·56	4·50	1·03	1·43	YEAR'S TOTAL 29·46
Rain Days.	12	11	19	14	7	11	10	22	10	20	15	10	161

W. 8,000, VIII. 16

1·44

81 002209 91 278

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Bourton-on-the-Water

in the County of Gloucestershire

by E. W. Kendall

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in. 2209

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·03	·01			·06		·03	·40		1
2		·18		·02				·07			·07	·11	2
3		·05	·04	·06	·13			·04	·27	·02	·04	·01	3
4		·12	·01	·01				·06	·10		·96	·09	4
5		·01			·28			·05	·20	·10	·04	·01	5
6		·13		·24					·01	·07		·06	6
7	·08	·12		·01	·30				·02	·03	·28	·07	7
8	·01	·10							·06	·06		·10	8
9		·13		·18		·35	·23		·51	·30	·01	·09	9
10	·04			·07			·25		·09	·16		·25	10
11	·01						·03		·03	·12		·08	11
12		·04	·10		·20		·14						12
13					·15		·12		·24	·03		·14	13
14	·42		·14	·01		·04	·40		·55	·20		·14	14
15	1·25			·60			·23					·23	15
16	·22			·62		·03			·21			·02	16
17	·19			·06			·30			·02		·11	17
18	·64					·43	·12		·35	·07		·42	18
19	·04	·02	·15	·06			·03			·07		·02	19
20	·01	·10		·30		·05	·42		·27	·08		·10	20
21	·08			·45		·01	·02		·37	·06		·07	21
22	·13				·58		·13		·12	·16		·40	22
23	·07				·47	·03	·23		·04			·01	23
24		·17					·05	·01	·03		·14		24
25							·08	·35		·02			25
26							·45		·02	·06	·13	·26	26
27								·22	·15		·11	·05	27
28		{·05}	·36								·20	·05	28
29			·04						1·68		·01	·01	29
30		✕	·44							·01	·08	·14	30
31		✕	·15	✕		✕		·02	✕	·01	✕		31
Total	3·19	1·22	1·52	2·72	2·12	·94	3·23	·88	5·32	1·68	2·47	3·04	YEAR'S TOTAL 28·33
Rain Days.	14	13	10	15	8	7	17	9	21	21	13	26	173

W. 8,000, IX. 17.

Dh

002209

FORM A.
BRITISH RAINFALL

2209

REGISTER OF RAINFALL IN 1919

Kept at Bourton on-the Water
in the County of Gloucestershire
by E. W. Kendall

Lat. ____ Long. ____
Time of Observation ____
Nearest Railway Station ____
Diameter of Funnel of Rain Gauge ____ in.
Height of top of Gauge above Ground ____ ft. ____ in.
" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·02	·06	·07	·03		·30					·58	1
2	·14		·01				·04	·03	·40	·17	·20	·13	2
3	1·14		·11		·04		·08		·24		·07	·41	3
4		·08	·45			·20	·01	·03	·47		·05	·15	4
5		·23	·41						·40			·21	5
6	·19	·06	·12		·35							·05	6
7	·03		·25	·04	·05						·16		7
8	·15		·02	·29		·01							8
9	·10		·01	·11							·02		9
10	·04		·43	·04	—						·01	·28	10
11			·25	·02	·06		·30					·02	11
12			·49	·04		·43				·07	·02	·08	12
13	·05			·34					·01	·09		·10	13
14	·45	·01		·21			·06			·04		·15	14
15	·40	·03	·03	·10						·02	·02	·57	15
16	·13	·90									·14		16
17		·45				—					·24	·02	17
18			·35					·30	·02			·08	18
19	·43	·39	1·32			·08	1·12	·35	·04		·02		19
20	·52	·08	·19			·04	·09	·24			·08	·01	20
21	·01	·66	·02				·15	·01	·03		·01	·13	21
22		·20					·05		·10			·22	22
23		·01				·08		·01	·01	·38	·13	·01	23
24				·03				·01		·86	·08	·01	24
25	·12			·05	·01	·02		·19					25
26			·16	·19					·15			·40	26
27	·22			·87			·01	·44				·02	27
28	·03		·16					·56			·31	·30	28
29		✕		·01		·01		·02		·21	·02	·31	29
30		✕		·22		·20		·29		·05	·25	·36	30
31		✕		✕		✕			✕	·02	✕	·01	31
Total	4·55	3·12	4·84	2·63	·54	1·07	2·21	2·48	1·87	1·91	1·83	4·61	YEAR'S TOTAL 31·66
Rain Days	18	13	19	16	6	9	11	13	11	10	18	25	169

W. 6,500, VII. 18. w w c

002209 1927

2209

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bourton-on-the-Water, Eastfield
in the County of Gloucestershire
by E. W. Kendall

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30	·40		·30	·02	·02	·56	·08	·27	1
2			·01	·05			·12	·10	·04	·10		·20	2
3	·11	·02	·01	·15	·08	·01	·33		·09	·34		·01	3
4	·01		·06	·14			·04	·46		·24		·03	4
5			·17		·15		·50	·16	·02	·58			5
6			·20		·12		·23			·11		·02	6
7	·01			·14			·13						7
8	·19	·10		·55			·50						8
9	·22		·06	1·10			·01	·02					9
10	·60	·06	·10	·10		·18	·15				·01		10
11	·20	·04	·01	·32	·36	·12	·07						11
12	·06	·10		·09		1·14		·46			·03		12
13	·03	·01	·38	·09								·01	13
14			·81	·36		·15	·05		·13	·05	·51		14
15		·08	·10	·35		·36			·15	·02	·01		15
16				·01	·07	·30	·07		·15	·11			16
17					·14				·19	·06		·01	17
18	·20			·07	·10	·01	·02	·20	·43			·04	18
19	·07	·15		·50		·13		·04			·01		19
20	·01	·26		·35		·18				·01		·16	20
21									·03			·11	21
22				·20				·07	·04			·27	22
23	·01						·49	·05				·44	23
24			·27								·03	·14	24
25		·13	·10	·07		·01	·51						25
26	·25		·32	·03	·14	·03	·08					·15	26
27	·52	·08	·03	·20		·46	·03					·30	27
28	·60		·03		·31	·03	·04						28
29	·26		·07		·05	·04	·07				·22	·51	29
30	·04	╳	·35	·03		·11	·18		·25		·19	·33	30
31	·07	╳	·04	╳		╳			╳	·80	╳	·10	31
TOTAL	3·46	1·03	3·12	5·20	1·92	3·26	3·92	1·58	1·54	2·98	1·09	3·10	YEAR'S TOTAL 32·20
Days with ·01 in. or more	19	11	19	22	11	16	21	10	12	12	9	18	180
4·04	14	9	14	19	11	11	18	8	9	10	4	13	140

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

GLOUCESTER.

BARNWOOD VICARAGE.

1911 – 1920

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

REG 19 11

Kept at Barnwoo ... ella. ... op 5 in.

... above Ground - ft. 10 in.

in the County of Glou ... „ Sea Level 80 ft.

by Rev. F. H. F ... 9 a.m.

... Station { Name Gloucester. Distance 2 m. Direction W.

IMPORTANT NOTE.—R ... should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·03	·145	-	·02	·04	·05	-	-	·02	·06	1
2	·02	-	-	·09	·25	-	-	·20	-	·065	·175	·12	2
3	-	-	-	-	·38	-	-	-	·01	-	·035	·03	3
4	·03	-	·165	-	-	·01	-	·01	·035	·075	·315	·355	4
5	·10	-	·03	-	-	-	-	·15	-	-	·04	·04	5
6	·23	-	·14	-	-	-	-	-	-	-	·075	1·17	6
7	-	-	-	-	-	-	-	-	-	-	·34	·01	7
8	·28	-	·08	-	-	-	-	-	-	-	·06	·24	8
9	·105	-	·01	-	-	-	-	-	-	-	·11	·20	9
10	·025	·14	·215	-	-	-	-	·08	-	-	·05	·175	10
11	·21	·015	·01	-	·02	-	-	-	-	-	·57	-	11
12	-	-	·66	-	-	-	-	-	·10 ·01	-	·19	·17	12
13	-	-	-	-	·03	-	-	-	·335	·065	-	·54	13
14	-	-	·015	-	-	-	-	-	-	-	-	·64	14
15	·01	·01	·05	-	-	-	-	-	-	·01	·185	·18	15
16	-	-	-	-	-	·22	-	-	-	-	·20	·17	16
17	-	-	-	-	-	·05	-	-	-	-	·15	·31	17
18	·02	·195	·035	·11	-	·15	-	-	-	·025	-	·25	18
19	-	-	-	·015	-	·43	-	-	·085	·175	·01	·15	19
20	-	·075	·10	·01	-	-	-	-	·10	·03	-	·61	20
21	-	·135	·115	-	-	-	-	·24	-	·32	-	·09	21
22	-	·015	·08	-	-	·28	-	·01	-	·08	-	·515	22
23	·01	·17	·105	-	-	·15	-	·01	·135	·26	-	·115	23
24	-	·06	-	·02	-	·475	-	·13	-	·26	-	·145	24
25	-	·07	·01	·015	·02	·07	-	-	-	·01	-	·06	25
26	-	·11	-	·20	·05	·01	-	·01	-	·21	·18	·12	26
27	-	·17	·22	·10	-	-	-	·425	·42	-	·11	·08	27
28	-	·12	-	·21	-	-	-	-	-	-	·05	-	28
29	-		-	-	-	·195	-	-	·09	·23	·01	-	29
30	-		·01	·10	·075	·01	-	·18	·035	·16	·0	-	30
31	-		-		-		-	·0		·01		-	31
Total	1·07	1·285	2·08	1·015	·825	2·07	·04	1·495	1·345	1·985	2·875	6·545	TOTAL for year 22·63
No. of Rain Days.	12	13	19	11	7	13	1	12	10	16	20	26	160.

W. 8,000, X. '11.

REG 9 11

FORM A2. BRITISH RAINFALL.
8 - JAN 1912

W P

3

Kept at Barnwood Vicarage.
in the County of Gloucester.
by Rev. F. H. Fowler.

RAIN GAUGE
Pattern Casella.
Diameter of top 5 in.
Height of top above Ground - ft. 10 in.
" " " Sea Level 80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester.
Distance 2 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	-	·03	·145	-	·02	·04	·05	-	-	·02	·06	1
2	·02	-	-	·09	·25	-	-	·20	-	·065	·175	·12	2
3	-	-	-	-	·38	-	-	-	·01	-	·035	·03	3
4	·03	-	·165	-	-	·01	-	·01	·035	·075	·315	·355	4
5	·10	-	·03	-	-	-	-	·15	-	-	·04	·04	5
6	·23	-	·14	-	-	-	-	-	-	-	·075	1.17	6
7	-	-	-	-	-	-	-	-	-	-	·34	·01	7
8	·28	-	·08	-	-	-	-	-		-	·06	·24	8
9	·105	-	·01	-	-	-	-	-	-	-	·11	·20	9
10	·025	·14	·215	-	-	-	-	·08	-	-	·05	·175	10
11	·21	·015	·01	-	·02	-	-	-	-	-	·57	-	11
12	-	-	·66	-	-	-	-	-	·10 ·01	-	·19	·17	12
13	-	-	-	-	·03	-	-	-	·335	·065	-	·54	13
14	-	-	·015	-	-	-	-	-	-	-	-	·64	14
15	·01	·01	·05	-	-	-	-	-	-	·01	·185	·18	15
16	-	-	-	-	-	·22	-	-	-	-	·20	·17	16
17	-	-	-	-	-	·05	-	-	-	-	·15	·31	17
18	·02	·195	·035	·11	-	·15	-	-	-	·025	-	·25	18
19	-	-	-	·015	-	·43	-	-	·085	·175	·01	·15	19
20	-	·075	·10	·01	-	-	-	-	·10	·03	-	·61	20
21	-	·135	·115	-	-	-	-	·24	-	·32	-	·09	21
22	-	·015	·08	-	-	·28	-	·01	-	·08	-	·515	22
23	·01	·17	·105	-	-	·15	-	·01	·135	·26	-	·115	23
24	-	·06	-	·02	-	·475	-	·13	-	·26	-	·145	24
25	-	·07	·01	·015	·02	·07	-	-	-	·01	-	·06	25
26	-	·11	-	·20	·05	·01	-	·01	-	·21	·18	·12	26
27	-	·17	·22	·10	-	-	-	·425	·42	-	·11	·08	27
28	-	·12	-	·21	-	-	-	-	-	-	·05	-	28
29	-		-	-	-	·195	-	-	·09	·23	·01	-	29
30	-		·01	·10	·075	·01	-	·18	·035	·16	·0	-	30
31	-		-		-		-	·0		·01		-	31
Total	1.07	1.285	2.08	1.015	·825	2.07	·04	1.495	1.345	1.985	2.875	6.545	TOTAL for year 22.63
No. of Rain Days.	12	13	19	11	7	13	1	12	10	16	20	26	160.

W. 8,000, X. '11.

W. J C.

FORM A2.
BRITISH RAINFALL.
15 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Barnwood Vicarage.

in the County of Gloucester. 3

by Rev. T. H. Fowler.

RAIN GAUGE
Pattern Casella.
Diameter of top 5 in.
Height of top above Ground - ft. 9 in.
" " " Sea Level 80 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester.
Distance 2 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	·09	.	.	·53	·235	.	·03	·23	.	·08	1
2	-	·01	·17	·085	.	·47	·365	·07	.	.	.	.	2
3	·03	.	·05	.	·04	·16	·195	·28	.	.	·02	·02	3
4	·08	.	·79	.	·13	·68	.	·145	.	.	·25	.	4
5	·26	·1	·1	.	·135	·025	.	·335	.	.	·02	·105	5
6	·13	·15	·01	.	·055	·02	·06	·63	.	.	.	·02	6
7	.	·15	·06	.	·035	·78	·77	·06	.	.	.	·02	7
8	·185	·08	·215	·01	.	.	·02	·07	.	.	.	·18	8
9	·05	·06	·25	·07	.	·11	·01	·24	.	.	.	·17	9
10	·02	·08	·01	.	.	·04	·01	·06	.	.	·04	.	10
11	·09	·03	·01	.	.	·06	.	·035	.	.	·01	·365	11
12	·02	·65	·06	·02	·03	.	·02	.	.	.	·01	·02	12
13	·02	·07	.	.	.	.	.	·22	.	·01	.	·025	13
14	·12	·01	·5	.	·23	.	.	·04	.	.	.	.	14
15	·17	·07	.	.	·26	·285	.	·02	.	.	-	·14	15
16	·63	.	·17	.	.	·01	-	·045	.	·06	·07	.	16
17	·95	.	·135	.	.	·04	.	·54	.	.	·01	·39	17
18	·18	·03	·15	.	.	.	.	·12	.	·015	.	·015	18
19	.	·045	·01	.	·02	.	·33	·195	.	-	-	.	19
20	·03	.	·4	.	·12	.	·25	·23	.	·27	·1	.	20
21	·02	.	·33	.	·59	.	.	·22	.	·32	.	.	21
22	·35	·085	·06	.	·47	.	1·105	·14	.	·04	.	·05	22
23	·24	·48	·28	.	.	·15	-	·19	.	·06	·04	·395	23
24	·09	·01	.	.	.	·28	·01	·02	.	·01	.	·15	24
25	.	·01	.	.	.	·3	.	·75	.	.	·35	·335	25
26	.	·04	·01	.	.	·88	·49	·78	.	·41	·42	·16	26
27	.	.	.	.	.	·19	1·15	.	.	·96	·01	·23	27
28	.	·055		.	.	·13	·89	·63	·11	·26	·14	·54	28
29	.	·165	·01	.	.	·26	·46	·12	·45	·33	.	·07	29
30	.	—	.	.	.	·08	·165	.	·03	·14	.	.	30
31	.	—	·17	—	26	—	·54	·07	—	·02	—	·04	31
Total	3·665	2·37	4·04	·185	2·375	5·48	7·075	6·255	·62	3·135	1·49	3·52	TOTAL for year 40·195
No. of Rain Days.	20	20	24	4	13	21	19	27	4	15	14	22	203

W. 8,000, X. '11.

Card form - stats 26.11.14

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.
17 JAN 1914

Kept at Barnwood Vicarage.
in the County of Gloucester. 3
by Rev. F. H. Fowle.

Lat. 51° 51' Long. 2° 12' W.
Time of Observation 9 a.m.
Nearest Railway Station Gloucester.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·11	·135	·02	–	–	–	–	·81	–	·09	–	1
2	–	·14	·04	(·155) (165)	–	–	·07	–	·15	·8	·11	–	2
3	·165	–	·03	–	·6	–	–	–	–	–	–	·03	3
4	·87	–	·01	–	·35	–	–	–	·26	·48	·01	·15	4
5	·02	·025	·01	–	·07	·25	·17	–	·065	·17	·10	·02	5
6	·035	·01	·17	–	·265	·165	·3	–	–	·18	·61	·59	6
7	–	·325	–	–	·285	·08	·045	–	–	·145	·13	–	7
8	–	·05	–	–	·15	·01	–	·01	–	·14	–	–	8
9	–	·18	–	–	·11	·05	·23	·10	·285	–	·04	·01	9
10	·11	·01	–	·05	·02	–	–	·17	–	–	·10	–	10
11	1·08	·01	–	·3	·02	–	–	–	–	·06	·58	–	11
12	·015	·015	–	–	·085	–	–	–	–	–	·53	–	12
13	·025	·01	·16	–	·19	–	–	–	·12	–	·3	–	13
14	·08	–	·31	–	–	–	–	·03	·01	·14	–	–	14
15	·22	·14	·42	·54	–	–	–	·03	·08	–	·01	–	15
16	·13	–	·745	·05	–	–	–	·63	·015	–	–	·01	16
17	·01	·02	·10	·10	–	·10	·23	–	·06	–	·02	·01	17
18	·15	–	·16	·07	–	–	·11	–	–	–	·03	–	18
19	·18	–	·075	–	–	·17	·07	–	·2	–	–	·015	19
20	·295	–	·05	·07	–	–	–	–	–	·04	·115	–	20
21	·01	–	·08	·08	·10	–	·05	–	–	·06	·315	–	21
22	·5	–	·45	·055	–	·05	–	·115	·45	–	–	–	22
23	–	–	–	–	–	·02	–	–	–	–	·025	·10	23
24	·01	–	–	·04	–	–	–	–	–	–	–	·01	24
25	–	–	–	·28	–	–	–	–	·01	·01	–	–	25
26	·01	·045	–	·37	–	–	–	·385	–	·02	–	·25	26
27	·01	·015	·13	·215	·025	–	–	–	–	·075	–	–	27
28	·34	–	·09	·32	·01	–	–	–	–	·32	–	·01	28
29	·01	–	·4	·435	–	–	–	·09	–	·065	·02	–	29
30	·17	–	·01	–	–	–	–	–	–	·28	·04	–	30
31	·03	–	·13	–	·265	–	–	–	–	–	–	–	31
Total	4·48	1·10	3·70	3·15	2·56	·89	1·27	1·56	2·51	2·98	3·17	1·20	YEAR'S TOTAL 28·55
Rain Days.	25	15	21	17	15	9	9	9	13	16	19	12	180

W. 7,500, XI. ·12

cnd for arith 23.III.15 ~~x~~ LMCC

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Barnwood Vicarage
in the County of Gloucester 3
by Rev. F. H. Fowler

Lat. 51° 51′ Long. 2° 12′
Time of Observation 9 a.m.
Nearest Railway Station Gloucester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·01	·12	–	·01	·34	·43	–	–	·02	·085	1
2	–	–	–	–	–	–	·52	·26	–	·055	·52	·64	2
3	–	–	·02	·12	·35	–	·10	·03	–	–	·05	·02	3
4	·215	–	–	·16	·05	–	·14	·02	–	–	·365	·445	4
5	·02	–	·06	·155	·13	–	·21	·01	–	–	·125	·01	5
6	·01	·125	·02	–	·02	·02	·03	·05	–	–	·035	·18	6
7	–	·16	·11	·10	·195	·105	·255	·11	·025	–	–	·06	7
8	–	·01	·25	·04	·11	1·55	–	·03	–	–	–	·10	8
9	·09	·02	·27	·21	·09	1·59	–	·06	·02	–	–	–	9
10	·02	·27	·03	·19	·055	–	–	–	·30	–	–	–	10
11	–	·10	·28	·06	·14	·60	–	–	–	–	·21	·41	11
12	·01	·12	·15	–	–	–	·125	–	·25	–	·03	·135	12
13	–	·255	·39	–	–	–	·01	–	·19	·22	·06	·61	13
14	–	·23	·24	–	–	–	·04	·01	–	·50	·22	·01	14
15	·03	·03	·10	–	–	–	·01	·11	·075	·01	·165	–	15
16	·045	–	–	–	–	–	·02	–	·095 ·095	–	–	–	16
17	–	·16	·175	–	–	–	–	–	·015	·01	–	·235	17
18	–	–	–	–	–	–	·18	–	–	–	·01	·36	18
19	–	·05	·10	–	–	–	·73	·095	–	–	·065	·07	19
20	–	·40	·115	–	–	·01	–	–	–	–	–	·13	20
21	–	·60	·01	–	–	·01	·10	·41	–	·15	–	·10	21
22	–	·04	·01	–	·22	·02	–	·05	–	·105	–	–	22
23	–	·065	·10	–	·12	–	·05	·01	–	·115	–	–	23
24	–	–	·08	–	·09	–	·05	·03	–	·055	·27	–	24
25	·115	–	·14	–	·01	–	–	·22	–	·225	·11	·12	25
26	–	–	·06	–	–	–	·05	·01	–	·085	·02	·30	26
27	·06	–	–	–	–	–	–	–	–	·025	·15	·23	27
28	–	·14	·16	–	·04	–	–	–	–	–	·22	1·21	28
29	·04	–	·12	–	·09	–	–	–	–	·37	·085	–	29
30	·025		·08	–	·01	–	–	–	–	·12	·515	·755	30
31	·03		–		·02		·30	–		·075		·025	31
Total	·71	2·775	~~3·11~~ 3·08	1·155	1·74	3·915	3·26	1·945	·97	2.12	3.245	6.234	YEAR'S TOTAL 31.155
Rain Days.	13	17	25	9	17	9	19	18	8	15	20	23	193

W. 8,000. X. 14.

cwd by mm stats 22.III.16
" Owr. 24.1.16

2261

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.

14. JAN 1916

Kept at Barnwood Vicarage
in the County of Gloucester
by Rev. F. H. Fowler

Lat. 51°51" Long. 2°12'
Time of Observation 9 a.m.
Nearest Railway Station Gloucester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground - ft. 8 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·055	-	-	·255	-	·46	·075	·14	·22	-	·07	1
2	·15	·155	·13	·205	-	·05	-	1·23	·03	·04	·01	·08	2
3	1·16	·105	·06	·03	·14	-	·83	·63	-	-	-	·145	3
4	-	-	-	-	·02	-	·13	·21	-	-	-	·52	4
5	·02	·82	-	·01	-	-	·18	·06	-	-	-	·37	5
6	·215	·01	-	·16	-	-	·47	·025	-	-	-	·25	6
7	·07	·48	-	·01	-	·075	·16	·045	-	-	-	·245	7
8	·285	·22	-	-	-	-	·075	·055	-	-	·03	·01	8
9	·15	·02	-	·11	-	-	-	·16	-	-	·17	·47	9
10	·175	-	·06	·06	-	-	-	—	-	·01	-	·01	10
11	-	-	·11	·08	·015	-	-	—	-	-	·72	·01	11
12	·12	·225	·01	·33	·48	-	-	·01	·01	·04	·47	·06	12
13	·02	·585	-	-	·86	-	-	·09	·05	-	-	·01	13
14	·01	·02	-	-	-	-	·07	·59	·07	·015	-	·45	14
15	·2	-	-	-	·06	-	·07	·015	-	·135	·025	·075	15
16	·02	·67	-	·01	·15	-	·43	·115	-	-	-	·07	16
17	-	·31	·01	-	1·11	-	-	·015	·01	-	-	·02	17
18	-	·225	·03	-	·02	-	-	-	-	·015	·02	-	18
19	-	·02	-	·01	·09	-	·27	-	-	-	-	-	19
20	·2	-	-	·15	-	-	-	-	-	-	-	·18	20
21	·18	·10	-	-	-	-	·02	-	-	·10	-	·08	21
22	·17	(·05)	·365	·01	-	-	·17	-	·01	-	-	·3	22
23	-	·16	·46	-	-	·06	·08	-	·02	1·37	-	·58	23
24	-	-	·02	·06	-	-	·72	-	·51	·24	-	·31	24
25	-	-	·01	-	-	·71	-	-	-	·045	-	·16	25
26	·01	·08	-	-	-	·01	·18	-	·01	-	-	·385	26
27	-	·01	-	-	-	-	·17	-	-	·375	-	·01	27
28	-	·04	-	-	-	-	·04	-	·42	·01	-	-	28
29	-		-	-	-	·08	·49	·14	·10	-	·045	·02	29
30	·10	✕	-	-	-	·12	·02	-	-	·235	·21	·155	30
31	·015	✕	-	✕	-	✕	·075	·01	✕	1·03	✕	·18	31
Total	3.58	4·36	1·26	1·23	3·20	1·10	5·11	3·47	1·38	3·88	1·70	5·22	YEAR'S TOTAL ~~35.44~~ 35·49
Rain Days.	20	21	11	14	11	7	21	17	12	15	9	28	186

W. 8,000. X. 15.

✓ No 95 [illegible] 2198

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Brimwood Vicarage.
in the County of Gloucester
by Rev. F. H. Fowler.

Lat. 51° 51' Long. 2° 12'
Time of Observation 9 a.m.
Nearest Railway Station Gloucester.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.065	-	.03	-	.08	.06	.205	-	-	.25	.23	-	1
2	.28	.02	.23	-	.42	.195	-	-	.04	.725	.03	-	2
3	.39	.77	.02	-	.20	-	-	-	.01	.31	.12	-	3
4	.02	.045	-	-	.32	.255	-	-	.15	.085	.40	-	4
5	.02	-	.035	-	.22	.06	.14	-	-	.05	.12	-	5
6	.07	.135	.05	-	.28	.01	.34	-	-	.13	.61	-	6
7	.01	-	.215	-	.075	-	.03	-	-	.06	.45	.21	7
8	.045	.02	.06	-	.20	.01	-	-	-	-	.15	.17	8
9	-	-	-	-	.07	.155	-	-	-	.105	.02	.01	9
10	-	.51	.04	.105	-	.21	-	-	-	.07	-	-	10
11	-	.02	.01	.10	.075	.395	-	-	.02	-	-	.20	11
12	.04	.01	.03	-	.505	-	.30	-	-	.14	.01	.02	12
13	-	.41	.12	.03	-	-	.10	.33	-	-	.01	-	13
14	-	.34	.07	.01	.115	-	-	.04	-	.055	-	.01	14
15	-	.185	.29	.06	.11	-	.01	.20	-	.05	-	-	15
16	.01	-	.01	.21	-	-	.21	.34	-	.04	-	-	16
17	.115	.15	-	.12	-	-	.01	.01	.37	.33	-	.01	17
18	.01	.04	.03	.01	-	-	-	.01	.12	.13	.58	.08	18
19	.17	-	.33	.50	-	-	-	-	-	.01	.25	.01	19
20	.03	-	.51	-	-	-	-	-	-	-	.02	.43	20
21	.02	-	.595	.07	.12	-	.13	-	-	-	.01	.465	21
22	-	.01	-	.09	-	.10	-	-	-	.09	-	.51	22
23	.02	.25	-	.01	-	-	-	.08	-	.07	.03	.21	23
24	-	.205	.08	.01	.21	.26	-	.065	-	.38	-	.175	24
25	-	.45	.22	-	-	-	-	.59	.01	-	.17	.01	25
26	-	.12	.03	-	.09	.075	-	.03	.06	.29	-	-	26
27	.02	.09	1.10	-	.01	.05	.03	.48	.25	.31	-	.01	27
28	-	.70	.31	.01	-	-	-	.01	.37	.125	-	.15	28
29	-	.175	-	-	-	.25	-	2.12	-	.30	-	.17	29
30	-	X	-	-	-	.01	-	-	-	.295	-	.15	30
31	-	X	-	X	-	X	-	-	X	.42	X	.02	31
Total	1.33 5	4.65	4.42	1.33	3.10	2.~~29~~ 30	1.50	4.30	1.40	4.82	3.16	3.02	35.35
Rain Days.	17	21	23	14	17	15	11	13	10	25	17	20	203

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

Kept at Barnwood Vicarage.
in the County of Gloucestershire.
by Rev. F. H. Fowler.

Lat. 51°51' Long. 2°12'
Nearest Railway Station Gloucester.
RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 5 in.
Height of top above Ground – ft. 7 in.
" " Sea Level 80 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	·01	·14	·17	–	·10	–	1·26	·13	–	·16	–	1
2	–	–	·01	·03	–	·09	–	·03	–	·01	·01	–	2
3	·07	–	–	·15	–	–	–	·09	–	·85	–	–	3
4	–	·18	·14	–	–	–	·03	·09	–	·38	–	–	4
5	·19	–	·13	·20	–	·02	–	·24	·11	·17	·10	–	5
6	·01	–	·36	–	–	·23	–	–	–	·10	·17	·01	6
7	·155	–	–	–	–	–	–	·17	–	·36	·03	–	7
8	·52	–	·02	·17	–	–	·99	·41	·70	·42	·05	·16	8
9	–	–	·115	·02	–	–	–	·19	·14	·04	·01	–	9
10	·45	–	·21	·26	·46	–	–	·12	·05	·04	~~0~~	·01	10
11	·06	–	·16	·36	–	–	–	·51	·10	·13	·01	–	11
12	·03	·01	·01	·01	·22	–	–	·07	–	·14	·01	–	12
13	–	–	·04	·05	–	·02	–	·11	·09	·09	–	–	13
14	·015	–	·20	·04	–	–	–	·16	–	·01	–	·01	14
15	·025	–	–	–	–	–	–	·41	–	·05	·01	·175	15
16	·03	·05	–	·19	–	–	–	–	–	·04	·01	·13	16
17	–	–	–	·085	·65	·16	·26	·02	·13	·06	–	–	17
18	·01	·02	–	–	–	–	·30	–	1·52	–	–	–	18
19	·01	·34	·25	–	–	·03	–	·02	·06	–	–	–	19
20	·01	·10	·16	–	·60	·25	·02	–	·02	–	–	–	20
21	·01	·015	·24	–	–	·03	–	·01	–	·01	·12	–	21
22	·01	–	·045	–	–	·09	–	·36	–	·12	–	–	22
23	–	·25	–	–	·12	–	–	·29	–	·045	–	·03	23
24	–	–	–	–	–	·115	·01	·20	–	·20	·06	–	24
25	–	·14	·03	–	–	–	–	·01	–	–	·02	–	25
26	–	–	–	–	–	·05	–	·20	·11	–	·07	–	26
27	–	–	–	–	1·41	·02	·01	·46	–	–	–	–	27
28	–	–	·045	–	–	·79	·01	·12	–	–	–	·025	28
29	–	–	·07	–	·01	·44	·08	·01	–	·36	–	·25	29
30	·01	–	·02	–	–	–	·37	·26	–	·10	·02	–	30
31	–	–	·13	–	–	–	–	·12	–	–	–	·05	31
Totals	1·615	1·115	2·525	1·735	3·47	2·435	2·08	5·94	2·57	3·725	·86	·85	28·91
Total from Jan. 1	17	10	21	13	7	15	10	27	12	22	16	10	180

Rain Days.

1·615 1·115 2·525 1·735 3·47 2·435 2·08 5·94 2·56 3·725 ·86 ·85 28·915

K/3000/10/03.
EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C.
Price, on extra tough paper, 3d.

W C P E [illegible]

43

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

17.1.19

Kept at Barnwood Vicarage.
in the County of Gloucester
by Rev. F. H. Fowler

Lat. 51° 51′ Long. 2° 12′
Time of Observation 9 a.m.
Nearest Railway Station Gloucester.
Diameter of Funnel of Rain Gauge 5 in. in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.03	.04	.10	.10	-	-	.08	-	.01	.39	-	1
2	-	.15	-	-	-	-	-	.59	.07	.01	.01	.03	2
3	-	.13	.025	.34	.07	-	-	.05	.15	.02	.02	-	3
4	-	.06	.01	.07	-	-	-	.09	.07	-	.78	.10	4
5	-	-	-	.02	.24	-	-	.03	.25	.09	.07	.01	5
6	.05	.19	-	.06	-	-	-	-	.02	.14	.01	.05	6
7	.01	.15	-	.05	.51	.06	-	-	.09	.08	.28	.01	7
8	-	.14	-	-	-	-	-	-	.02	.10	.01	.22	8
9	.02	.15	-	.10	-	.23	.03	-	.43	.04	.01	.18	9
10	.05	-	-	.125	-	-	.31	-	.55	.14	-	.09	10
11	.01	-	.02	.02	.035	-	.03	-	.08	-	.07	.09	11
12	-	.02	.29	-	.075	-	.15	-	-	-	-	-	12
13	.01	-	-	-	.03	-	.02	-	.14	.07	-	.18	13
14	.375	-	.05	-	-	.06	.35	-	.51	.01	-	.02	14
15	1.54	-	-	.65	.02	-	.17	-	.01	-	-	.47	15
16	.21	-	-	.69	-	.02	-	-	.24	.04	-	.02	16
17	.205	-	.04	.10	.25	-	.21	.04	-	.04	-	.07	17
18	.65	-	-	-	-	.34	.09	-	1.00	.02	-	.44	18
19	.05	.06	.16	.13	-	-	.08	-	.01	.09	-	.06	19
20	.02	.06	-	.32	-	.02	.01	-	.21	.03	.02	.01	20
21	.03	-	-	.03	-	-	-	-	.40	.03	-	.01	21
22	.04	-	-	-	.09	-	.04	-	.225	.03	-	.22	22
23	.01	-	-	-	.34	-	.24	-	-	-	-	-	23
24	-	.13	-	-	-	-	.14	.01	.02	-	.07	-	24
25	-	-	-	-	.01	.02	.22	.10	-	.05	.02	-	25
26	-	-	-	-	-	-	.83	-	.04	.02	.11	.07	26
27	-	-	.04	-	-	-	-	.30	.11	-	.09	.05	27
28	-	.22	.21	-	-	-	.01	-	-	-	.10	.02	28
29	-		.02	-	-	-	-	-	1.55	-	-	.01	29
30	-	X	.24	-	-	-	-	.06	-	.01	.08	.05	30
31	-	X	.34	X	-	X	-	.04	X	.02	X	-	31
Total	3.28	1.49	1.48	2.80	1.77	.75	2.93	1.39	6.19	1.09	2.14	2.48	YEAR'S TOTAL 27.79
Rain Days.	16	13	13	15	12	7	17	11	23	22	17	24	190

W. 6,500, VII. 18. W W C

Local gp

1967

5 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Barnwood Vicarage.
in the County of Gloucester
by Rev. F. H. Fowler

Lat. 51°·51′ Long. 2°·12′.
Time of Observation 9 a.m.
Nearest Railway Station Gloucester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft 10 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·02	·01	·03	·03	·04	·15	–	·03	·11	·01	·58	1
2	·20	–	·01	–	·01	–	·25	–	·51	–	·11	·08	2
3	·87	–	·08	–	·04	·12	·01	–	·07	–	·11	·21	3
4	·14	·05	·5	–	–	·09	–	·03	·45	–	–	·11	4
5	·02	·25	·34	–	·08	–	–	–	·36	–	·02	·15	5
6	·14	–	·10	–	·31	–	–	–	–	–	·05	·08	6
7	·12	–	·3	·27	·01	–	–	–	–	–	·07	·01	7
8	·11	–	·01	·10	–	–	–	–	–	–	·01	–	8
9	·24	–	·03	·12	–	–	–	–	·01	–	·03	–	9
10	·01	–	·57	·01	–	–	–	–	–	·02	·01	·19	10
11	·02	–	·5	·01	·04	·02	·52	–	–	·03	–	·02	11
12	·01	–	·02	·01	–	·47	–	–	–	·21	·01	·01	12
13	·09	–	–	·21	–	=	–	–	·02	·05	–	·05	13
14	·23	–	–	·19	–	–	·13	–	·05	·01	–	·01	14
15	·38	·07	–	·01	·04	–	–	–	–	–	–	·20	15
16	·17	·82	–	–	–	–	–	·01	–	–	·08	·02	16
17	·01	·86	–	–	·10	·01	–	–	–	–	·08	·01	17
18	–	–	·55	–	·01	–	·01	·23	·02	–	·04	·05	18
19	·2	·27	·85	–	–	·20	2·48	·7	·05	–	–	·03	19
20	·19	·03	·29	–	–	·05	·01	·13	·03	–	–	·01	20
21	·04	·70	·04	–	–	·03	·16	–	·01	–	62 ·02	·12	21
22	–	·12	–	–	–	–	·08	–	·24	–	–	·10	22
23	–	–	–	–	–	–	–	·03	·02	1·15	·08	–	23
24	–	–	–	·06	–	·06	–	–	–	·8	·14	·02	24
25	·10	·02	–	·01	·03	·01	–	·21	–	·01	·01	·08	25
26	·07	–	·12	·09	–	·02	·04	–	·13	–	–	·25	26
27	·07	–	–	·58	–	–	–	·41	–	–	–	·02	27
28	·03	–	·35	–	–	–	–	·13	–	–	·32	·22	28
29	·01	–	–	·07	–	·01	–	·01	–	·23	·12	·20	29
30	·01		–	·19	–	·20	–	·3	·01	·04	·17	·39	30
31	–		–		–		·04	–		·01		–	31
TOTAL	3·76	3·21	4·67	1·96	·70	1·33	3·88	2·19	2·01	2·67	1·49	3·22	YEAR'S TOTAL 31·09
Days with ·01 in. or more	26	11	18	16	11	14	12	11	16	12	20	27	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1280

6 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Barnwood Vicarage

in the County of Gloucester

by Rev. F. H. Fowler.

Lat. 51°51′ Long. 2°12′

Time of Observation 9 a.m.

Nearest Railway Station Gloucester.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·01	·34	·28	–	·22	–	·01	·22	–	·45	1
2	·12	–	·06	·14	·02	–	·21	·05	·06	·08	–	·17	2
3	·05	·07	–	·39	·03	–	·43	–	·06	·29	–	–	3
4	–	–	·02	·07	–	–	·02	·51	–	·16	–	–	4
5	–	·01	·3	·23	·07	–	·29	·07	–	·44	–	–	5
6	–	–	·22	–	·10	–	·22	–	–	·02	–	·01	6
7	·01	–	·03	·13	–	–	·04	–	–	–	–	·02	7
8	·08	·14	–	·4	·02	–	·71	–	–	–	–	·38	8
9	·12	·01	–	·46	–	–	·02	–	–	–	–	·01	9
10	·70	·08	·06	·01	–	·11	·10	–	–	–	·03	·03	10
11	·24	–	·13	·23	·35	·02	·02	–	–	–	–	–	11
12	·15	·07	–	·07	·02	·64	·01	–	–	–	·02	·01	12
13	·08	·02	·22	·09	–	–	–	–	–	–	–	·01	13
14	–	·01	·6	·4	–	·10	–	·01	·17	·20	·33	–	14
15	–	·07	·05	·31	·01	·09	–	–	·01	·17	·03	–	15
16	–	–	–	·01	·08	·11	·31	–	·44	·20	–	–	16
17	·02	–	–	–	·18	·10	–	–	1·21	·15	–	·02	17
18	·30	–	–	·15	·09	–	·01	·4	·60	–	–	·01	18
19	·03	·24	–	·33	–	·19	·02	·04	–	–	–	·01	19
20	·04	·10	–	·10	–	·17	·05	–	·01	–	–	·10	20
21	–	–	–	·04	–	–	–	–	·01	(·01)	–	·03	21
22	–	·01	–	·13	–	–	·15	·15	–	–	–	·36	22
23	·01	·01	–	–	–	–	·45	·05	–	–	–	·24	23
24	–	–	·33	·02	–	–	–	–	–	–	·02	·10	24
25	·01	·05	·14	·01	–	·03	–	·01	–	–	·01	·02	25
26	·23	–	·29	–	·03	·25	·39	–	–	–	·03	·12	26
27	·47	·03	·15	·08	·05	·48	·07	–	–	–	·01	·17	27
28	·93	–	·05	·01	·22	·02	–	–	–	–	–	–	28
29	·17	–	·19	·01	·03	·11	·19	–	–	–	·05	·36	29
30	·06	✕	·16	·08	–	·14	·08	–	·23	–	·21	·19	30
31	·12	✕	·12	✕	·01	✕	·01	–	✕	·30	✕	·05	31
Total	~~3.76~~ 3.94	·92	3.13	4·24	1.59	2.56	4·02	1.29	2.81	2.24	·74	2.87	Year's Total 30.35
Days with ·01 in. or more	21	15	19	26	17	15	23	9	11	12	10	23	201
Days with ·04 in. or more	16	8	16	20	9	12	16	7	7	10	3	12	136

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BATH
MONKSWOOD
W. W
GLOUCESTER
1911 - 1920

REC

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Monksw
in the County of Glou
by Bath Wat

in.
round 2 ft. in.
a Level 365 ft.
M
ame
stance Direction

IMPORTANT NOTE. … e result entered to the previous day. If an Obser… al rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … t of rain, the selection and placing … h Rainfall Organization are given in " … Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·02	·10							·03	·03	1
2	·03			·06	·27			·24		·11	·35	·16	2
3			·01		·34						·10	·03	3
4			·18	·01	·01				·04	·05	·25	·43	4
5	·02		·05					·53		·04	·55		5
6	·14		·08					·08			·12	·36	6
7	·02										·35		7
8	·15		·19								·01	·30	8
9	·18		·11								·11	·24	9
10	·04	·16	·27		·07						·01	·25	10
11	·32		·03		·01						·64	·25	11
12	·01		·67					·02			·35	·11	12
13			·02		·08				·41	·83	·01	·69	13
14		·02	·01									·73	14
15		·02	·02			·01				·02	·33	·09	15
16		·05				·22					·38	·29	16
17		·09				·06						·36	17
18		·37	·10	·08	·01	·26				·01	·01	·33	18
19	·01	·06	·01	·03		·18			·28	·30	·06	·31	19
20	·02	·04	·12	·06		·01			·15	·04	·01	·51	20
21		·21	·04	·02		·04		·01	·04	·74		·26	21
22		·02	·66	·02		·07				·13		·59	22
23	·01	·28	·23	·01		·05			·10	·11	·02	·27	23
24	·02	·12	·01			·33		·06		·61		·13	24
25	·01	·08	·02	·12	·19	·12			·01	·03		·10	25
26	·01	·09		·27		·02	·08	·04		·24	·05	·27	26
27		·29	·20	·05				·16	·18	·01	·13	·15	27
28		·50	01	·75		·02		·06	·01		·05	01	28
29				·06		·42	·01		·12	·26			29
30						·06				·25	·01	·01	30
31										·29			31
Total	1·05	2·40	3·06	1·64	·98	1·87	·09	1·20	1·34	4·07	3·93	7·24	TOTAL for year 28·87
No. of Rain Days.	16	16	23	14	8	15	2	9	10	18	23	27	181

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Monkswood

in the County of Gloucester 5

by Bath Waterworks

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 365 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·02	·10							·03	·03	1
2	·03			·06	·27			·24		·11	·35	·16	2
3			·01		·34						·10	·03	3
4			·18	·01	·01				·04	·05	·25	·43	4
5	·02		·05					·53		·04	·55		5
6	·14		·08					·08			·12	·36	6
7	·02										·35		7
8	·15		·19								·01	·30	8
9	·18		·11								·11	·24	9
10	·04	·16	·27		·07						·01	·25	10
11	·32		·03		·01						·64	·25	11
12	·01		·67					·02			·35	·11	12
13			·02		·08				·41	·83	·01	·67	13
14		·02	·01									·73	14
15		·02	·02			·01				·02	·33	·09	15
16		·05				·22					·38	·29	16
17		·09				·06						·36	17
18		·37	·10	·08	·01	·26				·01	·01	·33	18
19	·01	·06	·01	·03		·18			·28	·30	·06	·31	19
20	·02	·04	·12	·06		·01			·15	·04	·01	·51	20
21		·21	·04	·02		·04		·01	·04	·74		·26	21
22		·02	·66	·02		·07				·13		·59	22
23	·01	·28	·23	·01		·05			·10	·11	·02	·27	23
24	·02	·12	·01			·33		·06		·61		·13	24
25	·01	·08	·02	·12	·19	·12			·01	·03		·10	25
26	·01	·09		·27		·02	·08	·04		·24	·05	·27	26
27		·29	·20	·05				·16	·18	·01	·13	·15	27
28		·50	01	·75		·02		·06	·01		·05	01	28
29				·06		·42	·01		·12	·26			29
30						·06				·25	·01	·01	30
31										·29			31
Total	1·05	2.40	3.06	1·64	·98	1·87	·09	1·20	1.34	4·07	3·93	7·24	TOTAL for year 28·87
No. of Rain Days.	16	16	23	14	8	15	2	9	10	18	23	27	181

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
11 JAN 1913

Kept at Monkswood
in the County of Gloucester 5
by The Bath Waterworks

Lat. 51°.26′ Long. 2°.21′
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.15		.01	.33	.10		.01	.77		.02	1
2		.01	.18	.02		.28	.30			.01			2
3	.02		.08			.28	.05	.33	.01		.03	.07	3
4	.23		.41		.09	.54		.19			.24		4
5	.35	.03	.16		.09	.04		.34			.01	.18	5
6	.32	.18	.04		.11		.01	.93			.01	.17	6
7	.02	.17	.08		.12	.41		.25			.01	.03	7
8	.45	.15	.38		.01	.03	.08	.03	.01			.05	8
9	.05	.04	.59	.08		.15	.02	.03			.03	.29	9
10	.02	.07	.01			.52		.05	.01		.07	.14	10
11	.13	.03				.02		.01			.01	.86	11
12	.02	36	.06	.04	.01	.02	.01	.01			.07	.03	12
13		.03	.02			.01		.01			.04	.13	13
14	.13		.58		.41	.01		.04		.01		.04	14
15	.07	.15	.01		.13	.48		.01			.01	.49	15
16	.75	.01	.10	.02	.06	.02		.17		.10	.11	.05	16
17	.51		.06		.01	.16		.61			.02	.21	17
18	.21		.62					.10		.06	.01	.11	18
19	.03	.13	.03		.01	.09	.11	.59		.23	.01		19
20	.01	.02	.39		.07		.02	.11		.44			20
21	.01	.04	.21		.73		.05	.10		.22			21
22	.42	.31	.06		.31	.01	.14	.17		.02	.04	.20	22
23	.30	.50	.49		.01	.09		.92		.09	.10	.42	23
24	.05	.01	.27			.22	.01	.13			.01	.15	24
25	.01		.01			.37		.63		.05	.43	.52	25
26		.05					.45	.36		.60	.75	.17	26
27		.01	.14			.14	1.13			.80	.11	.51	27
28		.05				.04	.22	.48	.14	.41	.38	.73	28
29		09				.21	.27	.02	.63	.26	.01	.11	29
30						04	.21	.01	.11	.32			30
31			.19		.04		.45	.01		.01		.14	31
Total	4.11	2.44	5.32	.16	2.22	4.51	3.63	6.64	.92	4.40	2.51	5.32	YEAR'S TOTAL 42.18
Rain Days.	22	22	26	4	17	25	18	28	7	17	23	25	234

W. 7,500, XI. 12

Ex DL

FORM A.
BRITISH RAINFALL.

21 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Monkswood

in the County of Gloucester 5

by Bath Waterworks

Lat. 51°26′ Long. 2°21′

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·20	·15	·05	·03				·44		·15	·09	1
2	·03	·13	·01	·07			·07		·02	·12	·22	·01	2
3	·03	·01	·13		·79					·02	·02	·24	3
4	·88		·20	·01	·59				·89	·17	·04	·10	4
5	·01	·03			·09	·16	·05		·18	·01	·04	·10	5
6	·01	·05	·14		·27	·08	·05			·54	·15	·62	6
7	·01	·21			·19	·27	·02			·56	·20	·01	7
8		·07			·27	·10	·01			·13		·02	8
9		·14	·04	·01	·03	·12	·01	·18	·06	·02	·09	·01	9
10	·18	·01	·03	·02	·01	·01		·03		·13	·10		10
11	·69		·03	·21	·10			·01	·01	·05	·70	·03	11
12	·01	·01			·24				·05	·01	·09	·01	12
13	·01		·02					·02	·15		·16		13
14	·11		·17	·07				·02		·22	·03	·02	14
15	·26	·07	·29	·73				·22	·01		·17	·05	15
16	·33		·58	·07			·01	·01	·15		·01		16
17	·05	·01	·02	·04		·01	·05		·07		·18		17
18	·18		·16	·20		·01			·01		·09		18
19	·47		·01		·02	·03	·10		·29		·01		19
20	·14		·16	·06	·01					·05	·09		20
21			·18	·10	·22		·11				·39		21
22	·56		·72		·05	·05	·01	·02	·24		·01		22
23					·01	·06		·11	·06		·05	·21	23
24	·13			·01				·01		·01			24
25		·04		·27					·01	·01		·07	25
26		·03		·38				·21		·01		·21	26
27	·01		·15	·48						·05			27
28	·35		·05	·27						·11		·02	28
29	·01		·45	·57				·04		·23	·01		29
30	·44									·35	03		30
31	·13		·05					·19					31
Total	5.00	1.01	3.74	3.62	2.92	·90	·49	1.07	2.64	2.80	3.03	1.82	YEAR'S TOTAL 29·04
Rain Days.	25	14	22	19	16	11	11	13	16	20	24	17	208

W.7,000, XI. 13

ExLMe

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
9 - JAN 1915

Kept at Monkswood
in the County of Gloucester 5
by Bath Waterworks

Lat. 51°26' Long. 2°20'
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08		·02	·01	·35			·17	·04	1
2				·02		·01	·64	·25			·76	·34	2
3			·03	·22	·25		·01	·35			·08	·10	3
4	·19		·05	·20	·17		·17	·09			·38	·58	4
5	·02		·13	·42	·03		·30	·16			·17	·12	5
6		·05	·11	·13	·06	·01	·06	·08			·01	·34	6
7		·63	·30	·26	·30		·25	·05			·01	·13	7
8	08	·02	·85	·01	·01	·44	·14	·08	·04			·03	8
9	15	~~·16~~	·30	·14	·02	·83		·01	·14				9
10	01	·16	·01	·26	·02				·47		·01		10
11		·09	·21	·02	·02	·24	·04				·03	·43	11
12		·11	·14			·02	·01		·23		·10	·20	12
13		·33	·28						·25	·17	·06	·47	13
14		·23	·42					·09	·02	·31	·20		14
15		·01	·15					·41	·05	·01	·14		15
16									·23				16
17		·29	·21				·01		·02			·67	17
18		·01	·01				·35		·01			·46	18
19		·16	·35				·57				·03	·04	19
20		·34	·12									·31	20
21		·45	·01			·05				·09			21
22		·05		·01	·12	·19		·06		06			22
23		·06	·21		·06	·02				19			23
24		·01	·06				·09			24	·09		24
25			·16				·02	·38		36	·01	·30	25
26	·05	·01	·03				·07	·01		06	·32	·46	26
27							·10			01	·19	·10	27
28	·05	·09	·12		·01		·05			03	·47	·83	28
29	·16		·06		·08					68	·21		29
30	01	✕	·03			·04				17	·49	·63	30
31		✕		✕	·04	✕	·20		✕	·30	✕	·06	31
Total	·72	3·10	4·35	1·77	1·19	1·87	3·09	2·37	1·46	2·18	3·93	6·64	YEAR'S TOTAL 32·67
Rain Days.	9	19	25	12	14	11	19	14	10	14	21	21	189

W. 8,000. X. 14.

23/3/16

[illegible] 24-III-16

2283

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

10 JAN 1916

Kept at Monkswood

in the County of Gloucester

by Bath Waterworks

Lat. 51°26′ Long. 2°-20′

Time of Observation 9 a.m

Nearest Railway Station –

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	~~Nov.~~	Dec.	*Date.*
1	·31	·12			·01			·13	·10	·24	·02	·23	1
2	·38	·26	·23	·20		·02		·67	·01	·18		·19	2
3	1·14	·05	·04	·04			·02	·05		·01		·20	3
4	·03	·01	·01		·01		·11					·59	4
5	·18	·58	·01	·01				·16				·26	5
6	·34	·02		·23			·48	·04				·18	6
7	·38	·40		·10	·04		·07	·05				·18	7
8	·32	·28		·01			·18	·10			·06		8
9	·02	·65		·04				·01			·26	1·01	9
10	·14		·10	·02				·23		·06	·01	·04	10
11	·05		·03	·02	·01		·01	·14			·76	·04	11
12	·17	·26		·16	·41			·40			·36	·01	12
13	·02	·59			·96		·03	·12	·18		·02	·04	13
14	·14	·01					·25	35	·07	·06	·01	·46	14
15	·34				·08		·28	·01	·03	·02	·13	·04	15
16	·01	·67			·44		1·02	·13				·21	16
17		·59	? ·02		·50		·01	·01			·01	·01	17
18	·01	·30	·01		·03								18
19		05			·06		·39						19
20	·31			·11						·10		·07	20
21	09	·01			·05		·01			·05		·16	21
22	04	·60	·47	·03			·42		·01			·44	22
23		04	·19				·19		·25	·83		·49	23
24			·02	·09			·85		·55	·73		·32	24
25			·01			·63	·17			·02		·19	25
26		·09				·16	·16		01			·45	26
27		·03				·12	·38		01	·82		·03	27
28		·19				·04		·01	60	·01		·01	28
29						·13		·05	01		·06	·03	29
30	·17	X				·16				·35	·29	·17	30
31	·01	X		X		X	·02	·18	X	·90	X	·24	31
Total	4·60 4·60	5·20	1·14	1·06	2·60	1·26	5·05	2·84	1·83	4·38	1·99	6·29	YEAR'S TOTAL 38·24
Rain Days.	22	22	12	13	12	7	20	19	12	15	12	28	38·24 194

W. 8,000. X. 15.

✓ Exd C3E

FORM A.
BRITISH RAINFALL.

8 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Monkswood

in the County of Gloucester

by Bath Waterworks

Lat. 51°26 Long. 2°20

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15		.01		.11	.14	.23		.02	.19	.20		1
2	.97	.04	.04		.06					1.29	.03		2
3	.01	.83			.12		.02		.09	.60	.16		3
4	.27	.02			.13	.65			.16	.13	.60		4
5	.01	.01	.03		.17	.14				.02	.25		5
6	.16	.19	.02		.18	.06	.43			.05	.45		6
7	.10	.14	.23		.04					.09	.66	.23	7
8	.01	.18	.02		.20	.26				.01	.01	.10	8
9		.01			.13	.03	.01			.05	.01	.08	9
10		.52	.02	.19	.02	.13	.08			.10	.01	.08	10
11	.02	.01	.06	.11	.03	.07			.02				11
12	.01	.11	.04	.04	.43		.21	.02		.17			12
13	.01	.42	.14				.01	.28	.05	.01			13
14		.43	.09	.02	.18			.40		.08			14
15		.20	.05	.04				.59					15
16	.05	.04		.38	.03		.01	.44					16
17	.14	.15		.02				.10	.48	.49	.03		17
18		.01	.05	.01					.04	.07	.30	.05	18
19	.16		.38	.20					.01		.06		19
20	.17	.04	.48	.02							.07	.78	20
21	.15	.04	.73		.10							.64	21
22	.01	.01	.01	.07	.01	.07				.22	.02	.65	22
23	.01	.13		.04		.02		.13		.25	.13	.15	23
24		.04		.10	.52	.05		.05		.49	.01	.30	24
25		.36	.15		.01			.35		.02	.14	.05	25
26	.05	.04	.03		.01	.20		.31	.27	.38	.01		26
27	.15	.04	1.23			.02	.40	.22	.34	.30			27
28	.01	.23	.20			.03			.09	.94		.58	28
29		.38	.01			.40		1.56	.02	.69		.72	29
30		X								.53		.03	30
31		X		X		X		.04	X	.17	X	.06	31
Total	2.62 ✓	4.62 ✓	4.02 ✓	1.14 ✓	2.48 ✓	2.27 ✓	1.40 ✓	4.49 ✓	1.59 ✓	7.34 ✓	3.15 ✓	4.50 ✓	YEAR'S TOTAL 39.62 ✓
Rain Days.	21 ✓	27 ✓	22 ✓	13 ✓	19 ✓	15 ✓	9 ✓	13 ✓	12 ✓	25 ✓	19 ✓	15 ✓	210 ✓

W. 8,000, VIII. 16

Exc D L

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
11 JAN 1918

Kept at Monkswood
in the County of Glocester
by Bath Waterworks

Lat. 51° 26′ Long. 2° 26′
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.03	.24	.11		.11		.86	.16		.04		1
2	.01		.01	.64		.32		.05			.08		2
3	.08	.01		.04			.25	.02		1.04	.04		3
4		.20	.04	.01			.05	.17		.22	.01		4
5	.36		.17	.28		.14		.01	.21	.41	.14		5
6	.01		.49			.07				.07	.21		6
7	.11						.07	.15		.14		.05	7
8	.39		.04	.12			.32	.83	.02	.45	.05	.05	8
9			.08	.01	.08		.01	.94	.09	.08	.27		9
10	.29		.23	.16	.02			.26	.16	.02			10
11	.06	.01	.42	.47				.18	.14	.09	.01		11
12	.11		.01	.02	.71			.30		.75	.01		12
13			.15	.02		.03		.20	.13	.08			13
14	.01		.26	.09				.30	.02	.01			14
15	.01			.02			.06	.10	.01	.06		.19	15
16	.02	.05	.01	.10			.10	.01		.29		.11	16
17		.01		.26	.32	.10	.37	.05	.61	.12	.01		17
18	.01	.01		.01	.01	.02	.37	.03	.46		.01		18
19		.44	.02			.04	.01	.10	.07		.01		19
20	.01	.17	.17		.36	.12		.01	.01				20
21		.01	.21		.01	.01				.01			21
22			.05			.80		.02		.09			22
23		.21			.14	.01		.19		.05	.01	.04	23
24		.03	.01			.53	.01	.56		.14			24
25		.08	.05			.01	.07	.02	.02	.31	.01		25
26		.01			.09		.01	.65	.18	.11	.04		26
27		.01			.95	.01		.86			.01		27
28			.07		.05	1.64		1.48			.01	.02	28
29			.10		.17	.47	.10	.05		.61	.01	.14	29
30		X	.04				.09	.24		.14			30
31	.01	X	.11	X		X		.02	X	.03	X	.02	31
Total	1.50	1.28	2.98	2.36	2.91	4.43	1.89	8.66	2.29	5.32	.98	.62	YEAR'S TOTAL 35.22
Rain Days.	16	15	23	16	12	17	15	29	15	24	19	8	209

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

8. 1. 19

Kept at Monkswood
in the County of Gloucester
by Bath Waterworks

Lat. 51° 26′ Long. 2° 20′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·02	·01			·25		·01	·49		1
2		·01		·16				·47		·02	03	·23	2
3		·01	·01	·12	·11			·19	·11	·04		·01	3
4		·06		·07				·08	·01		·71	·01	4
5					·21			22	·01	·12	·03	·01	5
6	·13	·35		·20				·01	·01	·14		·11	6
7	·01	·14		·04	·63	·02			·14	·37	·23		7
8						·02			·60	·17	·01	·05	8
9	01	·11		·39		·19	·43		·17	·14	·01	·27	9
10	01			·07			·56		·23	·13		·38	10
11	03	·23		·01			·20		1.17		·05	·26	11
12		·14	·11		·35		·02		·01			·03	12
13	·11	·01	·01		·12		·10		·38	·10		·44	13
14	·25		·01			·04	·77		·35	·14		·20	14
15	1·19			·47	·07	·05	·25			·01		·34	15
16	·23		·04	·75		·15	·02		·14			·09	16
17	·23		·02	·08			·33	·15		·01		·14	17
18	·53					·45	·31		·35	·01		·12	18
19	·07		·16	·03			·04	·01	·13	·05		·03	19
20	·02	·14		·29		·01	·09		·52	·01		·01	20
21	·03	·01		01		·01	·05		·74	·07	·01	·09	21
22	·01	·01			·02		·29		·18	·05		·26	22
23	·12				·45	·13	·55	·02		·01	·02	·01	23
24	·01	·13				·02	·02	·04	·13		·04		24
25							·08	·83		·01	·02		25
26							·59		·08	·01	·14	·15	26
27		·01	·03					·23	·11		·10	·04	27
28		05	·21								·15	·12	28
29			07						·87		·01	·03	29
30		X	30					·01	·04	·05	·07	·18	30
31		X	21	X		X		·01	X	·02	X	·01	31
Total	2·99	1·41	1·18	2·71	1·67	1·09	4·70	2·52	6·48	1·69	2.12	3·62	YEAR'S TOTAL 32·18
Rain Days	17	15	12	15	9	11	18	14	23	23	17	27	201

W. 6,500. VII. 18. w w c

Exd

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

7 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Monkswood
in the County of Gloucester
by Bath Waterworks

Lat. 51°-26′ Long. 2.20
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·30		·04	·01	·23		·19		·01	·19		1.17	1
2	·12		·01		·02		·04		·17	·02	·12	·34	2
3	1.24		·21		·05				·17		·03	·66	3
4	·32	·08	·48		·01	·04	·09	·02	·24			·11	4
5	·02	·34	·59		·08				·04		·04	·30	5
6	·18	·03	·10		·01						·01	·06	6
7	·18		·34	·06	·01							·06	7
8	·26		·12	·05		·01							8
9	·10		·08	·17							·17		9
10	·03		·18	·03						·03		·19	10
11	·03		·18	·08	·09		·38			·01		·02	11
12	·02		·13	·01	·01	·52	·01			·09	·02	·30	12
13	·01	·01	·01	·35					·01			·02	13
14	1.04	·05		·48			·11		·01	·01		·05	14
15	·20	·01		·03						·03		23	15
16	·09	·81									·25	·02	16
17		·34				·02					·17	·01	17
18		·02	·43		·01		·13	·30			·06	·03	18
19	·26	·24	1.11			·11	·98	·27	·06		·26	·03	19
20	38	·15	·29			·21		·21	·01		·01	·15	20
21		·41	·02			·05	·03	·01	·01		·01	·06	21
22		·11				·01	·12		·19		~~·12~~	·16	22
23									·10	·48	·12	·02	23
24				·02		·05			03	·98	17	·58	24
25	·13					·03		·55	·01		·02	·05	25
26	·17		·15	·08				·09	10		·01	·28	26
27	·09			·34				·55				·02	27
28	·02		·18					·46			·36	·48	28
29	·01			05		·01		·01		·15	·02	·18	29
30		✕		21		23		·23		·02	·14	·47	30
31	·02	✕	·03	✕	·01	✕	·02		✕		✕	18	31
TOTAL	5·22	2.60	4·68	1·97	·53	1·29	2.10	2.70	1.16	2·01	1·99	6·23	YEAR'S TOTAL 32·48
Days with ·01 in. or more	24	13	20	15	10	12	11	11	15	11	19	29	196

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

6 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Monkswood

in the County of Gloucester

by Bath Waterworks

Lat. 51°-26 Long. 2-20
Time of Observation 9 a.m
Nearest Railway Station
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 365 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·41	·36		·38	·05	·02	·22	·19	·39	1
2	·08			·11	·02		·16	·30	·09	·34		·04	2
3	·06	·08		·12			·20			·42			3
4			·08	·05			·15	·37		·13			4
5			·05	·01	·06		·44	·05		·29			5
6			·36		·20		·12			·09			6
7	·03		·04	·08	·07		·09						7
8	·01	·06		·40	·10		·45						8
9	·55	·23	·01	·86		·09	·11	·03	·03				9
10	1·04	·35	·06	·15		·35	·58				·01		10
11	·19	·02	·10	·46	·40	·01	·07						11
12	·19	·03		·15	·01	·99	·02				·09		12
13	·07	·13	·41	·13		·01						·04	13
14	·02	·01	·38	·34		·01	·04		·01	·30	·33		14
15	·01	·17	·01	·23	·02	·36	·02		·06	·44	·08		15
16	·01	·01		·12		·33	·21		·10	·10	·30		16
17	·08		·01	·08	·20	·16			·37	·01			17
18	·13			·10	·08	·01		·30	·34			·01	18
19	·04	·18		·27	·36	·16							19
20	·01			·18		·51		·01				·20	20
21							·01					·07	21
22	·02			·15			·02	08		·01		·36	22
23							·84					·46	23
24	·08		·16	·03							·02	·11	24
25		·17	·08	·01			43					·01	25
26	·27		·21	·18			02				·04	·05	26
27	·26	·03	·03	·06		·69	05					·33	27
28	·91	·01	·12		·20	·02	05					·03	28
29	·25		·15		·08	·03	·08				·12	·28	29
30	·02	X	·05	·04	·01	·21	·44		·25		38	·29	30
31	·13	X	·23	X		X	01		X	·44	X	·21	31
TOTAL	4·48	1·48	2·54	4·72	2·17	3·94	4·99	1·19	1·27	2·79	~~1·26~~ 1·56	2·88	34·01 YEAR'S TOTAL ~~33·71~~
Days with ·01 in. or more	25	14	19	25	15	16	25	8	9	12	10	16	194 ✓
Days with ·04 in. or more	16	8 ~~10~~	15	2~~3~~2	11	10	19	6	6	10	8	13	144 ~~147~~

28th Year

REGIST

GLOUCESTER.

BELGRAVE ROAD,

1911- 1913

2°13'55"

FORM A.
BRITISH RAINFALL
JAN 1912

Kept at Belgrave Road

Midland Rd Gloucester

in the County of Gloucester

am

5 in.

by W Piffe Brown

ove Ground — ft. 12 in.

Sea Level 52 ft.

Note.—Rain should be measured daily
ll instructions for the measurement of rain and particulars as to the British Rain
rvers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	02	10	—	—	04	04	—	—	01	04	1
2	01	—	01	09	27	—	—	20	02	05	16	10	2
3	—	—	—	—	42	—	—	—	01	—	04	03	3
4	02	—	14	01	—	— TL	—	—	02	04	33	29	4
5	07	—	02	—	—	—	—	15	—	—	03	02	5
6	25	—	16	—	—	—	—	—	—	—	10	88	6
7	—	—	—	—	—	—	—	—	—	—	41	—	7
8	25	—	08	—	—	—	—	—	—	—	07	19	8
9	10	—	01	—	—	—	—	—	—	—	07	16	9
10	07	13	23	—	—	—	—	—	—	—	02	18	10
11	22	02	—	—	—	—	—	—	—	—	54	—	11
12	—	—	58	—	07	—	—	—	08	02	15	12	12
13	—	—	—	—	—	—	—	—	33	—	—	58	13
14	—	—	—	—	—	—	—	—	—	—	—	60	14
15	—	—	03	—	—	—	—	—	—	01	20	11	15
16	—	—	—	—	—	13	—	—	—	—	18	31	16
17	—	—	—	—	07	05	—	—	—	—	18	30	17
18	—	18	—	04	—	10	—	—	—	02	—	27	18
19	01	—	—	—	—	20	—	— T	09	08	01	10	19
20	07	06	06	02	—	—	—	— TL	11	03	—	54	20
21	—	14	18	—	—	—	—	23 L	—	30	—	08	21
22	—	01	07 TL	—	—	23	—	—	—	07	—	47	22
23	—	18	07	—	—	10	—	—	12	26	—	13	23
24	—	05	—	02	—	46	—	13	—	25	—	15	24
25	—	06	07	01	02	05	—	—	01	01	—	08	25
26	—	06	—	18	04	07	—	01	—	22	14	12	26
27	—	13	16	09	—	—	—	37	37	—	12	06	27
28	—	18	—	20	—	—	—	—	—	—	05	—	28
29	—	x	—	—	—	15	Dust Storm — T4	—	10	28	01	—	29
30	—	x	—	—	05	07	—	02 T	—	22	03	01	30
31	—	x	—	x	07	x	—	—	x	—	x	—	31
Total	0·97	1·20	1·77	0·76	0·83	1·49	0·04	1·15	1·26	1·86	2·85	5·92	TOTAL for year 20·10
No. of Rain Days	11	12	16	10	8	11	1	8	11	15	21	26	150

Average of 28 years 24·66

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

28th Year

REGIST ll

FORM A.
BRITISH RAINFALL
JAN 1912

Kept at Belgrave Road Gloucester

in the County of Gloucester 3

by W Piffe R Brown

Lat. 51° 51' 29" Long. 2° 13' 55"
Nearest Railway Station Midland R. Gloucester
Time of Observation 9 am
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 12 in.
" " " Sea Level 52 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	—	02	10	—	—	04	04	—	—	01	04	1
2	01	—	01	09	27	—	—	20	02	05	16	10	2
3	—	—	—	—	42	—	—	—	01	—	04	03	3
4	02	—	14	01	—	— TL	—	—	02	04	33	29	4
5	07	—	02	—	—	—	—	15	—	—	03	02	5
6	25	—	16	—	—	—	—	—	—	—	10	88	6
7	—	—	—	—	—	—	—	—	—	—	41	—	7
8	25	—	08	—	—	—	—	—	—	—	07	19	8
9	10	—	01	—	—	—	—	—	—	—	07	16	9
10	01	13	23	—	—	—	—	—	—	—	02	18	10
11	22	02	—	—	—	—	—	—	—	—	54	—	11
12	—	—	58	—	01	—	—	—	08	02	15	12	12
13	—	—	—	—	—	—	—	—	33	—	—	58	13
14	—	—	—	—	—	—	—	—	—	—	—	60	14
15	—	—	03	—	—	—	—	—	—	01	20	11	15
16	—	—	—	—	—	13	—	—	—	—	18	31	16
17	—	—	—	—	01	05	—	—	—	—	18	30	17
18	—	18	—	04	—	10	—	—	—	02	—	27	18
19	01	—	—	—	—	20	—	— T	09	08	01	10	19
20	01	06	06	02	—	—	—	— TL	11	03	—	54	20
21	—	14	18	—	—	—	—	23 L	—	30	—	08	21
22	—	01	07 TL	—	—	23	—	—	—	07	—	47	22
23	—	18	01	—	—	10	—	—	12	26	—	13	23
24	—	05	—	02	—	46	—	13	—	25	—	15	24
25	—	06	01	01	02	05	—	—	01	01	—	08	25
26	—	06	—	18	04	01	—	01	—	22	14	12	26
27	—	13	16	09	—	—	—	37	37	—	12	06	27
28	—	18	—	20	—	—	—	—	—	—	05	—	28
29	—	x	—	—	—	15	Dust Storm — TL	—	10	28	01	—	29
30	—	x	—	—	05	01	—	02 T	—	22	03	01	30
31	—	x	—	x	01	x	—	—	x	—	x	—	31
Total	0·97	1·20	1·77	0·76	0·83	1·49	0·04	1·15	1·26	1·86	2·85	5·92	TOTAL for year 20·10
No. of Rain Days	11	12	16	10	8	11	1	8	11	15	21	26	150

Average of 28 years 24·66

1,000, IX. '10.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912 (79th year)

FORM A. BRITISH RAINFALL.

4 JAN 1913

✓

Kept at Belgrave Road Gloucester

in the County of Gloucester 3

by W. Piffe Brown

Lat. 51 57 29 Long. 2 13 55

Time of Observation 9 am

Nearest Railway Station Midland Rl Gloucester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~5~~ ft. 12 in.

„ „ „ „ Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	06	—	01	46	26	—	02	22	—	09	1
2	—	07	16	07	—	56	27	07	—	—	—	—	2
3	04	—	07	—	08	11	16	25	—	—	02	02	3
4	07	—	80	—	13	62	—	16	—	—	21	—	4
5	22	08	07	—	14	02	—	26	—	—	07	07	5
6	18	15	02	—	06	—	04	53	07	—	—	07	6
7	—	14	07	—	02	90	45	05	—	—	—	07	7
8	22	07	15	—	—	—	02	07	—	—	—	18	8
9	05	06	23	04	—	18	—	21	—	—	—	16	9
10	04	03	07	—	—	12	01	05	—	—	05	—	10
11	06	32	07	—	—	05	—	02	—	—	01	37	11
12	07	52	08	02	04	—	01	—	—	—	—	02	12
13	—	08	—	—	—	—	—	13	01	—	—	01	13
14	07	—	52	—	15	—	—	05	—	—	—	—	14
15	14	08	07	—	27	23	—	01	—	—	—	13	15
16	50	—	20	—	—	01	—	03	—	05	07	—	16
17	1·07	—	19	—	—	04	—	57	—	—	01	41	17
18	14	03	10	—	—	—	—	25	—	01	01	01	18
19	04	02	07	—	03	—	33	26	—	—	—	—	19
20	01	07	32	—	11	—	25	16	—	26	04	—	20
21	02	01	30	—	67	—	—	19	—	28	—	—	21
22	26	11	04	—	15	17	1·02	11	—	07	—	03	22
23	12	45	28	—	—	34	—	17	—	03	03	36	23
24	08	07	01	—	—	30	—	03	—	—	—	11	24
25	—	—	—	—	—	83	—	75	—	—	29	33	25
26	—	05	07	—	—	—	49	77	—	41	48	15	26
27	—	—	—	—	—	21	95	—	—	95	—	23	27
28	—	07	—	—	—	19	1·17	63	08	24	10	45	28
29	—	21	07	—	—	20	45	14	38	30	—	04	29
30	—	x	—	—	—	06	13	—	03	12	—	+	30
31	—	x	12	x	43	v	47	06	x	01	x	04	31
Total	3·28	2·51	3·85	0·13	2·29	5·54	6·48	5·98	0·53	2·89	1·33	3·23	YEAR'S TOTAL 38·04
Rain Days.	20	21	~~25~~ 26	3	14	20	17	27	6	13	13	22	~~201~~ 202

Drought

Partial Drought

W. 7,500, XI. ·12

(30th Year) W DL [illegible] own stats 26.III.14

FORM A. BRITISH RAINFALL. 7 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Belgrave Road Gloucester

in the County of Gloucester 3

by W Piffe Brown

Lat. 51 51 29 Long. 2 13 55

Time of Observation 9 am

Nearest Railway Station Midland Rly Gloster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 12 in.

" " " " Sea Level 52 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	08	13	01	—	—	—	—	73	—	10	—	1
2	01	14	05	16	—	—	06	—	12	81	09	—	2
3	16	—	02	—	40	—	—	—	—	—	—	04	3
4	88	01	01	—	33	—	—	—	25	58	—	12	4
5	01	02	01	—	02	16	13	—	04	10	08	01	5
6	02	02	17	—	26	10	20	—	—	09	40	43	6
7	—	37	—	—	21	08	05	—	—	17	13	—	7
8	—	07	—	—	12	—	—	—	—	16	—	—	8
9	—	17	—	—	11	04	—	10	17	—	03	—	9
10	11	—	—	03	01	—	13	17	—	—	12	—	10
11	1·02	—	—	26	05	—	—	—	—	06	62	01	11
12	—	01	—	—	04	—	—	—	—	—	57	—	12
13	01	01	13	—	20	—	—	04	10	—	26	—	13
14	07	—	36	01	—	—	—	02	—	10	—	—	14
15	23	12	48	70	—	—	—	23	06	—	01	—	15
16	13	—	76	03	—	—	—	—	02	—	—	—	16
17	02	01	06	05	—	22	22	—	05	—	03	—	17
18	·08 ·08	—	17	04	—	—	09	—	—	—	03	—	18
19	12	—	04	—	—	12	06	—	15	—	—	01	19
20	29	—	11	06	—	—	—	—	01	03	10	—	20
21	—	—	07	07	07	—	06	—	—	05	36	—	21
22	42	—	47	02	—	02	—	09	38	—	—	—	22
23	—	—	—	—	—	05	—	01	·	—	02	08	23
24	01	—	—	03	—	—	—	—	—	—	—	—	24
25	—	—	—	24	—	—	—	—	02	01	—	01	25
26	—	02	—	31	—	—	—	38	—	01	—	24	26
27	01	—	07	16	02	—	—	—	—	06	—	—	27
28	43	—	13	29	01	—	—	—	—	38	—	01 S	28
29	01	×	34	39	=	—	—	07	—	10	01	01 S	29
30	23	×	·	—	—	—	—	—	—	24	03	+ S	30
31	02	×	15	×	13	×	—	01	×	—	×	—	31
Total	4·29	1·05	3·73	2·86	1·98	0·79	1·00	1·12	2·10	2·95	2·99	0·97	YEAR'S TOTAL 25·83
Rain Days.	22	13	20	18	15	8	9	10	13	16	18	11	173

W.7,000, XI. 13

Small

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

BERKELEY
CASTLE GDNS.

GLOUCESTER

1911-13, 15-18

R 11.

Kept at Berkele 5 in.

ove Ground 1 ft. 6 in.

in the County of G , Sea Level 60 ft. 2149

7 a.m.

by S. Wat

Name Berkeley.

Distance 1m. Direction N.

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of t rement of rain, the selection and pla British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·10							·02	·04	1
2			·13	·05	·33			·50			·35	·25	2
3	·03				·43			·07			·16	·06	3
4										·12	·58	·36	4
5			·04					·18	·05	·06	·01		5
6	·05		·06								·12	·52	6
7	·02										·60		7
8	·15		·11								·07	·22	8
9	·10										·16	·23	9
10	·02		·34								·04	·18	10
11	·24	·08							·08		·70	·05	11
12			·66		·30				·10		·34	·08	12
13					·05					·08	·01	·52	13
14												·94	14
15											·25	·10	15
16			·04			·20					·28	·30	16
17						·05					·16	·25	17
18		·34	·03			·48						·30	18
19						·27				·20		·25	19
20		·09	·09	·12					·10	·10		·53	20
21		·22	·03	·08				·55	·06	·38		·13	21
22		·03	·08	·03		·65				·10		·60	22
23		·32	·13			·20			·04	·30		·24	23
24		·10				·34				·22		·22	24
25		·05						·50		·08			25
26		·12		·05	·30					·40	·18	·16	26
27		·25	·15	·24				·05	·27		·16	·12	27
28		·28		·04				·47			·04		28
29		X		·26		·18		·09	·10	·31			29
30		X					·25			·16			30
31		X		X		X			X		X		31
Total	·61	1·88	1·92	·97	1·41	2·37	·25	2·41	·80	2·51	4·23	6·65	TOTAL for year 26·01 ✓
No. of Rain Days.	7.	11.	14.	9.	5.	8.	1.	8.	8.	13.	19.	24.	127. ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at Berkeley Castle Gardens.

in the County of Gloucestershire. 3

by S. Wathen.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 60 ft. 2149

Time of Observation 9 a.m.

Nearest Railway Station
Name Berkeley.
Distance 1 m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·10							·02	·04	1
2			·13	·05	·33			·50			·35	·25	2
3	·03				·43			·07			·16	·06	3
4										·12	·58	·36	4
5			·04					·18	·05	·06	·01		5
6	·05		·06								·12	·52	6
7	·02										·60		7
8	·15		·11								·07	·22	8
9	·10										·16	·23	9
10	·02		·34								·04	·18	10
11	·24	·08							·08		·70	·05	11
12			·66		·30				·10		·34	·08	12
13					·05					·08	·01	·52	13
14												·94	14
15											·25	·10	15
16			·04			·20					·28	·30	16
17						·05					·16	·25	17
18		·34	·03			·48						·30	18
19						·27				·20		·25	19
20		·09	·09	·12					·10	·10		·53	20
21		·22	·03	·08				·55	·06	·38		·13	21
22		·03	·08	·03		·65				·10		·60	22
23		·32	·13			·20			·04	·30		·24	23
24		·10				·34				·22		·22	24
25		·05						·50		·08			25
26		·12		·05	·30					·40	·18	·16	26
27		·25	·15	·24				·05	·27		·16	·12	27
28		·28		·04				·47			·04		28
29				·26		·18		·09	·10	·31			29
30							·25			·16			30
31													31
Total	·61	1·88	1·92	·97	1·41	2·37	·25	2·41	·80	2·51	4·23	6·65	TOTAL for year 26·01
No. of Rain Days.	7.	11.	14.	9.	5.	8.	1.	8.	8.	13.	19.	24.	127.

W. 8,000, X. '11.

cordy Sharpness 28.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
7 - JAN 1913
149

+ Bg

Kept at Berkely Castle Gardens
in the County of Gloucester 3
by Samuel Watham

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Berkely
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·30		·42	·24		·08	·50		·20	1
2			·15			·41	·42						2
3			·23	·04		·30	·18	·40			·02 ~~·04~~		3
4	·10		·90			·45		·05					4
5	·30		·10		·05	·02		·30			·20		5
6	·27				·10	·	·08	·25				·06	6
7		·25				·42							7
8	·37	·16	·05			·02						·30	8
9	·08	·12	·24			·12		·28				·20	9
10	·05	·08	·26			·25	·10	·35					10
11	·11	·08				·10		·16			·15	·42	11
12		·35		·08	·04	·02						·16	12
13	·03	·04	·04									·18	13
14	·08		·02					·02				·02	14
15	·18	·15	·62		·50	·30		·05				·30	15
16	·70	·02	·28					·15				·02	16
17	·30		·40					·80				·50	17
18	·10	·04	·10					·32			·05	·05	18
19	·07	·05					·20	·60		·18		·02	19
20			·35		·15		·12	·10					20
21	·02				·78			·25		·45			21
22	·25	·32	·32		·40	·06	1.02	·24		·30		·04	22
23	·40	·41	·12			·40		·48			·02	·42	23
24	·05	·02	·35			·24	·02			·04		·20	24
25			·04			·86		·94				·40	25
26		·08					·20	·35		·70	·53	·12	26
27		·12				·56	1·25	1·02		1·02	·45	·60	27
28		·20				·26			·04	·30	·25	·50	28
29		·04				·06	·43	·08	45	·50		·10	29
30		~~·04~~					·12		·04	·15			30
31		X		X		X	·70		~~·04~~	—	X	·24	31
Total	3·46	2·53	4·67	·42	2·08 2·02	5·27	5·08	7·19	·61	4·14	1·67	5·05	YEAR'S TOTAL 42·11
Rain Days.	18	18	19	3	7	19	14	21	4	10	8	22	163

S made ✓

26·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3- JAN 1914

2149

Kept at Berkeley Castle Garden
in the County of Gloucestershire
by S. Wathen

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Berkeley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·12	·30	·10					·50		·08		1
2	·05	·24	·15	·08					·02	·25	·10		2
3	·20	·05	·12		·22							·15	3
4	1·10		·08		·32				1·85			·10	4
5	·02	·10			·12	·25	·15		—	·53	·20	·06	5
6		·02	·04	-	·25	·10				·15	·20	·65	6
7		·30	·20		·20	·06	·12			·20	·24		7
8		·25					·04			·20			8
9		·18			·12	·08		·10			·05		9
10	·30				·08			·15		·05	·15		10
11	1·12			·20	·08						1·00		11
12					·10						·35		12
13	·04								·25		·32		13
14	·05		·32							·15	·02	·05	14
15	·25		·35	·80				·20					15
16	·22		·42	·05				·10					16
17			·50	·05									17
18	·10		·18	·30					·05		·10		18
19	·15		·10				·30		·16				19
20	·25		·10	·08						·10	·20		20
21			·08	·06	·10					·15	·30		21
22	·50		·50	·04				·10	·42				22
23	·02							·05			·05		23
24	·03			·05									24
25				·30					·02		~~·15~~	·15	25
26				·25							~~·20~~	·20	26
27	·02		·16	·36				·30					27
28	·40			·32						·12			28
29		X	·40	·62						·05			29
30	·30	X								·30			30
31		X	·12	X	·30	X		·10	X		X		31
Total	5·12	1·26	4·12	3·66	1·89	·49	·61	1·10	3·27	2·25 2·25	3·36	1·36	YEAR'S TOTAL 28·49 28·49
Rain Days.	19	8	18	16	11	4	4	8	8	12	15	7	130

W.7,000, XI. 13

2243

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
3 JAN 19
2149

Kept at Berkeley.
in the County of Gloucestershire.
by S. Wathen.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·12			·18			·75	·30				1
2	·25	·38	·18	·18			·50			·30			2
3	·70	·12	·08	·02	·20							·10	3
4	·04				·02							1·06	4
5	·10	·40					·55	·18				·30	5
6				·25								·50	6
7	·18	·50					·50						7
8	·50	·30					·05				·08	·26	8
9		·05										·70	9
10	·20		·05										10
11			·15					·30			1·25	·12	11
12	·15	·25			·50					·22	·15		12
13		·50						·40					13
14					·90							·70	14
15	·50								·12				15
16		·104			·60		·70			·18			16
17		·45			·120			·30				·10	17
18		·42											18
19							·45						19
20	·10											·12	20
21										·15		·05	21
22	·05		·45	·28			·30					·27	22
23										·100			23
24							·50		·34	·65		·65	24
25									·02				25
26		·40				·40	·45					·60	26
27						·15				·40			27
28		·08				·05							28
29		✕				·20		·10	·50				29
30	·10	✕				·40	·10			·10	·20	·26	30
31		✕		✕		✕	·12		✕	·70	✕	·25	31
Total	3·27	5·01	·91	·73	3·60	1·20	4·22	2·03	1·28	3·70	1·68	6·04	YEAR'S TOTAL 33.67
Rain Days.	13	14	5	4	7	5	11	6	5	9	4	16	99

W. 8,000. X. 15.

End C75

2177

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 19

2.149

Kept at Berkeley Castle
in the County of Gloucester
by S. Walker

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Berkeley.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·05		·30			·20	·20		1
2	·80	·08	·15		·25	·20	·05			1·02	·04		2
3		·80			·05	·02			·14	·45	·20		3
4	·50	·08	·02		·45	·40				·15	·30		4
5			·03		·15		·10				·05		5
6		·35	·06		·50		·50			·12	·65		6
7		·04	·15		·08	·08	·05			·36	·56	·30	7
8			·06		·20					·22	·06	·20	8
9	·08				·08	·10					·04		9
10		·50	·04		·04	·12				·16			10
11	·06		·05	·15	·10	·05							11
12		·10	·08	·02	·80		·15			·10			12
13		·35	·10	·08				·22		·05			13
14		·60	·08		·06								14
15		·20	·05	·05	·08			·25					15
16	·06	·08		·25			·16	·22		·10			16
17	·15	·08					·10		·25	·40			17
18	·04		·08						·08	·08	·20		18
19	·40		·34	·32							·30		19
20	·12		·54								·05		20
21	·22		·65		·10							·80	21
22						·15				·22	·03	·70	22
23	·02	·15		·05				·50		·15	·08	·02	23
24		·60	·04	·20	·60			·30		·25	·02	·20	24
25			·15			·10		·80	·02		·18		25
26	·03	·28				·20		·30	·02	·18			26
27	·04	·10	1.05			·12	·15	·32	·24	·70			27
28		·21	·40					·02		·20		·50	28
29		·35						2·50		·70		·48	29
30		X								·50			30
31		X		X		X		·03	X	·22	X	·02	31
Total	2.52	4·95	4·12	1·12	3.59	1·54	1·56	5·46	·75	6.53	2.96	3·22	YEAR'S TOTAL 38·32
Rain Days.	13	18	20	8	16	11	9	11	6	22	16	9	159

W. 8,000, VIII. 16

2080

FORM A.
BRITISH RAINFALL
8. JAN. 1918
1449

REGISTER OF RAINFALL IN 1917

Kept at Berkeley.

in the County of Gloucestershire.

by Samuel Wachen.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Berkeley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10	·25		·14		·85	·34		·		1
2				·35		·26					·06		2
3				·03 ~~·04~~			·08	·05					3
4			·08				·15			1·00			4
5			·11	·30		·08		·46	·50	·25	·10		5
6			·25			·06				·24	·26	·04	6
7	·25						·15	·15		·12			7
8	·20						·75	·68		·50		·10	8
9	·35				·15			·40	·15	·26	·18		9
10	·20		·50					·25		·06			10
11			·25	·47	·16			1·70	·35	·20			11
12			·02		·90			·08	·16	·36			12
13			·15	·11				·01 ~~[illegible]~~		·15			13
14								1·02		·10			14
15								·12 (~~·42~~)		·05		·25	15
16							·15	·06					16
17				·15	·50		·16		·24				17
18							·38		1·50	·18			18
19		·20	·15						·04				19
20	·05	·16	·08		·42	·25	·10						20
21		·30	·28										21
22			·02							·16			22
23					·08			·60		·06			23
24								·16					24
25		·20	·05										25
26					·04				·20		·12		26
27					1·05			·70					27
28			·10		·08	·28		·12				·18	28
29		X	·10		·12	·38		·01 ~~[illegible]~~		·50		·22	29
30		X	·01			·54	·15	·15					30
31		X	·12	X		X		·14	X	·05	X	·04	31
Total	1·05	·86	2·37	1·66	3·50	1·99	2·07	7·71	3·48	4·24	·72	·83	YEAR'S TOTAL 30·48
Rain Days.	5	4	17	7	10	8	9	20	9	17	5	6	~~117~~

W. 8,000, IX. 17.

1·05

B. made

24

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
2·1·19

Kept at Berkeley Gardens

in the County of Gloucestershire

by S. Wathen.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Berkeley

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 2·1·49 in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·16						·12					1
2		·22		·10				·42			·40		2
3		·16	·14		·26			·28	·36	·05	·04	·26	3
4		·06	·02					·10	1·17	·04	·80	·16	4
5				·05				·12	·53	·20	·15	·04	5
6		·44		·18					·15	·15		·10	6
7		·18		·08	·90				·12	·20	·30		7
8		·20							·10	·22		·10	8
9		·16		·18		·20			·75	·05		·16	9
10	·15			·25			·50		·35	·06		·26	10
11		·08	·10	·04					·25			·15	11
12			·38		·12		·18						12
13							·10		·50	·06		·28	13
14	·60		·08			·05	·26		·55			·04	14
15	1·65			·45			·24					·50	15
16	·32			·48				·06	·48			·04	16
17	·24			·42		·50	·30		1·10	·11		·20	17
18	·59						·20			·06		·46	18
19	·10	·08	·12	·10			·10		·30			·04	19
20	·02	·18		·25					·35				20
21	·04	·04		·04					·40	·05			21
22	·03						·22		·14			·32	22
23	·05				·20		·50						23
24		·15					·20		·06				24
25							·35	·60		·06			25
26							1·05	~~·26~~	·14	·03	·26	·18	26
27		·04	·08			·02			·10		·08		27
28											·15	·05	28
29		×	·30						1·25			05	29
30		×	·50						·04		·06		30
31		×	·45	×		×			×		×		31
Total	3·79	2·15	2·17	2·62	1·48	·77	4·20	1·96	9·19	1·34	2·24	3·39	YEAR'S TOTAL 35·30
Rain Days.	9	14	10	13	4	4	13	8	21	14	9	19	138

W. 6,500, VII. 18. w w c

Copy wo

FORM A. 1. METEOROLOGI… …NIZATION.

REGI…

Kept at [illegible]

in the County of [illegible]

by [illegible]

BRISTOL
COTHAM
VICTORIA SQUARE
GLOUCESTER

1920

…Gauge……in.
…Ground……ft……in.
…Sea Level……ft.

IMPORTANT NOTE.—Ra… …red to the previous day.
If an Observer prefers not to c… …d to add the reading at 9 a.m. on 1st Ja… …he end of this paragraph. Full instructions… …in gauges, and particulars as to the Britis… …Observers," sent post-free on application t… …, Camden Square, London, N.W. 1.

Recor…

Jan. 1, following.
See Dec 31st

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				~~[illegible]~~	0.025		0.240	0.04 ~~[illegible]~~	Rain				1
2			0.015	0.550	0.360		0.410	0.095	0.700 ~~[illegible]~~	0.25	0.20	0.48 ~~[illegible]~~	2
3			~~[illegible]~~	0.260			0.060	0.32	0.065	0.335		0.18	3
4	0.040	0.130		0.090			0.740	0.25		0.235		0.045 ~~[illegible]~~	4
5			0.020	0.180			0.020	0.49		0.23			5
6			0.120				0.500	0.095		0.14			6
7			0.265		0.370		0.050			0.14			7
8	0.120		0.080	0.010	0.050		0.070						8
9			~~0.600~~	0.600	0.120	0.090	0.640	0.07					9
10	0.470	0.840	0.010	0.670		0.210	0.035	0.245	0.02				10
11	1.130 ~~[illegible]~~	0.040	0.035	0.020		0.040	0.250		~~0.065~~				11
12	0.110 ~~[illegible]~~			0.340	0.400	0.940	0.060						12
13	0.190 ~~[illegible]~~	0.070	0.115	0.060	0.030		0.030				0.08		13
14	0.070	0.070	0.255	0.160 ~~[illegible]~~		0.100						0.04	14
15		0.010	0.425	0.450		0.210	~~[illegible]~~		0.095	0.34	0.70		15
16	0.030	0.100	0.010	0.220	0.080	0.100	0.020		0.11	0.43	0.27		16
17		0.010		0.110	0.025	0.340	0.225		0.47	0.15	0.26		17
18	0.185		0.010	0.035		0.300 ~~[illegible]~~	0.010	0.02	Rain×	0.03		0.024	18
19	0.180			0.250	0.055			0.315				0.019 ~~[illegible]~~	19
20	0.010	0.350		0.260					Rain×				20
21		3 0.025		0.180		0.440	0.030					0.23	21
22							0.040		Rain×	0.03		3 0.035	22
23				0.090		0.020	0.060	0.15	Rain×			0.32	23
24						~~[illegible]~~	0.700	0.025				0.56	24
25			0.200	0.010							0.06	0.12	25
26		0.090	0.115				0.430				0.045	~~[illegible]~~	26
27	0.260	0.015	0.355				0.085					0.04	27
28	0.250	0.010	0.010	0.160		0.63						0.16	28
29	0.820		0.100	0.090	0.100	0.045	0.015				0.12 0.34	0.02	29
30	0.050	X	0.170	0.030	0.245 ~~[illegible]~~	0.02	0.155		Rain× 1.00	0.60		0.36	30
31	259 0 ~~[illegible]~~	X	0.090	X	0.020	X	0.380		X		X	0.40 0.29 Jan 1st	31
TOTAL	4.295 ~~[illegible]~~.355	1.779	2.400	.025 ~~4.660~~ 4.685	~~1.880~~ 1.855	.240 ~~3.485~~ 3.725	.040 ~~5.255~~ 5.055	~~2.095~~ 2.055	~~1.86~~	2.90	2.075	3.315 ~~[illegible]~~	YEAR'S TOTAL 36.09 ✓
Days with ·01 in. or more	16 ~~2~~	~~5~~ 13	~~6~~ 19	~~4~~ 23	~~4~~ 13	~~2~~ 14	~~7~~ 25	12	7 ~~3~~	12	9 ~~0~~	17 ~~X~~	180
Days with ·04 in. or more	14	8	13 2	19 8	9	12	18	10	~~8~~ 6	10	9	15 3	139

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Conf wo

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cotham, Victoria Sq.

in the County of Bristol 3 Yrs

by H A Rogers

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. See Dec 31st

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				~~[illegible]~~	0.025		0.240	0.04 ~~[illegible]~~	Rain				1
2			0.015	0.550	0.360		0.410	0.095	0.100 ~~[illegible]~~	0.25	0.20	0.48 ~~[illegible]~~	2
3			~~[illegible]~~	0.260			0.060	0.32	0.065	0.335		0.18	3
4	0.040	0.130		0.090			0.740	0.25		0.235		0.045 ~~[illegible]~~	4
5			0.020	0.180			0.020	0.49		0.23			5
6			0.120				0.500	0.095		0.14			6
7			0.265		0.370		0.050			0.14			7
8	0.120		0.080	0.010	0.050		0.070						8
9			~~0.600~~	0.600	0.120	0.090	0.640	0.07					9
10	0.670	0.840	0.010	0.670		0.210	0.035	0.245	0.02				10
11	1.130 ~~[illegible]~~	0.040	0.035	0.020		0.040	0.250		~~[illegible]~~				11
12	0.110 ~~[illegible]~~			0.340	0.400	0.940	0.060						12
13	0.190 ~~[illegible]~~	0.070	0.115	0.060	0.030		0.030				0.08		13
14	0.070	0.070	0.255	0.160 ~~[illegible]~~		0.100						0.04	14
15		0.010	0.425	0.450		0.210	~~[illegible]~~		0.095	0.34	0.70		15
16	0.030	0.100	0.010	0.220	0.080	0.100	0.020		0.11	0.43	0.27		16
17		0.010		0.110	0.025	0.340	0.225		0.47	0.15	0.26		17
18	0.185		0.010	0.035		0.300 ~~[illegible]~~	0.010	0.02	Rain×	0.03		0.02	18
19	0.180			0.250	0.055			0.315				0.019 ~~0.14~~	19
20	0.010	0.350		0.260					Rain×				20
21		3 0.025		0.180		0.440	0.030					0.23	21
22							0.040		Rain×	0.03		3 0.085	22
23				0.090		0.020	0.060	0.15	Rain×			0.32	23
24						~~[illegible]~~	0.700	0.025				0.56	24
25			0.200	0.010							0.06	0.12	25
26		0.090	0.115				0.430				0.045	~~[illegible]~~	26
27	0.260	0.015	0.355				0.085					0.04	27
28	0.250	0.010	0.010	0.160		0.63						0.16	28
29	0.820		0.100	0.090	0.100	0.045	0.015				0.12 0.34	0.02	29
30	0.050	×	0.170	0.030	0.245 ~~[illegible]~~	0.02	0.155		Rain× 1.00	0.60		0.36	30
31	250 ~~0.280~~	×	0.090	×	0.020	×	0.380		×		×	0.40 0.29 Jan 1st	31
TOTAL	4.295 ~~3.355~~	1.779	2.400	·025 ~~4.660~~ 4.685	~~1.880~~ 1.855	·240 ~~3.485~~ 3.725	·040 ~~5.255~~ 5.055	~~2.095~~ 2.055	1.86	2.90	2.075	3.315 ~~[illegible]~~	YEAR'S TOTAL 3609
Days with ·01 in. or more	16 ~~2~~	~~5~~ 13	~~6~~ 19	~~4~~ 23	~~4~~ 13	~~9~~ 14	~~7~~ 25	12	7 ~~3~~	12	9 ~~0~~	17X	180
Days with ·04 in. or more	14	8	13 2	19 8	9	12	18	10	~~8~~ 6	10	9	15 3	139

BROMSBERROW

P. S.

GLOUCESTER

1911-17, 1919

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

R l

Kept at Bromsberro nons
5 in.
e Ground 1 ft. — in.
in the County of Glo Sea Level 181 ft.
Am.
by Wm Osborne Name Dymock
Distance 2¼ mile Direction S.W.

IMPORTANT NO d the result entered to the previous day. If an C iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t rement of rain, the selection and placing British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·09			·02	·11			·01		1
2				·04	·07			·08	·01	·12	·06	·08	2
3					·39				·03		·03		3
4			·11	·01					·05	·01	·17	·52	4
5	·05		·02					·07			·05	·01	5
6	·17		·19								·18	·99	6
7	·11										·28		7
8	·07		·11								·03	·42	8
9			·01								·39	·25	9
10		·13	·28								·05	·58	10
11	·16										·56		11
12			·45						·01		·08	·05	12
13			·01						·50	·05		·39	13
14			·01									·96	14
15		·01	·01								·09	·07	15
16						·10					·13	·11	16
17				·01		·11						·37	17
18		·25		·19		·02				·05		·48	18
19	·02			·01		·27			·15	·17		·12	19
20	·01	·05	·01	·02					·11	·01		·73	20
21		·10	·15					·25		·44		·05	21
22			·03	·02						·20		·50	22
23	·01	·19	·13			·23			·16	·08		·09	23
24		·05		·01		·42		·11		·20		·12	24
25		·08		·02		·06						·10	25
26		·13		·15				·10		·15	·24	·13	26
27		·16	·14	·09	·18			·32	·21		·06	·08	27
28		·10		·10				·02			·18		28
29				·01		·16	·04		·18	·30			29
30			·02	·15	·01		·09	·18		·30	·01		30
31										·04			31
Total	·60	1·25	1·71	·92	·65	1·37	·15	1·24	1·41	2·12	2·60	7·20	TOTAL for year 21·22
No. of Rain Days.	8	11	17	15	4	8	3	9	10	14	18	23	140

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
16 JAN 1912

REGISTER OF RAINFALL IN

Kept at Bromsberrow Pumping Station

in the County of Gloucester 2

by Wm Osborne Thorp

RAIN GAUGE
Pattern Symons
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 181 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Dymock
Distance 2½ mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·09			·02	·11			·01		1
2				·04	·07			·08	·01	·12	·06	·08	2
3					·39				·03		·03		3
4			·11	·01					·05	·01	·17	·52	4
5	·05		·02					·07			·05	·01	5
6	·17		·19								·18	·99	6
7	·11										·28		7
8	·07		·11								·03	·42	8
9			·01								·39	·25	9
10		·13	·28								·05	·58	10
11	·16										·56		11
12			·45						·01		·08	·05	12
13			·01						·50	·05		·39	13
14			·01									·96	14
15		·01	·01								·09	·07	15
16						·10					·13	·11	16
17				·01		·11						·37	17
18		·25		·19		·02				·05		·48	18
19	·02			·01		·27			·15	·17		·12	19
20	·01	·05	·01	·02					·11	·01		·73	20
21		·10	·15					·25		·44		·05	21
22			·03	·02						·20		·50	22
23	·01	·19	·13			·23			·16	·08		·09	23
24		·05		·01		·42		·11		·20		·12	24
25		·08		·02		·06						·10	25
26		·13		·15				·10		·15	·24	·13	26
27		·16	·14	·09	·18			·32	·21		·06	·08	27
28		·10		·10				·02			·18		28
29				·01		·16	·04		·18	·30			29
30			·02	·15	·01		·09	·18		·30	·01		30
31										·04			31
Total	·60	1·25	1·71	·92	·65	1·37	·15	1·24	1·41	2·12	2·60	7·20	TOTAL for year 21·22 ✓
No. of Rain Days.	8	11	17	15	4	8	3	9	10	14	18	23	140 ✓

W. 8,000, X. '11.

Ex FC.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

11 JAN 1913

Kept at Bromsberrow Pumping Station

in the County of Gloucester 2

by Wm Osborne Thorp

Rain Gauge: Pattern Symons

Diameter of top five in.

Height of top above Ground 1 ft. — in.

" " " Sea Level 181 ft.

Time of Observation 9 A.M.

Nearest Railway Station: Name Dymock

Distance 2¾ M. Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·11			·66	·15	·01	·01	·30		·05	1
2			·15	·04		·26	·25						2
3	·02		·07			·15	·06	·54	·04		·03	·03	3
4	·09		·54		·14	·84		·02			·23		4
5	·24	·05	·11		·05	·19		·21				·02	5
6	·12	·14	·01		·06	1·11	·03	·96	·02				6
7		·23	·18		·04	·47	·01	·07				·03	7
8	·28	·09	·16			·09		·14				·05	8
9	·03		·41	·05		·20		·07				·14	9
10		·07				·04		·18			·13		10
11	·13	·01				·01		·32			·05	·30	11
12	·01	·23	·09	·02	·11	·01						·01	12
13								·28					13
14	·04		·41					·05		·04			14
15	·28	·08			·42	·19		·03				·10	15
16	1·00		·09					·07		·04			16
17	·42		·16			·04		·45			·01	·42	17
18	·28		·08					·33			·01	·01	18
19	·12	·03					·16	·32				·01	19
20	·02		·35				·18	·08		·26	·09		20
21	·01	·01	·30		·94			·33		·41			21
22	·34	·07	·13		·34	·08	·25	·21				·03	22
23	·32	·42	·29			·10	·62	·28		·01	·02	·32	23
24	·08	·03				·21	·03	·01		·01		·14	24
25						·27		·73			·31	·35	25
26		·05	·01			·01	·47	·92		·52	·22	·13	26
27						·31	·56			·71		·23	27
28		·04				·04	·63	·60	·09	·26	·32	·40	28
29		·15	·03			·01	·27	·06	·55	·26			29
30			·02			·06	·09			·34			30
31			·08		·71		·41	·05				·01	31
Total	3·83	1·70	3·78	·11	2·81	5·35	4·17	7·32	·71	3·16	1·42	2·78	TOTAL for year 37·14
No. of Rain Days	19	16	22	3	9	23	16	27	5	12	11	20	183

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
-3 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Bromsberrow Pumping Station
in the County of Gloucester H + R
by Wm Osborne Thorp

Lat. 52° N Long. 2° 23′ W
Time of Observation 9 AM
Nearest Railway Station Dymock
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·04	·08		·14				·85		·03		1
2	·02	·19	·02	·12			·02		·13	·65	·10		2
3	·20		·08		·50							·01	3
4	·14				·29				·62	·76	·02	·23	4
5	·08	·02			·13	·28	·14				·05		5
6	·02	·04	·12		·25	·10	·14			·32	·10	·38	6
7		·26			·25	·03	·05			1·15	·15	·01	7
8		·08		·01	·10					·68			8
9		·23	·01		·08	·20	·05	·15	·31		·09		9
10	·24			·12	·03			·10		·04	·13		10
11	·60			·34	·08			·01		·09	·61		11
12	·01				·36			·02			·46		12
13	·02	·03	·05			·02			·12		·22		13
14	·19		·44	·04					·01				14
15	·13	·03	·65	·50				·03	·14	·11			15
16	·17		·67	·02				·02					16
17	·04		·19	·12			·20						17
18	·05		·20	·07			·07		·45		·01		18
19	·11		·18	·09		·16	·05		·09				19
20	·23		·21		·08					·05	·10		20
21			·25	·17							·30		21
22	·48		·57	·01				·09	·39		·01		22
23	·01		·01			·12		·04	·01		·03	·04	23
24				·04				·05			·01		24
25				·25					·03				25
26		·02		·83				·34				·26	26
27	·01	·01	·01	·29						·03			27
28	·31		·09	·24	·07					·51			28
29			·37	·64						·07			29
30	·24							·23		·60	·08		30
31	·01		·10		·04			·05		·01			31
													YEAR'S TOTAL
Total	3·31 ✓	·95 ✓	4·30	3·90 ✓	2·40 ✓	·91 ✓	·72 ✓	1·13 ✓	3·15 ✓	5·07 ✓	2·50	·93 ✓	29·27 ✓
Rain Days.	22	11	20	18	14	7	8	12	12	14	18	6	162 ✓

W.7,000, XI. 13

cnd fr auth 23.III.15 LMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Bromsberrow Pumping Station
Malvern Waterworks

2

in the County of Gloucester

by Wm. Osborne Thorp

Lat. 52°·0′ Long. 2′ 23 W
Time of Observation 9 a.m
Nearest Railway Station Dymock
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 181 O.D. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	02	·07			1·52	·26			·03	·11	1
2	~~·08~~	~~·08~~				·01	·35	·06			·59	·47	2
3	~~·20~~			·08	·16		·06	·03				·02	3
4	·20			·15	·01		·14	·03			·61	·53	4
5	·06	~~·08~~		·10	·10		·17				·08		5
6	·02	·08	·05	·02	·01				~~·05~~		·13	·19	6
7		·24	·10		·19	·13	·15	·08	·05		·01	·08	7
8		·02	·11	·07	·03	68	·14	·03				·04	8
9	·05		·20	·29	·10	1·58		·04	·09				9
10	·01	·25		·36	·03	·05			·66				10
11		·09	·21	·02	·15	·38					·12	·50	11
12		·19	·19				·13		·26		·05	·15	12
13		·15	·30				·01		·13	·19	·05	·36	13
14		·13	·23							·14	·13		14
15	·03	·02	·12					·13	·03		05		15
16	~~·03~~						·05		·14		·01		16
17		·11	·10				·01		·05			·14	17
18							·14					·28	18
19			·07				·45	·03			·05	·07	19
20		·37	·03									·16	20
21		·21				08	·01			·14		·05	21
22		·02	·05		·14			·07		·04			22
23			·11		·01		·01			·11			23
24			·15	·01			·02			·05	·05		24
25	·06		·22				·01	·17		·17	·01	·08	25
26			·05				·05	·02		·04	·16	·57	26
27	·05										·22	·09	27
28		·07	·15		·06					·01	·04	·93	28
29	·01		·06		·17					·18	·12		29
30			·06			·08				·09	·41	·69	30
31	·11						·23			·03		·01	31
Total	·60	1·98	2·58	1·17	1·16	2·99	3·65	·95	1·41	1·1~~5~~9	2·92	5·52	YEAR'S TOTAL 26·08
Rain Days.	10	15	21	10	13	8	19	12	8	12	20	21	169.
										1·19			26·12

W. 8,000. X. 14.

cnd. 22.III.16

2235

FORM A. BRITISH RAINFALL.

21 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Bromsberrow Heath Pumping Station

in the County of Gloucester.

by Wm Osborne Thorp. C.E. Malvern

Lat. 52°·0′N Long. 2°·23′W

Time of Observation 9 a.m.

Nearest Railway Station Dymock 2¾ miles S.W.

Diameter of Funnel of Rain Gauge 5″ in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	·06			·20		·20	·01		·22	·01	01	1
2	·24	·16	·15			·16		1·03		·20		·09	2
3	·80	·08	·01	·20	·20		·43	·17				·19	3
4	·	·01		·07	·02		·08					·42	4
5	-	·66		·03			·07	·08		·02		47	5
6	·20	·01		·14			·51					14	6
7	·08	·46					·08	·13				27	7
8	·25	·29					·07	·03			·05		8
9	·14			·09							·23	35	9
10	·21		·07	·09						·07			10
11											·71	02	11
12	·11	·03		·13	·39			·08		·07	41		12
13	·02	·44			·91			·20	·02		Δ		13
14					·10			·23	·06			20	14
15	·32						·01	·02			·02	11	15
16	·02	·43		·02	·30		·67					·03	16
17		·11	·03		1·23			·03					17
18		·32								·01			18
19					·08		·14						19
20	·10			·09			·01					08	20
21	·10	·06			·01		·05			·13		04	21
22	·13	14	·28	·01			·25					26	22
23	·02	08	·18	·01		·04	·13			1·00		27	23
24							·32		·47	·68		16	24
25						·50	·04		·47	·03		19	25
26		04					·52	·06				50	26
27		05					·18			·32			27
28		08				·01			·20	06			28
29						·09	·23				·07	05	29
30	·07	X				·16	·03			·14	·10	·27	30
31		X		X		X	·09	·04	X	·89	X	·25	31
Total	2·90	3·51	0·72	0.88	3·44	0·96	4·11	2·11	0.75	3·84	1·60	4·37	YEAR'S TOTAL 29·19
Rain Days.	17	19	6	11	10	#6	21	13	4	14	8	22	151

W. 8,000. X. 15.

Exe DL

2170

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Bromsberrow Pumping Station

in the County of Gloucester

by Wm. Osborne Thorp. C.E.

Lat. 52° 0' Long. 2° 23' W

Time of Observation 9 a m

Nearest Railway Station Dymock

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10		·13		·03	·06				·10	·16		1
2	·25	·03	·16		·35				·03	·60	·06		2
3		·88	·01		·07				·02	·24	·13		3
4		·13			·35	·27			·08	·01	·50		4
5		·02	·02		·31	·04	·16			·04	·08	01	5
6		·12	·01		·13		·50			·28	·47		6
7			·01		·09		·03			·36	·26	·17	7
8	·04		·01		·03							·24	8
9			·02		·22	·55			·02		·02		9
10		·43	·11			·08				·09			10
11		·05		·15	03	·20					·01	·06	11
12			·15		·36		·27			·03	·01		12
13		·39	·12	·02				·38					13
14		·37	·20		·01			·03		·04		·01	14
15		·14		·02	·24		·02	·15		·01	·01		15
16		·04		·16	·01		·17	·44		·01			16
17	·12	·06		·10				·11	·40	·39			17
18		·03	·10	·01					·12	·05	·35	·13	18
19	·07		·20	·23							·18		19
20	·04		·43								·01	·28	20
21	·01		·40	12	·16		·25				·02	·22	21
22				·05		·03				·19	·01	·62	22
23		·50	·23	·02				·14		06		·15	23
24		·04	·26		·40			·02		·19		·12	24
25		·06	·01					·20		·04	·15		25
26	·01	·01				·05		·01		·09			26
27	·03	·04	·87			08		·07		·35			27
28		·12	·01			·25			·31	·14		·06	28
29		·12				·03		1·30	·01	·24		·10	29
30		×				·15				·21	·01	·01	30
31		×		×		×		·01	×	·14	×		31
Total	·67	3·58	3·46	·88	2·79	1·79	1·40	2·86	·99	3·90	2·44	2·18	YEAR'S TOTAL 26·94
Rain Days.	9	20	21	10	16	12	7	12	8	24	18	14	171

W. 8,000, VIII. 16

exacte

2072

FORM A.
BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Bromsberrow Pumping Station
in the County of Gloucestershire
by Wm Osborne Thorp.

Lat. 52° 0′ N Long. 2° 23′ W
Time of Observation 9 am
Nearest Railway Station Dymock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03	·08	·16		·15		·85	·16		·25		1
2				·03		·01		·06	·03	·03	·02		2
3		·10		·05				·03		·38			3
4		·14	·13					·04		·52			4
5	·14		·12	·10				·01		·18			5
6	·01		·04			·16				·07	·30		6
7	·15						·07	·11		·13	·02	·02	7
8	·45		·02	·10		·02	·52	·39		·28	·09	·16	8
9			·21	·01	·15			·30	·16	·04	·01		9
10	·29		·34	·06	·57			·29		·01			10
11	·04			·14				·13		·09	·02		11
12	·02		·05		·25				·08	·10	·01	·01	12
13				·01				·06		·04			13
14			·13	·07				·01		·01			14
15								·21		·01		·11	15
16	·01			·19						·01		·07	16
17		·03		·07	·45		·35	·07		·04			17
18		·04				·01	·14	·02	1·32				18
19		·38	·16			·11			·02		·01		19
20		·19	·09		·68	·32			·19	·03			20
21		·05	·21			·13					·08		21
22					·07	·10		·09		·02			22
23		·16						·27		·10			23
24						·05		·11		·14	·03		24
25			·02							·01	·02		25
26					·10		·01	·38	·11		·06		26
27					1·07	·09		·63					27
28			·10		·01	·20				·01		·01	28
29			·02		·01	·41	·06	·13		·69		·27	29
30		X					·12	·40		·10			30
31		X	·11	X	·02	X		·05	X	·01	X		31
Total	1·11	1·12	1·83	·99	3·38	1·76	1·27	4·64	2·07	3·05	·92	·65	YEAR'S TOTAL 22·79
Rain Days.	8	9	16	12	11	13	7	23	8	25	13	7	152

W. 8,000, IX. 17.

113

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

6 JAN 20

Kept at Bromsberrow Heath Pumping Station Malvern Waterworks
in the County of Gloucester
by Wm Osborne Thorp.

Lat. 50° N Long 2°23' W
Time of Observation 9 am
Nearest Railway Station Dymock
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 181 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·22		01	15	10	16	05		01		02	42	1
2	09	~~04~~	01				30		52		08	18	2
3	50	~~04~~	04		03		02		03		12	17	3
4	06	~~02~~	46 ~~01~~			17	02	04	26			20	4
5		·36	23		08				27	01	01	01	5
6	02	·03 ~~16~~	07		05								6
7	16 ~~02~~	~~08~~	30	18	09						03	02 ~~03~~	7
8	27	~~04~~		07									8
9	17	01 ~~06~~	04	07					01	~~04~~	02		9
10	01 ~~07~~		48	01						04		22	10
11			37 ~~02~~		03		46				01	03	11
12	01	01	12 ~~21~~	04		39			~~03~~	07	03	01	12
13	04			15					03			03	13
14	24 ~~21~~		~~12~~				10		01	09		07	14
15	·19 ~~1·19~~			23	07					01		22	15
16	20 ~~19~~	·94						04			06	01	16
17	~~15~~	·38	~~01~~		09	01					09		17
18	~~39~~	·43 ~~01~~	68		03			06	01		05	04	18
19	~~08~~	·23 ~~02~~	81 ~~25~~			11	1·02	43	09			02	19
20	38 ~~09~~	~~04~~	25			02		13			02	05	20
21	03 ~~10~~	18	01				15		04		02	10	21
22	~~01~~						05		20			13	22
23	01							~~00~~		1·07			23
24		~~09~~		06		03	03			89	15	24	24
25	09			03	06			18		01	01 ~~01~~		25
26			09	19		01		02				23	26
27				40				43	07		01		27
28	03	01 ~~10~~	13 ~~21~~					40			14	29	28
29	03		~~04~~	06						26	02	16	29
30		×	~~38~~	10		14		20	09	03	09	35	30
31	~~01~~	×	~~13~~	×		×			×	02	×		31
TOTAL	2·75 ~~2·51~~	2·58 ~~70~~	4·10 ~~3·90~~	1·74	0.63	1·04	2·20	1·93	1·64	2·50	0·98	3·20	YEAR'S TOTAL 25·29
Days with ·01 in. or more	20 ~~12~~	10	17	14	10	9	10	10	14	11	19	23 ~~22~~	167 ~~166~~

GLOUCESTER.

BROOKTHORPE.

"CHAMBERS FARM"

1911 –1915

FORM A2.
BRITISH RAINFALL.

8 - JAN 1912

REG ... 9 11

Round

Kept at Chambers

top 8 in.

above Ground 1 ft. in.

in the County of Glou

" Sea Level 157 ft.

9. a. m

by H. C. Prinsep

on Name Haresfield
Distance 2 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·09	·12	·04		03	·03			·02	·02	1
2				·10				26		·07	·02	·17	2
3					·25						·22	·02	3
4	·03		·17		·30				·04	·09	·07	39	4
5	08		·05					·16		·01	·27		5
6	·14		·14								·01	·83	6
7											·09	·01	7
8	·34		·10								·39	·22	8
9	·08	·12	·03								·15	·17	9
10	·02		·23					·07			·09	·24	10
11	·17	·02				·05					·02	·01	11
12			·59		·05				·06		·49	·12	12
13										·64	·27	·68	13
14					·06						·01	·76	14
15			·03								·02	·05	15
16						·21					·18	·18	16
17		·23	·06			·04					·28	·27	17
18				·02		·23					·18	·27	18
19	·02	·06	·08	·07		·30			·13	·02		·12	19
20	·01	·15	·16	·03					·13	·10	·02	·66	20
21			·12					13 ·23		·04		·10	21
22		·17	·10			·52				·28		·51	22
23		·07				·14			·09	·08		·15	23
24		·05				·48		·19		11		·13	24
25		·19				·05			·02	41	·27	·02	25
26		·22		·02	·02	·02		·08		03		·12	26
27			·20	·18	·01			·42	·33	23		·08	27
28								·01		48			28
29				·23		·20	·04		·06	—	·03		29
30				·01						20	·02		30
31					·04					16		·01	31
Total	·92	1.28 2.20	2.15 4.35	·78 5.13	·77 5·90	2.24 8.14	·07 8.21	1.35 9.56	·86 10.42	2.95 13.37	3.12 16.49	6.27 22.76	TOTAL for year 22.76
No. of Rain Days	10	10	15	9	8	11	2	9	8	16	22	27	147

9,000, IX. '10.

REGI 9 11

FORM A2.
BRITISH RAINFALL
5 - JAN 1912

Kept at Chambers Farm Brookthorpe

in the County of Gloucester

by H. C. Prinsep

RAIN GAUGE
Pattern Round
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 157 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Haresfield
Distance 2 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·09	·12	·04		03	·03			·02	·02	1
2				·10				26		·07	·02	·17	2
3					·25						·22	·02	3
4	·03		·17		·30				·04	·09	·07	39	4
5	·08		·05					·16		·01	·27		5
6	·14		·14								·01	·83	6
7											·09	·01	7
8	·34		·10								·39	·22	8
9	·08	·12	·03								·15	·17	9
10	·02		·23					·07			·09	·24	10
11	·17	·02				·05					·02	·01	11
12			·59		·05				·06		·49	·12	12
13										·64	·27	·64	13
14					·06						·01	·76	14
15			·03								·02	·05	15
16						·21					·18	·18	16
17		·23	·06			·04					·28	·27	17
18				·02		·23					·18	·27	18
19	·02	·06	·08	·07		·30			·13	·02		·12	19
20	·01	·15	·16	·03					·13	·10	·02	·66	20
21			·12					13 ·13		·04		·10	21
22		·17	·10			·52				·28		·51	22
23		·07				·14			·09	·08		·15	23
24		·05				·48		·19		11		·13	24
25		·19				·05			·02	41	·27	·02	25
26		·22		·02	·02	·02		·08		03		·12	26
27			·20	·18	·01			·42	·33	23		·08	27
28								·01		48			28
29				·23		·20	·04		·06		·03		29
30				·01						20	·02		30
31					·04					16		·01	31
Total	·92	1·28 2·20	2·15 4·35	·78 5·13	·77 5·90	2·24 8·14	·07 8·21	1·35 9·56	·86 10·42	2·95 13·37	3·12 16·49	6·27 22·76	TOTAL for year 22·76
No. of Rain Days	10	10	15	9	8	11	2	9	8	16	22	27	147

9,000, IX. '10.

[illegible] stats 28.11.13 H. J. C.

FORM A. BRITISH RAINFALL.

9 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Chambers Farm Brookthorpe

in the County of Gloucester 3

by H. C. Prinsep

Lat. Long.

Nearest Railway Station Haresfield

RAIN GAUGE.
Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 1 ft. in.
" " Sea Level 157 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·07	—	—	(20)	·04	·04	·20	·05	—	·11	1
2	—	·02	·16	·06	—	·50	·03	·01	·02	·31	—	·01	2
3	·06	—	·18	—	—	tt	·48	·31	—	·01	·03	·01	3
4	·12	—	·71	—	·11	·17	·07	·26	—	—	·16	—	4
5	·29	·07	·05	—	·17	·65	—	·42	—	—	—	·13	5
6	·32	·12	·01	—	·05	·04	·25	·66	—	—	—	·02	6
7	—	·15	·08	—	·03	·04	·20	·10	·02	—	·01	·03	7
8	·31	·08	·20	—	—	·59	·02	·07	—	—	—	·15	8
9	·04	·04	·33	·04	—	·03	·02	·26	—	—	—	14	9
10	·07	·08	·02	—	—	·21	·03	·05	—	—	·04	—	10
11	·06	·05	—	—	—	·11	—	—	—	—	03	·38	11
12	·02	·58	07	·03	02	·04	·02	—	—	—	—	·04	12
13	·01	·10	—	—	—	·02	—	·09	·02	·02	—	·04	13
14	·10	—	·52	—	·28	—	—	·12	—	—	—	—	14
15	·11	·10	·01	—	·52	—	—	·03	—	—	—	·26	15
16	·61	—	·20	—	—	·32	—	·10	—	·07	·10	—	16
17	·80	—	·19	—	—	·02	—	·62	—	—	·01	·39	17
18	·16	·04	13	—	—	·03	—	·08	—	·02	—	·04	18
19	·06	·05	—	—	~~·02~~	—	·34	·17	—	—	—	—	19
20	·02	—	·47	—	—	—	—	·57	—	·37	·01	—	20
21	·01	·03	·27	—	·15	—	·18	·21	—	·25	·01	—	21
22	·46	—	·07	—	·70	·12	·02	·08	—	·04	—	·04	22
23	·12	·44	·28	—	·33	·35	·52	·26	—	·05	·06	·38	23
24	04	·01	·02	—	—	·24	·01	·02	—	—	—	·07	24
25	—	—	—	—	—	·90	·02	·86	—	·02	32	·31	25
26	—	·04	·02	—	—	—	—	95	—	·39	38	·12	26
27	—	·01	—	—	~~·19~~	·22	78	—	—	·86	—	·33	27
28	—	·07	—	—	—	·23	1·26	·77	·19	·25	·16	·47	28
29	—	·13	—	—	—	·22	·55	·17	·47	29	—	13	29
30	—	—	—	—	—	—	49	·07	—	·13	—	—	30
31	—		(·16)		·19 ~~·20~~		53	·20		·03		12	31
Totals	3·79	2·21	4·22 ✓	·13	2·57	5·05 525	5·86	7·49	·92	3·16	1·32	3·72	40·64
Total from Jan. 1	21	20	23 ✓	3	12	22	21	28	10	17	13	23	209

K/1000/5/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
14 JAN 1914

Kept at Chambers Farm Brookthorpe
in the County of Gloucester 3
by H. C. Prinsep

Lat. .... Long. ....
Time of Observation 9 a. m.
Nearest Railway Station Haresfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. ...... in.
" " " " Sea Level 157 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·62	·14	·12			—		·63	—	·14	—	1
2	—	·13	·05	·08			·07		10	·70	·10	·01	2
3	·15	—	·03	·05	·02					·02		·06	3
4	·91	·03	·02		·35				·34	·81	·02	·01	4
5	·02	·04	·01		·25	·24	·08		·06	·07	·07	·02	5
6	03	·01	·15		·04	·11	·17		—	·16	·28	47	6
7	—	·37	—		·28	·06	·03		—	·19	14		7
8	—	·11	—		·30	·01	—	·01	—	·09	[illegible]		8
9	—	·14	·01		·16	·06	·11	·12	·19	·01	·04		9
10	17	—		·06	·08			·16	—	—	·10		10
11	69	—		·25				·01	—	·11	·51		11
12	—	—		·01	·02				—	·01	·36		12
13	·03	·03	·13		10				·12	—	·18		13
14	·13	·01	·25	·02	·01			04	·01	12	—	·03	14
15	·25	·11	28		—			04	·06	01	·02		15
16	·17		·61	·51	—	·09		12	—	—	—	·02	16
17	·03	·02	·10	·13	—		·10		·05	—	·02		17
18	·06		·12	·07		·12	·05		·19	—	·03		18
19	·18		04	·08			·04		·16	—	—	·04	19
20	·19		·15	·01					—	·03	·10		20
21	—		·08	·17	·14	·02	·03	·02	—	·10	·38		21
22	·40		48	14		·06		·08	·40	·01	·02		22
23	—								—	—	·02		23
24	·01			·06					—	·01	—		24
25		·02		08					·01	·01	—	·01	25
26		·03		28				·36	—	·02	—	·23	26
27			·12	30					—	07	·01		27
28	·32		10	23					·01	·58	·01		28
29	·01		—	26	·01			·06	—	·07	—		29
30	·19		37	42					—	·24	06		30
31	·04		07		·36			·01		—			31
Total	3.99	1.67	3.25	3.33	2.12	·77	·68	1.03	2.33	3.43	2.61	1.00	YEAR'S TOTAL 26.21
Rain Days.	21	14	21	21	14	9	9	12	14	22	21	10	188

W.7,000, XI. 13

Ex LMK

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Chambers Farm. Brookthorpe
in the County of Gloucester 3
by H. C. Prensep

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Haresfield
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 157. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·09		·01	·62	·30			·06	·09	1
2							·38	·23		·02	·55	·42	2
3			·03	·13	·36		·16				·06	·04	3
4	·02			18	·04		·14	·01			·25	·47	4
5	·13		·03	·22	·07		·17	·02			·06	—	5
6	·01	·15	·06	·02	·03		·05	·04			·02	·17	6
7		·17	·18	·12	·24	·15	·17	·11				·10	7
8	~~·01~~	·01	·31	·05	·07	1·07	03	·02				·11	8
9	·02	·03	·22	·20	·08	1·30		·07	·06			—	9
10	·07	·18		·11	·01	·03			·26			—	10
11		·14	·22	·08	·20	·46	·03				·11	·42	11
12		·10	·13	—			·05		·18		·06	·12	12
13		·13	·30	—			·02		·22	·26	·11	·56	13
14		·31	·28	—			·03	·01		·26	·13	·01	14
15		35	·11	—			·01	·11	·14	·02	·21	—	15
16	·02	·03	·02	—			·09		·07			—	16
17	·03	·15	·19	—			·16			·01		·38	17
18				—			·62					·31	18
19		·06	·06	—			—	·16			·08	·09	19
20		·40	·15	—			40		·02			·18	20
21		·48		—		·03				·14		·08	21
22		·14	·07	—		·06	·07	·04		·08			22
23		·04	·12	—	·15			·01		09			23
24			·08	—	·08		·03	·01		03	·07		24
25	·11		·25	—			·01	·30		18	·02	·13	25
26			·10	—	·02		·07			08	·12	·32	26
27	·07			—							·27	·20	27
28		·17	·18	—	as 07 ·09					02	·08	·71	28
29	·64		·12	—						22	·30	—	29
30	·05	✕	·18	—	·09					24	·56	·61	30
31		✕		✕		✕	·36		✕	08	✕	·03	31
Total	·58	3·07 ~~·58~~ 3·65	3·39 ~~3·65~~ 7·04	1·20 ~~7·04~~ 8·24	1·51 ~~8·24~~ 9·75	3·11 ~~9·75~~ 12·86	3·67 ~~12·86~~ 16·53	1·44 ~~16·53~~ 17·97	·95 ~~17·97~~ 18·92	1·73 ~~18·92~~ 20·65	3·12 ~~20·65~~ 23·77	5·55 ~~23·77~~ 29·32	YEAR'S TOTAL 29·32
Rain Days.	12	19	23	10	14	8	22	15	7	15	19	22	186

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
12 JAN 1916

Kept at Chambers Farm Brookthorpe
in the County of Gloucester
by H. C. Prinsep

Lat. ______ Long. ______
Time of Observation 9 a.m.
Nearest Railway Station Haresfield
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. ______ in.
" " " " Sea Level 157 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28	·05	—	—	—	—	—	·09	·36	·18	·02	—	1
2	·21	·17	·12	—	·20	—	—	1·08	·03	·03		·22	2
3	·90	·08	·04	·13	—	·05	·78	·06		—		·12	3
4	·04	—	—	—	·06	—	·11	·17		·07		52	4
5	—	·54	—	·05	—	—	·15	·05				32	5
6	·17	—	—	—	—	—	·44	·05				25	6
7	·12	·38	—	·15	—	—	·17	·02				20	7
8	·22	·20	—	·02	·05	·03	·07	·04				—	8
9	·10	03	—	—	—			·18			·20	·58	9
10	·13	—	·05	—	—			—				·01	10
11	·02	—	·10	·06	—			—			·75	—	11
12	·08	·18	—	·05	—			—	·01		·42	·06	12
13	·02	·60	—	·20	·35			—				·04	13
14	·02	·02	—	—	·87		·06	·07	10	·16		·47	14
15	·20	—	—	—			·02	·16				·05	15
16	—	·63	—	—	·06		·60	·05				·03	16
17	—	·24	—	—	·16			·20				—	17
18	—	·15	—	—	·80						·05	·03	18
19	—	·02	—	—	—							—	19
20	·10	—	·02	—	·08		·29					·15	20
21	·12	·06		—			·02			·10		·09	21
22	·16	·10		—			·03		·01	—		·26	22
23		·04	·30			·08	·17		·03	·92		·37	23
24		—	·40	·06		—	·02		·40	·25		·34	24
25		—	·02	—		·53	·25		·01	·04		·39	25
26		·10	—	—			·16			—		·17	26
27		·01	—	—			·06			·34		·40	27
28		·03	—	—		·07	·04		·46	·02	·04	02	28
29			—	—		·02	·24	·15	—	—	—	02	29
30	·09	X	—	—		·15		—	—	·16	15	23	30
31		X		X		X	·09	·02	X	·95	X	20	31
Total	2·98	3·63 6·61	1·05 7·66	·72 8·38	2·63 11·01	·93 11·94	3·67 15·61	2·39 18·00	1·41 19·41	3·16 22·57	1·63 24·20	5·54 29·74	YEAR'S TOTAL ·29·74
Rain Days.	18	20	8	8	9	7	20	·15	~~14~~ 9	12	7	26	~~162~~ 159

W. 8,000. X. 15.

GLOUCESTER

BRISTOL DOCKS

1911 – 1920

R N 1911

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

Kept at Bristol

in the County of Glou

by W. W. Squi

er of top 8 in.

of top above Ground 19 ft. 6 in.

„ „ Sea Level 45.18 ft.

tion 9 A.M.

Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.02	.08	.03			.07			.04	.01	1
2				.15	.23			.17		.04	.33	.08	2
3			.02		.28			.02			.08	.09	3
4			.15	.01					.02	.01	.21	.32	4
5	.06		.01	.01				.31			.28		5
6	.29		.09					.10			.09	.34	6
7	.01										.44		7
8			.13								.03	.35	8
9	.19										.09	.25	9
10	.21	.07	.31		.02							.23	10
11	.03	.03			.10						.86	.31	11
12	.30		.61						.01		.45	.12	12
13	.01		.05		.17				.57	.13		.45	13
14		.03										.87	14
15		.03				.02					.25	.08	15
16		.05				.15					.35	.19	16
17		.04				.04					.05	.20	17
18		.39	.05	.17		.11				.04	.02	.26	18
19		.06		.10		.14			.26	.10	.02	.20	19
20	.01	.01	.08	.14					.13	.08		.37	20
21		.14	.12	.01					.02	.24		.29	21
22		.02	.26	.02		1.23			.01	.25		.47	22
23	.01	.15	.28	.01		.13			.06	.08		.19	23
24	.01	.09				.32		.07		.39		.13	24
25		.08		.12		.09		.06	.01			.13	25
26		.07		.22	.04		.09	.02		.43	.04	.23	26
27		.38	.07	.03				.20	.09		.04	.12	27
28		.43		.49		.01		.23			.02		28
29				.08		.41			.05	.23			29
30				.01		.03			.01	.20	.01		30
31										.28			31
Total	1.14	2.07	2.25	1.65	.87	2.68	.09	1.25	1.24	2.50	3.70	6.28	TOTAL for year 25.72 ✓
No. of Rain Days.	12	17	15	16	7	12	1	10	12	14	20	25	161 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

R[illegible]N 1911

Kept at Bristol Docks (Underfall Yard)
in the County of Gloucestershire 5
by W. W. Squire, Engineer

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 19 ft. 6 in.
" " " Sea Level 45.18 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·02	·08	·03			·07			·04	·01	1
2				·15	·23			·17		·04	·33	·08	2
3			·02		·28			·02			·08	·09	3
4			·15	·01					·02	·01	·21	·32	4
5	·06		·01	·01				·31			·28		5
6	·29		·09					·10			·09	·34	6
7	·01										·44		7
8			·13								·03	·35	8
9	·19										·09	·25	9
10	·21	·07	·31		·02							·23	10
11	·03	·03			·10						·86	·31	11
12	·30		·61						·01		·45	·12	12
13	·01		·05		·17				·57	·13		·45	13
14		·03										·87	14
15		·03				·02					·25	·08	15
16		·05				·15					·35	·19	16
17		·04				·04					·05	·20	17
18		·39	·05	·17		·11				·04	·02	·26	18
19		·06		·10		·14			·26	·10	·02	·20	19
20	·01	·01	·08	·14					·13	·08		·37	20
21		·14	·12	·01					·02	·24		·29	21
22		·02	·26	·02		1·23			·01	·25		·47	22
23	·01	·15	·28	·01		·13			·06	·08		·19	23
24	·01	·09				·32		·07		·39		·13	24
25		·08		·12		·09		·06	·01			·13	25
26		·07		·22	·04		·09	·02		·43	·04	·23	26
27		·38	·07	·03				·20	·09		·04	·12	27
28		·43		·49		·01		·23			·02		28
29				·08		·41			·05	·23			29
30				·01		·03			·01	·20	·01		30
31										·28			31
Total	1·14	2·07	2·25	1·65	·87	2·68	·09	1·25	1·24	2·50	3·70	6·28	TOTAL for year 25·72 ✓
No. of Rain Days.	12	17	15	16	7	12	1	10	12	14	20	25	161 ✓

W. 8,000, X. '11.

9x 1436

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Bristol Docks, Underfall Yard,
in the County of Gloucestershire, 5
by W. W. Squire, Engineer,

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·14			·21	·08		·01	·69		·23	1
2			·09			·20	·24			·02			2
3	·01		·08	·01		·17		·55	·07		·02		3
4	·20		·49		·42	·29		·06			·14		4
5	·39	·06	·23		·09			·56				·10	5
6	·29	·07	·02		·04		·21	·40				·06	6
7		·10	·08		·14	·38		·15			·01	·03	7
8	·31	·16	·21			·03	·14	·01				·17	8
9	·01	·03	·15	·17		·11		·01			·03	·32	9
10	·04	·07	·01			·08		·01			·04	·03	10
11	·07	·02									·01	·46	11
12	·01	·28	·06	·07	·02	·07	·02	·01				·05	12
13	·01		·02					·05				·22	13
14	·03		·69		·17			·02		·01		·02	14
15	·06	·13	·01		·28	·64		·03				·47	15
16	·54		·21			·02		·19		·13	·04	·07	16
17	·64		·28		·04	·10		·62			·03	·28	17
18	·17		·29					·14		·04	·01	·12	18
19	·02	·05	·02			·08	·14	1·01		·26		·01	19
20	·01	·01	·30		·26		·05	17		·42			20
21	·01	·02	·11		·59		·01	·25		·17	·03		21
22	·42	·41	·11		·31	·05	·05	·15		·03		·13	22
23	·16	·41	·40			·04		1·08		·12	·05	·33	23
24	·05	·01	·18			·19	·03	·06		·01		·13	24
25						·96		·65		·11	·41	·51	25
26		·03					·13	·34		·43	·87	·26	26
27						·18	1·02			·69	·04	·51	27
28		·08				·30	·44	·53	·03	·37	·43	·72	28
29		·10	·01				·40	·02	·34	·42		·10	29
30						·05	·17		·04	·19	·01	·[illegible]	30
31	·01		·15				·34	·02				·14	31
Total	3·46	2·04	4·34	·25	2·36	4·15	3·47	7·09	·49	4·11	2·17	5·47	YEAR'S TOTAL 39·40 ✓
Rain Days.	22	18	25	3	11	20	16	26	5	17	16	25	204 ✓

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

15 JAN 1914

REGISTER Ex DL OF RAINFALL IN 1913.

Kept at Bristol Docks. Underfall Yard. Bristol
in the County of Gloucestershire
by W. W. Squire, Engineer.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45.18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.12	.27	.02	.13				.26		.06	.04	1
2	.02	.18	.01	.03	.01				.01	.09	.16	.01	2
3	.11		.14		.42					.13	.03	.21	3
4	1.03		.14		.19				.80	.22	.01	.14	4
5		.05			.15	.19	.07		.29	.01	.16	.07	5
6	.01	.04	.17		.17	.07	.01			.56	.09	.58	6
7		.16	.03		.19	.13	.02			.21	.22	.01	7
8		.04			.19	.11				.23	.01	.01	8
9		.12				.20		.41	.08	.01	.04		9
10	.17	.01	.02		.01		.01	.11		.10	.14		10
11	.89			.10	.13	.01		.01		.11	.64	.03	11
12	.04	.01			.09				.06	.01	.16	.01	12
13	.11		.03				.01	.02	.86		.16		13
14	.13		.25	.02				.01	.02	.18	.09	.03	14
15	.14	.04	.36	.82				.01	.01		.06	.06	15
16	.29		.41	.08			.02		.03		.01		16
17	.04		.01	.06			.02		.02		.07		17
18	.14		.08	.15		.01	.01				.07		18
19	.27				.01	.01	.01		.23		.02		19
20	.33		.09	.02		.01				.03	.10		20
21			.07	.07	.17		.14				.28		21
22	.63		.63		.02	.06		.03	.19				22
23	.02					.04		.22	.03		.06	.19	23
24	.11			.02				.06					24
25		.07		.18							.01	.12	25
26		.05		.21				.12				.13	26
27	.04		.09	.36						.06			27
28	.28		.19	.13						.12		.07	28
29			.40	.40				.04		.10			29
30	.43									.29	.02		30
31	.17		.03		.23			.06		.01			31
Total	5.43	.89	3.42	2.67	2.11	.84	.32	1.10	2.89	2.47	2.67	1.71	YEAR'S TOTAL 26.52
Rain Days.	23	12	20	16	15	11	10	12	14	18	24	16	191

W. 7,500, XI. 12

Ex LMCC

6395

FORM A.
BRITISH RAINFALL.
6 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Bristol Docks (Underfall Yd)

in the County of Gloucestershire 5

by W. W. Squire, Docks Engineer

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 19 ft. 6 in.

" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·11		·03	1·08	·63			·05	·01	1
2				·02			·62	·07			·58	·37	2
3			·02	·19	·22	·01	·02	·21			·02	·14	3
4	·13	·01	·02	·24	·10		·22	·05			·37	·70	4
5	·06		·07	·45	·05		·13	·01			·02	·12	5
6		·06	·07	·08	·03		·16	·05			·02	·23	6
7		·46	·36	·30	·30	·04	·83	·08			·01	·17	7
8	·13	·03	·85	·01	·02	·38	·14	·07	·08			·02	8
9	·19		·29	·07	·01	·82		·05	·08				9
10		·10		·07	·05				·26		·01		10
11	·01	·08	·29	·01	·05	·18	·32				·04	·35	11
12		·09	·11				·02		·28		·06	·23	12
13		·35	·22				·01		·28	·11	·04	·31	13
14		·17	·48					·10	·03	·13	·19		14
15		·06	·14					·35	·15	·01	·24		15
16							·11		·07				16
17		·40	·10				·03		·03			·64	17
18		·03	·02				·10					·25	18
19		·11	·13				·45		·01		·04	·05	19
20		·34	·08			·02	·01					·16	20
21		·45	·01			·68				·09			21
22		·02			·27	·20		·02		·07			22
23		·04	·21		·05	·01		·01		·22			23
24			·06				·05	·02		·12	·07		24
25	·06	·01	·10		·01			·37		·31		·29	25
26			·01		·01		·10	·06		·05	·21	·38	26
27	·07							·01		·06	·28	·20	27
28	·01	·08	·10		·02						·64	·74	28
29	·24		·15		·05		·03			·06	·23		29
30	·03	✗	·02			·06				·14	·35	·48	30
31		✗		✗		✗	·19		✗	·19	✗	·05	31
Total	·93	2·89	3·91	1·55	1·24	2·43	4·62	2·16	1·27	1·56	3·47	5·89	YEAR'S TOTAL 31·92
Rain Days.	10	19	24	11	15	11	20	17	10	13	20	21	191

W. 8,000. X. 14.

Exe 8 L

2284

FORM A.
BRITISH RAINFALL.

6. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Bristol Docks (Underfall Yard)

in the County of Gloucestershire.

by Docks Engineer.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Clifton Bridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 19 ft. 6. in.

" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·09	—	—	·06	—	—	·19	·05	·28	·03	·15	1
2	·19	·24	·12	·18	·02	—	—	·64	·02	·03	—	·09	2
3	·19	·03	·06	·07	·11	—	·40	·10	—	·01	—	·15	3
4	—	·01	—	—	·06	—	·80	—	—	—	—	·98	4
5	·07	·47	—	—	—	—	—	·08	—	—	—	·21	5
6	·26	·02	—	·25	—	—	·35	·03	—	—	—	·22	6
7	·40	·26	—	·09	·02	—	·37	·02	—	—	—	·20	7
8	·36	·24	—	·02	—	—	·01	·09	—	—	·07	—	8
9	·01	·05	—	—	—	—	—	·12	—	—	·27	·88	9
10	·17	—	·08	·05	—	—	—	·04	—	—	·01	·01	10
11	—	—	·04	—	—	—	—	·09	—	—	·78	·05	11
12	·12	·30	—	·16	·23	—	—	·02	—	·06	·21	—	12
13	·03	·40	—	—	·67	—	—	·02	·20	—	·02	—	13
14	·11	·01	—	—	—	—	·17	·46	·02	·01	—	·68	14
15	·28	—	—	·01	·05	—	·08	·11	·06	—	·07	·02	15
16	—	·56	—	—	·47	—	1·00	·02	—	—	—	·05	16
17	—	·17	—	—	·27	—	—	—	—	—	—	·01	17
18	—	·22	·01	—	·01	—	—	—	—	—	—	—	18
19	—	·02	—	—	·06	—	·20	—	—	—	—	—	19
20	·22	—	—	·13	—	—	—	—	—	·01	—	·06	20
21	·01	·05	—	—	—	—	—	—	—	·08	—	·07	21
22	·04	·23	·40	·03	—	—	·43	—	·01	—	·01	·25	22
23	—	—	·21	—	—	—	·15	—	·04	1·08	—	·49	23
24	—	—	·01	·01	—	—	·19	—	·43	·57	—	·29	24
25	—	—	~~·01~~	—	—	·24	·05	—	—	—	—	·21	25
26	—	·11	—	—	—	·02	·44	—	·01	—	—	·44	26
27	—	·03	—	—	—	·19	·70	—	—	·36	—	·02	27
28	—	·06	—	—	—	·01	—	—	·44	·11	—	—	28
29	—	✗	—	—	—	·15	—	·01	·04	—	·03	·04	29
30	·21	✗	—	—	—	·11	—	—	—	·33	·25	·11	30
31	·02	✗	—	✗	—	✗	·04	·14	✗	·65	✗	·40	31
Total	2·98	3·57	·94	1·00	2·03	·72	5·38	2·18	1·32	3·58	1·75	6·08	YEAR'S TOTAL 31·53
Rain Days.	18	21	9	11	12	6	16	17	11	13	11	26	170

Entd. F.W.

220

FORM A.
BRITISH RAINFALL.

4 JAN 1917

REGISTER OF RAINFALL IN 1916.

4506 * 28 DEC 1916

Kept at *Underfall Yard*

in the County of *Gloucestershire*

by Mr T. A. Peace, Engineer, Bristol Docks

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Clifton Bridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 19 ft. 6. in.

" " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	—	—	·08	·10	·29	—	·03	·22	·14	—	1
2	·85	·03	—	—	·03	—	·01	—	—	1·39	·01	—	2
3	—	·68	·01	—	·13	·03	·01	—	·10	·35	·09	—	3
4	·29	·13	—	—	·25	·53	—	—	·17	·13	·28	—	4
5	·01	·01	—	·01	·15	·12	—	—	·01	·02	·08	—	5
6	·10	·26	·01 s	—	·33	·15	·47	—	—	·22	·54	—	6
7	·03	·19	·03 s	—	·07	—	·01	—	—	·11	·34	·17	7
8	—	·24	·01 s	—	·17	·01	—	—	—	—	—	·12	8
9	—	—	—	—	·14	·27	·11	—	—	·02	·01	·06	9
10	—	·32	·01 s	·09	·03	—	·01	—	—	·07	—	·04	10
11	—	·08	—	·21	·05	·26	—	—	—	—	—	—	11
12	·02	·12	·02	·02	·29	—	·17	—	—	·25	—	—	12
13	—	·42	·12	·01	—	—	·01	·20	—	·02	—	—	13
14	—	·43	·08	—	·13	—	—	·69	—	·01	—	·01	14
15	—	·14	·08	·03	—	—	·02	·75	—	·02	—	—	15
16	·03	·02	—	·39	—	—	—	·27	—	·01	—	—	16
17	·07	·14	—	·02	—	—	—	·05	·30	·49	·04s	—	17
18	—	·02	·07	—	—	—	—	—	—	·11	·26	·07	18
19	·14	—	·40	·18	—	—	—	—	—	—	·09	—	19
20	·21	—	·42	·02	—	—	—	—	—	—	·06	·57	20
21	·21	·04	·48	·02	·07	—	—	—	—	—	·01	·30s	21
22	—	—	—	·02	·01	·13	—	—	—	·26	·06	·44	22
23	·01	·33 s	—	·06	—	·02	—	·13	—	·08	·12	·10	23
24	·01	·04 s	—	·10	1·17	·09	—	·07	—	·32	—	·15	24
25	—	·18 s	·24	—	—	·01	—	·51	—	·08	·20	·06	25
26	·07	·02 s	·03	—	—	·28	—	·17	·60	·27	—	—	26
27	·13	·04 s	·41 s	—	·17	·06	—	·16	·21	·35	—	—	27
28	—	·11 s	·02 s	·08	—	·05	—	—	·11	·65	—	·85	28
29	—	·32	·02	—	—	·25	—	1·29	·02	·41	—	·60	29
30	—	✕	—	—	—	·01	—	—	—	·49	—	—	30
31	—	✕	—	✕	—	✕	—	·02	✕	·05	✕	·03	31
Total	2·24	4·31	2·46	1·26	3·27	2·37	1·11	4·31	1·55	6·40	2·33	3·57	YEAR'S TOTAL 35·18
Rain Days.	16	24	18	15	17	17	10	12	9	26	16	15	195

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL. 7 JAN 1918

Kept at Underfall Yard, Bristol
in the County of Gloucestershire
by T. A. Peace (Docks Engineer)

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Clifton Bridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·29	S ·46	–	·07	–	·61	·18	–	·07	·01	1
2	–	–	·01	S ·01	–	·19	–	·13	–	·01	·02	–	2
3	·02	S ·02	–	S ·01	–	–	·08	·01	–	1·46	–	–	3
4	–	S ·20	·12	–	–	–	·04	·04	·01	·22	–	–	4
5	·35	–	·23	·35	–	·13	–	–	·45	·32	·07	–	5
6	–	–	·63	–	–	·01	–	–	–	·03	·29	–	6
7	·14	–	–	–	–	–	·15	·33	–	·13	·01	·05	7
8	·10	–	S ·25	·09	–	–	·42	·75	–	·65	·07	·05	8
9	–	–	·04	·01	·08	–	–	·73	·06	·12	·13	–	9
10	·11	·03	·19	S ·20	–	–	–	·17	–	·01	·01	–	10
11	·03	–	·34	S ·22	·01	–	–	·06	·43	·08	–	–	11
12	–	–	·02	S ·01	·26	–	–	·52	·01	·71	–	–	12
13	–	–	·14	·02	–	–	–	·15	·10	·08	–	–	13
14	–	–	·13	·05	–	–	–	·17	·02	–	–	–	14
15	–	–	–	·02	–	–	·35	·08	–	·06	–	·12	15
16	–	·09	–	·10	–	–	·02	–	–	·12	–	·05	16
17	–	·01	–	·17	·21	–	·32	·11	·29	·20	·01	–	17
18	–	·01	–	·01	–	–	·39	·07	·76	–	·01	–	18
19	–	·50	·03	–	–	·03	–	–	·05	–	–	–	19
20	·01	·16	·02	–	·27	·09	–	–	·10	–	–	–	20
21	–	·02	S ·21	–	–	·01	–	·01	·01	–	–	·01	21
22	–	–	S ·03	–	–	·18	–	·04	–	–	–	–	22
23	–	·14	–	–	·09	–	–	·27	–	–	–	·01	23
24	–	·01	·01	–	–	·22	–	·19	–	·29	–	–	24
25	–	·03	·03	–	–	–	–	–	–	·28	–	·01	25
26	–	·01	–	–	·04	–	–	·75	·18	·14	·04	–	26
27	–	–	–	–	·88	·05	–	·74	–	–	–	–	27
28	–	–	·07	–	·10	1·00	·05	1·31	–	–	·01	·01	28
29	–		·09	–	–	·25	·01	–	–	·39	–	·12	29
30	–		–	–	–	–	·08	·25	–	·18	–	–	30
31	–		·08		–		–	·04		·04		·02	31
Total	·76	1·23	2·96	1·73	1·94	2·23	1·91	7·53	2·65	5·52	·74	·46	YEAR'S TOTAL 29·66
Rain Days.	7	13	21	15	9	12	11	24	14	21	12	11	170.

W. 8,000, IX. 17.

S. Denotes Snow.

89

Cx 4118

65

FORM A.
BRITISH RAINFALL.
7·1·19

REGISTER OF RAINFALL IN 1918

Kept at Bristol Docks (Underfall Yard)
in the County of Gloucestershire.
by Thomas A. Peace (Engineer)

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	—	·01	·03	—	—	·13	—	·03	·44	·03	1
2	·01	·03	—	·11	—	—	—	·41	—	·02	·01	·34	2
3	—	·01	—	·18	·17	—	—	·18	·08	·08	·01	—	3
4	—	·06	—	·01	—	—	—	·01	·05	·03	·57	·07	4
5	—	—	—	—	·25	—	—	·17	·18	·22	—	—	5
6	·12	·57	—	·34	—	—	—	·13	·03	·16	·01	·08	6
7	—	·14	—	—	·59	—	—	·01	·22	·34	—	—	7
8	·01	·04	—	—	—	—	—	—	·39	·13	·30	·03	8
9	—	·10	—	·37	—	·17	·29	—	·54	·06	·01	·09	9
10	—	·05	—	·07	—	·01	·47	—	·47	·03	—	·40	10
11	·02	·29	·01	—	—	—	·28	—	1·86	—	·04	·30	11
12	—	·10	·21	—	·18	—	·04	—	·03	—	—	·09	12
13	·02	—	—	—	·07	·01	·03	—	·28	·03	—	·58	13
14	·45	—	·03	—	—	·03	·82	—	·22	·05	—	·11	14
15	(S) ·82	—	—	·17	·04	·21	·30	—	·01	—	—	·40	15
16	(S) ·36	—	—	·67	—	·03	—	—	·10	—	—	·03	16
17	·31	—	·04	·04	—	—	·14	·15	·09	·01	·01	·18	17
18	·73	—	—	—	—	·67	·19	·01	1·08	·08	—	·15	18
19	·04	—	·11	—	—	—	·02	·01	·16	·01	—	·04	19
20	·02	·09	—	·08	—	·02	·14	·01	1·18	·02	—	—	20
21	·04	·04	—	—	—	—	·13	—	·58	—	—	·08	21
22	—	—	—	—	·05	—	·29	—	·12	·05	—	·32	22
23	·07	—	—	—	·12	—	·40	—	—	—	—	·01	23
24	—	·14	—	—	—	—	·17	—	·11	·01	·02	—	24
25	—	—	—	—	·02	—	·17	·18	·01	—	—	—	25
26	—	—	—	·17	·01	—	·33	·07	·04	·05	·08	·20	26
27	—	·01	·01	—	—	—	·01	·30	·19	—	·12	·04	27
28	—	·08	·34	—	—	—	—	—	·01	—	·07	·13	28
29	—		·11	—	—	—	—	—	·81	—	—	·04	29
30	—	X	·38	—	—	—	—	—	·03	·02	·06	·09	30
31	—	X	·16	X	—	X	—	·01	X	·01	X	·01	31
Total	3·02	1·78	1·40	2.22	1·53	1.15	4·22	1·78	8·87	1·44	1·75	3·84	YEAR'S TOTAL 33·00 ✓
Rain Days.	14	16	10	12	11	8	18	15	27	21	14	25	191 ✓

W, 6,500, VII. 18. W W C

(S) Denotes Snow.

1989

22 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Bristol Docks (Underfall Yard)
in the County of Gloucestershire
by Thomas A. Peace - Engineer

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station —
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·32	—	—	—	·08	—	·43	—	—	·13	—	·73	1
2	·12	—	—	—	·01	—	·09	—	·11	—	·05	·32	2
3	·59	—	·13	·01	·03	—	—	—	·05	—	·08	·70	3
4	·16	·12	·44	—	·01	·02	·13	·05	·18	—	—	·06	4
5	·01	·36	·57	—	·08	—	—	—	·40	—	—	·35	5
6	·14	·02	·16	—	·01	—	—	—	—	—	—	·09	6
7	·11	—	·34	·04	—	—	—	—	—	—	—	·07	7
8	·12	—	·11	·09	—	—	—	—	—	—	—	—	8
9	·19	—	·08	·03	—	—	—	—	—	—	·07	—	9
10	—	—	·31	·01	—	—	—	—	—	·07	—	·16	10
11	·04	·01	·38	·11	·06	—	·14	—	—	—	—	·01	11
12	·01	—	·09	·04	·01	·26	·01	—	—	·03	·06	·02	12
13	·04	—	—	·29	—	—	—	—	—	—	—	·07	13
14	·66	·07	—	·59	—	—	·11	—	—	—	—	·05	14
15	·47	—	—	—	—	—	—	—	—	·01	—	·22	15
16	·18	·72	—	—	—	—	—	—	—	—	·13	·01	16
17	—	·19	—	—	—	—	—	—	—	—	·08	—	17
18	—	—	·46	—	—	—	·01	·23	—	—	·07	·04	18
19	·22	·18	1·10	—	—	·19	1·10	·31	·09	—	·09	·05	19
20	·32	·13	·23	—	—	·14	—	·20	·03	—	—	·09	20
21	—	·58	—	—	—	—	·01	—	—	—	—	·01	21
22	—	·14	—	—	—	·02	·09	—	·23	—	·01	·22	22
23	·01	—	—	—	—	—	—	—	·10	·88	·06	·01	23
24	—	—	—	·09	—	·11	—	—	·02	·91	·20	·72	24
25	·06	—	—	—	—	·01	—	·36	·01	—	·06	·13	25
26	·18	—	·08	—	—	·01	—	·06	·11	—	—	·38	26
27	·12	—	·03	·19	—	·01	—	·46	—	—	—	·01	27
28	·01	—	·18	—	—	—	—	·21	—	—	·16	·45	28
29	·01		—	·10	—	—	—	·01	—	·04	·03	·19	29
30	—		—	·17	—	·27	—	·15	—	·01	·17	·38	30
31	—		·02		—		·01	—		—		·05	31
TOTAL	4·09	2·52	4·71	1·76	·29	1·04	2·13	2·04	1·33	2·08	1·32	5·59	YEAR'S TOTAL 28·90
Days with ·01 in. or more	23	11	17	13	8	10	11	10	11	8	15	28	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. W

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

11 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Underfall Yard (Bristol Docks)
in the County of Gloucestershire
by Thomas A. Peace (Docks Engineer)

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 19 ft. 6 in.
" " " " Sea Level 45·18 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	-	-	·32	·36	·01	·39	·11	·07	·61	·20	·49	1
2	·02	-	-	·08	-	-	·02	·36	·03	-	-	·14	2
3	·05	·04	-	·06	-	-	·66	·01	-	·27	-	·02	3
4	-	-	·02	·04	-	-	-	·44	-	·29	-	-	4
5	-	-	·10	·01	·06	-	·43	·07	-	·11	-	-	5
6	-	-	·26	·01	·24	-	·06	-	-	·12	-	-	6
7	·03	-	·09	·02	·04	-	·09	-	-	-	-	-	7
8	-	·02	-	·45	·10	-	·61	·05	-	-	-	-	8
9	·39	·33	·01	·55	-	·02	·01	·06	·01	-	-	-	9
10	·90	·34	·03	·02	-	·21	·23	-	-	-	-	-	10
11	·22	·02	·08	·28	·33	·01	·06	-	-	-	-	-	11
12	·14	·01	-	·08	·01	·88	·05	-	-	-	·05	-	12
13	·08	·09	·29	·12	-	-	-	-	-	-	-	-	13
14	-	·01	·37	·38	-	·06	-	-	·08	·38	·43	-	14
15	·01	·07	·01	·18	·05	·01	-	-	·09	·35	·20	-	15
16	·02	-	-	·06	-	·19	·21	-	·19	·08	·35	-	16
17	·15	-	-	·02	·24	·35	-	-	·31	-	-	-	17
18	·09	-	-	·13	·04	-	-	·26	·21	-	-	-	18
19	·03	·21	-	·24	-	·05	-	-	-	-	-	-	19
20	·01	·11	-	·15	-	(·28)	·01	-	·04	-	-	·17	20
21	-	-	-	-	-	-	·01	-	-	·01	-	·05	21
22	·01	-	-	·04	-	·01	·04	·10	-	-	-	·25	22
23	-	-	-	-	-	·01	·74	·03	-	-	-	·43	23
24	-	-	·15	-	-	-	-	-	-	-	·05	·08	24
25	-	·07	·12	-	-	-	·48	-	-	-	·01	-	25
26	·22	-	·31	-	-	·13	·07	-	-	-	·04	·04	26
27	·22	-	·03	·05	-	·14	·01	-	-	-	-	·19	27
28	·62	-	·06	·09	·03	·07	-	-	-	-	-	·01	28
29	·09	-	·14	·03	·01	-	·19	-	-	-	·12	·30	29
30	·02	✕	·06	·04	-	·23	·49	-	·28	-	·33	·32	30
31	·12	✕	·23	✕	·01	✕	(·03)	-	✕	·57	✕	·25	31
TOTAL	3·45	1·32	2·36	~~3·40~~ 3.49	1·52	2·66	4·89	1·49	1·31	2·79	1·78	2·74	YEAR'S TOTAL 29·80
Days with ·01 in. or more	~~9~~ 22	~~4~~ 12	~~4~~ 18	~~6~~ 25	~~4~~ 13	~~5~~ 17	~~5~~ 22	~~2~~ 18	~~2~~ 10	~~4~~ 10	~~4~~ 10	~~2~~ 14	~~45~~ 183
Days with ·04 in. or more	13	8	~~14~~ 13	19	9	~~12~~ 11	17	8	8	9	9	12	13~~8~~6

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.

CHALFORD.

"HYDE HOUSE"

1911 – 1914

REG 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Hyde H

in the County of Glou

by Piers F. Le

top 5 in.

p above Ground 1 ft. 6 in.

„ Sea Level 527 ft.

8.30. am

tion { Name Brimscombe
Distance 1/23 Direction N W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.08	–	–	.12	–	–	–	.04	–	–	.04	.05	1
2	.02	–	–	.12	.42	–	–	.26	–	.12	.30	.30	2
3	–	–	–	–	.35	–	–	.08	.01	–	.12	.08	3
4	–	–	.13	.02	–	–	–	–	.03	.12	.38	.48	4
5	.05	–	.03	–	–	–	–	.25	–	.06	–	–	5
6	.42	–	.18	–	–	–	–	.02	–	–	–	.68	6
7	.02	–	–	–	–	–	–	–	–	–	.50	–	7
8	.18	–	.13	–	–	–	–	–	–	–	.04	.32	8
9	.22	–	.05	–	–	–	–	–	–	–	.12	.30	9
10	.02	.12	.36	–	–	–	–	–	–	–	.02	.30	10
11	.20	–	–	–	–	–	–	–	–	–	.64	.02	11
12	–	–	.57	–	–	–	–	–	.01	–	.47	–	12
13	–	–	–	–	–	–	–	–	.52	.02	.03	.55	13
14	–	–	–	–	.16	–	–	–	–	–	–	.73	14
15	–	.02	.06	–	–	–	–	–	–	–	.25	.14	15
16	–	–	–	–	–	.18	–	–	–	–	.57	.40	16
17	–	–	–	–	–	.06	–	–	–	–	.09	.32	17
18	–	.38	.02	.06	–	.24	–	–	–	–	–	.48	18
19	–	–	–	.12	–	.30	–	–	.26	.15	.06	.20	19
20	.03	.07	–	.02	–	–	–	–	.18	.10	–	.76	20
21	–	.18	.30	–	–	.01	–	.35	–	.65	–	.11	21
22	–	.01	.05	–	–	.57	–	–	–	.20	.01	.57	22
23	–	.17	.24	–	–	–	.05	–	.10	.20	–	.26	23
24	–	.09	–	–	–	.46	–	.08	–	.42	–	.13	24
25	–	.05	–	.08	–	.10	–	.02	–	.04	–	.01	25
26	–	.14	–	.22	.03	.06	–	–	–	.41	.14	.15	26
27	–	.33	.16	.12	–	–	–	.01	.57	–	.14	.14	27
28	–	.28	–	.31	–	–	–	.35	–	–	.06	–	28
29	–		–	.01	–	.30	–	.07	.12	.35	.02	–	29
30	–		–	.10	.05	.04	.01	.02	.2	.16	–	–	30
31	–		–		–		–	–		.05		–	31
Total	1.24	1.84	2.22	1.30	1.01	2.26	.06	1.55	1.76	3.05	3.91	7.42	TOTAL for year 27.62
No. of Rain Days.	10	12	13	12	5	11	2	12	10	15	20	24	146

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REG 1911

Kept at ____ House Chalford

in the County of Glouces Co

3

by Piers F. Legh

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 527 ft.

Time of Observation 8.30. am

Nearest Railway Station
Name Brimscombe
Distance 1 2/3 Direction N W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	–	–	·12	–	–	–	·04	–	–	·04	·05	1
2	·02	–	–	·12	·42	–	–	·26	–	·12	·30	·30	2
3	–	–	–	–	·35	–	–	·08	01	–	·12	·08	3
4	–	–	·13	·02	–	–	–	–	·03	·12	·35	·48	4
5	·05	–	·03	–	–	–	–	·25	–	·06	–	–	5
6	·42	–	·18	–	–	–	–	·02	–	–	–	·68	6
7	·02	–	–	–	–	–	–	–	–	–	·50	–	7
8	·18	–	·13	–	–	–	–	–	–	–	·04	·32	8
9	·22	–	·05	–	–	–	–	–	–	–	·12	·30	9
10	·02	·12	·36	–	–	–	–	–	–	–	·02	·30	10
11	·20	–	–	–	–	–	–	–	–	–	·64	·02	11
12	–	–	·57	–	–	–	–	–	·01	–	·47	–	12
13	–	–	–	–	–	–	–	–	·52	·02	·03	·55	13
14	–	–	–	–	·16	–	–	–	–	–	–	·73	14
15	–	·02	·06	–	–	–	–	–	–	–	·25	·14	15
16	–	–	–	–	–	·18	–	–	–	–	·57	·40	16
17	–	–	–	–	–	·06	–	–	–	–	·09	·32	17
18	–	·38	·02	·06	–	·24	–	–	–	–	–	·48	18
19	–	–	–	·12	–	·30	–	–	·26	·15	·06	·20	19
20	·03	·07	–	·02	–	–	–	–	·18	·10	–	·76	20
21	–	·18	·30	–	–	·01	–	·35	–	·65	–	·11	21
22	–	·01	·05	–	–	·51	–	–	–	·20	·01	·57	22
23	–	·17	·24	–	–	–	·05	–	·10	·20	–	·26	23
24	–	·09	–	–	–	·46	–	·08	–	·42	–	·13	24
25	–	·05	–	·08	–	·10	–	·02	–	·04	–	·01	25
26	–	·14	–	·22	·03	·06	–	–	–	·41	·14	·15	26
27	–	·33	·16	·12	–	–	–	·01	·57	–	·14	·14	27
28	–	28	–	·31	–	–	–	·35	–	–	·06	–	28
29	–	×	–	·01	–	·30	–	·07	·12	·35	·02	–	29
30	–	×	–	·10	·05	·04	·01	·02	·2	·16	–	–	30
31	–	×	–	×	–	×	–	–	×	·05	×	–	31
Total	1.24	1.84	2·22	1.30	1.01	2·26	·06	1.55	1.76	3.05	3.91	7.42	TOTAL for year 29.62
No. of Rain Days.	10	12	13	12	5	11	2 2	12	10	15	20	24	146

W. 8,000, X. '11.

~~Ex D.L~~ Cor. for auth. 9.V.13-

FORM A2.
BRITISH RAINFALL.

2 JAN 1913

REGISTER OF RAINFALL IN 1912

3

Kept at Hyde House, Chalford

in the County of Gloucester

by Piers F. Legh

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 527 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Brimscombe
Distance 1/2 ml. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	.13	—	—	.57	.12	.04	.03	.57	—	.18	1
2	—	—	.18	.08	—	.28	.33	—	—	—	—	—	2
3	—	—	.23	—	—	.20	.12	.27	.01	—	.06	.01	3
4	.21	—	1.20	—	.05	.65	—	.05	—	—	.23	—	4
5	.23	.08	.20	—	.34	.15	—	.60	.01	—	—	.10	5
6	.62	—	.01	—	.09	—	.10	1.20	—	—	—	.12	6
7	—	.26	—	—	.05	.38	—	—	—	—	—	.15	7
8	.57	.13	.56	—	—	.09	.06	.15	.05	—	—	.04	8
9	.10	.05	.50	.13	—	.12	.01	.18	—	—	—	.31	9
10	—	.13	.02	—	—	.04	.01	.20	—	—	.04	.01	10
11	.14	.05	—	—	—	.01	—	.07	—	—	—	.57	11
12	.04	.62	.13	.02	.05	—	.01	—	—	—	.02	.11	12
13	.02	.09	—	—	—	—	—	.07	—	—	—	.09	13
14	.19	—	.60	—	.21	—	—	.10	—	—	—	.02	14
15	.13	.13	—	.02	.22	.42	—	.03	—	—	—	.46	15
16	.88	.02	.30	—	—	.05	—	.14	—	.12	.07	.02	16
17	1.25	—	.32	—	—	.07	—	.75	—	—	—	.47	17
18	.27	.02	.18	—	—	—	—	.18	—	.03	—	.05	18
19	.06	.10	—	—	.03	—	.26	.50	—	.02	—	—	19
20	.02	—	.70	—	.10	.11	.10	.46	—	.45	.05	—	20
21	—	.06	.38	—	.65	—	.01	.15	—	.35	.04	—	21
22	.68	.25	.10	—	.37	.24	.61	.14	—	.03	.03	.05	22
23	.15	.39	.44	—	—	.14	—	.34	—	.12	.05	.53	23
24	.05	—	.09	—	—	.20	.01	.15	—	.22	—	.08	24
25	—	—	—	—	—	.88	—	.60	—	.02	.38	.35	25
26	—	.10	.01	—	—	—	.40	.75	—	.62	.45	.28	26
27	—	—	—	—	—	.20	.56	—	—	.80	—	.48	27
28	—	.10	—	—	.01	.21	.25	1.02	.17	.40	.27	.85	28
29	—	.18	.02	—	—	.25	.40	—	.46	.30	—	.08	29
30	—	✕	—	—	.01	.02	.10	.03	.10	.20	—	—	30
31	—	✕	.11	✕	.30	✕	.46	.12	✕	.02	✕	.32	31
Total	5.61	2.76	6.41	.25	2.48	5.08	3.92	8.29	.83	4.21	1.69	5.73	TOTAL for year 47.26
No. of Rain Days.	18	18	22	4	14	22	19	26	7	16	12	25	203

W. 8,000, X. '11.

Ex T.C.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Hyde House Chalford & Camp Field Minchinhampton
in the County of Glos'tr
by Piers F Legh

Lat.
Long.
Time of Observation 9 am
Nearest Railway Station Brimscombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 527 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·25	·28	·20	–	–	–	–	·77	·20	–	·01	1
2	·04	·15	·05	·07	–	–	·01	–	·16	–	·15	·03	2
3	·15	·03	·10	–	·58	–	–	–	–	–	–	·14	3
4	1.69	·03	·09	–	·44	–	–	–	·32	·60	·05	·11	4
5	·02	·02	–	–	–	·20	·08	–	–	·05	·10	·05	5
6	·07	·07	·20	–	·40	·05	·30	–	–	·27	·45	·47	6
7	–	·38	–	–	·25	·02	·12	–	–	·27	·23	–	7
8	–	·28	–	–	·12	·10	–	–	–	·32	–	·02	8
9	–	·22	–	–	·05	·05	·07	·07	·14	–	·07	·02	9
10	·25	–	·02	·05	·06	–	[illegible]	·10	–	·04	·18	–	10
11	1.20	–	–	·35	–	–	–	–	–	·08	·79	·04	11
12	–	–	–	–	·26	–	–	–	–	–	·42	–	12
13	·04	–	·08	–	·02	–	[illegible]	–	·13	–	·29	–	13
14	·13	–	·35	·02	–	–	–	·03	–	21	–	–	14
15	·24	–	·54	·95	–	–	[illegible]	·01	·13	–	–	–	15
16	·22	–	·55	·06	–	–	[illegible]	·06	·01	–	–	–	16
17	–	–	·15	·13	–	·10	·03	–	·10	–	·10	–	17
18	·15	–	·22	·22	–	–	–	–	–	–	·03	–	18
19	·40	–	·13	–	–	·07	·15	–	·20	–	–	–	19
20	·19	–	·12	·05	–	–	[illegible]	–	–	·16	·45	–	20
21	–	–	·15	·12	·22	–	–	·01	–	·05	·15	–	21
22	·48	–	·60	·20	·02	–	·05	·22	·25	–	–	–	22
23	·01	–	–	–	–	·10	–	·01	–	–	·04	·05	23
24	·06	–	–	·08	–	–	–	–	–	–	–	–	24
25	–	–	–	·16	–	–	–	–	·01	·03	–	·12	25
26	–	·07	–	·40	–	–	–	–	–	·02	–	·26	26
27	–	–	–	·57	–	–	–	·32	–	·17	–	–	27
28	·33	–	·19	·38	–	–	–	–	–	·40	–	·02	28
29	·02	X	·40	·45	–	–	–	·02	–	·22	–	–	29
30	·32	X	–	–	–	–	–	·04	–	·36	–	–	30
31	–	X	·10	X	·20	X	–	·05	X	–	X		31
Total	6.01	1.50	4.32	4.46	2.62	·69	·81	·94	2.22	3.45	3.56	1.34	YEAR'S TOTAL ~~31.86~~
Rain Days.	20	10	19	18	12	8	8	12	11	17	15	13	163

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Hyde Grange, near Chalford
in the County of Gloucester 3
by C. J. Bewstead

Lat. 51° 42' 50" Long.
Time of Observation 9 A.M. 1st each month
Nearest Railway Station Brimscombe G.W. Ry
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 0 in.
" " " " Sea Level 527 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		✕											30
31		✕		✕		✕			✕		✕		31
Total	0·91	3·52	4·49	1·42	1·85	2·48	3·41	1·80	1·58	2·01	4·23	7·84	YEAR'S TOTAL 35·54
Rain Days.													

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

REGI

Kept at The Grange.
in the County of Glouc
by Miss E. M. Hebe

CHARLTON KINGS

THE GRANGE

GLOUCESTER

1911-1920

in.
und ft. 9 in.
Level 300 ft.
.m.
Charlton Kings
nce ¼ mile Direction S.

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading n the space provided for it at the end of this pa of rain, the selection and placing o Rainfall Organization are given in "Ri cation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5		6	8				3			2	5	1
2	4			10	34		10	17		19	18	27	2
3					30				1		6	3	3
4	5		20	S. 2						19	29	45	4
5	10		2					19			6	2	5
6	30		10								7	90	6
7											40		7
8	23		13								6	35	8
9	15		4								6	27	9
10	1	11	34								1	45	10
11	23										42		11
12			S.&R. 66						9		31	15	12
13									40	22		55	13
14			S.&R. 1									78	14
15			8								17	11	15
16						19					33	34	16
17						4					15	41	17
18		26	2	6		18						33	18
19	1			3		33			14	13	3	11	19
20	1	7	6					9	6			80	20
21		11	3					30		48		7	21
22		1	10			31				9	1	61	22
23		11	11		1				20	27		19	23
24		8						16	2	34		11	24
25		5		3	2	46						8	25
26		11		23	1	14	2			25	S.&R. 20	22	26
27		14	17	7		2		44	40		8 S.	8	27
28		20		21				3			3		28
29							6		21	16	1		29
30			1	3	12	27	2	5		13	1		30
31					2								31
Total	1·18	1·25	2·14	·86	·82	1·94	·20	1·46	1·53	2·45	2·96	7·73	TOTAL for year 24.52
No. of Rain Days	11	11	17	10	7	9	4	9	9	11	22	25	145

9,000, IX. '10.

✓

REG

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

Kept at The Grange. Charlton Kings

in the County of Gloucester 3

by Miss E. M. Heberden

Rain Gauge	Pattern
	Diameter of top 5 in.
	Height of top above Ground ft. 9 in.
	" " " Sea Level 300 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Charlton Kings
Distance ¼ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5		6	8				3			2	5	1
2	4			10	34		10	17		19	18	27	2
3					30				1		6	3	3
4	5		20	S. 2						19	29	45	4
5	10		2					19			6	2	5
6	30		10								7	90	6
7											40		7
8	23		13								6	35	8
9	15		4								6	27	9
10	1	11	34								1	45	10
11	23										42		11
12			S.&R. 66						9		31	15	12
13									40	22		55	13
14			S.&R. 1									78	14
15			8								17	11	15
16						19					33	34	16
17						4					15	41	17
18		26	2	6		18						33	18
19	1			3		33			14	13	3	11	19
20	1	7	6					9	6			80	20
21		11	3					30		48		7	21
22		1	10			31				9	1	61	22
23		11	11		1				20	27		19	23
24		8						16	2	34		11	24
25		5		3	2	46						8	25
26		11		23	1	14	2			25	S.&R. 20	22	26
27		14	17	7		2		44	40		8 S.	8	27
28		20		21				3			3		28
29							6		21	16	1		29
30			1	3	12	27	2	5		13	1		30
31					2								31
Total	1-18	1.25	2.14	·86	·82	1-94	·20	1-46	1-53	2-45	2.96	7-73	TOTAL for year 24.52
No. of Rain Days	11	11	17	10	7	9	4	9	9	11	22	25	145

9,000, IX. '10.

corr for anitts 28.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at The Grange - Charlton Kings

in the County of Gloucester 3

by Miss E. M. Heberden

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Charlton Kings

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			9			65	31	1	4	21			1
2		S. 2	24	8		26	58	1					2
3	2		11			22	17	35			1	4	3
4	8		95		8	95		46			24		4
5	35	4	18		7	4		56	5		1	6	5
6	22	11	1		3		4	1-24				6	6
7		14	7			66	26	9				7	7
8	S.LR. 30	13	49	1		34	12	2	4			8	8
9	3	4	51	2		29	1	15	2			21	9
10	5	9		1		4		5			13		10
11	6	4				5		11			3	53	11
12	4	47	9		1	2	1				4	1	12
13		14					2	28				2	13
14	7		53					10					14
15	19		3		49	46		6				18	15
16	45		25					8		7	6		16
17	S. 71		21			4		54			1	42	17
18	S. 19	1	17					10		3		5	18
19	6	7					33	21					19
20	2	1	S.LR. 69		9		19	36		32	12		20
21		1	46		44			24		41			21
22	S.LR. 37	8	16		34	9	61	16		7		3	22
23	8	51	28			25	67	21		11	3	37	23
24	7	1				28	21	2				11	24
25						65		77			45	28	25
26		3					31	1-03		40	29	16	26
27						13	22			·84		30	27
28		9				18	40	87	10	29	S.LR. 30	55	28
29		16				65	44	2	44	40	S. 2	5	29
30					2	4	12		7	16	S.LR. 9		30
31			17		42		47	6		2		10	31
Total	3-36	2.20	5-69	·12	1-99	6-29	5-49	8-16	·76	3-33	1-83	3-68	YEAR'S TOTAL 42-90
Rain Days.	19	20	20	4	10	21	20	28	7	13	15	21	198

W. 7,500, XI. 12

5·49

42·90

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6-JAN 1914

Kept at The Grange. Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

3

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Charlton Kings
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		11	25	11					1-12		7		1
2	1	16	1	11			4		16	1-04	7		2
3	17		5		62							8	3
4	1-01		1		22		3		54	70	2	16	4
5	1	2	2			12	15		3	1	7	1	5
6	7	1	14		37	12	61			21	11	33	6
7		37			22	4	2			27	13		7
8		4			33	1				21			8
9		17			7	4	5	18	26		3	2	9
10	23			7			7	17		1	19		10
11	89			28				1		5	79		11
12					17						60		12
13	s 3	1	2						16		27		13
14	16		30	4			4	8		16	1		14
15	21	15	46	53			4		12				15
16	12		R.&S. 70	3		3		5	1				16
17	3	2	s. 7	3		8	20		3		1	1	17
18	4		19	13	3		8		1		2		18
19	35		7			18	5		16			3	19
20	20		12	6						18	14		20
21			24	6	8		4			3	37		21
22	S.&R. 38		38			4		11	32		1		22
23						3		1			1	8	23
24	1			8				7		1			24
25		2		27					2			1	25
26		5		58				31		6		37	26
27			16	27	3					6			27
28	21		11	40						25		s 1	28
29	1		40	57				1		58		s 4	29
30	24									37	4		30
31	4		7		17			2					31
Total	4-42.	1-13.	3-77.	3-62.	2-31.	•69.	1-42.	1-02.	2-94.	4-20.	2-96.	1-15.	YEAR'S TOTAL 29-63
Rain Days.	21	12	20	17	11	10	13	11	13	17	19	12	176

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 - JAN 1915

Kept at The Grange. Charlton Kings
in the County of Gloucester 3
by Miss E. M. Heberden

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Charlton Kings
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		1	1	10			21	31			2	6	1
2							59	28			97	63	2
3			3	8	33		3				7	2	3
4	20			20	5		3	2			25	55	4
5	S. 3		6	17	27		35				26		5
6		12	3	2	27	4	1	1			1	24	6
7		27	10	13	4	19	21	11	5			5	7
8			27	15	15	89	1	9				13	8
9	23		22	27	8	1-28		8	12				9
10	6	36		17	6	3			30				10
11		15	32	6	24	57					13	43	11
12		19	21				33		26		2	28	12
13		35	49				1		16	9	4	32	13
14	S. 1	22	18				5			49	18	2	14
15	2	2	10				1	5	14	1	23		15
16	3						5		12			1	16
17		17	16						10	1		39	17
18			S. & R. 1			18	11					41	18
19		4	S. & R. 9				81	16	1		14	3	19
20		32	S. & R. 24			4		1				29	20
21		43	1			11	1	11		22		S. 15	21
22		3	1		12	1	1	3		8			22
23		11	14		14		1			10			23
24			18				3			13	10		24
25	15		23				2	22		23	2	14	25
26			13				8	1		7	18	47	26
27	10									3	20	22	27
28		13	17		6					1	10	R. & S. 1-08	28
29	1		8		8					52	47		29
30	2	X	9							11	51	79	30
31	3	X		X	1	X	26		X	7	X	3	31
Total	·89	2.92	3.56	1-35	1-90	3.34	3.23	1-49	1-26	2-17	3-90	6-74	YEAR'S TOTAL 32.75
Rain Days.	12	16	25	10	14	10	22	14	9	15	19	23	189

W. 8,000. X. 14.

Exc 8L

2268

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at The Grange. Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Charlton Kings
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	44	11	S. 3		17		24	8	11	20	1	9	1
2	27	23	17	20		6		2.38		8		8	2
3	R.&S. 1-21	7	5	5	3		8	16				14	3
4	4				1		55	6				54	4
5		1.00					6	7				44	5
6	20	3		20			48	1				23	6
7	6	R.&S. 63		1		13	22	8				21	7
8	27	22					4	5			2		8
9	18	3		16				10			13	31	9
10	14		6	4						7		2	10
11	1		1	21	2						1-01	1	11
12	8	12		32	34					5	38	S. 7	12
13	2	72			R.&S. 1-02			2	2			2	13
14		4					4	62	4	2		52	14
15	19				9		2	6		7	3	12	15
16	1	97		1	53		54	15				5	16
17		29	R.&S. 1		86			60				1	17
18		19	S. 9							1	1		18
19		1			7		15						19
20	27			14								22	20
21	R.&S. 20	5					3			9		14	21
22	11	10	23	32			21					23	22
23	1	4	45			5	10		2	60		36	23
24			3	5			18		36	40		18	24
25						89	7			5	1	40	25
26		8					7					53	26
27		5				1	4			43		2	27
28		5				3		2	36				28
29						1	38	9			7	3	29
30	8	×				21	21			19	33	24	30
31	3	×		×		×	6	2	×	89	×	32	31
Total	3-82.	5-03.	1-13.	1-71.	3.14.	1-39.	3-77.	4-57.	·91-	3.15.	2-00.	5-53	YEAR'S TOTAL 36-15
Rain Days.	20	21	10	12	10	8	21	17	6	14	10	27	176

W. 8,000. X. 15.

Exd CFE

2205

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
9 JAN 1917

Kept at The Grange - Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Charlton Kings
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	5		3		5	4	22			11	23		1
2	24	5	s. 22		36					54	4		2
3	1	93			6				7	42	13		3
4	45	7			35	13			13	4	74		4
5	1		s. 7		20	4	9			4	24		5
6	2	20	s. 8		32	9	37			11	77		6
7	1		s. 25		6	10	14			12	86	18	7
8	5	1	s. 3		21							24	8
9	1				3	25				7	1	1	9
10		50	s. 3	10		34	7		7	7			10
11	1	5	s. & R. 4	12	9	27						s. 50	11
12	4		3	26	43	1	28	1		19			12
13		29	6	4			6	22					13
14		R. & s. 38	7		4			3		9			14
15		20	19		14		1	37		1			15
16			1	16			17	48					16
17	14	15		18			3	3	41	35			17
18		8	2	1				2	23	6	s. 74	s. & R. 16	18
19	18		18	29					3		s. & R. 21		19
20	5		60								1	40	20
21	2		41		11	2	10					s. 35	21
22				5	1					20		R. & s. 69	22
23	3	s. 25						7		3	4	s. 15	23
24		s. 16	s. 1	1	17	12		2		34		15	24
25		s. 52	22					32			22		25
26		s. 5	8		30	8		2	1	37			26
27	4	s. 12	R. & s. 1-11			7		29	14	38		1	27
28		s. 56	s. 10			3		1	19	14		7	28
29		16				20		1-12.		46		19	29
30		✕		1		7				24			30
31		✕		✕		✕			✕	39	✕	1	31
Total	1-36. ✓	4-73. ✓	3-84. ✓	1-23. ✓	2-93. ✓	1-86. ✓	1-54. ✓	3.01. ✓	1.28. ✓	4.77. ✓	4.24. ✓	3-11 ✓	YEAR'S TOTAL 33.90. ✓
Rain Days.	17 ✓	19 ✓	22 ✓	11 ✓	17 ✓	16 ✓	11 ✓	14 ✓	9 ✓	23 ✓	13 ✓	14 ✓	186 ✓

W. 8,000, VIII. 16

2105

FORM A.
BRITISH RAINFALL.

4. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at The Grange, Charlton Kings

in the County of Gloucester

by Miss E. M. Heberden

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Charlton Kings

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 9 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12	S. 7		9		1-04	9		11		1
2		S. 1	1	S. 3		25		4		4	3		2
3	5	S. 2		S. 12				26		57			3
4		S. 14	S. 11				2	40		45		1	4
5	24		7	R. & S. 18		4		27	1	20	6		5
6			11			21				6	15		6
7	20						17	12		44		2	7
8	S. & R. 53		S. 1	R. & S. 21		3	64	23	5	37	9	38	8
9			S. 3	S. 4	17		2	11	2	8	3		9
10	S. & R. 24		24	S. & R. 33	9			17	4	1			10
11	9	S. 1	16	S. 30	3			21	30	12	3		11
12	S. 6	S. 1	5	S. 4	6			4		10	2	1	12
13			7	4				11	7	9			13
14			R. & S. 13	8				1				1	14
15	S. 4						6	30		6		14	15
16	S. 3	6		16	3		3			5		R. & S. 47	16
17	S. 1			7	49	4	26	5	11	8		S. 1	17
18	2					1	21		1-30	1			18
19	S. 1	31	R. & S. 42			6			1				19
20	1	8	S. & R. 4		70	4	21	5	1		4		20
21		4	S. 18								15		21
22			S. 13			12		5		8			22
23		25			11	1		40		5		3	23
24		2	1			8		18		16	1		24
25		20	R. & S. 9				3				3		25
26					7	1		31	10		12		26
27					1-35	1	1	95				S. 1	27
28		4	5			52		15				3	28
29			S. & R. 7		4	39	7			51		21	29
30	S. 1	X	R. & S. 1				47	25		5	1	R. & S.	30
31		X	R. & S. 9	X		X		8	X		X	3	31
Total	1-54 ✓	1-19 ✓	2.20 ✓	1-68 ✓	3.14 ✓	1-91 ✓	2-20 ✓	5-78 ✓	2.11 ✓	3.58 ✓	·88 ✓	1-36 ✓	YEAR'S TOTAL 27-57 ✓
Rain Days.	14 ✓	13 ✓	22 ✓	14 ✓	11 ✓	16 ✓	13 ✓	24 ✓	12 ✓	21 ✓	14 ✓	13 ✓	187 ✓

W. 8,000, IX. 17.

49

FORM A.
BRITISH RAINFALL.
4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at The Grange. Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

Lat. ……… Long. ………
Time of Observation 9. a. m.
Nearest Railway Station Charlton Kings
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ……ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		1	s. 2	5	5			5		1	45	2	1
2		10						30	3	1	3	4	2
3		11	s. & R. 2	5	6			14	27	3	1	2	3
4		11	1					6	8		1-01	11	4
5				3	20			4	19	3	13		5
6	3	14		7					1	6		5	6
7	s. 1	14		9	37	5			7	5	29	1	7
8		13							8	13		4	8
9	2	20		17		41	7		42	17		12	9
10	7			9			40		41	17		16	10
11				1	11		3		10	15	4	10	11
12	2	3	13		9		17		2				12
13		5		1	3	3	3		16	6		20	13
14	31		17			10	86		44	7		10	14
15	s. 1-60			75	2	1	18		1	1		30	15
16	s. 17			65		2	1	1	20	3	1	5	16
17	s. & R. 18		2	9	3		27		2	5		10	17
18	45					35	5		76	2		43	18
19	6	5	17	s. 9			7		2	9		1	19
20	3	5		R. & S. 30		5	1		23	8		6	20
21	8			s. & R. 13			1		50	3	1	3	21
22	3				14		5		12	8		30	22
23	4				40		16						23
24		15				1	10		2		13		24
25						3	27	24		2	1		25
26							62		1	3	14	14	26
27		3	4			4		19	12		13	5	27
28		s. 22	30	1							17	4	28
29			5						1-87		1	1	29
30		✕	25						1	1	7	3	30
31		✕	30	✕		✕		2	✕	2	✕		31
Total	3-10 ✓	1-52 ✓	1-48 ✓	2.59 ✓	1-50 ✓	1-10 ✓	3-36	1-05 ✓	6-17 ✓	1-41 ✓	2-64 ✓	2-52 ✓	YEAR'S TOTAL 28-44
Rain Days.	15 ✓	15 ✓	12 ✓	16 ✓	11 ✓	11	18	9 ✓	26 ✓	24 ✓	16 ✓	25 ✓	198 ✓

W. 8,000, IX. 17.

1973

8 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Grange. Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

Lat. 51-53 N. Long. 2-3. W.
Time of Observation 9-a.m.
Nearest Railway Station Charlton Kings
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	41	S. 2	4	S. & R. 7	4	2	19		2	11	1	R. & S. 59	1
2	17				3		21		9		16	15	2
3	R. & S. 1-02		13		4	1	3		22		14	28	3
4	S. 7	R. & S. 4	43			18		10	40			11	4
5		S. 27	38		10				28		1	18	5
6	13	S. 1	7		39						1	4	6
7	30		37	16	3						6	7	7
8	19		1	19									8
9	23		5	15							3		9
10	1		40	2							1	21	10
11	1		18	1	5		36			1		4	11
12	1					56				9		5	12
13	9	1		31					1	5		8	13
14	40	3		22			12		5	5	S. 1	5	14
15	22	1	S. 3	19	9					3	S. 1	30	15
16	8	75									S. & R. 12	1	16
17		R. & S. 56		1		2					11		17
18			S. & R. 45		24			21	5		2	5	18
19	21	S. & R. 17	R. & S. 92			10	1-43	52	4		6	4	19
20	28	3	S. & R. 16			3	1	15	4		5		20
21	4	63	S. 4			9	17		1		1	11	21
22		15				2	4		16			19	22
23						2		14		47	6		23
24				7		4				77	11	1	24
25	12			2	5			21			1	9	25
26	7	1	13	15		1	35	5	21			29	26
27	R. & S. 13			S. 70				56				2	27
28	S. 3		S. 16	1				35			S. 26	22	28
29	2			8				1		20	S. 7	31	29
30	S. 1	✕		25		30		26		5	17	43	30
31		✕		✕		✕	2		✕	1	✕	1	31
TOTAL	4-25.	2-69.	3-95.	2-61.	1-06.	1-40	2-93.	2-56.	1-58.	1-84	1-50	3-93	YEAR'S TOTAL 30-30
Days with ·01 in. or more	24	14	17	17	10	13	11	11	13.	11	22	26	189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at The Grange. Charlton Kings
in the County of Gloucester
by Miss E. M. Heberden

Lat. 51.53 N. Long. 2.3. W.
Time of Observation 9. a. m.
Nearest Railway Station Charlton Kings
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			4	27	35		27			18		48	1
2	R. & S. 16		5	5			28	4	6	5		16	2
3	S. & R. 17	10		25	2	1	1.47	1	8	35			3
4	1		3	13			5	43		25			4
5			26	12	8		32	7	1	46		1	5
6			34		8		20			5			6
7			S. 3	13			20					1	7
8	8	16		42	2		46					14	8
9	18			49									9
10	54	8	8	6		14	13				3	1	10
11	30	6	15	44	32	4	4	41					11
12	12	3		21	2	76					1		12
13	6	1	37	8					4			S. 1	13
14	1	2	R. & S. 88	52		11			22	7	24		14
15		6	S. 2	50		43				6			15
16				1	2	3	26		56	12			16
17	2		1		15	9	1		62	7		S. & R. 1	17
18	35			4	8		12	37	62		1	S. 1	18
19	5	R. & S. 34		20		16		2	1				19
20	4	S. 2		18		14						14	20
21				3			1	1	1			5	21
22	1			15			1	9				24	22
23		1					55	7		1	1	28	23
24			33	1				3			4	9	24
25	1	7	18	1		2	63	5				1	25
26	22		36	1		6	6				5	17	26
27	62	7	16	13	1	43	3			1	1	27	27
28	R. & S. 83		10	3	31		4						28
29	24		13	5	3	7	19				11	36	29
30	2	✕	13	7		16	9		26		23	29	30
31	4	✕	3	✕	1	✕			✕	42	✕	4	31
TOTAL	4.08 ✓	1.03 ✓	3.68 ✓	4.59 ~~4.53~~	1.50 ✓	2.65	5.42 ✓	1.60 ✓	2.49 ✓	2.10 ✓	·74 ✓	2.78 ✓	YEAR'S TOTAL 32.66 ~~32.60~~
Days with ·01 in. or more	22 ~~6~~	13 ~~5~~	20 ~~5~~	27 ~~6~~	14 ~~7~~	15 ~~3~~	22 ~~4~~	12 ~~4~~	11 ~~3~~	13 ~~2~~	10 ~~5~~	20 ~~7~~	~~57~~ 199
Days with ·04 in. or more	16 ✓	8 ✓	15 ✓	21 ✓	7 ✓	12 ✓	18 ✓	8 ✓	8 ✓	11 ✓	5 ✓	13 ✓	142 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

2179 CHELTENHAM

SWINDON VILLAGE, BROOKVILLE

1912 - 20

FORM A. BRITISH RAINFALL.

6 JAN 191

Kept a Brookvil ·M.

in the County of Glou eltenham 2½ miles

by J. C. M. St 8 in.

Ground 1 ft. 2 in.

Sea Level 137 ft.

IMPORTANT NOT he result entered to the previous day. If an Ob rsal rule, he is earnestly requested to add the read in the space provided for it at the end of thi ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·06			·66	·23	·21	·04	·21		·05	1
2			·18	·03		·25	·39	·12					2
3	·01		·16		·01	·23	·15	·23	·01		·02	·05	3
4	·09		·72		·13	1·00		·13			·25		4
5	·17	·03	·13		·11	·02		·28	·01		·02	·07	5
6	·19	·10			·02	·01	·10	·96				·02	6
7	·01	·12	·03		·04	·82	·06	·03				·02	7
8	·20	·09	·18			·02	·03	·49	·02			·05	8
9	·10	·03	·27	·01		·23		·14			·01	·17	9
10	·02	·04				·02	·01	·01	·04		·05		10
11	·07	·02	·01			·08		·12			·02	·34	11
12	·05	·48	·07	·01	·04		·01				·02	·03	12
13		·06					·01	·25				·02	13
14	·06		·47		·09			·06					14
15	·17	·08	·01		·36	·23		·06				·17	15
16	·22		·11		·02	·05		·03		·05	·05		16
17	·93		·19			·04		·36			·01	·40	17
18	·24	·02	·10					·05		·03		·01	18
19	·03	·04	·02		·02		·36	·10			·01		19
20	·01	·02	·32		·06		·19	·14		·31	·15		20
21	·02		·29		·51			·23		·33			21
22	·14	·06	·20		·47	·15	·47	·15		·02		·01	22
23	·10	·51	·25			·26	·25	·22		·04	·02	·34	23
24	·05					·19	·02	·03				·07	24
25	·01					·63		·64			·31	·34	25
26		·04	·01			·01	·24	1·17		·29	·38	·12	26
27						·10	·26			·74		·20	27
28		·06				·17	·62	·52	·09	·15	·13	·48	28
29		·08	·01			·27	·42	·07	·35	·21	·01	·03	29
30					·02	·10	·11		·04	·12			30
31			·20		·26		·43	·11		·01		·07	31
Total	2·89	1·89	3·99	0·05	2·16	5·54	4·36	6·91	0·60	2·51	1·46	3·06	YEAR'S TOTAL 35·42
Rain Days.	22	19	23	3	15	23	20	28	8	13	16	22	212

W. 7,500, XI. 12

✓

REG

FORM A.
BRITISH RAINFALL.

6 JAN 19

Kept at Brookside Swindon

in the County of Gloucester. 3

by J. C. M. Stanton

Time of Observation 9. A.M.

Nearest Railway Station Cheltenham 2½ miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 137 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·06			·66	·23	·21	·04	·21		·05	1
2			·18	·03		·25	·39	·12					2
3	·01		·16		·01	·23	·15	·23	·01		·02	·05	3
4	·09		·72		·13	1·00		·13			·25		4
5	·17	·03	·13		·11	·02		·28	·01		·02	·07	5
6	·19	·10			·02	·01	·10	·96				·02	6
7	·01	·12	·03		·04	·82	·06	·03				·02	7
8	·20	·09	·18			·02	·03	·49	·02			·05	8
9	·10	·03	·27	·01		·23		·14			·01	·17	9
10	·02	·04				·02	·01	·01	·04		·05		10
11	·07	·02	·01			·08		·12			·02	·34	11
12	·05	·48	·07	·01	·04		·01				·02	·03	12
13		·06					·01	·25				·02	13
14	·06		·47		·09			·06					14
15	·17	·08	·01		·36	·23		·06				·17	15
16	·22		·11		·02	·05		·03		·05	·05		16
17	·93		·19			·04		·36			·01	·40	17
18	·24	·02	·10					·05		·03		·01	18
19	·03	·04	·02		·02		·36	·10			·01		19
20	·01	·02	·32		·06		·19	·14		·31	·15		20
21	·02		·29		·51			·23		·33			21
22	·14	·06	·20		·47	·15	·47	·15		·02		·01	22
23	·10	·51	·25			·26	·25	·22		·04	·02	·34	23
24	·05					·19	·02	·03				·07	24
25	·01					·63		·64			·31	·34	25
26		·04	·01			·01	·24	1·17		·29	·38	·12	26
27						·10	·26			·74		·20	27
28		·06				·17	·62	·52	·09	·15	·13	·48	28
29		·08	·01			·27	·42	·07	·35	·21	·01	·03	29
30					·02	·10	·11		·04	·12			30
31			·20		·26		·43	·11		·01		·07	31
Total	2·89	1·89	3·99	0·05	2·16	5·54	4·36	6·91	0·60	2·51	1·46	3·06	YEAR'S TOTAL 35·42
Rain Days.	22	19	23	3	15	23	20	28	8	13	16	22	212

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Brookville Swindon
in the County of Gloucester 3
by J. C. M. Stanton

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Cheltenham
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07	·08	·02	·01				·88		·07		1
2	·01	·15	·02	·05			·01		·23	·59	·06		2
3	·16		·08		·48							·03	3
4	·73		·05		·30		·01		·31	·72	·01	·17	4
5		·01	·07			·31	·08		·03	·20	·07	·01	5
6	·02	·02	·14		·18	·18	·70			·17	·15	·43	6
7		·27			·24	·05	·08			·23	·09		7
8		·02			·26					·41			8
9		·19	·01		·04	·04	·02	·46	·22		·02	·01	9
10	·11			·07	·02		·04	·17			·13		10
11	·84			·29	·01					·05	·48		11
12					·09			·01			·61		12
13	·02	·02	·07		·03				·12		·29		13
14	·07		·33	·02			·01	·06		·12			14
15	·18	·15	·47	·37			·03		·09			·01	15
16	·13		·76	·05				·26			·01		16
17	·06	·02	·05	·15		·10	·18		·06			·01	17
18	·09		·12	·08			·07				·04		18
19	·19		·08			·26	·04		·10			·02	19
20	·22		·07	·05					·01	·07	·08		20
21			·05	·06	·11		·04			·01	·36		21
22	·38		·41			·02		·06	·37				22
23			·01			·05		·02	·01		·02	·08	23
24	·01			·04				·03					24
25		·01		·21					·02	·01		·01	25
26		·05		·42				·32		·05		·33	26
27	·02		·10	·40						·08			27
28	·31		·12	·30	·01					·20	·01	·01	28
29	·01		·39	·55				·01		·20	·01	·01	29
30	·16									·21	·04		30
31	·01		·07		·21			·01					31
Total	3·73	0·98	3·55	3·13	1·99	1·01	1·31	1·41	2·45	3·32	2·55	1·13	YEAR'S TOTAL 26·56
Rain Days.	21	12	22	17	14	8	13	11	13	16	19	13	179

W. 7,500, XI. ·12

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Brookville Swindon near Cheltenham

in the County of Gloucester. 3

by James C. M. Stanton

Lat. .... Long. ....

Time of Observation 9. A.M.

Nearest Railway Station Cheltenham

Diameter of Rain Gauge 8" in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·02	·12		·01	·30	·28			·01	·08	1
2							·52	·23			·63	·63	2
3			·03	·07	·21		·04				·06		3
4	·21			·09	·06		·05	·01			·25	·55	4
5	·02		·05	·11	·17		·38				·17		5
6		·07	·02	·04	·02	·01	·01	·05			·02	·10	6
7	·01	·14	·08	·08	·22	·15	·21	·08	·04		·01	·03	7
8		·01	·24	·07	·08	1·21	·06	·02				·10	8
9	·20	·02	·23	·17	·07	1·43		·06	·05				9
10	·06	·24	·02	·12	·04	·02			·31			·01	10
11		·10	·18	·08	·28	·38					·14	·46	11
12	·01	·15	·18				·30		·24		·05	·15	12
13		·18	·31				·01		·16	·12	·06	·42	13
14		·12	·18	·01			·05			·55	·09	·01	14
15	·04	·02	·14				·01	·04	·06	·02	·14	·01	15
16	·03						·02		·10				16
17		·11	·13						·21	·01		·19	17
18						·05	·09					·31	18
19		·04	·02				·88	·21			·10	·06	19
20		·22	·16			·05						·20	20
21		·51	·02			·04		·07		·15	·01	·15	21
22		·06			·19	·02	·01	·04		·06			22
23		·03	·09		·10			·02		·13		·01	23
24			·12		·10		·01	·02		·04	·06		24
25	·11		·10				·01	·12		·14	·02	·05	25
26			·08				·05	·01		·08	·12	·33	26
27	·12									·02	·11	·13	27
28		·09	·10		·03						·10	·94	28
29	·01		·04		·13					·42	·20		29
30	·01	X	·03		·01					·09	·37	·66	30
31	·02	X		X	01	X	·23		X	·06	X	·01	31
Total	·85	2·12	2·57	·96	1·72	3·37	3·24	1·26	1·17	1·89	2·72	5·59	YEAR'S TOTAL 27·46
Rain Days.	13	18	24	11	16	11	20	15	8	14	21	24	195

W. 8,000. X. 14.

Ex DL

2215

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

Kept at Brookville Swindon

in the County of Gloucester.

by J. C. M. Stanton

Lat. Long.

Time of Observation 9. A.M.

Nearest Railway Station Cheltenham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·33	·08	·03		·20		·10	·07	·65	·18	·01		1
2	·15	·15	·17	·15		·06		1·95		·03		·10	2
3	1·08	·09	·05	·11	·01		·26	·24				·09	3
4	·01				·04		·04	·01				·44	4
5	·01	·79			·02		·01	·05				·26	5
6	·22	·02		·15			·49	·01				·15	6
7	·06	·43			·46	·14	·08	·08			·01	·22	7
8	·24	·16					·04	·08			·01		8
9	·18	·01		·16				·09			·17	·37	9
10	·15		·06	·05						·01		·01	10
11			·01	·12	·02						·52	·03	11
12	·09	·12		·18	·39			·01		·03	·46	·04	12
13	·02	·53			·94			·13	·02			·01	13
14		·04					·04	·27	·05			·27	14
15	·22				·08		·02	·09		·12	·04	·07	15
16	·01	·51		·02	·12		·46	·21				·03	16
17		·25	·02		·88			·02				·01	17
18		·12	·09							·01		·01	18
19		·02			·05		·25						19
20	·35			·08								·20	20
21	·18	·10			·02		·03			·07		·10	21
22	·14	·06	·37	·15			·16		·01			·16	22
23	·01	·02	·36			·04	·09		·02	·65		·51	23
24			·01	·06			·41		·33	·29		·26	24
25						·66	·14			·04	·02	·23	25
26		·06					·05					·43	26
27		·10				·02	·14			·29		·02	27
28		·08	·01			·06		·04	·33	·07			28
29						·03	·54	·06			·03	·02	29
30	·08	X				·55	·22			·18	·21	·12	30
31	·01	X		X		X	·05	·01	X	1·04	X	·20	31
Total	3·54	3·74	1·18	1·23	3·23	1·56	3·62	3·42	1·41	3·01	1·48	4·36	YEAR'S TOTAL 31·78
Rain Days.	20	21	11	11	13	8	21	18	7	14	10	27	181

W. 8,000. X. 15.

2 2213

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Brookville Swindon

in the County of Gloucestershire Cheltenham

by J. C. M. Stanton

Lat. Long.

Time of Observation 9. A.M. Summer time

Nearest Railway Station Cheltenham

Diameter of Funnel of Rain Gauge 8. in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01		·05	·03	·14			·07	·18		1
2	·21	·03	·22		·32					·57	·06		2
3		·73			·07		·05		·03	·25	·07		3
4	·31	·04			·40	·14			·11	·06	·54		4
5	·01		·05		·19	·05	·13			·03	·18		5
6	·04	·14	·09		·20	·07	·28			·08	·50		6
7			·18		·06	·01	·02			·17	·48	·20	7
8	·04	·02	·06		·16						·01	·10	8
9	·01		·02		·04	·21				·06	·01	·01	9
10		·48	·03	·07		·28	·02			·06			10
11	·01	·05	·07	·14	·05	·16			·01			·44	11
12	·02	·01	·05	·23	·39		·29			·15	·01		12
13		·28	·06	·01			·05	·20					13
14		·29	·05		·03			·03		·08		·01	14
15		·18	·12	·02	·21		·01	·88		·03			15
16	·02	·02	·01	·13	·01		·16	·18					16
17	·10	·15		·17			·01	·08	·34	·33			17
18		·07	·02	·				·02	·21	·04	·57	·08	18
19	·19		·20	·19					·02	·01	·25		19
20	·06		·55	·02							·02	·32	20
21	·02		·46		·07		·08					·47	21
22				·05	·03	·03				·11		·47	22
23	·01	·30						·09		·04	·02	·14	23
24		·19	·03	·01	·13	·16		·02		·29		·10	24
25		·48	·26					·33		·02	·19		25
26	·01	·10	·04			·10		·03	·01	·31			26
27	·04	·08	1·16					·04	·14	·27			27
28		·50	·11						·14	·09	·01	·07	28
29		·13				·24		1·95		·31		·18	29
30		×		·02		·12				·25			30
31		×		×		×			×	·32	×	·02	31
Total	1·16	4·27	3·85	1·06	2·41	1·60	1·24	3·85	1·01	4·00	3·10	2·61	YEAR'S TOTAL 30·16
Rain Days.	17	21	23	12	17	13	12	12	9	25	16	14	191

W. 8,000, VIII. 16

2113

FORM A. BRITISH RAINFALL.

8 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Brookville Swindon

in the County of Gloucester

by J. C. M. Stanton

Lat. .... Long. .... [illegible]

Time of Observation 9 AM + Summer [illegible]

Nearest Railway Station Cheltenham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·12	·12		·07		1·03	·12		·12	·01	1
2			·02	·05		·11		·03		·01	·02		2
3	·05	·01		·08				·13		·50			3
4		·30	·14					·05		·48			4
5	·21		·08	·17				·05	·03	·16	·13		5
6			·17			·27				·04	·15		6
7	·18						·09	·03		·33	·01	·02	7
8	·51		·01	·14			·68	·23	·05	·41	·08	·25	8
9			·09	·04	·19			·15	·01	·03	·01		9
10	·25		·14	·19	·02			·12	·02			·01	10
11	·09		·15	·27	·06			·39	·13	·06	·03		11
12	·03		·02	·02	·10			·01		·10	·01		12
13			·05	·07		·01		·14	·05	·07			13
14	·01		·08	·02				·08					14
15								·37		·02		·08	15
16	·03	·06		·42			·07			·05		·20	16
17	·01			·06	·55	·13	·29	·01	·11	·06			17
18	·01	·02		·01			·19		1·05	·01			18
19	·01	·28	·23			·04		·05	·01		·01		19
20	·01	·12	·17		·67	·12	·43	·02			·02		20
21	·02	·08	·43			·02					·09		21
22			·03			·03		·16		·08			22
23		·25			·09	·01		·22		·03		·03	23
24		·01	·01			·10		·20		·14	·02		24
25		·19	·07								·04		25
26			·01		·02	·10		·24	·10		·10		26
27					1·33	·05		·48					27
28		·01	·11			·40		·16				·05	28
29			·03		·02	·64	·10			·39		·24	29
30	·01	X					·38	·24		·02	·04		30
31		X	·04	X		X	·01	·06	X		X	·06	31
Total	1·43	1·34	2·20	1·66	3·05	2·10	2·24	4·65	1·68	2·99	·88	·95	YEAR'S TOTAL 25·17
Rain Days.	15	12	22	14	10	15	9	25	11	20	16	10	179

W. 8,000, IX. 17.

Exd E.F.E

57

FORM A.
BRITISH RAINFALL.
2. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Brookville Swindon Cheltenham
in the County of Gloucestershire
by J. F. M. Stanton

Lat. .... Long. ....
Time of Observation 9 A.m.
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·01	·15	·06			·04		·01	·35	·01	1
2	·01	·10						·22		·01	·01	·01	2
3		·09	·02	·02	·05			·01	·32	·02	·01	·01	3
4		·06	·01	·01				·05	·11		·65	·07	4
5		·01			·19				·17	·03	·03		5
6	·04	·16		·09		·05			·20	·08		·06	6
7		·17		·06	·35	·02			·02	·04	·22		7
8		·15							·11	·12		·11	8
9	·03	·18		·13		·38	·03		·30	·15	·01	·09	9
10	·07			·05			·19		·29	·10		·11	10
11				·01			·04		·02	·28	·06	·09	11
12		·03	·22		·09		·17		·03				12
13	·01	·01			·06		·01		·10	·05		·16	13
14	·23		·06			·12	·17		·61	·04		·03	14
15	1·17			·67			·14		·01	·01		·32	15
16	·17			·83		·02	·03		·16	·02	·01	·04	16
17	·15		·02	·08	·01		·21			·06		·05	17
18	·49					·17	·20		·92	·02		·37	18
19	·03	·05	·24	·07			·08		·01	·10		·01	19
20	·03	·07		·31		·04	·01		·10	·04		·05	20
21	·04			·10			·04		·38	·02	·01	·01	21
22	·02				·09		·06		·07	·31		·34	22
23	·02				·45	·02	·21						23
24		·16					·27		·03		·08		24
25						·02	·19	·23		·02			25
26							·88		·02	·02	·13	·14	26
27		·01				·06		·18	·21		·13	·06	27
28		·18	·24	·01		·01					·15	·05	28
29			·02						1·16		·01	·02	29
30		X	·17						·01		·09	·08	30
31		X	·29	X		X		·02	X	·01	X		31
Total	2·51	1·44	1·30	2·59	1·35	·91	2·93	·75	5·36	1·56	1·95	2·29	YEAR'S TOTAL 24·94
Rain Days.	15	16	11	15	9	11	18	7	24	23	16	24	189

W. 6,500, VII. 18. W W C

ext of

9 JUL 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Brookville Swindon Nr Cheltenham
in the County of Gloucester
by J. C. M. Stanton

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·02	·01	·02	·04		·13		·02	·11	·02	·47	1
2	·15		·01		·02		·16		·40		·14	·07	2
3	·91		·06		·08	·01	·03		·15		·11	·35	3
4	·09	·01	·46			·19	·01	·04	·27			·14	4
5		·20	·25		·16			·01	·35		·01	·18	5
6	·08		·07		·36						·02	·03	6
7	·14		·30	·11	·04						·03	·06	7
8	·11		·02	·19									8
9	·19		·03	·12							·01		9
10	·01		·41	·04							·01	·12	10
11	·02		·40	·01	·03		·47			·01		·01	11
12			·05	·03		·49				·09	·01	·02	12
13	·05			·18					·01	·03		·02	13
14	·24	·02		·26			·07		·04	·21		·01	14
15	·31	·02	·01	·19	·10					·01		·23	15
16	·15	·70									·09		16
17		·73				·02					·11		17
18			·32		·07			·18	·02		·02	·07	18
19	·10	·20	·78			·11	1·87	·53	·03		·04	·05	19
20	·22	·03	·13			·04	·01	·22	·04		·06		20
21	·12	·40	·07			·01	·19		·01		·01	·15	21
22		·15				·02	·06		·36			·17	22
23								·05	·02	·87	·07	·01	23
24				·04		·03				·77	·13		24
25	·12			·02	·06	·02		·15				·11	25
26	·07		·15	·16		·01	·36	·03	·14			·17	26
27	·18			·68				·35				·04	27
28	·02		·18					·25			·18	·23	28
29	·03			·08		·01				·19	·10	·18	29
30				·24		·27		·17		·08	·06	·29	30
31	·01		·01										31
TOTAL	3·61	2·48	3·72	2·37	·96	1·23	3·36	1·98	1·86	2·37	1·23	3·18	YEAR'S TOTAL 28·35
Days with ·01 in. or more	23	11	20	16	10	13	11	11	14	10	20	24	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

9 JAN 1921

Kept at Brookville Swindon Cheltenham
in the County of Gloucester
by J. P. M. Stanton

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·27	·20		·18			·16		·34	1
2	·07		·04	·09			·07	·05	·07	·04		·13	2
3	·08	·07		·26	·04		1·33	·01	·11	·30			3
4			·04	·12			·02	·28		·21			4
5			·24	·10	·09		·31	·03	·01	·28			5
6			·26		·06		·14			·20			6
7	·01		·07	·11			·14						7
8	·15	·15		·43	·04		·42					·03	8
9	·14			·43			·01	·02					9
10	·58	·12	·06	·01		·11	·08				·02	·04	10
11	·30	·02	·11	·22	·31	·05	·02						11
12	·13	·02		·11	·01	·86		·05			·01		12
13	·03	·02	·23	·13		·01							13
14		·01	·76	·33		·08			·19	·03	·19		14
15		·06	·03	·30		·33			·01	·01	·01		15
16					·05	·03	·19		·31	·09	·01		16
17	·01				·13	·06			·80	·09		·02	17
18	·29			·06	·08	·01	·02	·33	·44			·02	18
19	·08	·29		·22		·13			·03				19
20	·04	·04		·15		·19						·04	20
21				·03				·01	·01	·01		·02	21
22				·12				·06				·10	22
23	·01	·01					·47	·07				·16	23
24	·01		·25	·01				·01			·02	·06	24
25		·03	·12	·01		·02	·52	·01				·01	25
26	·20		·28	·01	·02	·02	·02				·05	·11	26
27	·35	·05	·09	·08	·19	·53	·10			·01		·18	27
28	·60		·08		·12		·03					·01	28
29	·19		·13		·06	·07	·08				·03	·36	29
30	·01		·32	·08		·11	·14		·19		·20	·12	30
31	·06		·01		·02					·37		·03	31
Total	3·34	·89	3·14	3·68	1·42	2·61	4·29	·93	2·17	1·80	·54	1·78	YEAR'S TOTAL 26·59
Days with ·01 in. or more	21	13	19	24	15	16	20	12	11	13	9	18	191
Days with ·04 in. or more	15	7 ~~6~~	16	19	12	11	14	6	7	9	3	11	~~129~~ 139 130

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.

CHELTENHAM,

"OLD BATH RD."

1917 – 1920.

✓

18. JAN. 1918

REGIST 7

Kept at Cheltenham (1°53' N Lon. 2° 5' W

in the County of Glouc f Observation 9 a.m

by F. A. Jones er five inches

of top above Ground 1 foot

" Sea Level 290 ft

NOTE.—Full instructions respecting the g the Systematic Observation and Record of the Rainfall," which is sent post-free on app 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.11	$\overset{s}{0.11}$	-	0.10	-	1.02	0.08	-	0.11	-	1
2	-	$\overset{s}{0.01}$	-	-	-	0.23	-	0.05	-	0.03	0.02	-	2
3	0.06	$\overset{s}{0.01}$	-	0.11	-	-	-	0.21	-	0.62	-	-	3
4	-	$\overset{s}{0.15}$	$\overset{s}{0.17}$	-	-	-	0.01	0.43	-	0.45	-	0.01	4
5	0.22	-	0.08	0.18	-	0.04	-	0.28	0.02	0.18	0.04	-	5
6	-	-	0.07	-	-	0.22	-	-	-	0.06	0.14	-	6
7	0.17	-	-	-	-	-	0.16	0.08	-	0.39	-	0.01	7
8	0.50	-	$\overset{s}{0.01}$	0.19	-	0.01	0.62	0.26	0.05	0.32	0.07	0.29	8
9	-	-	$\overset{s}{0.13}$	$\overset{s}{0.04}$	0.17	-	0.01	0.11	0.01	0.10	0.01	-	9
10	0.27	-	0.21	0.29	0.03	-	-	0.20	0.03	-	-	-	10
11	0.10	0.01	0.17	$\overset{s}{0.36}$	0.04	-	-	0.25	0.22	0.10	0.02	-	11
12	0.03	-	0.02	$\overset{s}{0.03}$	0.06	-	-	0.05	-	0.09	0.01	-	12
13	-	-	0.06	0.03	-	-	-	0.11	0.07	0.08	-	-	13
14	$\overset{s}{0.01}$	-	0.14	0.07	-	-	-	0.01	-	-	-	0.01	14
15	$\overset{s}{0.01}$	-	-	-	-	-	0.09	0.45	-	0.02	-	0.12	15
16	$\overset{s}{0.03}$	-	-	0.13	0.02	-	0.02	-	-	0.06	-	0.44	16
17	$\overset{s}{0.01}$	0.06	-	0.07	0.53	0.04	0.23	0.03	0.10	0.06	-	-	17
18	0.02	0.01	-	0.01	-	-	0.19	-	1.28	-	-	-	18
19	-	0.25	0.16	-	-	0.04	-	-	0.01	-	0.02	-	19
20	-	0.09	$\overset{s}{0.33}$	-	0.60	0.04	0.33	0.04	0.01	-	-	-	20
21	0.02	-	$\overset{s}{0.20}$	-	-	-	-	-	-	-	0.09	-	21
22	-	0.04	$\overset{s}{0.08}$	-	-	0.18	-	0.01	-	0.07	-	-	22
23	-	0.19	-	-	0.09	-	-	0.33	-	0.05	-	0.02	23
24	-	0.02	-	-	-	0.09	-	0.17	-	0.13	-	-	24
25	-	0.14	0.07	-	-	-	-	-	-	-	0.02	-	25
26	-	-	-	-	0.07	0.01	-	0.32	0.09	-	0.11	-	26
27	-	-	-	-	1.37	-	0.01	1.07	-	-	-	-	27
28	-	0.02	0.04	-	-	0.73	-	0.15	-	-	-	0.04	28
29			0.06	-	0.08	0.30	0.08	-	-	0.42	-	0.18	29
30	$\overset{s}{0.01}$		0.01	-	-	-	0.46	0.24	-	0.05	0.01	-	30
31	-		$\overset{s}{0.16}$		-		-	0.07		-		0.03	31
Totals	1.46 ✓	1.00 ✓	2.28 ✓	1.62 ✓	3.06 ✓	2.03 ✓	2.21 ✓	5.94 ✓	1.97 ✓	3.28 ✓	0.68 ✓	1.15 ✓	26.68 ✓
Total from Jan. 1	14 ✓	13 ✓	20 ✓	13 ✓	11 ✓	13 ✓	12 ✓	24 ✓	12 ✓	19 ✓	13 ✓	10 ✓	174 ✓

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

REGISTER OF RAINFALL IN 1917

18 JAN 1918

Kept at Cheltenham (Morrone, Old Bath Rd.)
in the County of Gloucester
by F. A. Jones

RAIN GAUGE.
Lat. 51°53' N Lon. 2°5' W
Time of Observation 9 a.m
Diameter five inches
Height of top above Ground 1 foot
" " Sea Level 290 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall*," which is sent post-free on application to Mr. SOWERBY WALLIS or Dr. H. R. MILL, at 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.11	$\overset{s}{0.11}$	-	0.10	-	1.02	0.08	-	0.11	-	1
2	-	$\overset{s}{0.01}$	-	-	-	0.23	-	0.05	-	0.03	0.03	-	2
3	0.06	$\overset{s}{0.01}$	-	0.11	-	-	-	0.21	-	0.62	-	-	3
4	-	$\overset{s}{0.15}$	$\overset{s}{0.17}$	-	-	-	0.01	0.43	-	0.45	-	0.01	4
5	0.22	-	0.08	0.18	-	0.04	-	0.28	0.02	0.18	0.04	-	5
6	-	-	0.07	-	-	0.22	-	-	-	0.06	0.14	-	6
7	0.17	-	-	-	-	-	0.16	0.08	-	0.39	-	0.01	7
8	0.50	-	$\overset{s}{0.01}$	0.19	-	0.01	0.62	0.26	0.05	0.32	0.07	0.29	8
9	-	-	$\overset{s}{0.13}$	$\overset{s}{0.04}$	0.17	-	0.01	0.11	0.01	0.10	0.01	-	9
10	0.27	-	0.21	0.29	0.03	-	-	0.20	0.03	-	-	-	10
11	0.10	0.01	0.17	$\overset{s}{0.36}$	0.04	-	-	0.25	0.22	0.10	0.02	-	11
12	0.03	-	0.02	$\overset{s}{0.03}$	0.06	-	-	0.05	-	0.09	0.01	-	12
13		-	0.06	0.03	-	-	-	0.11	0.07	0.08	-	-	13
14	$\overset{s}{0.01}$	-	0.14	0.07	-	-	-	0.01	-	-	-	0.01	14
15	$\overset{s}{0.01}$	-	-	-	-	-	0.09	0.45	-	0.02	-	0.12	15
16	$\overset{s}{0.03}$	-	-	0.13	0.02	-	0.02	-	-	0.06	-	0.44	16
17	$\overset{s}{0.01}$	0.06	-	0.07	0.53	0.04	0.23	0.03	0.10	0.06	-	-	17
18	0.02	0.01	-	0.01	-	-	0.19	-	1.28	-	-	-	18
19	-	0.25	0.16	-	-	0.04	-	-	0.01	-	0.02	-	19
20	-	0.09	$\overset{s}{0.33}$	-	0.60	0.04	0.33	0.04	0.01	-	-	-	20
21	0.02	-	$\overset{s}{0.20}$	-	-	-	-	-	-	-	0.09	-	21
22	-	0.04	$\overset{s}{0.08}$	-	-	0.18	-	0.01	-	0.07	-	-	22
23	-	0.19	-	-	0.09	-	-	0.33	-	0.05	-	0.02	23
24	-	0.02	-	-	-	0.09	-	0.17	-	0.13	-	-	24
25	-	0.14	0.07	-	-	-	-	-	-	-	0.02	-	25
26	-	-	-	-	0.07	0.01	-	0.32	0.09	-	0.11	-	26
27	-	-	-	-	1.37	-	0.01	1.07	-	-	-	-	27
28	-	0.02	0.04	-	-	0.73	-	0.15	-	-	-	0.04	28
29			0.06	-	0.08	0.30	0.08	-	-	0.42	-	0.18	29
30	$\overset{s}{0.01}$		0.01	-	-	-	0.46	0.24	-	0.05	0.01	-	30
31	-		$\overset{s}{0.16}$		-		-	0.07		-		0.03	31
Totals	1.46 ✓	1.00 ✓	2.28 ✓	1.62 ✓	3.06 ✓	2.03 ✓	2.21 ✓	5.94 ✓	1.97 ✓	3.28 ✓	0.68 ✓	1.15 ✓	26.68 ✓
Total from Jan. 1	14 ✓	13 ✓	20 ✓	13 ✓	11 ✓	13 ✓	12 ✓	24 ✓	12 ✓	19 ✓	13 ✓	10 ✓	174 ✓

K/4,000/12/01. EDWARD STANFORD, LONG ACRE, W.C. PRICE 3D.

53

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

15.

Kept at Morrone, Old Bath Road Cheltenham

in the County of Gloucester

by F. A. Jones

Lat. 51°52′N Long. 2°4′ W.

Time of Observation 9 a.m.

Nearest Railway Station Leckhampton

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0.01	s 0.01	0.03	0.06	-	-	0.04	-	-	0.45	0.01	1
2	-	0.08	-	-	-	-	-	0.37	0.03	0.02	0.01	0.01	2
3	-	0.09	0.02	0.05	0.07	-	-	0.02	0.28	0.02	0.01	0.02	3
4	-	0.08	0.01	0.03	-	-	-	0.06	0.24	-	0.79	0.07	4
5	-	-	-	0.01	0.21	-	-	-	-	0.02	0.11	-	5
6	0.02	0.13	-	0.06	-	0.01	-	-	0.01	0.04	-	0.04	6
7	s 0.02	0.14	-	0.03	0.35	0.03	-	-	0.04	-	0.28	-	7
8	-	0.11	-	-	-	-	-	-	0.06	0.07	-	0.04	8
9	0.02	0.20	-	0.17	-	0.41	0.06	-	0.39	0.20	-	0.10	9
10	0.05	-	-	0.10	-	-	0.34	-	0.43	0.17	-	0.15	10
11	0.01	-	-	0.01	0.06	-	0.04	-	0.11	0.23	0.05	0.10	11
12	0.02	0.02	0.15	-	0.07	-	0.15	-	0.01	-	-	-	12
13	-	0.01	-	0.01	0.03	0.03	0.02	-	0.12	0.03	-	0.19	13
14	0.27	-	0.14	-	-	0.09	1.02	-	0.44	0.03	-	0.07	14
15	s 1.18	-	-	0.73	-	-	0.17	-	0.01	0.01	-	0.24	15
16	s 0.17	-	-	0.69	-	-	-	0.01	0.18	0.03	-	0.05	16
17	0.12	-	0.02	0.09	0.02	-	0.39	-	-	0.04	-	0.08	17
18	0.43	-	-	-	-	0.32	0.04	-	0.65	0.08	-	0.41	18
19	0.05	0.05	0.18	s 0.09	-	-	0.06	-	0.01	0.09	-	0.01	19
20	0.03	0.06	-	s 0.33	-	0.05	0.01	-	0.21	0.08	-	0.05	20
21	0.07	-	-	0.10	-	-	-	-	0.38	0.02	-	0.02	21
22	0.02	-	-	-	0.15	-	0.04	-	0.21	0.13	-	0.27	22
23	0.02	-	-	-	0.38	0.01	0.13	-	0.02	-	-	0.01	23
24	-	0.13	-	-	-	-	0.10	0.01	-	-	0.12	-	24
25	-	-	-	-	-	0.07	0.28	0.24	-	0.03	-	-	25
26	-	-	-	-	-	-	0.67	0.19	0.01	0.03	0.11	0.11	26
27	-	s 0.03	-	-	-	0.04	0.01	-	0.11	-	0.11	0.04	27
28	-	s 0.24	0.27	-	-	-	-	-	-	-	0.15	0.04	28
29	-	X	0.04	-	-	-	-	-	1.36	-	-	0.01	29
30	-	X	0.20	-	-	-	-	-	-	0.01	0.04	0.02	30
31	-	X	0.27	X	-	X	-	0.02	X	-	X	-	31
Total	2.50	1.38	1.31	2.53	1.40	1.06	3.53	0.96	5.31	1.38	2.23	2.16	YEAR'S TOTAL 25.75
Rain Days.	16	15	11	16	10	10	17	9	25	21	12	25	187

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

27 JAN 20

REGISTER OF RAINFALL IN 1919

Ex. [illegible]

Kept at Cheltenham . Old Bath Road
in the County of Gloucester
by F. A. Jones

Lat 51°53' Long. 2° 5'
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.32	s 0.02	0.01	s 0.04	0.04	0.04	0.17	-	0.01	0.08	-	0.52	1
2	0.16	-	-	-	0.03	-	0.20	-	0.07	-	0.15	0.12	2
3	s 1.07	-	0.10	-	0.04	0.06	0.02	-	0.17	-	0.10	0.28	3
4	0.06	0.03	0.47	-	-	0.15	-	0.07	0.17	-	-	0.11	4
5	-	s 0.22	0.37	-	0.14	-	-	-	0.21	-	0.01	0.17	5
6	0.12	-	0.06	-	0.44	-	-	-	-	-	0.01	0.04	6
7	0.26	-	0.30	0.19	0.03	-	-	-	-	-	0.06	0.02	7
8	0.14	-	0.01	0.23	-	-	-	-	-	-	-	-	8
9	0.29	-	0.04	0.12	-	-	-	-	-	-	0.02	-	9
10	-	-	0.41	0.01	-	-	-	-	-	0.01	0.01	0.13	10
11	0.01	-	0.38	0.01	0.02	-	0.37	-	-	0.01	-	0.03	11
12	-	-	0.14	-	-	0.53	-	-	-	0.09	-	0.02	12
13	0.04	0.01	-	0.25	-	-	-	-	0.01	0.03	-	0.06	13
14	0.31	0.01	-	0.19	-	-	0.15	-	0.05	0.09	-	0.03	14
15	0.19	-	0.01	0.12	0.09	-	-	-	-	0.01	s 0.01	0.30	15
16	0.07	0.75	-	-	-	-	-	0.01	-	-	0.10	-	16
17	-	s 0.69	-	-	-	0.01	-	-	-	-	0.11	-	17
18	0.01	-	(at 10.30) 0.40	-	0.16	-	-	0.15	0.04	-	0.02	0.05	18
19	0.12	0.14	s 0.80	-	-	0.11	1.30	0.50	0.05	-	0.02	0.04	19
20	0.25	0.03	0.18	-	-	0.03	0.01	0.05	0.13	-	0.06	-	20
21	0.01	0.49	0.05	-	-	0.14	0.13	-	0.01	-	0.01	0.09	21
22	-	0.26	-	-	-	0.02	0.03	-	0.18	-	-	0.19	22
23	-	-	-	-	-	-	-	0.08	-	0.38	0.06	-	23
24	-	-	-	0.04	-	0.05	-	-	-	0.75	0.10	0.01	24
25	0.11	-	-	-	0.07	-	-	0.15	-	-	-	-	25
26	0.08	-	0.12	0.15	-	0.01	0.41	0.04	0.18	-	-	0.27	26
27	0.11	-	-	s 0.70	-	-	-	0.26	-	-	-	0.02	27
28	s 0.02	-	s 0.17	-	-	-	-	0.21	-	-	s 0.28	0.19	28
29	0.02		-	0.07	-	-	-	-	-	0.19	s 0.07	-	29
30	-		-	0.25	-	0.30	-	0.19	-	0.05	0.12	0.70	30
31	-		-		-		0.01	-		0.01		-	31
Total	3.77	2.65	4.02	2.37	1.07	1.45	2.80	1.71	1.28	1.70	1.32	3.39	YEAR'S TOTAL 27.53 ✓
Rain Days.	22	11	18	14	10	12	11	11	13	12	19	22	175 ✓

W. 7,500, XI. 12

1890

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

8 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Morrone Old Bath Road Cheltenham

in the County of Gloucester

by F. A. Jones

Lat. 51° 53 N Long. 2° 5' W

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	-	0.02	0.25	0.33	-	0.16	.	-	0.15	-	0.45	1
2	0.07	.	0.05	0.07	-	-	0.13	0.05	0.07	0.03	-	0.12	2
3	0.17	0.10	-	0.25	0.01	-	1.59	.	0.09	0.34	.	-	3
4	-	.	0.03	0.13	.	-	0.04	0.39	-	0.26	-	-	4
5	-	.	0.23	0.13	0.08	-	0.33	0.06	.	0.42	-	.	5
6	-	.	0.34	-	0.08	-	0.26	-	.	0.06	-	0.01	6
7	.	.	0.05	0.12	-	-	0.32	.	-	-	.	0.01	7
8	0.05	0.15	.	0.40	0.01	-	0.52	.	-	.	.	0.15	8
9	0.16	.	-	0.49	-	-	-	.	-	-	.	0.01	9
10	0.55	0.07	0.06	0.09	.	0.15	0.09	.	-	.	0.03	0.01	10
11	0.30	0.03	0.13	0.32	0.29	0.07	0.03	-	.	.	.		11
12	0.10	0.03	.	0.19	0.01	0.76	.	0.76	-	-	0.01	.	12
13	0.05	0.02	0.35	0.07	-	.	.	.	0.02	-	-	-	13
14	.	0.02	s 0.76	0.50	-	0.10	-	.	0.21	0.02	0.23	-	14
15	.	0.06	0.03	0.47	.	0.45	-	-	.	0.03	0.01	-	15
16	-	-	-	0.01	0.03	0.02	0.25	-	0.50	0.11	-	-	16
17	0.02	.	-	-	0.15	0.09	-	-	0.75	0.07	.	0.01	17
18	0.40		-	0.04	0.12	-	0.10	0.41	0.61	.	-	0.01	18
19	0.06	s 0.24	-	0.16	-	0.13	.	-	0.01	.	-	-	19
20	0.04	0.05	-	0.16	-	0.14	-	.	-	-	-	0.07	20
21	.	-	-	0.05	-	-	0.01	-	0.01	-	-	0.06	21
22	-	-	-	0.10	-	.	0.01	0.09	-	-	.	0.15	22
23	-	-	-	-	-	-	0.62	0.06	-	-	-	0.28	23
24	-	.	0.30	0.01	-	.	.	0.02	-	.	0.04	0.08	24
25	0.01	0.05	0.15	0.01	-	.	0.57	0.02	.	-	-	/	25
26	0.20	-	0.34	0.01	-	0.08	0.07	-	-	-	0.04	0.13	26
27	0.43	0.06	0.14	0.13	.	0 45	0.05	-	-	-	0.01	0.27	27
28	0.79	-	0.10	0.02	0.20	-	0.04	-	.	-	-	-	28
29	0.17	-	0.12	0.04	0.03	0.08	0.21	-	-	-	0.05	0.34	29
30	0.01	X	0.13	0.06	-	0.12	0.10	-	0.26	.	0.23	0.20	30
31	0.06	X	0.05	X	0.02	X	-	-	X	0.48	X	0.03	31
TOTAL	3.64	0.88	3.38	4.28	1.36	2.64	5.50	1.86	2.53	1.97	0.65	2.39	YEAR'S TOTAL 31.08
Days with ·01 in. or more	19	12	19	27	13	13	21	9	10	11	9	19	182
Days with ·04 in. or more	16	8	16	22	7	12	18	7	7	8	5	12	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

B made

1979

FORM A.
BRITISH RAINFALL.

7 FEB 20

REGISTE

2177

CHELTENHAM A.P.

1911 - 20

1915

Kept at Cheltenham

in the County of Glouceste

by A. C. Saxby

in.

ft. in.

213 ft.

IMPORTANT NOTE.—Rai … t entered to the previous day. If an Observer p … he is earnestly requested to add the reading at 9 … space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in	in.	in	in.	in.	
1	0·32	-	-		0·02	-	0·15	-	-	0·10	0·02	0·53	1
2	0·12	-	-	0·04	-	-	0·15	-	0·30	-	0·15	0·10	2
3	0·97	-	0·07	-	-	-	0·05	-	0·20	-	0·08	0·28	3
4	0·07	-	0·42	-	0·10	0·20	-	0·08	0·24	-	-	0·11	4
5	-	-	0·29	-	0·12	-	-	-	0·35	-	-	0·17	5
6	0·12	-	0·08	-	0·43	-	-	-	-	-	-	0·03	6
7	-	-	0·28	0·12	-	-	-	-	-	-	0·05	0·03	7
8	0·20	-	0·01	0·22	-	-	-	-	-	-	-	-	8
9	0·30	-	0·01	0·15	-	-	-	-	-	-	-	·	9
10	-	-	0·42	-	-	-	-	-	-	-	-	0·18	10
11	0·01	-	0·40	0·04	-	-	0·42	-	-	0·01	-	0·04	11
12	0·05	-	0·11	-	-	-	-	-	-	0·10	-	0·01	12
13	0·28	-	-	0·23	-	-	-	-	-	0·04	-	-	13
14	0·24	-	-	0·18	-	-	0·11	-	0·04	0·07	-	0·05	14
15	0·10	-	-	0·18	0·12	-	-	-	-	-	-	0·28	15
16	-	0·75	-	-	-	-	-	-	-	-	0·10	-	16
17	-	0·63	-	-	-	-	-	-	-	-	0·12	-	17
18	-	0·12	0·60	-	0·40	-	-	0·22	-	-	0·02	0·03	18
19	-	0·10	0·44	-	-	0·12	1·85	0·56	0·05	-	-	0·04	19
20	0·18	0·02	0·30	-	-	0·03	-	0·16	0·03	-	0·05	-	20
21	-	0·56	0·03	-	-	-	0·20	-	-	-	-	0·09	21
22	-	0·11	-	-	-	0·10	0·03	-	0·25	-	-	0·17	22
23	-	-	-	-	-	-	-	0·08	-	0·62	0·08	-	23
24	-		-	-	-	0·05	-	-	-	0·73	0·08	0·08	24
25	0·12	-	-	-	0·05	-	-	0·12	-	-	-	0·08	25
26	-	-	0·13	0·19	-	0·50	0·47	0·06	0·15	-	-	0·18	26
27	-	-	-	0·56	-	-	-	0·40	-	-	-	0·05	27
28	-	-	-	0·07	-	-	-	0·25	-	-	0·20	0·20	28
29	-		-	0·24	-	-	-	-	-	0·21	0·13	0·23	29
30	-	✕	-	0·02	-	0·30	-	0·22	-	0·05	0·14	0·33	30
31	-	✕	-	✕	-	✕	0·01	-	✕	-	✕	-	31
Total	3·08	2·29	3·59	2·24	1·24	1·30	3·44	2·15	1·66	1·93	1·22	3·29	YEAR'S TOTAL 27·43
Rain Days.	14	7	15	13.	7	7	10	10	9.	9	13	23	137

Copied from [illegible] 3202.

W, 6,500, VII. 18. W W C

1919

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

7 FEB 20

Kept at Cheltenham [M.O.]
in the County of Gloucester
by A. C. Saxby

Lat. 51° 54′ N. Long. 2° 3′ W
Time of Observation 9h G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·32	-	-	-	0·02	-	0·15	-	-	0·10	0·02	0·53	1
2	0·12	-	-	0·04	-	-	0·15	-	0·30	-	0·15	0·10	2
3	0·97	-	0·07	-	-	-	0·05	-	0·20	-	0·08	0·28	3
4	0·07	-	0·42	-	0·10	0·20	-	0·08	0·24	-	-	0·11	4
5	-	-	0·29	-	0·12	-	-	-	0·35	-	-	0·17	5
6	0·12	-	0·08	-	0·43	-	-	-	-	-	-	0·03	6
7	-	-	0·28	0·12	-	-	-	-	-	-	0·05	0·03	7
8	0·20	-	0·01	0·22	-	-	-	-	-	-	-	-	8
9	0·30	-	0·01	0·15	-	-	-	-	-	-	-	-	9
10	-	-	0·42	-	-	-	-	-	-	-	-	0·18	10
11	0·01	-	0·40	0·04	-	-	0·42	-	-	0·01	-	0·04	11
12	0·05	-	0·11	-	-	-	-	-	-	0·10	-	0·01	12
13	0·28	-	-	0·23	-	-	-	-	-	0·04	-	-	13
14	0·24	-	-	0·18	-	-	0·11	-	0·04	0·07	-	0·05	14
15	0·10	-	-	0·18	0·12	-	-	-	-	-	-	0·28	15
16	-	0·75	-	-	-	-	-	-	-	-	0·10	-	16
17	-	0·63	-	-	-	-	-	-	-	-	0·12	-	17
18	-	0·12	0·60	-	0·40	-	-	0·22	-	-	0·02	0·03	18
19	-	0·10	0·44	-	-	0·12	1·85	0·56	0·05	-	-	0·04	19
20	0·18	0·02	0·30	-	-	0·03	-	0·16	0·08	-	0·05	-	20
21	-	0·56	0·03	-	-	-	0·20	-	-	-	-	0·09	21
22	-	0·11	-	-	-	0·10	0·03	-	0·25	-	-	0·17	22
23	-	-	-	-	-	-	-	0·08	-	0·62	0·08	-	23
24	-		-	-	-	0·05	-	-	-	0·73	0·08	0·08	24
25	0·12	-	-	-	0·05	-	-	0·12	-	-	-	0·08	25
26	-	-	0·13	0·19	-	0·50	0·47	0·06	0·15	-	-	0·18	26
27	-	-	-	0·56	-	-	-	0·40	-	-	-	0·05	27
28	-	-	-	0·07	-	-	-	0·25	-	-	0·20	0·20	28
29	-	-	-	0·24	-	-	-	-	-	0·21	0·13	0·23	29
30	-	X	-	0·02	-	0·30	-	0·22	-	0·05	0·14	0·33	30
31	-	X	-	X	-	X	0·01	-	X	-	X	-	31
													YEAR'S TOTAL
Total	3·08	2·29	3·59	2·24	1·24	1·30	3·44	2·15	1·66	1·93	1·22	3·29	27·43
Rain Days.	14	7	15	13	7	7	10	10	9	9	13	23	137

Copied from M.O. 3202.

W, 6,500, VII. 18. W W C

1892

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Cheltenham (M.O.)
in the County of Gloucester
by A. C. Saxby, for the Corporation

Lat. 51° 54' N Long 2° 03' W
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	0·22	0·24	-	-	-	0·01	0·13	-	0·50	1
2	0·12	-	0·06	0·10	-	-	0·14	0·05	0·06	0·02	-	0·09	2
3	0·10	0·07	-	0·23	-	-	1·33	-	0·08	0·31	-	-	3
4	-	-	-	0·13	-	-	0·03	0·34	-	0·22	-	-	4
5	-	-	0·25	0·11	0·07	-	0·27	0·04	-	0·39	-	-	5
6	-	-	0·30	-	0·06	-	0·18	-	-	0·06	-	-	6
7	-	-	0·05	0·10	-	-	0·22	-	-	-	-	-	7
8	0·08	0·16	-	0·43	-	-	0·50	-	-	-	-	0·06	8
9	0·11	-	-	0·45	-	-	0·01	-	-	-	-	-	9
10	0·25	0·06	0·04	0·03	-	0·14	-	-	-	-	0·04	0·02	10
11	0·57	0·04	0·10	0·34	0·27	0·06	0·02	-	-	-	-	-	11
12	0·10	0·03	-	0·15	-	0·80	0·03	0·13	-	-	0·01	-	12
13	0·04	-	0·26	0·06	-	-	-	-	-	-	-	-	13
14	-	0·02	0·52	0·40	-	0·08	-	-	0·12	0·02	0·21	-	14
15	-	0·07	0·31	0·36	-	0·44	-	-	-	0·01	-	-	15
16	-	-	-	0·01	0·03	0·04	0·20	-	0·37	0·08	-	-	16
17	0·02	-	-	-	0·13	0·03	-	-	0·93	0·06	-	-	17
18	0·38	-	-	0·03	0·06	-	0·14	0·37	0·52	-	-	0·01	18
19	0·03	0·18	-	0·14	-	0·12	-	0·03	0·01	-	-	-	19
20	0·94	0·02	-	0·16	-	0·17	-	-	-	-	-	0·07	20
21	-	-	-	-	-	-	-	0·01	-	-	-	0·01	21
22	-	-	-	0·15	-	-	-	0·07	-	-	-	0·12	22
23	-	-	-	-	-	-	0·48	0·06	-	-	-	0·26	23
24	-	-	0·27	-	-	-	-	0·01	-	-	0·02	0·05	24
25	-	0·04	-	-	-	0·12	0·50	-	-	-	-	0·01	25
26	0·19	-	0·31	-	-	0·03	0·04	-	-	-	0·04	0·10	26
27	0·63	0·04	0·11	0·14	-	0·45	0·05	-	-	-	-	0·22	27
28	0·76	-	0·07	-	0·19	-	0·03	-	-	-	-	-	28
29	0·22	-	0·09	0·03	0·03	0·08	0·13	-	-	-	0·02	032	29
30	-	X	0·20	0·09	-	0·07	0·12	-	0·23	-	0·22	0·15	30
31	0·06	X	0·02	X	-	X	-	-	X	0·42	X	0·03	31
TOTAL	3·70	0·73	2·96	3·86	1·08	2·63	4·42	1·11	2·33	1·72	0·56	2·02	YEAR'S TOTAL 27·12
Days with ·01 in. or more	17	11	16	22	9	14	19	10	9	11	7	16	161
	13	8	15	18	7	12	14	7	7	8	4	11	126

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGIS

CHELTENHAM

SANDFORD MEAD

GLOUCESTER

1911-1920

Kept at Sandford Mead

in the County of Glouc

by The Cheltenham Corp

d 2 ft. 6 in.

evel 210 ft.

St James's Sq. G.W.R.

e 1 MILE Direction N.W.

IMPORTANT NOTE.—R result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading a the space provided for it at the end of this par of rain, the selection and placing of Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	·03	—	·06	·08	—	—	·05	·03	—	—	—	·04	1
2	·03	—	—	·10	·25	—	—	·11	—	·18	·17	·10	2
3	—	—	—	—	·29	—	—	—	·02	—	·05	·02	3
4	·04	—	·14	·02	—	—	—	—	·02	·12	—	·41	4
5	·04	—	·02	—	—	—	—	·20	—	—	·35	·03	5
6	·36	—	·07	—	—	—	—	—	—	—	—	·96	6
7	—	—	—	—	—	—	—	—	—	—	·40	—	7
8	·23	—	·10	—	—	—	—	—	—	—	·05	·31	8
9	·14	—	·04	—	—	—	—	—	—	—	·11	·36	9
10	·01	·12	·26	—	—	—	—	—	—	—	·02	·22	10
11	·24	—	—	—	—	—	—	—	—	—	·49	—	11
12	—	—	·59	—	—	—	—	—	·06	—	·27	—	12
13	—	—	—	—	—	—	—	—	·41	·16	—	·63	13
14	—	—	—	—	—	—	—	—	—	—	—	·73	14
15	—	—	·08	—	—	—	—	—	—	—	·15	·08	15
16	—	—	—	—	—	·18	—	—	—	—	·24	·22	16
17	—	—	—	—	·02	·04	—	—	—	—	·19	·28	17
18	—	·20	—	·06	—	·13	—	—	—	—	—	·29	18
19	—	—	—	·01	—	—	—	—	·11	·15	·02	·15	19
20	·03	·06	—	—	—	—	—	·25	·06	—	—	·64	20
21	—	·13	·10	—	—	—	—	·35	—	·44	—	—	21
22	—	—	·08	—	—	·30	—	—	—	·05	—	·54	22
23	—	·10	·09	—	—	·08	—	—	·13	·26	—	—	23
24	—	·06	—	—	—	·45	—	·13	—	·25	—	·26	24
25	—	—	·02	·03	—	·13	—	—	·02	—	—	·06	25
26	—	·09	—	·20	—	·04	·21	—	—	·18	·23	·18	26
27	—	·15	·18	·04	—	—	—	·27	·45	—	·08	·07	27
28	—	·21	—	·18	—	—	—	·01	—	—	·03	—	28
29	—		—	—	—	·23	·10	—	·20	·14	—	—	29
30	—		—	·04	·10	·02	—	·13	—	·11	·01	—	30
31	—		—		·01		—	—		—		—	31
99 Total	1·15	1·42	1·83	·76	·67	1·60	·36	1·48	1·48	2·04	2·85	6·58	TOTAL for year 21·00
No. of Rain Days	10	9	14	10	5	10	3	9	10	11	17	22	130

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Sandford Mead Pumping Station.
in the County of Gloucester 3
by The Cheltenham Corporation.

Rain Gauge
Diameter of top 5 in.
Height of top above Ground 2 ft. 6 in.
" " " Sea Level 210 ft.
Time of Observation 9 A.M.
Nearest Railway Station
Name St. James's Sq. G.W.R.
Distance 1 Mile Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	·03	—	·06	·08	—	—	·05	·03	—	—	—	·04	1
2	·03	—	—	·10	·25	—	—	·11	—	·18	·17	·10	2
3	—	—	—	—	·29	—	—	—	·02	—	·05	·02	3
4	·04	—	·14	·02		—	—	—	·02	·12	—	·41	4
5	·04	—	·02	—	—	—	—	·20	—	—	·35	·03	5
6	·36	—	·07	—	—	—	—	—	—	—	—	·96	6
7	—	—	—	—	—	—	—	—	—	—	·40	—	7
8	·23	—	·10	—	—	—	—	—	—	—	·05	·31	8
9	·14	—	·04	—	—	—	—	—	—	—	·11	·36	9
10	·01	·12	·26	—	—	—	—	—	—	—	·02	·22	10
11	·24	—	—	—	—	—	—	—	—	—	·49	—	11
12	—	—	·59	—	—	—	—	—	·06	—	·27	—	12
13	—	—		—	—	—	—	—	·41	·16	—	·63	13
14	—	—	—	—	—	—	—	—	—	—	—	·73	14
15	—	—	·08	—	—	—	—	—	—	—	·15	·08	15
16	—	—	—	—	—	·18	—	—		—	·21	·22	16
17	—	—	—	—	·02	·04	—	—	—	—	·19	·28	17
18	—	·20	—	·06	—	·13	—	—	—	—	—	·29	18
19	—	—	—	·01	—	—	—	—	·11	·15	·02	·15	19
20	·03	·06	—	—	—	—	—	·25	·06	—	—	·04	20
21	—	·13	·10	—	—	—	—	·35	—	·44	—	—	21
22	—	—	·08	—	—	·30	—		—	·05	—	·54	22
23	—	·10	·09	—	—	·08	—	—	·13	·26	—	—	23
24	—	·06	—	—	—	·45	—	·13	—	·25	—	·26	24
25	—	—	·02	·03	—	·13	—	—	·02	—	—	·06	25
26	—	·09	—	·20	—	·04	·21	—	—	·18	·23	·18	26
27	—	·15	·18	·04	—	—		·27	·45	—	·08	·07	27
28	—	·21	—	·18	—	—	—	·01		—	·03	—	28
29	—		—		—	·23	·10	—	·20	·19	—	—	29
30	—		—	·04	·10	·02	—	·13	—	·11	·01	—	30
31	—		—		·01		—	—		—		—	31
99 Total	1·15	1·12	1·83	·76	·67	1·60	·36	1·48	1·48	2·04	2·83	6·58	TOTAL for year 21·90
No. of Rain Days	10	9	14	10	5	10	3	9	10	11	17	22	130.

9,000, IX. '10.

cor by sum ·stats 28.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

10 JAN 1913

Kept at Sandford Mead Pumping Station
in the County of Gloucester 3
by The Cheltenham Corporation.

Lat. 51° 54 Long. 2·1
Time of Observation 9 am.
Nearest Railway Station Gt Western Railway, Cheltenham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 6 in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
12 1	—	—	·99	—	—	·70	·22	—	·11	·21	—	·09	1
2	—	—	·16	·06	—	·38	·40	·04	—	—	—	—	2
3	—	—	·10	—	—	·18	·25	—	—	—	·02	·03	3
4	·11	—	·87	—	—	·99	—	·77	—	—	·25	—	4
5	·21	—	·15	—	·13	·07	—	·38	·03	—	—	·06	5
6	·27	·13	—	—	—	·65	—	1·16	—	—	·02	·02	6
7	—	·14	(·03)	—	·07	—	·20	·05	—	—	—	—	7
8	·24	·12	·34	—	—	—	·15	·03	·03	—	—	·08	8
9	·04	·03	·58	—	—	·50	—	·14	—	—	—	·19	9
10	·05	·06	—	—	—	·05	—	—	·04	—	·06	—	10
11	·06	·04	—	—	—	·06	—	·07	—	—	·03	·42	11
12	·03	·38	·07	—	·03	—	·02	—	—	—	·02	·01	12
13	—	·08	—	—	—	·02	·02	·24	—	—	—	·02	13
14	·04	—	·41	—	—	—	—	·08	—	—	—	—	14
15	·20	·06	—	—	·38	·34	—	·08	—	—	—	·15	15
16	·34	—	·16	—	—	—	—	·07	—	·05	·05	—	16
17	·91	—	·17	—	—	·05	—	·39	—	—	·04	·37	17
18	·21	·02	·12	—	—	—	—	·09	—	·02	—	·03	18
19	·04	·04	·03	—	—	—	·33	·21	—	—	—	—	19
20	—	—	·62	—	·11	—	·20	·21	—	·28	·11	—	20
21	·02	·02	·37	—	·62	—	—	·27	—	·58	—	—	21
22	·20	·05	·18	—	·31	—	·50	·13	—	05 ·05	—	·03	22
23	·06	·49	·25	—	—	·33	·58	5 ·25	—	·07	·02	·34	X 23
24	·05	—	—	—	—	·19	·08	—	—	—	—	·08	24
25	—	—	—	—	—	—	—	·74	—	—	·33	·33	25
26	—	·02	—	—	—	—	·32	1·11	—	·31	·25	·12	26
27	—	—	—	—	—	·11	—	—	—	·75	—	·27	27
28	—	·06	·02	—	—	·28	·66	·69	·12	·24	·28	—	28
29	—	·12	·01	—	—	·67	·19	·03	·40	·35	—	·04	29
30	—		—	—	—	·05	—	—	·06	·13	—	—	30
31	—		·19		—		·57	—		·02		·10	31
99 Total	3·06	1·85	4·88	·06	1·41	5·62	4·83	7·17	·79	2·86	1·48	2·78	YEAR'S TOTAL 36·79 ✓
Rain Days.	18	17.	20.	1	7.	18	16	23.	7	13	13.	20	173. ✓

W. 7,500, XI. 12

[illegible]

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
23 JAN 1914

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire 3

by The Cheltenham Corporation.

Lat. 51° 54' Long. 2°. 1'

Time of Observation 9 a.m.

Nearest Railway Station Cheltenham G. W. Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	~~·00~~	·09	·12	·04	—	—	—	—	·98	—	·06	—	1
2	·04	·10	·04	·09	—	—	·04	—	·21	·91	·07	—	2
3	·14	—	—	—	·20	—	—	—	—	—	—	·03	3
4	·82	—	—	—	·60	—	·04	—	·50	·41	·01	·15	4
5	·01	—	—	—	—	·11	·13	—	·04	·36	·05	·01	5
6	·03	—	—	—	·27	·13	·61	—	—	·23	·11	·38	6
7	—	·29	—	—	25	—	·03	—	—	·22	·10	—	7
8	—	·02	—	—	·43	—	—	—	—	·18	—	—	8
9	—	·18	—	—	·07	·04	·06	·16	·25	—	·03	·01	9
10	·19	—	—	·06	—	—	·05	·21	—	—	·16	—	10
11	1·21	—	—	·25	—	—	—	·01	—	·05	·56	—	11
12	—	—	—	—	·14	—	—	·01	—	—	·65	—	12
13	·03	·02	—	—	·01	—	—	—	·15	—	·30	—	13
14	·14	—	·32	·03	—	—	·04	·05	—	·16	—	—	14
15	·20	—	·40	·39	—	—	·04	—	·10	—	—	—	15
16	·11	·17	·60	·05	—	—	—	·24	·02	—	—	—	16
17	·04	·03	·09	·05	—	·10	·21	—	·22	—	—	—	17
18	·03	—	—	·11	—	—	·07	—	—	—	·03	—	18
19	·28	—	·07	—	—	·38	·04	—	·14	—	—	·03	19
20	·20	—	—	·04	—	—	—	—	—	·15	·03	—	20
21	—	—	·16	·05	·07	—	·04	—	—	·03	·34	—	21
22	·44	—	·41	—	—	—	—	·07	·33	—	—	—	22
23	—	—	—	—	—	·07	—	—	—	—	·02	—	23
24	·01	—	—	·05	—	—	—	·02	—	—	—	·09	24
25	—	—	—	·24	—	—	—	—	·02	—	—	·02	25
26	—	·06	—	·49	—	—	—	·29	—	·05	—	·31	26
27	·01	—	·06	·34	·02	—	—	—	—	·09	—	—	27
28	—	—	·20	·35	—	—	—	—	—	·20	—	·01	28
29	·01		·42	·56	—	—	—	—	—	·40	—	·02	29
30	·17		—	—	—	—	—	—	—	—	·04	—	30
31	·03		·06		14		—	·01		—		—	31
Total	99 4·14	·96	2·95	3·19	2·15	·83	1·40	1·07	2·96	3·44	2·56	1·06	YEAR'S TOTAL 26·71
Rain Days.	21	9	13	17	11	6	13.	10	12	14	16	11	153.

W.7,000, XI. 13

ExLMCC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
7 - JAN 1915

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire 3

by The Cheltenham Corporation.

Lat. 51°. 54' Long. 2°. 1

Time of Observation 9 am

Nearest Railway Station Cheltenham - G. W. Ry

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	·02	·03	·11	—	—	·39	·45	—	—	·02	·05	1
2	·02	—	—	—	—	—	·55	·09	—	—	·90	·60	2
3	—	—	·03	·07	·28	—	·06	—	—	—	·05	—	3
4	·21	—	·01	·16	·03	—	·02	—	—	—	·25	·49	4
5	·03	—	·05	·13	·34	—	·32	·03	—	—	·20	—	5
6	—	·10	·03	·02	·02	—	—	·02	—	—	·02	·20	6
7	—	·21	·09	·08	·20	·16	·18	·09	·07	—	—	·06	7
8	—	—	·24	·13	·08	1·04	—	·03	—	—	—	·15	8
9	·32	·02	·24	·21	·08	1·59	—	·07	·10	—	—	—	9
10	·06	·37	—	·10	·03	03	—	—	·31	—	—	—	10
11	—	·15	·25	·11	·17	·59	—	—	—	—	·13	·50	11
12	—	·21	—	—	—	—	·29	—	·17	—	·03	·25	12
13	·01	·20	·37	—	—	—	—	—	·20	·10	·03	·31	13
14	—	·20	·23	—	—	—	·04	—	—	·45	·12	·02	14
15	·02	·01	·12	—	—	—	—	·07	·10	·01	·17	—	15
16	·03	—	—	—	—	—	·03	—	·08	—	—	—	16
17	—	·13	·15	—	—	—	—	—	·06	·03	—	·26	17
18	—	—	—	—	—	·11	·05	—	—	—	—	·35	18
19	—	·02	·05	—	—	—	·83	·11	—	—	·14	·03	19
20	—	·31	·18	—	—	·04	—	—	—	—	—	·15	20
21	—	·46	·03	—	—	·03	·08	·25	—	·24	—	·16	21
22	—	·03	—	—	·11	—	—	·03	—	·09	—	—	22
23	—	·08	·07	—	·11	—	·03	—	—	·11	—	—	23
24	—	—	·15	—	—	—	·03	—	—	·04	·09	—	24
25	·13	—	·16	—	—	—	·02	·16	—	·17	·02	·09	25
26	—	—	·08	—	—	—	·05	·02	—	·07	·10	·41	26
27	·11	—	·01	—	—	—	—	—	—	·05	·11	·18	27
28	—	·10	·16	—	·04	—	—	—	—	—	·15	·90	28
29	—		·05	—	·09	—	—	—	—	·50	·26	—	29
30	·02		·06	—	—	—	—	—	—	·09	·43	·82	30
31	—		—		—		·25	—		·06		·01	31
99 Total	·96	2·62	2·84	1·12	1·58	3·59	3·22	1·42	1·09	2·01	3·22	5·99	YEAR'S TOTAL 29·66 ✓
Rain Days.	11	14	24	10	13	8	17	13	8	14	19	21	145 ✓

W. 8,000. X. 14.

2270

FORM A.
BRITISH RAINFALL
8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

by The Cheltenham Corporation.

Lat. 51°·54' Long. 2°·1'

Time of Observation 9 am.

Nearest Railway Station Cheltenham. G.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·08	·02	—	·17	—	·46	·08	·13	·21	·02	·08	1
2	·10	·16	·14	·09	—	·05	—	2·31	—	·05	—	·07	X 2
3	1·16	·07	·05	·12	—	—	·15	·03	—	—	—	·09	3
4	·04	—	—	—	·02	—	·33	·07	—	—	—	·45	4
5	—	·99	—	—	—	—	·05	·06	—	—	—	·36	X 5
6	·20	·02	—	·17	—	—	·46	·02	—	—	—	·20	6
7	·05	·47	—	—	—	·07	·20	·08	—	—	·02	·27	7
8	·26	·19	—	—	—	—	·04	·06	—	—	·01	—	8
9	·13	·01	—	·15	—	—	—	·08	—	—	·15	·31	9
10	·17	—	·05	·04	—	—	—	—	—	·05	—	·01	10
11	·05	—	·02	·18	·02	—	—	—	—	—	·83	—	11
12	·07	·10	—	·21	·38	—	—	·02	—	·06	·41	·07	12
13	—	·63	—	—	1·02	—	—	·09	·03	—	—	—	13
14	·02	·05	—	—	—	—	·03	·80	·04	·02	—	·32	14
15	·20	—	—	—	·05	—	·03	·05	—	·08	·03	·10	15
16	—	·90	—	·02	·16	—	·49	·15	—	—	—	·03	16
17	—	·25	—	—	1·08	—	·01	·05	—	—	—	·02	17
18	—	·14	·07	—	—	—	—	—	—	·02	·03	—	18
19	—	·02	—	—	·06	—	·18	—	—	—	—	—	19
20	·33	—	—	·10	—	—	—	—	—	—	—	·22	20
21	·18	·08	—	—	—	—	·03	—	—	·08	—	·12	21
22	·10	·07	·27	·23	—	—	·18	—	—	—	—	·19	22
23	—	·03	·47	—	—	·06	·06	—	·02	·54	—	·52	23
24	—	—	·02	·03	—	—	·28	—	·34	·36	—	·19	24
25	—	—	—	—	—	·86	·01	—	—	·07	—	·33	25
26	—	·07	—	—	—	—	·04	—	—	—	—	·40	26
27	—	·05	—	—	—	—	·05	—	—	·34	—	·02	27
28	—	·05	—	—	—	·07	—	—	·33	·02	—	—	28
29	—	X	—	—	—	—	·41	·10	—	—	·06	·03	29
30	·10	X	—	—	—	·18	·11	—	—	·19	·32	·19	30
31	—	X	—	X	—	X	·06	·02	X	·92	X	·22	31
Total	3.52	4·43	1·11	1·34	2·96.	1·29	3·66	4·07.	·89	3·04	1.88	4·81	YEAR'S TOTAL 33·00
Rain Days.	17	21	9	11	9	6	22	17	6	15	10	25	168.

W. 8,000. X. 15.

W. C 3 2

REGISTER OF RAINFALL IN 1916

13. JAN 1917

FORM A. BRITISH RAINFALL.

Kept at Sandford Mead Pumping Station

in the County of Gloucestershire

by The Cheltenham Corporation

Lat. 51°·54′ Long. 2°·1′

Time of Observation 9 am

Nearest Railway Station Cheltenham - Gt W. Rly -

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground two ft. six in.

" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10	–	·02	–	·05	·02	·18	–	–	·07	·18	–	1
2	·21	·04	·23	–	·34	·27	–	–	–	·61	·04	–	2
3	–	·84	·03	–	·07	–	·03	05 ·05	·05	·32	·08	–	3
4	·43		–	–	·35	·15	–	·14	·12	·03	·62	–	4
5	·01	–	·05	–	·20	·07	·17	–	–	·03	·20	–	5
6	·02	·16	·09	–	·27	·20	·31	–	–	·08	·66	–	6
7	–	–	·26	–	·07	·06	·04	–	–	–	·67	·20	7
8	·05	·02	·05	–	·17	–	–	–	–	–	–	·21	8
9	·01	–	·03	–	·03	·37	–	–	–	·21	–	–	9
10	–	·48	·04	·10 ·09		·23	·02	–	·03	·08	–	·02	10
11	–	·06	·04	·10 [illegible]	·04	·23	–	–	–	·01	–	·42	11
12	·03	–	·04	·30 [illegible]	·40	·01	·26	·02	–	·19	–	–	12
13	–	·25	·07	·03 [illegible]	–	–	·06	·18	–	–	–	–	13
14	–	·36	·07	–	·04	–	–	·02	–	·03	–	–	14
15	–	·13	·20	·01 [illegible]	·14	–	·01	·28	–	·02	–	–	15
16	·01	·02	–	·14 ·16	·01	–	·18	·34	·37	–	–	–	16
17	·07	·13	–	·24 ·29	–	–	·03	·10	·24	·31	–	–	17
18	–	·09	·02	·02	–	–	–	–	·03	·06	·65	–	18
19	·19	–	·23	·21 [illegible]	–	–	–	–	–	–	·31	–	19
20	·01	–	·63	– [illegible]	–	–	–	–	–	–	–	·44	20
21	·02	–	·40	–	–	–	·07	–	–	–	–	·46	21
22	–	–	–	·02 [illegible]	·13	·03	–	–	–	·20	–	·61	22
23	·02	·36	–			–	–	·08	–	·05	·03	·14	23
24	–	·14	·02	–	·14	·15	–	·03	–	·35	–	·13	24
25	–	·53	·21	–		–	–	·29	–	–	–	–	25
26	–	·08	·07	–	·06	·06	–	·10	·01	·38	·18	–	26
27	·03	·13	1·21	–		–	–	·20	·15	·32	–	–	27
28	–	·59	·10	–		03	–	–	·17	·11	–	·18	28
29	–	·14	–	–		·26	–	1·69	–	·45	–	·20	29
30	–	✕	–	·02 ·02		·01	–		–	·24	–	[illegible]	30
31		✕	–	✕		✕	–	–	✕	·41	✕	·02	31 8
99 Total	1·21	4·55	4·11	1·19	2·51	2·15	1·36	3·52	1·17	4·56	3·62	3·03	YEAR'S TOTAL 32·99
Rain Days.	15	19	26	11	17	16	12	14	9	23	11	23.	181

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917.

26. JAN. 1918

FORM A. BRITISH RAINFALL.

2107

Kept at Sandford Mead Pumping Station
in the County of Gloucestershire
by The Cheltenham Corporation

Lat. 51°·54' Long. 2°·1'
Time of Observation 9 am
Nearest Railway Station Cheltenham G^t W. Ry.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. six in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17													
1	-	·01	·11	·08	-	·07	-	1·08	·08	-	·13	-	1
2	-	-	-	·03	-	·25	-	·04	-	·07	·02	-	2
3	·09	-	-	·11	-	-	-	·18	-	·58	-	-	3
4	-	-	·11	-	-	-	-	·30	-	·50	-	·01	4
5	·20	·17	-	·17	-	·03	-	·10	·03	·18	·06	-	5
6	-	-	·21	-	-	·20	-	-	-	·19	·04	-	6
7	·18.	-	-	-	-	-	·17	·08	-	·27	-	-	7
8	·48	-	-	·18	-	-	·61	·25	·05	·45	·07	·30	8
9	-	-	·04	·04	·17	-	·02	·14	·02	·06	·03	-	9
10	·19	-	·18	·25	·04	-	-	·19	·03	·02	-	·02	10
11	-	-	·16	·31	·04	-	-	·33	-	·09	·03	-	11
12	·13	-	·03	-	·06	-	-	·02	-	·10	·02	-	12
13	-	-	·05	·08	-	·01	-	·11	·07	·09	-	-	13
14	·02	-	·12	-	-	-	-	-	-	-	-	·02	14
15	-	-	-	·03	-	-	·04	·17	-	·02	-	·11	15
16	·05	-	-	·15	-	-	-	-	-	·05	-	·33	16
17	·02	·06	-	·06	·52	·08	·24	·05	·10	·06	-	-	17
18	·02	-	-	·01	-	-	·24	·04	1·12	·02	-	-	18
19	-	·23	·35	-	-	·04	-	-	·03	-	·02	-	19
20	-	·08	·06	-	·64	·04	·24	-	·01	-	·03	-	20
21	·01	·05	·20	-	-	·03	-	-	-	-	·12	-	21
22	-	-	·06	-	-	·10	-	·02	-	·11	-	-	22
23	-	·20	-	-	·08	-	-	·29	-	·03	-	·04	23
24	-	-	-	-	-	·13	-	·23	-	·14	-	-	24
25	-	·17	·08	-	-	-	-	-	-	-	·04	-	25
26	-	-	-	-	·11	·03	-	·31	-	-	·10	-	26
27	-	-	-	-	1·40	·01	-	·88	·10	-	-	·01	27
28	-	·03	·05	-	-	·65	-	·13	-	-	-	·03	28
29	-		·03	-	·01	·30	·08	-	-	·47	-	·18	29
30	·01		-	-	-	-	·43	·24	-	·03	·03	-	30
31	-		·09		-		-	·05		-		·05	31
Total	1·40	1·00	1·93	1·50	3·07	1·97	2·07	5·23	1·64	3·53	·74	1·10	YEAR'S TOTAL 25·18
Rain Days.	12	9	17	13	10	15	9	23	11	21	14	11	165

W. 8,000, IX. 17.

E32 B1 51

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

11.

Kept at Sandford Mead Pumping Station
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51°·54' Long. 2°·1"
Time of Observation 9 a.m.
Nearest Railway Station Cheltenham. G.W.Ry.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. six in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·02	·07	·06	–	–	·04	–	·02	·41	·00	1
2	–	·02	–	·01	–	–	–	·30	·01	–	·01	·02	2
3	–	·10	·03	·03	·06	–	–	·03	·33	·03	·02	·02	3
4	–	·08	·02	·03	–	–	–	·06	·09	–	·76	·06	4
5	–	·02	–	–	·18	–	–	–	·17	·05	·08	–	5
6	·04	·14	–	·09	–	·04	–	–	·05	·07	–	·04	6
7	·02	·14	–	·06	·35	·03	–	–	·02	·04	·27	–	7
8	–	·13	–	–	–	–	–	–	·09	·10	–	·08	8
9	·02	·17	–	·15	–	·28	·06	–	·34	·13	–	·11	9
10	·05	–	–	·08	–	–	·25	–	·45	·15	–	·14	10
11	·01	–	–	·01	–	–	·03	–	·05	·34	·04	·10	11
12	·02	·02	·15	–	·11	–	·13	–	·05	–	–	–	12
13	·01	·02	–	–	·03	·02	·02	–	·10	·04	–	·19	13
14	·25	–	·13	–	–	·07	·52	–	·55	·04	–	·05	14
15	1·30	–	–	·55	–	–	·15	–	–	–	–	·27	15
16	·24	–	–	·67	–	–	·01	–	·16	·03	–	·05	16
17	·12	–	·02	·09	·02	–	·29	–	–	·05	–	·06	17
18	·42	–	–	–	–	·28	·10	–	·65	·02	–	·42	18
19	·05	·05	·17	·08	–	–	·05	–	–	·10	–	·02	19
20	·04	·06	–	·28	–	·05	·03	–	·20	·08	–	·04	20
21	·07	–	–	·10	–	–	·02	–	36	·02	–	·01	21
22	·02	–	–	–	·15	–	·03	–	·15	·13	–	·29	22
23	·02	–	–	–	·37	–	·28	–	–	–	–	–	23
24	–	·11	–	–	–	–	·09	–	·03	–	·15	–	24
25	–	–	–	–	–	·03	·30	·23	–	·02	–	–	25
26	–	–	–	–	–	–	·60	–	·02	·02	·12	·14	26
27	–	·04	–	–	–	·03	–	·15	·12	–	·11	·05	27
28	–	·18	·25	–	–	–	–	–	–	–	·16	·04	28
29	–	✕	·03	–	–	–	–	–	1·39	–	·01	·02	29
30	–	✕	·20	–	–	–	–	–	·02	–	·07	·03	30
31	–	✕	·26	✕	–	✕	–	·03	✕	–	✕	–	31
99 Total	2·70	1·28	1·28	2·30	1·33.	·83	2·96	·84	5·40	1·48.	2·21	2·25	YEAR'S TOTAL 24·86
Rain Days.	17	15	11	15	9	9	18	7	23	20	13	~~20~~ 23	180

W, 6,500, VII. 18. W W C

1975

REGISTER OF RAINFALL IN 1919.

FORM A.
BRITISH RAINFALL.

Kept at Sandford Mead Pumping Station
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 54' Long. 2°. 1'
Time of Observation 9 am
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. six in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	–	·01	·07	·02	·02	·19	–	–	·09	–	·55	1
2	·14	–	–	–	·06	–	·23	–	·19	–	·19	·10	2
3	·93	–	·07	–	·04	–	·05	–	·23	–	·10	·28	3
4	·06	·04	·45	–	–	·30	–	·09	·29	–	–	·11	4
5	–	·21	·36	–	·11	–	–	–	·29	–	–	·18	5
6	·06	–	·05	–	·46	–	–	–	–	–	·01	·03	6
7	·25	–	·28	·10	·02	–	–	–	–	–	·06	·04	7
8	·15	–	·01	·24	–	–	–	–	–	–	–	–	8
9	·15	–	·04	·13	–	–	–	–	–	–	·03	–	9
10	·01	–	·37	·04	–	–	–	–	–	–	–	·15	10
11	–	–	·36	·01	·02	–	·38	–	–	–	–	·03	11
12	–	–	·12	–	–	·55	–	–	–	·11	–	·02	12
13	·05	–	–	·26	–	–	–	–	–	·04	–	·04	13
14	·30	·02	–	·18	–	–	·10	–	·04	·06	–	·02	14
15	·22	–	·02	·18	·10	–	–	–	–	·02	–	·24	15
16	·08	·75	–	–	–	–	–	–	–	–	·12	–	16
17	–	·70	–	–	–	·02	–	–	–	–	·12	–	17
18	–	–	·25	–	·57	–	–	·24	·03	–	·03	·08	18
19	·13	·13	·86	–	–	·10	1·52	·60	·04	–	·02	·05	19
20	·20	·03	·14	–	–	·04	·02	·15	·05	–	·05	–	20
21	·02	·44	·04	–	–	·12	·14	–	–	–	·02	·11	21
22	–	·24	–	–	–	·03	·07	–	–	–	–	·18	22
23	–	–	–	–	–	·02	–	·10	·24	·55	·07	–	23
24	–	–	–	·04	–	·03	–	–	–	·77	·09	·01	24
25	·13	–	–	·03	·05	·02	–	·15	–		–	–	25
26	·08	–	·15	–	–	·02	·44	·08	·16	–	–	·29	26
27	·13	–	–	·74	–	–	–	·55	–	–	–	·04	27
28	·02	–	·17	–	–	–	–	·25	–	–	·27	·20	28
29	·03	✕	–	·07	–	–	–	–	–	·19	·06	·26	29
30	–	✕	–	·24	–	29		·28	–	·06	·12	·34	30
31	–	✕	–	✕	–	✕	–		✕	–	✕	–	31
Total	3·43	2·56	3·75	2·33	1·45	1·46	3·14	2·49	1·56	1·89	1·36	3·35	YEAR'S TOTAL 28·77
Rain Days.	21	9	18	14	10	13	10	10	10	9	16	23	163

W. 8,000. X. 15.

Section | A | for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~20

Kept at Sarafford Head, P. Sh.

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	–	·24	·25	–	·15	–	·01	·13	·01	·25		1
2	·09	–	·07	·08	–	–	·10	·05	·08	·03	·09	·09		2
3	·10	·07	–	·22	–	–	1·52	·01	·08	·31	·11	–		3
4	–	–	·04	·12	–	–	·04	·34	–	·22	–	–		4
5	–	–	·25	·09	·07	–	·29	·05	–	·40	·02	–		5
6	–	–	·32	–	·07	–	·17	–	–	·05	–	–		6
7	–	–	·03	·11	–	–	·24	–	–	–	–	–		7
8	·08	·16	–	·40	–	–	·50	–	–	–	–	·09		8
9	·14		–	·47	–	–	–	·01	–	–	–	–		9
10	·07	·07	·06	·04	–	·12	·08	–	–	–	–	·02		10
11	·30	·04	·13	·34	·27	·04	·03	–	–	–	–	–		11
12	·11	·04	–	·27	·02	·78	·02	·03	–	–	–	–		12
13	·05	·02	·27	·07	–	–	–	–	·02	–	·03	–		13
14	–	·02	·81	·45	–	·10	–	–	–	·03	·14	–		14
15	–	·06	·02	·40	–	·40	–	–	·14	·03	–	–		15
16	–	–	–	·02	·04	·04	·21	–	–	·10	·40	–		16
17	·02	–	–	–	·14	·05	–	–	·42	·07	·63	·03		17
18	·37	–	–	·03	·09	–	·16	·37	·90	–	·60	·02		18
19	·05	·15	–	·19	–	·15	–	–	·60	–	–	–		19
20	·05	·09	–	·18	–	·14	–	–	·01	–	·01	·06		20
21	–	–	–	·04	–	–	–	–	–	–	·01	·04		21
22	–	–	–	·12	–	–	–	·09	–	–	–	·16		22
23	–	–	–	–	–	–	·52	·06	–	–	–	·28		23
24	–	–	·28	–	–	–	–	·02	–	–	–	·06		24
25	·01	·05	·15	–	–	·03	·50	·02	–	–	·02	·01		25
26	·18	–	·31	–	–	·04	·04	–	–	–	–	·12		26
27	·64	·05	–	·14	–	·45	·05	–	–	–	–	·22		27
28	·82	–	·09	·03	·16	–	·04	·01	–	–	–	–		28
29	·21	–	·09	·03	·03	·09	·20	–	–	–	–	·32		29
30	–	X	·19	·10	–	·09	·07	–	·25	–	·26	·15		30
31	·06	X	·02	X	–	X	–	–	X	·38	X	·04		31
99 TOTAL	3·35	·82	3·13	4·18	1·14	2·52	4·93	1·06	2·51	1·75	2·33	1·96	Year's total 29·68	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Sandford Road Pumping Station
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 54' Long. 2° 1'
Time of Observation 9 AM.
Nearest Railway Station Cheltenham
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. six in.
" " " " Sea Level 210 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
20 1				·24	·25		·15		·01	·13	·01	·25	1
2	·09		·07	·08			·10	·05	·08	·03	·09	·09	2
3	·10	·07		·22			1·52	·01	·08	·31	·11		3
4			·04	·12			·24	·34		·22			4
5			·25	·09	·04		·29	·05		·40	·02		5
6			·32		·04		·17			·05			6
7			·03	·11			·24						7
8	·08	·16		·40			·50					·09	8
9	·14			·44				·01					9
10	·07	·07	·06	·04		·12	·08					·02	10
11	·30	·04	·13	·34	·24	·04	·03						11
12	·11	·04		·27	·02	·48	·02	·03					12
13	·05	·02	·27	·07					·02		·03		13
14		·02	·81	·45		·30				·03	·14		14
15		·06	·02	·40		·40			·18	·03			15
16				·02	·04	·04	·21			·10	·40		16
17	·02				·14	·05			·32	·07	·63	·03	17
18	·37			·03	·09		·16	·37	·90		·60	·02	18
19	·05	·15		·19		·25			·60				19
20	·05	·09		·18		·14			·08		·01	·06	20
21				·04							·01	·04	21
22				·12				·09				·16	22
23							·52	·06				·28	23
24			·28					·02				·06	24
25	·01	·05	·15			·03	·50	·02			·02	·01	25
26	·18		·31			·04	·04					·12	26
27	·64	·05		·14		·45	·05					·22	27
28	·82		·09	·03	·16		·04	·01					28
29	·21		·09	·03	·08	·09	·20					·32	29
30		✕	·19	·10		·09	·07		·25		·26	·15	30
31	·06	✕	·02	✕		✕			✕	·38	✕	·04	31
99 TOTAL	3·35	·82	3·13	4·18	1·14	2·52	5·13	1·06	2·51	1·75	2·33	1·96	YEAR'S TOTAL 29·68
Days with ·01 in. or more	18	12	17	24	10	14	20	12	10	11	13	14	148
Days with ·04 in. or more	16	10	14	20	8	13	18	6	7	8	7	~~14~~ 13	140

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.

CHELTENHAM,
"OXFORD LAWN"
1914 – 1920

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REGIST 4

2° 4' W

Kept at "Oxford Lawn. Lon

a.m.

in the County of Glouceste

five in.

by Miss G. Jones

ove Ground 1 ft. 4 in.

Sea Level 230 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.01	0.02	0.10	-	.	0.35	0.28	-	.	0.01	0.03	1
2	-	.	-	-	.	.	0.55	0.26	.	.	0.89	0.55	2
3	-	-	0.03	0.06	0.24	-	0.06	.	.	.	0.04	0.01	3
4	0.21	-	0.01	0.15	0.03	.	0.02	0.01	.	-	0.25	0.43	4
5	0.01	.	0.03	0.11	0.34	.	0.30	.	-	-	0.21	.	5
6	-	0.08	0.02	0.01	0.02	0.02	0.01	0.01	-	-	0.01	0.19	6
7	.	0.18	0.08	0.07	0.20	0.12	0.14	0.07	0.03	-	0.01	0.05	7
8	-	0.01	0.24	0.12	0.07	1.00	0.01	0.03	.	-	-	0.12	8
9	0.22	0.01	0.24	0.21	0.06	1.55	.	0.06	0.09	.	-	-	9
10	0.05	0.34	-	0.10	0.04	0.05	-	-	0.30	-	.	.	10
11		0.13	0.22	0.12	0.16	0.60	-	-	0.02	-	0.10	0.52	11
12	$\overset{s}{0.01}$	0.17	0.15	-	-	0.01	0.27	-	0.20	.	0.02	0.26	12
13	$\overset{s}{0.01}$	0.18	0.32	.	.	-	-	-	0.14	0.09	0.05	0.30	13
14	.	0.16	0.20	-	.	-	0.03	-	-	0.45	0.10	0.01	14
15	0.01	0.02	0.10	-	.	.	.	0.05	0.09	0.01	0.16	.	15
16	0.02	-	-	-	.	.	0.03	-	0.06	-	-	.	16
17	-	0.12	0.13	.	.	-	-	-	0.05	0.01	.	0.24	17
18	.	-	0.01	.	-	0.08	0.07	.	-	.	.	0.35	18
19	-	0.02	0.02	-	-	-	0.85	0.08	-	-	0.13	0.03	19
20	.	0.30	0.20	-	-	0.03	-	0.02	-	-	-	0.14	20
21	.	0.52	0.01	-	.	0.02	0.04	0.24	.	0.22	.	$\overset{s}{0.14}$	21
22	-	0.02	-	-	0.12	0.01	0.01	0.02	-	0.07	-	-	22
23	-	0.07	0.06	.	0.10	-	0.01	-	-	0.09	-	0.01	23
24	-	-	0.15	.	-	-	0.02	.	.	0.06	0.08	.	24
25	0.12	-	0.15	.	0.01	-	0.01	0.15	-	0.16	0.01	0.06	25
26	-	.	0.10	-	-	.	0.05	0.01	.	0.06	0.09	0.39	26
27	0.10	-	-	-	-	.	-	.	.	0.03	0.10	0.16	27
28	.	0.08	0.15	-	0.02	-	-	.	.	0.01	0.12	$\overset{s}{1.02}$	28
29	-		0.05	.	0.08	-	-	.	-	0.49	0.26	-	29
30	0.01		0.04	-	.	.	.	.	.	0.08	0.40	0.74	30
31	0.01		.		0.01		0.22	-		0.06		-	31
Total	0.78	2.42	2.73	1.05	1.50	3.49	3.05	1.29	0.98	1.89	3.04	5.75	YEAR'S TOTAL 27.97
Rain Days.	12	18	25	10	15	11	20	14	9	15	20	22	191

W.7,000, XI. 13

REGIST 4

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Oxford Lawn. London Road. Cheltenham
in the County of Gloucester
by Miss G. Jones

Lat.
Long. 2° 4' W
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	0.01	0.02	0.10	-	-	0.35	0.28	-	-	0.01	0.03	1
2	-	-	-	-	-	-	0.55	0.26	-	-	0.89	0.55	2
3	-	-	0.03	0.06	0.24	-	0.06	-	-	-	0.04	0.01	3
4	0.21	-	0.01	0.15	0.03	-	0.02	0.01	-	-	0.25	0.43	4
5	0.01	-	0.03	0.11	0.34	-	0.30	-	-	-	0.21	-	5
6	-	0.08	0.02	0.01	0.02	0.02	0.01	0.01	-	-	0.01	0.19	6
7	-	0.18	0.08	0.07	0.20	0.12	0.14	0.07	0.03	-	0.01	0.05	7
8	-	0.01	0.24	0.12	0.07	1.00	0.01	0.03	-	-	-	0.12	8
9	0.22	0.01	0.24	0.21	0.06	1.55	-	0.06	0.09	-	-	-	9
10	0.05	0.34	-	0.10	0.04	0.05	-	-	0.30	-	-	-	10
11		0.13	0.22	0.12	0.16	0.60	-	-	0.02	-	0.10	0.52	11
12	s 0.01	0.17	0,15	-	-	0.01	0.27	-	0.20	-	0.02	0.26	12
13	s 0.01	0.18	0.32	-	-	-	-	-	0.14	0.09	0.05	0.30	13
14	-	0.16	0.20	-	-	-	0.03	-	-	0.45	0.10	0.01	14
15	0.01	0.02	0.10	-	-	-	-	0.05	0.09	0.01	0.16	-	15
16	0.02	-	-	-	-	-	0.03	-	0.06	-	-	-	16
17		0.12	0.13	-	-	-	-	-	0.05	0.01	-	0.24	17
18	-	-	0.01	-	-	0.08	0.07	-	-	-	-	0.35	18
19	-	0.02	0.02	-	-	-	0.85	0.08	-	-	0.13	0.03	19
20	-	0.30	0.20	-	-	0.03	-	0.02	-	-	-	0.14	20
21	-	0.52	0.01	-	-	0.02	0.04	0.24	-	0.22	-	s 0.14	21
22	-	0.02	-	-	0.12	0.01	0.01	0.02	-	0.07	-	-	22
23	-	0.07	0.06	-	0.10	-	0.01	-	-	0.09	-	0.01	23
24	-	-	0.15	-	-	-	0.02	-	-	0.06	0.08	-	24
25	0.12	-	0.15	-	0.01	-	0.01	0.15	-	0.16	0.01	0.06	25
26	-	-	0.10	-	-	-	0.05	0.01	-	0.06	0.09	0.39	26
27	0.10	-	-	-	-	-	-	-	-	0.03	0.10	0.16	27
28	-	0.08	0.15	-	0.02	-	-	-	-	0.01	0.12	s 1.02	28
29	-		0.05	-	0.08	-	-	-	-	0.49	0.26	-	29
30	0.01		0.04	-	-	-	-	-	-	0.08	0.40	0.74	30
31	0.01		-		0.01		0.22	-		0.06		-	31
Total	0.78	2.42	2.73	1.05	1.50	3.49	3.05	1.29	0.98	1.89	3.04	5.75	YEAR'S TOTAL 27.97
Rain Days.	12	18	25	10	15	11	20	14	9	15	20	22	191

W.7,000, XI. 13

Gt Br 2273

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
26 JAN 1916

Kept at Oxford Lawn Cheltenham
in the County of Gloucester
by Miss G. Jones

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.39	0.07	0.01	-	0.16	-	0.42	0.05	0.09	0.21	-	0.06	1
2	0.18	0.14	0.12	0.14	-	0.04	-	2.12	-	0.06	-	0.06	2
3	$\overset{s}{1.16}$	0.05	0.04	0.10	0.01	-	0.13	0.12	-	-	-	0.11	3
4	0.03	-	-	-	-	-	0.39	0.05	-	-	-	0.40	4
5	-	0.94	-	-	-	-	0.04	0.05	-	-	-	0.41	5
6	0.19	0.02	-	0.15	-	-	0.47	0.01	-	-	-	0.16	6
7	0.04	0.50	-	-	-	0.08	0.20	0.05	-	-	-	0.25	7
8	0.24	0.17	-	-	-	-	0.03	0.05	-	-	-	-	8
9	0.17	-	-	0.15	-	-	-	0.06	-	-	0.11	0.30	9
10	0.14	-	0.04	0.03	-	-	-	-	-	0.04	-	-	10
11	0.01	-	0.01	0.18	0.01	-	-	-	-	-	0.88		11
12	0.05	0.12	-	0.24	0.35	-	-	-	-	0.04	0.38	$\overset{s}{0.06}$	12
13	0.01	0.65	-	-	$\overset{s}{1.00}$	-	-	0.07	0.02	-	-	-	13
14	0.18	0.02	-	-	-	-	0.01	0.83	0.03	0.01	-	0.32	14
15	-	-	-	-	0.05	-	0.02	0.02	-	0.07	0.02	0.09	15
16	-	0.79	-	0.02	0.14	-	0.46	0.12	-	-	-	0.02	16
17	-	0.24	-	-	1.10	-	-	0.04	-	-	-	-	17
18	-	0.13	0.06	-	-	-	-	-	-	-	0.02	-	18
19	-	0.01	-	-	0.05	-	0.15	-	-	-	-	-	19
20	0.30	-	-	-	-	-	-	-	-	-	-	0.21	20
21	$\overset{s}{0.19}$	0.05	-	0.10	-	-	0.02	-	-	0.07	-	0.10	21
22	0.10	0.07	0.25	-	-	-	0.16	-	-	-	-	0.18	22
23	-	0.01	0.42	0.20	-	0.04	0.05	-	0.01	0.56	-	0.50	23
24	-	-	0.01	0.03	-	-	0.30	-	0.34	0.37	-	0.16	24
25	-	-	-	-	-	0.90	0.01	-	-	0.06	0.01	0.34	25
26	-	0.06	-	-	-	-	0.03	-	-	-	-	0.40	26
27	-	0.04	-	-	-	-	0.04	-	-	0.34	-	-	27
28	-	0.02	-	-	-	0.06	-	0.03	0.33	0.01	-	-	28
29	-	X	-	-	-	-	0.38	0.06	-	-	0.05	0.02	29
30	0.05	X	-	-	-	0.18	0.18	-	-	0.18	0.32	0.18	30
31	0.03	X	-	X	-	X	0.05	0.01	X	0.92	X	0.23	31
Total	3.46	4.10	0.96	1.34	2.87	1.30	3.54	3.74	0.82	2.94	1.79	4.56	YEAR'S TOTAL 31.42
Rain Days.	18	20	9	11	9	6	21	17	6	14	8	22	161

W. 8,000. X. 15. W

L Es. DL 2211

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 13. JAN 1917

Kept at Oxford Lawn. Cheltenham
in the County of Gloucester
by Miss G. Jones

Lat. Long.
Time of Observation 9 a. m
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.06	-	0.02	-	0.05	0.01	0.18	-	-	0.08	0.19	-	1
2	0,20	0.02	0.20	-	0.34	-	-	-	-	0.56	0.01	-	2
3	-	0.81	-	-	0.05	-	0.02	-	0.04	0.31	0.08	-	3
4	0.41	0.04	-	-	0.36	0.11	-	-	0.11	0.01	0.55	-	4
5	0.01	-	0.05	-	0.17	0.06	0.17	-	-	0.02	0.20	-	5
6	0.01	0.15	0.10	-	0.26	0.16	0.33	-	-	0.05	0.64	-	6
7	0.01	-	0.22	-	0.05	0.05	0.05	-	-	0.12	0.58	0.18	7
8	0.03	0.01	0.05	-	0.16	-	-	-	-	-	-	0.23	8
9	0.01	-	0.01	-	0.03	0.36	-	-	-	0.07	0.01	0.01	9
10	-	0.47	0.03	0.09	-	0.25	0.01	-	0.01	0.06	-		10
11	-	0.06	0.04	0.11	0.05	0.24	-	-	-	-	-	$\overset{s}{0.44}$	11
12	0.02	-	0.03	0.27	0.37	0.01	0.25	0.02	-	0.17	0.01	-	12
13	-	0.23	0.06	0.02	-	-	0.03	0.18	-	0.01	-	-	13
14	-	0.38	0.06	-	0.02	-	-	0.03	-	0.02	-	-	14
15	-	0.14	0.19	0.02	0.14	-	0.01	0.30	-	0.01	-	-	15
16	-	0.01	-	0.13	-	-	0.15	0.43	-	-	-	-	16
17	0.05	0.13	-	0.26	-	-	0.02	0.05	0.35	0.30	-	-	17
18	-	0.08	0.01	0.01	-	-	-	0.02	0.21	0.05	0.37	0.13	18
19	0.05	-	0.21	0.22	-	-	-	-	0.03	-	$\overset{s}{0.49}$	-	19
20	0.14	-	0.59	0.01	-	-	-	-	-	-	-	$\overset{s}{0.31}$	20
21	0.01	-	0.38	-	0.10	-	0.08	-	-	-	-	0.40	21
22	-		0.01	0.04	-	0.03	-	-	-	0.19	-	0.63	22
23	0.01	$\overset{s}{0.25}$	-	0.01	-	-	-	0.05	-	0.02	0.02	0.14	23
24	-	$\overset{s}{0.35}$	0.01	-	0.13	0.16	-	0.01	-	0.32	-	0.12	24
25	-	$\overset{s}{0.33}$	0.18	-	-	-	-	0.27	-	-	0.17	-	25
26	-	$\overset{s}{0.18}$	0.05	-	0.08	0.05	-	0.08	0.02	0.33	-	-	26
27	0.02	$\overset{s}{0.11}$	$\overset{s}{1.39}$	-	-	0.01	-	0.20	0.14	0.36	-	0.01	27
28	-	$\overset{s}{0.55}$	$\overset{s}{0.13}$	-	-	0.02	-	0.01	0.17	0.11	-	0.07	28
29	-	$\overset{s}{0.14}$	-	-	-	0.15	-	1.71	-	0.44	-	0.17	29
30	-	X	-	0.02	-	0.01	-	-	-	0.22	-	0.01	30
31	-	X	-	X	-	X	-	-	X	0.34	X	-	31
Total	1.04	4.44	402	1.21	2.36	1.68	1.30	3.36	1.08	4.17	3.32	2.85	YEAR'S TOTAL 30.83
Rain Days.	15	20	23	13	16	16	12	14	9	24	13	14	189

Entd 2/11

2111

FORM A.
BRITISH RAINFALL.

18. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Oxford Lawn

in the County of Gloucester

by Miss G. Jones

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 4 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	.	0.11	$\overset{s}{0.12}$	.	0.06	.	1.05	0.08	.	0.12	0.01	1
2	.	.	0.01	.	.	0.24	.	0.06	.	0.05	.	.	2
3	.	0.01	.	0.13	.	.	.	0.19	.	0.59	0.02	.	3
4	0.07	.	0.18	0.01	.	.	.	0.34	.	0.45	.	.	4
5	0.20	.	0.07	0.16	.	0.04	.	0.05	0.01	0.17	0.05	.	5
6	.	.	0.15	.	.	0.20	.	.	.	0.02	0.13	.	6
7	0.17	.	.	.	.	.	0.14	0.10	.	0.39	.	0.01	7
8	0.54	.	0.01	0.18	.	0.01	0.61	0.24	0.03	0.43	0.05	0.28	8
9	.	.	0.12	0.05	0.16	.	0.01	0.12	0.01	0.04	0.01	.	9
10	0.18	.	0.20	0.25	0.06	.	.	0.16	0.02	0.08	.	0.01	10
11	0.08	.	0.15	0.29	0.04	.	.	0.26	0.23	0.08	0.01	.	11
12	0.05	0.01	0.04	0.03	0.05	.	.	0.02	.	0.07	0.01	.	12
13	.	.	0.06	0.04	.	.	.	0.11	.	.	.	.	13
14	0.01	.	0.12	0.02	.	.	.	0.01	.	.	.	.	14
15	.	.	.	.	.	.	0.04	0.18	0.05	0.01	.	0.30	15
16	0.04	0.06	.	0.15	0.01	.	0.02	.	.	0.04	.	0.15	16
17	0.01	.	.	0.06	0.49	0.04	0.23	0.05	0.09	0.05	.	0.01	17
18	0.01	.	.	0.01	.	0.01	0.21	0.03	1.10	.	.	.	18
19	.	0.24	0.27	.	.	0.03	.	.	0.01	.	.	.	19
20	.	0.09	$\overset{s}{0.14}$	.	0.64	0.05	0.27	.	.	.	0.02	.	20
21	.	0.05	$\overset{s}{0.17}$	.	.	0.02	.	.	.	.	0.13	.	21
22	.	.	$\overset{s}{0.07}$	.	.	0.12	.	0.01	.	0.08	.	.	22
23	.	0.19	.	.	0.08	.	.	0.29	.	0.02	.	0.01	23
24	.	0.02	0.01	.	.	0.10	.	0.18	.	0.13	.	.	24
25	.	0.19	0.05	.	.	.	.	.	.	.	0.02	.	25
26	.	.	.	.	0.10	0.01	.	0.32	0.08	.	0.09	.	26
27	.	.	.	.	1.35	0.01	0.01	0.95	.	.	.	.	27
28	.	0.03	0.04	.	.	0.61	.	0.11	.	.	.	0.02	28
29	.		0.03	.	.	0.26	0.09	.	.	0.44	.	0.18	29
30	0.01		.	.	.	.	0.42	0.22	.	0.02	.	.	30
31	.		0.11		.		0.01	0.03		.		0.02	31
Total	1.37 ✓	0.89 ✓	2.11 ✓	1.50 ✓	2.98 ✓	1.81 ✓	2.06 ✓	5.08 ✓	1.71 ✓	3.16 ✓	0.66 ✓	1.00 ✓	YEAR'S TOTAL 24.33 ✓
Rain Days.	12 ✓	10 ✓	21 ✓	14 ✓	10 ✓	16 ✓	12 ✓	24 ✓	11 ✓	19 ✓	12 ✓	11 ✓	172 ✓

W. 7,500, XI. 12

1.82

ExMt

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

15. 1.

Kept at Oxford Lawn. London Rd. Cheltenham
in the County of Gloucester
by Miss G. Jones

Lat. 51° 54′ Long. 2° 4′
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 4 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	0.01	0.06	0.04	-	-	0.03	-	0.01	0.41	-	1
2	-	0.06	-	-	-	-	-	0.29	0.02	0.01	0.01	0.01	2
3	-	0.08	0.02	0.03	0.05	-	-	0.10	0.09	0.01	0.01	0.01	3
4	-	0.07	0.01	0.01	-	-	-	0.05	0.30	-	0.68	0.05	4
5	-	0.01	-	0.01	0.17	-	-	-	0.16	0.01	0.07	-	5
6	0.02	0.11	-	0.07	-	0.01	-	-	0.02	0.05	-	0.02	6
7	0.02	0.11	-	0.04	0.33	0.03	-	-	0.02	0.03	0.25	-	7
8	-	0.11	-	0.06	-	-	-	-	0.08	0.07	-	0.06	8
9	0.02	0.16	-	0.12	-	0.29	0.03	-	0.33	0.14	-	0.10	9
10	0.05	-	-	0.09	-	-	0.28	-	0.40	0.14	-	0.13	10
11	-	-	-	0.01	0.04	-	0.02	-	0.08	0.21	0.03	0.08	11
12	0.01	0.01	0.14	-	0.06	-	0.12	-	0.01	-		-	12
13	-	0.02	-	-	0.02	0.01	0.01	-	0.09	0.03	-	0.20	13
14	0.24	-	0.11	-	-	0.05	0.62	-	0.53	0.03	-	0.03	14
15	s 1.22	-	-	0.65	0.01	-	0.15	-	0.01	-	-	0.25	15
16	s 0.12	-	-	0.60	-	-	0.01	-	0.14	0.01	-	0.04	16
17	0.12	-	0.01	0.07	0.01	-	0.36	-	0.01	0.03	-	0.05	17
18	0.39	-	-	-	-	0.26	0.08	-	0.65	0.01	-	0.40	18
19	0.04	0.04	0.16	0.06	-	-	0.05	-	0.01	0.08	-	0.01	19
20	0.02	0.04	-	0.26	-	0.04	0.01	-	0.16	0.07	-	0.04	20
21	0.06	-	-	0.11	-	-	-	-	0.34	0.02	-	0.01	21
22	0.01	-	-	-	0.14	-	0.03	-	0.15	0.11	-	0.30	22
23	0.01	-	-	-	0.33	0.01	0.29	-	-	-	-	0.01	23
24	-	0.11	-	-	-	-	0.07	0.01	0.02	-	0.12	-	24
25	-	-	-	-	-	0.02	0.28	0.22	-	0.01	-	-	25
26	-	-	-	-	-	-	0.57	-	0.01	0.01	0.11	0.11	26
27	-	0.02	0.01	-	-	0.02	-	0.16	0.11	-	0.11	0.04	27
28	-	0.16	0.23	-	-	-	-	-	-	-	0.15	0.03	28
29	-	X	0.03	-	-	-	-	-	1.53	-	0.01	0.01	29
30	-	X	0.20	-	-	-	-	-	0.01	-	0.06	-	30
31	-	X	0.23	X	-	X	-	-	X	-	X	-	31
Total	2.35	1.11	1.16	2.25	1.20	0.74	298	0.86	5.28	1.09	2.0.2	1.99	YEAR'S TOTAL 23.03
Rain Days.	15	15	12	16	11	10	17	7	26	21	13	23	186

W. 8,000, IX. 17.

Ex.

1960

27 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Oxford Lawn. London Road Cheltenham

in the County of Gloucester

by Miss G. Jones

Lat. 51° 54' Long. 2° 4'

Time of Observation 9 a.m

Nearest Railway Station -

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft 4 in.

„ „ „ „ Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.33	0.02	0.01	0.05	0.01	0.01	0.16	-	0.01	0.07	0.05	0.52	1
2	0.14	.	-	-	0.04	.	0.15	-	0.11	-	0.18	0.09	2
3	s 0.89	.	0.06	-	0.04	0.04	0.10	-	0.21	-	0.08	0.10	3
4	s 0.06	0.01	0.45	-	-	0.14	.	0.07	0.30	-	.	0.26	4
5	0.01	0.25	0.39	-	0.10	-	.	-	0.25	-	.	0.17	5
6	0.11	0.01	0.07	-	0.45	-	-	-	-	-	0.01	0.02	6
7	0.27	.	0.23	0.19	0.01	-	-	-	-	-	0.03	0.07	7
8	0.14	.	0.01	0.15	-	-	-	-	-	-	.	-	8
9	0.13	.	0.02	0.14	-	-	-	-	.	-	0.01	-	9
10	.	-	0.36	0.02	-	-	.	-	-	-	.	0.17	10
11	0.01	. -	0.36	0.01	0.01	-	0.38	-	-	0.01	-	0.02	11
12	-	-	0.14	.	-	0.55	.	-	-	0.09	-	0.02	12
13	0.03	0.01	-	0.25	-	-	.	-	-	0.03	.	0.03	13
14	0.28	0.01	.	0.17	.	.	0.09	-	0.02	0.05	-	0.02	14
15	0.18	-	0.01	0.16	0.08	-	.	-	-	0.01	0.01	0.28	15
16	0.06	0.78	.	-	.	-	.	-	-	.	0.09	0.01	16
17	-	s 0.62	.	.	.	0.01	-	-	-	-	0.10	.	17
18	-	-	0.27	-	0.45	.	0.01	0.38	0.02	-	0.01	.	18
19	0.13	0.14	s 0.86	-	.	0.10	1.58	0.41	0.02	-	0.01	0.08	19
20	0.24	0.01	s 0.14	-	.	0.02	0.01	0.12	0.03	-	0.05	.	20
21	0.02	0.48	0.03	-	.	0.13	0.17	-	0.01	.	0.01	0.08	21
22	-	0.20	-	-	-	0.02	0.02	.	0.21	-	.	0.08	22
23	-	-	-	-	-	-	-	0.09	.	} 1.13 {	0.05	.	23
24	-	-	-	0.05	-	0.04	-	-	-		0.07	0.02	24
25	0.11	.	-	0.02	0.05	.	.	0.15	-	.	-	0.06	25
26	0.08	.	0.12	0.18	-	0.01	0.44	0.06	0.14	-	.	0.21	26
27	s 0.12	-	-	s 0.58	-	.	.	0.54	.	-	-	0.03	27
28	s 0.01	-	s 0.17	.	-	.	.	0.25	-	.	0.26	0.25	28
29	0.02		.	0.06	-	.	-	.	-	0.19	0.06	.	29
30	-		-	0.24	-	0.28	-	0.24	-	-	0.12	0.34	30
31	-		0.01		-		0.01	-		-		-	31
Total	3.37	2.54	3.71	2.27	1.24	1.35	3.12	2.31	1.33	1.58	1.20	2.93	Year's Total 26.95
Days with ·01 in. or more	22	12	19	15	10	12	12	10	12	~~8~~ 9	18	23	~~173~~ 174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1893

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Oxford Lawn Cheltenham

in the County of Gloucester

by Miss Grace Jones

Lat. 51°53' N Long. 2°4' W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	0.02	0.25	0.27	.	0.14	.	0.03	0.12	.	0.50	1
2	0.11	.	0.03	0.07	.	.	0.12	0.03	0.05	0.02	.	0.08	2
3	0.14	0.07	.	0.22	0.01	-	1.63	0.01	0.08	0.31	.	0.01	3
4	-	.	0.03	0.12	.	-	0.03	0.33	.	0.21	.	.	4
5	-	-	0.23	0.17	0.07	-	0.30	0.05	.	0.41	.	-	5
6	.	.	0.31	-	0.04	-	0.17	-	.	0.04	-	-	6
7	0.01	-	0.02	0.10	.	-	0.18	.	-	.	.	0.01	7
8	0.07	0.15	.	0.39	0.01	-	0.43	.	-	-	.	0.08	8
9	0.14	0.01	-	0.46	.	.	.	-	-	.	-	.	9
10	0.50	0.06	0.04	0.05	.	0.11	0.07	-	-	-	0.02	.	10
11	0.29	0.03	0.11	0.36	0.26	0.02	0.01	.	.	-	.	0.02	11
12	0.09	0.02	-	0.17	0.01	0.78	0.01	0.57	.	.	0.01	.	12
13	0.03	0.01	0.24	0.05	.	.	-	.	0.01	-	-	-	13
14	0.01	0.01	0.80	0.47	-	0.10	-	.	0.13	0.01	0.17	-	14
15	.	0.05	0.08	0.36	.	0.38	-	.	.	0.02	.	-	15
16	.	.	-	0.01	0.02	0.02	0.22	.	0.40	0.08	.	.	16
17	0.01	.	-	-	0.13	0.06	.	.	0.78	0.05	.	0.03	17
18	0.40	-	.	0.02	0.07	.	0.17	0.36	0.57	-	.	0.01	18
19	0.05	0.17	.	0.13	0.01	0.18	0.01	0.02	0.01	.	-	0.01	19
20	0.03	0.08	.	0.16	.	0.13	.	.	-	.	-	0.05	20
21	-	-	-	0.02	.	-	.	0.01	.	.	.	0.03	21
22	-	.	-	0.10	.	.	.	0.07	.	.	.	0.17	22
23	.	-	.	0.01	-	.	0.53	0.05	.	.	.	0.28	23
24	-	-	0.26	.	.	-	-	0.01	.	-	0.03	0.05	24
25	0.01	0.03	0.14	-	-	.	0.50	0.01	.	.	.	0.01	25
26	0.18	.	0.31	-	-	0.04	0.03	.	-	.	0.03	0.11	26
27	0.57	0.04	0.14	0.12	.	0.41	0.04	.	-	-	0.01	0.25	27
28	0.85	.	0.07	0.02	0.15	.	0.02	.	.	-	.	0.01	28
29	0.19	.	0.10	0.03	0.02	0.08	0.14	.	.	.	0.04	0.32	29
30	0.01	X	0.19	0.08	.	0.08	0.09	.	0.27	.	0.21	0.20	30
31	0.02	X	0.02	X	0.01	X	-	.	X	0.38	X	0.03	31
TOTAL	3.71	0.73	3.14	3.94	1.08	2.39	4.84	1.52	2.33	1.65	0.52	2.26	YEAR'S TOTAL 28.11
Days with ·01 in. or more	21	13	19	25	14	13	21	12	10	11	8	21	188
Days with ·04 in. or more	13	7	14	19	7	11	15	6	7	8	3	11	121

DL/

355

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

GLOUCESTER.
CHELTENHAM
PRESTBURY.

1911– 1917

REGIS 11

Kept at Prestbury
in the County of W. Glou
by J. W. Guy

5 in.
ve Ground 1 ft. in.
Sea Level ft.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·07	·07			·11	·02			·03	·04	1
2	·04		·02	·14	·23		·02	·10	·02	·19	·14	·10	2
3			·17	·01	·32			·01	·02		·03	·03	3
4	·05			·02					·03	·11	·22	·38	4
5	·04		·03	·01				·19			·08	·03	5
6	·33		·09								·07	·94	6
7				·01						·02	·36		7
8	·24		·10								·04	·29	8
9	·17		·08	·01				·02			·08	·23	9
10	·02	·13	·21								·05	·39	10
11	·24										·47		11
12	·01	·02	·63						·07		·26	·11	12
13			·01		·01				·40	·05		·52	13
14												·77	14
15		·01	·07							·01	·12	·08	15
16	·01					·19					·22	·15	16
17				·02	·02	·03					·19	·34	17
18		·23	·06	·04		·09				·02		·29	18
19	·02	·02	·01	·02		·52			·11	·10	·03	·05	19
20	·01	·07	·03	·02		·01		·12	·07	·02		·73	20
21		·13	·02					·22		·40		·09	21
22		·01	·04			·34				·07	·02	·62	22
23		·11	·12	·03		·06			·17	·23		·12	23
24	·01	·07	·01			·47		·11		·41		·12	24
25		·12	·02	·02	·03	·16			·03	·01		·10	25
26		·05		·20		·06	·19	·02		·16		·18	26
27		·14	·29	·03				·55	·43		·18	·09	27
28		·22		·17				·01			·17		28
29						·26	·08		·19	·16	·04	·01	29
30			·02	·03	·13	·02		·44	·02	·14	·01	·01	30
31													31
Total	1·24	1·33	2·10	·85	·74	2·21	·40	1·81	1·56	2·10	2·81	6·81	TOTAL for year 23·96
No. of Rain Days	14	14	21	17	6	12	4	12	12	16	21	27	176

9,000, IX. '10.

DL

355

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS 11

Kept at Prestbury

in the County of W. Gloucestershire 3

by J. W. Guy

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·07	·07			·11	·02			·03	·04	1
2	·04		·02	·14	·23		·02	·10	·02	·19	·14	·10	2
3			·17	·01	·32			·01	·02		·03	·03	3
4	·05			·02					·03	·11	·22	·38	4
5	·04		·03	·01				·19			·08	·03	5
6	·33		·09								·07	·94	6
7				·01						·02	·36		7
8	·24		·10								·04	·29	8
9	·17		·08	·01				·02			·08	·23	9
10	·02	·13	·21								·05	·39	10
11	·24										·47		11
12	·01	·02	·63						·07		·26	·11	12
13			·01		·01				·40	·05		·52	13
14												·77	14
15		·01	·07							·01	·12	·08	15
16	·01					·19					·22	·15	16
17				·02	·02	·03					·19	·34	17
18		·23	·06	·04		·09				·02		·29	18
19	·02	·02	·01	·02		·52			·11	·10	·03	·05	19
20	·01	·07	·03	·02		·01		·12	·07	·02		·73	20
21		·13	·02					·22		·40		·09	21
22		·01	·04			·34				·07	·02	·62	22
23		·11	·12	·03		·06			·17	·23		·12	23
24	·01	·07	·01			·47		·11		·41		·12	24
25		·12	·02	·02	·03	·16			·03	·01		·10	25
26		·05		·20		·06	·19	·02		·16		·18	26
27		·14	·29	·03				·55	·43		·18	·09	27
28		·22		·17				·01			·17		28
29						·26	·08		·19	·16	·04	·01	29
30			·02	·03	·13	·02		·44	·02	·14	·01	·01	30
31													31
Total	1·24	1·33	2·10	·85	·74	2·21	·40	1·81	1·56	2·10	2·81	6·81	TOTAL for year 23·96
No. of Rain Days	14	14	21	17	6	12	4	12	12	16	21	29	176

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Prestbury

in the County of Gloucestershire 3

by J. W. Guy

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·02	·07			·65	·13	·20	·06	·21		·06	1
2		·02	·17	·04		·24	·52	·12				·01	2
3	·01		·12			·19	·27	·30	·01		·02	·05	3
4	·09		·88		·07	·92	·01	·44			·28		4
5	·22	·03	·12		·08	·18		·39	·01		·02	·06	5
6	·23	·09	·03				·06	·75	·02		·01	·03	6
7		·13	·08		·03	·70	·07	·08				·03	7
8	·32	·11	·31			·10	·12	·63	·06			·06	8
9	·08	·03	·30	·02		·28	·01	·14			·01	·19	9
10	·02	·07	·01			·15		·06	·05		·05		10
11	·07	·04	·01			·04	·02	·15			·08	·37	11
12	·05	·50	·07		·02						·04	·02	12
13		·15					·02	·33			·01	·02	13
14	·06		·41		·07			·12					14
15	·20	·07	·02		·39	·26		·08				·18	15
16	·29		·11		·05	·05		·07		·05	·08		16
17	1·19		·13			·05		·35			·01	·40	17
18	·16	·02	·23					·10		·05		·02	18
19	·07	·03	·01				·38	·20			·02		19
20	·02	·03	·61		·06		·20	·23		·32	·03		20
21	·02	·01	·38		·39			·27		·39			21
22	·75	·05	·06		·21	·12	·61	·14		·05		·02	22
23	·12	·47	·23			·14	·29	·24		·10	·03	·32	23
24	·05	·01				·14	·12	·03				·06	24
25			·01			·77		·56			·31	·34	25
26		·02	·02			·04	·22	·91		·27	·24	·12	26
27						·12	·17			·70		·23	27
28		·07				·36	·42	·60	·12	·21	·24	·46	28
29		·10	·01			·45	·38	·05	·40	·36	·02	·02	29
30					·04	·05	·09		·05	·13			30
31			·23		·27		·36	·12		·02		·12	31
Total	4·02	2·07	4·63	·06	1·68	6·00	4·47	7·66	·78	2·86	1·50	3·19	TOTAL for year 38·92
No. of Rain Days.	20	22	26	2	12	22	21	28	9	13	18	23	216

W. 8,000, X. '11.

Dl ✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

362

Cot. Wold

3

Kept at Prestbury

in the County of Gloucestershire

by J. W. Guy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·09	·13	·03	·01				·93		·05		1
2	·01	·11	·01	·11			·03		·22	·75	·10		2
3	·11	·01	·05		·49					·02		·05	3
4	·76		·07		·36		·04		·29	·74	·02	·15	4
5			·04		·01	·12	·15		·04	·26	·06	·02	5
6	·03		·13		·20	·14	·67			·18	·11	·33	6
7		·29			·22	·04	·04			·23	·09		7
8		·02			·25	·03	·01			·19		·01	8
9		·21	·01		·02	·06	·03	·52	·20		·03	·01	9
10	·20			·08	·05		·04	·17		·02	·18		10
11	1·32			·33	·01			·02		·05	·64		11
12					·15						·70		12
13	·03	·02	·06		·02			·02	·15		·29		13
14	·15	·01	·33	·03				·09		·14			14
15	·16	·15	·43	·37			·03		·03			·01	15
16	·13		·65	·04				·13	·02		·01		16
17	·07	·05	·04	·20		·09	·21		·05		·01		17
18	·08		·13	·13			·09		·01		·02		18
19	·27		·10			·30	·04		·13			·04	19
20	·22		·06	·04					·02	·15	·08		20
21			·10	·03	·07		·04			·02	·30		21
22	·55		·35		·01	·03		·06	·33				22
23						·06		·03	·02		·02	·09	23
24	·02			·05		·01		·05					24
25		·01		·21					·03			·02	25
26		·05		·56				·30		·07		·36	26
27	·01		·13	·28						·06			27
28	·20		·16	·37	·01					·13	·01	·02	28
29	·01		·38	·59				·02		·52	·01	·03	29
30	·20							·01		·29	·06		30
31	·02		·06		·17			·01					31
Total	4·56	1·02	3·42	3·45	2·05	·88	1·42	1·43	2·47	3·62	2·79	1·14	YEAR'S TOTAL 28·45
Rain Days.	22	12	21	17	16	10	13	13	15	17	20	13	189

W. 7,500, XI. ·12

82 [illegible]

347

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Prestbury

in the County of Gloucestershire 3

by J. W. Guy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·04	·12		·01	·24	·31			·03	·07	1
2	·01		·01	·01				·30			·87	·59	2
3			·04	·07	·24		·57				·08	·01	3
4	·23		·01	·14	·03		·04	·06			·27	·54	4
5	·02		·06	·13	·21		·42				·38		5
6		·10	·02	·04	·03	·02	·01	·04			·07	·16	6
7		·20	·08	·09	·18	·35	·17	·08	·03		·01	·04	7
8	·02	·02	·25	·07	·12	1·25		·05				·18	8
9	·25	·02	·25	·19	·08	1·38		·06	·09				9
10	·07	·39	·02	·11	·05	·03			·29				10
11		·15	·18	·09	·25	·48					·17	·43	11
12	·02	·20	·19			·01	·35		·22		·05	·25	12
13	·02	·17	·39						·17	·10	·04	·27	13
14	·01	·15	·18	·01			·06			·52	·10	·03	14
15	·03	·03	·15					·05	·08	·03	·19	·02	15
16	·05		·01						·09				16
17		·13	·12						·14	·02		·19	17
18						·04	·08					·36	18
19		·05	·05				·96	·05			·14	·05	19
20		·32	·21			·05		·02				·27	20
21		·44	·02			·14	·06	·05		·21		·22	21
22		·04		·02	·13		·03	·03		·08			22
23		·08	·07		·11		·02	·01		·10		·02	23
24		·01	·12				·02			·10	·09	·02	24
25	·12		·14		·02		·03	·16		·16	·02	·05	25
26			·13				·08			·08	·12	·38	26
27	·10									·03	·10	·13	27
28	·01	·11	·13		·04					·02	·10	1·15	28
29			·05		·10					·54	·24		29
30	·02		·04		·02	·01				·09	·38	·80	30
31	·02				·03		·22			·04		·01	31
Total	1·00	2·62	2·96	1·09	1·64	3·77	3·36	1·27	1·11	2·12	3·45	6·24	YEAR'S TOTAL 30·63
Rain Days.	16	19	27	13	16	12	17	14	8	15	20	25	202

W.7,000, XI. 13

81

2274
~~340~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Prestbury Exe Dt
in the County of Gloucestershire
by J. W. Guy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	·11	·09		·18		·10	·04	·38	·22		·07	1
2	·21	·15	·15	·16		·06		2·03		·06		·05	2
3	1·11	07	·05	·12	·03		·10	·53				·09	3
4	·02				·01		·37	·03				·43	4
5		·92					·03	·07				·33	5
6	·22	·04		·16			·42	·02				·19	6
7	·06	·46				·12	·14	·08				·24	7
8	·25	·19					·08	·08			·02		8
9	·13	·01		·21				·08			·15	·29	9
10	·15		·06	·03						·05			10
11			·02	·21	·03						·90	·03	11
12	·05	·15		·23	·35				·02	·06	·47	·07	12
13	·05	·64			1·00			·18				·02	13
14		·04					03	·82	·05	·01		·27	14
15	·21				·08		·03	·03		·05	·05	·10	15
16		·79		·03	·13		·47	·23				·02	16
17		·24	·02		1·00			·09				·02	17
18		·13	·14							·02	·03		18
19		·02			·06		·19						19
20	·46			·11								·26	20
21	·22	·07			·01		·05			·08		·09	21
22	·21	·11	·30	·13			·19					·18	22
23		·02	·35			·01	·13		·02	·45		·56	23
24			·01	·04			·45		·31	·43		·19	24
25						·76	·03			·06		·27	25
26		·06					·06					·40	26
27		·10				·13	·09			·30		·02	27
28		·08	·02			·05	·01	·02	·38	·02			28
29					·01		·45	·06			·06	·03	29
30	·07	X				·42	·31	·02		·14	·27	·20	30
31	·04	X		X		X	·06	·02	X	·89	X	·24	31
Total	3·80	4·40	1·21	1·43	2·89	1·55	3·79	4·43	1·16	2·84	1·95	4·66	YEAR'S TOTAL 34·11
Rain Days.	17	21	11	11	12	7	22	18	6	15	8	26	174

W. 8,000. X. 14.

82 82

2212
~~303~~

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Prestbury

in the County of Gloucestershire

by J. W. Guy

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		·02		·07	·03	·17			·07	–		1
2	·22	·04	·30		·33		·01			·56			2
3		·82			·08		·02		·06	·32			3
4	·42	·05	·01		·32	·14			·12	·06			4
5	·02		·07		·15	·10	·15			·03			5
6		·15	·13		·25	·13	·28			·08			6
7	·05		·30		·04	·04	·05			·15		·22	7
8	·03	·05	·05		·19							·23	8
9	·03		·02		·05	·26				·09		·02	9
10		·49	·07	·09		·33	·04		·03	·07		·02	10
11		·06	·07	·12	·04	·40						·69	11
12	·05		·03	·32	·47		·28	·02		·17			12
13		·31	·05	·01			·06	·16					13
14		·29	·11		·03			·01		·05			14
15		·15	·22	·03	·21		·02	·45		·04			15
16	·02	·02	·01	·17	·01		·11	·27					16
17	·10	·16		·23			·02	·07	·37	·30			17
18		·07	·02	·01				·03	·20	·06		·15	18
19	·15		·14	·20					·04				19
20	·02		·44	·04								·43	20
21	·03		·54		·13		·04					·65	21
22		·02	·01	·04	·02	·03				·15		·88	22
23	·02	·43						·08		·03		·17	23
24		·21	·03		·11	·18		·02		·31		·18	24
25		·65	·23					·30					25
26	·01	·07	·04		·06	·10		·22		·41			26
27	·03	·14	1·33			·22		·13	·14	·28			27
28		·60	·15						·22	·11		·11	28
29		·22				·17		2·03		·38		·21	29
30		X		·04		·10				·26			30
31		X		X		X			X	·44	X	·02	31
Total	1·24	5·00	4·39	1·30	2·56	2·23	1·25	3·79	1·18	4·42	3·73	3·98	YEAR'S TOTAL 35·07
Rain Days.	16	21	25	12	18	14	13	13	8	23	15	14	192

W. 8,000. X. 15.

81

2112
~~286~~

[illegible]

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Prestbury

in the County of Gloucestershire

by J. W. Guy

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3	·08												3
4													4
5	·21												5
6													6
7	·14												7
8	·63												8
9													9
10	·22												10
11	·14												11
12													12
13													13
14													14
15													15
16	·07												16
17													17
18	·09												18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30	·04	X											30
31		X		X		X			X		X		31
Total	1.62												YEAR'S TOTAL
Rain Days.	9												

W. 8,000 VIII. 16

458331

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

CHELTENHAM
HEWLETTS RES
GLOUCESTER

RE

Kept at Hewletts' Re … 3 in.
Ground 1 ft. 6 in.
in the County of G … Sea Level 419 ft.
… .M.
by The Cheltenh … Name Charlton Kings. G.W.R.
Distance 1¾ miles Direction S.W.

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … ear in the space provided for it at the end of this … nent of rain, the selection and placin … itish Rainfall Organization are given in … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·06	·08			·11	·03			·02	·04	1
2	·05		·01	·10	·30			·14	·01	·16	·16	·15	2
3					·28			·01	·02		·04	·02	3
4	·03		·17	·02					·02	·16	·32	·38	4
5	·07		·02					·16			·06	·03	5
6	·31		·09								·06	·97	6
7	·01									·01	·30		7
8	·23		·09								·06	·23	8
9	·15		·05								·04	·29	9
10	·02	·14	·32								·04	·37	10
11	·26										·43		11
12			·59			·02			·07		·27	·06	12
13					·01				·39	·47		·53	13
14												·76	14
15			·07								·12	·09	15
16						·16					·27	·21	16
17				·01	·02	·04					·17	·36	17
18		·24	·04	·05		·13				·01		·30	18
19	·02			·03		·47			·13	·11	·02	·05	19
20	·01	·05	·04	·01				·10	·03	·01		·71	20
21		·16	·02					·41		·15		·08	21
22		·01	·06			·31		·01		·06		·53	22
23		·09	·11			·02			·16	·18		·16	23
24		·07		·01		·43		·12		·37		·12	24
25		·07	·01	·03	·02	·17			·02	·01		·09	25
26		·09		·18		·04	·08			·19	Snow ·22	·17	26
27		·12	·21	·03				·46	·48		·09	·08	27
28		·20		·19				·02			·03		28
29		×				·24	·06		·22	·13			29
30		×	·02	·03	·13	·02		·16	·04	·19	·01		30
31		×		×		×			×		×		31
Total	1·20	1·24	1·98	·77	·76	2·05	·25	1·62	1·59	2·11	2·73	6·79	TOTAL for year 23·09
No. of Rain Days.	12	11	18	13	6	12	3	11	12	15	20	25	158

W. 8,000, X. '11.

458331

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

REGISTER OF RAI…

Kept at Hewletts' Reservoir, nr Cheltenham
in the County of Gloucester. 3
by The Cheltenham Corporation

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 419 ft.

Time of Observation 9 A.M.
Nearest Railway Station
Name Charlton Kings. G.W.R.
Distance 1¾ MILES Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04		·06	·08			·11	·03			·02	·04	1
2	·05		·01	·10	·30			·14	·01	·16	·16	·15	2
3					·28			·01	·02		·04	·02	3
4	·03		·17	·02					·02	·16	·32	·38	4
5	·07		·02					·16			·06	·03	5
6	·31		·09								·06	·97	6
7	·01									·01	·30		7
8	·23		·09								·06	·25	8
9	·15		·05								·04	·29	9
10	·02	·14	·32								·04	·37	10
11	·26										·43		11
12			·59			·02			·07		·27	·06	12
13					·01				·39	·14		·53	13
14												·76	14
15			·07								·12	·09	15
16						·16					·27	·21	16
17				·01	·02	·04					·17	·36	17
18		·24	·04	·05		·13				·01		·30	18
19	·02			·03		·47			·13	·11	·02	·05	19
20	·01	·05	·04	·01				·10	·03	·01		·71	20
21		·16	·02					·41		·45		·08	21
22		·01	·06			·31		·01		·06		·53	22
23		·09	·11			·02			·16	·18		·15	23
24		·07		·01		·43		·12		·37		·12	24
25		·07	·01	·03	·02	·17			·02	·01		·09	25
26		·09		·18		·04	·08			·19	Snow ·22	·17	26
27		·12	·21	·03				·46	·48		·09	·08	27
28		·20		·19				·02			·03		28
29		×				·24	·06		·22	·14			29
30		×	·02	·03	·13	·02		·16	·04	·11	·01		30
31		×		×		×			×		×		31
Total	1·20	1·24	1·98	·77	·76	2·05	·25	1·62	1·59	2·11	2·73	6·79	TOTAL for year 25·09
No. of Rain Days.	12	11	18	13	6	12	3	11	12	15	20	25	158

W. 8,000, X. '11.

Ex DS 458331

FORM A. BRITISH RAINFALL.

10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hewletts Reservoir, Cheltenham

in the County of Gloucester 3

by The Cheltenham Corporation.

Lat. 51° [illegible]' Long. 2 [illegible]

Time of Observation 9. A.M.

Nearest Railway Station Charlton Kings, G.W. Ry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 719. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09			·62	·19 ·01	·01	·05	·21		·08	1
2		·04	·21	·06		·36	·57 ·04	·04					2
3	·01		·08		·02	·16	21 ·31	·31			·02	·05	3
4	·10		·90		·07	·97	·29	·34			·27		4
5	·20	·03	·14		·08	·05	·29	·49	·02		·02	·07	5
6	·32	·09	·01				·02	·82	·02		·01	·02	6
7		·32	·04		·08	·64	·10	·05				·05	7
8	·24	·41	·43	·01		·21	·12	·19	·04			·06	8
9	·04	·03	·38	·02		·24	·01	·18				·20	9
10	·02	·07		·01		·12	·01	·05	·04		·04		10
11	·08	·04	·01			·04	·	·07			·09	·44	11
12	·05	·52	·08	·01	·02		·02				·04	·01	12
13		·15				·01	·03	·19		·01		·01	13
14	·06		·45		·07			·11					14
15	·20	·06	·01		·38	·29		·06				·18	15
16	·25		·15		·05	·05		·07		·06	·06		16
17	·85		·17			·04		·42			·01	·40	17
18	·22	·02	·20					·06		·05		·02	18
19	·06	·05					·09	·17			·01		19
20	·02	·02	·64		·08		·19	·24		·29	·08		20
21	·01	·01	·37		[illegible]			·23		·42			21
22	·63	·07	·17		·24	·08	·53	·14		·07		·02	22
23	·09	·49	·24			·15	·59	·28		·10	·03	·56	23
24	·06	·01				·22	·10	·05		·		·09	24
25	·01					·73		·59			·85	·31	25
26		·02	·01			·01	·26	·88		·34	·25	·09	26
27						·12	·20			·75		·30	27
28		·08	·02			·25	·49	·67	·12	·25	·28	·52	28
29		·11	·01			·77	·69	·02	·41	·38	·02	·03	29
30		×			·03	·04	·09		·06	·14			30
31		×	·19	×	·30	×	·41	·13	×	·02	×	·81	31
Total	3·55	2·11	[illegible]	·11	1·79	6·20	[illegible]·60	6·74	·76	3·12	1·58	3·45	YEAR'S TOTAL 59·[illegible]
Rain Days.	21	21	24	5	13.	25	[illegible]	28	8	14	16	22	216

W. 7,500, XI. ·12

Exd D.J.

458331

BRITISH RAINFALL. FORM A.

23 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Hewletts Reservoir. Cheltenham

in the County of Gloucestershire

by The Cheltenham Corporation.

Lat. 51°·54 Long. 2°·2′

Time of Observation 9am

Nearest Railway Station Charlton Kings. G.W.Ry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 419. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·10	·20	·01	·01				1.08		·04		1
2	·01	·11		·12			·03		·16	1·01	·05		2
3	·14		·10		·50					·01		·05	3
4	·89		·07		·38		·03		·21	·70	·01	·12	4
5	·01	·02	·03			·14	·14		·03	·23	·05		5
6	·04		·13		·26	·20	·63			·16	·09	·33	6
7		·33			·25	·04	·02			·26	·10		7
8		·02			·27	·01				·21			8
9		·18	·01		·03	·05	·03	·33	·19		·02	·03	9
10	·17			·07	·03		·03	·28		·01	·19		10
11	1·32			·28	·01					·04	·74		11
12					·16			·01			·67		12
13	·03	·02	·04		·02				·14		·29		13
14	·14	·02	·28	·04			·01	·08		·16			14
15	·13	·16	·45	·39			·02		·06				15
16	·13		·62	·05				·07	·01		·01		16
17	·04	·03	·04	·06		·09	·20		·04			·01	17
18	·05		·16	·15			·08		·06		·01		18
19	·32		·08			·52	·04		·14			·02	19
20	·18		·07	·05					·01	·14	·08		20
21			·15	·05	·06		·03			·02	·28		21
22	·35		·35					·08	·32		·01		22
23						·07		·01				·08	23
24	·01			·06				·02					24
25				·22					·02			·01	25
26		·06		·56				·31		·06		·33	26
27	·01		·12	·25	·03					·04			27
28	·19		·18	·37						·12		·01	28
29	·01	X	·39	·65				·01		·49		·03	29
30	·20	X								·31	·06		30
31	02	X	·06	X	·14	X			X		X		31
Total	4·40	1·05	3·53	3·38	2·15	1·12	1·29	1·20	2·47	3·97	2·70	1·02	YEAR'S TOTAL 28·28.
Rain Days.	23.	11	20	17	14	8	13.	10	14	17.	17	11	175.

W.7,000, XI. 13

Ex LMCC

458331

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 JAN 1915

Kept at Hewlett's Reservoir. Cheltenham
in the County of Gloucestershire 3
by The Corporation of Cheltenham

Lat. 51°.54 Long. 2°.2'
Time of Observation 9 am.
Nearest Railway Station Charlton Kings
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 419 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·02	·10			·18	·29			·03	·03	1
2							·53	·24			·85	[illegible]	2
3			·04	·07	·27		·07				·07		3
4	·22			·17	·03		·03	·07			·24	[illegible]	4
5	·01		·04	·13	·22		·43				·36		5
6		·08	·02	·02	·03			·01			·02	·20	6
7		·22	·09	·08	·20	·30	·17	·08	·03		·01	·06	7
8		·01	·24	·08	·09	1·02		·06				·09	8
9	·26		·22	·26	·06	1·24		·06	·09				9
10	·06	·34		·10	·04	·02			·30			[illegible]	10
11		·13	·26	·12	·24	·63					·15	[illegible]	11
12		·18	·16				·30		·24		·03	·22	12
13		·21	·37						·15	·09	·03	[illegible]	13
14		·18	·19				·05			·56	·13	·02	14
15	·03	·01	·11					·04	·10	01	·22	·01	15
16	·04						·07		·07				16
17		·15	·13						·04			·28	17
18						·07	·10					·34	18
19		·02	·07				·92	·04	·01		·12	·04	19
20		·28	·21			·04						·28	20
21		·41	·01			·12	·02	·28		·23		·18	21
22		·02		·01	·12	·01	·03	·02		·07 (7)			22
23		·09	·10		·07		·01			·09		·03	23
24		·01	·18				·01			·12	·08		24
25	·13		·15				·01	·18		·17	·01	·08	25
26			·10				·07	·01		·07	·11	·39	26
27										·04	·11	·18	27
28	·08	·08	·14		·03					·08	·12	·86	28
29		✕	·05		·09					·58	·33		29
30	·02	✕	·05		·01					·09	·44	·74	30
31	·01	✕		✕	·02	✕	·21		✕	·04	✕		31
Total	·86	2·43	2·95	1·14	1·62	3·48	3·20	1·38.	1·03.	2·44	3·46	5·87.	YEAR'S TOTAL 29·86
Rain Days.	10	18 18	23 23	11	15 15	9	18	13 13	9	14	20	23.	183

W. 8,000. X. 14.

458331 2269

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Hewletts Reservoir . Cheltenham

in the County of Gloucestershire

by The Corporation of Cheltenham

Lat. 51° 54 Long. 2°.2'

Time of Observation 9 am

Nearest Railway Station Charlton Kings.

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. six in.

" " " " Sea Level 419 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·36	·09	·06		·18		·35	·04	·10	·20	·01	·06	1
2	·21	·18	·15	·17		·05		2·32		·10		·05	2
3	1·10	·05	·05	·11	·02		·11	·23			·01	·07	3
4	·02				·02		·43	·09				·46	4
5		·90					·03	·06				·36	5
6	·21	·02		·20			·45	·01				·17	6
7	·04	·49				·15	·20	·07				·25	7
8	·24	·20					·04	·06			·01		8
9	·13	·01		·20				·06			·12	·28	9
10	·13		·06	·02						·05		·01	10
11			·01	·20	·02						·75	·02	11
12	·07	·09		·28	·33					·06	·42	·05	12
13	·01	·68			·79			·12	·03			·01	13
14		·05					·01	·91	·04	·01		·36	14
15	·20				·06		·03	·04		·07	·03	·09	15
16	·01	·79		·02	·15		·47	·09				·02	16
17		·25			1·05			·27		·02		·02	17
18		·16	·03							·01	·01		18
19		·02			·06		·16						19
20	·33			·11								·24	20
21	·18	·06			·01		·03			·06		·11	21
22	·17	·09	·23	·18			·18					·20	22
23		·02	·45			·02	·07		·02	·51		·49	23
24			·03	·04			·28		·30	·39		·16	24
25						·69	·01			·09	·01	·30	25
26		·08					·06		·01			·40	26
27		·05				·01	·04			·36		·01	27
28		·05				·06			·38	·01			28
29							·64	·08			·05	·03	29
30	·07					·22	·27	·01		·19	·29	·19	30
31	·02						·05	·02		·94		·24	31
Total	3·50	4·33	1·07.	1·53.	2·69	1·20	3·91	4·48	·88	3·07	1·71.	4·65.	YEAR'S TOTAL 33·02
Rain Days.	18	21	9	11	11	7	21	17	7	16	11	27	176

W. 8,000. X. 15.

~~W~~C3E 458331 7206

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL

13. JAN 1917

Kept at Hewletts Reservoir. Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 54' Long. 2° 2'
Time of Observation 9 am
Nearest Railway Station Charlton Kings G.W.Ry.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 419 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	~~June.~~ July	~~July.~~ June.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·02		·06	·17	·03			·07	·25		1
2	·21	·04	·24		·36					·56	·03		2
3		·80	·02		·04		·01		·04	·33	·10		3
4	·45	·03			·37		·13		·12	·03	·59		4
5	·01		·07		·16	·12	·05			·03	·25		5
6	·02	·16	·06		·27	·33	·21			·08	·67		6
7			·26		·05	·03	·04			·12	·71	·20	7
8	·05	·01	·05		·17							·22	8
9	·01		·01		·04		·35			·07	01	·01	9
10		·45	·04	·09		·01	·33		·03	·07.			10
11	·01	·06	·04	·11	·06		·39				·01	·55	11
12	·02		·02	·32	·48	·26	·01	·03		·20	·01		12
13		·20	·03	·01		·05		·17		·01	·01		13
14		·26	·07		·03			·01		·03			14
15		·15	·21	·02	·15	·01		·30		·03			15
16		·01	·01	·16	·02	·13		·42					16
17	·10	·13		·29		·02		·02	·37	·32			17
18		·09	·02					·02	·22	·07	·54	·10	18
19	·08		·14	·23					·02		·28		19
20	·10		·58	·01							·02	·36	20
21	·02		·46		·12	·06						·69	21
22				·04	·01		·03			·16		·66	22
23	·02	·28						·07		·02	·03	·12	23
24		·23	·01		·10		·15	·02		·30		·16	24
25		·56	·19					·27			·19		25
26		·09	·07		·12		·12	·13	·02	·23			26
27	·04	·11	1·06				·40	·19	·14	·50			27
28		·52	·13				·01	·01	·17	·11		·09	28
29		·17					·16	1·07		·41		·18	29
30				·02			·01			·24			30
31										·34		·02	31
Total	1·22	4·35	3·81	1·30	2·61	1·19	2·48	3·63	1·18	4·33	2·70	3·36	YEAR'S TOTAL 33·06
Rain Days.	15	20	24	11	18	11	17	14	9	24	16	13	192

W. 8,000, VIII. 16

4583 31 2106

FORM A. BRITISH RAINFALL.

26

REGISTER OF RAINFALL IN 1917

Kept at Hewletts Reservoir. Cheltenham

in the County of Gloucestershire

by The Corporation of Cheltenham

Lat. 51° 54' Long. 2° 2'

Time of Observation 9 am

Nearest Railway Station Charlton Kings. Gt W Ry.

Diameter of Funnel of Rain Gauge eight in.

Height of top of Gauge above Ground one ft. six in.

" " " " Sea Level 419. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·12			·08		1.12	·08		·13		1
2			·01	·02		·21		·02		·06	·02		2
3	·09	·02		·10				·25		·56	·02		3
4		·17	·02	·01				·41		·45			4
5	·20		·06	·16		·03		·05	·05	·18	·06		5
6			·09			·15				·06	·14		6
7	·17						·16	·09		·47		·01	7
8	·59			·17		·02	·62	·27	·06	·44	·09	·30	8
9				·01	·16		·01	·12	·02	·04	·03		9
10	·17		·18	·23	·10			·14	·04	·01		·01	10
11	·11		·13	·26	·03			·18	·26	·09	·02		11
12	·02		·02	·03	·09			·03		·09	·02		12
13			·06	·04		·01		·09	·07	·06			13
14	·01		·08	·03				·01				·03	14
15	·02						·05	·26		·03		·16	15
16	·03	·07		·20	·03		·02			·06	·01	·28	16
17	·01			·07	·50	·05	·25	·06	·12	·06		·01	17
18	·02			·01		·01	·20	·03	1·07	·02			18
19	·01	·22	·25			·05			·01				19
20	·01	·09	·19		·63	·03	·31	·01	·01		·05		20
21		·05	·15			·02					·11		21
22			·18		·12	·08		·04		·12			22
23		·15						·30		·03		·03	23
24		·02	·01			·10		·19		·14	·02		24
25		·20	·09				·04			·15	·05		25
26					·13	·02		·28	·10		·11		26
27					1·49	·01	·01	·85					27
28		·05	·06			·65		·13				·04	28
29		✕	·03			·28	·08		·01	·47		·26	29
30	·01	✕	·01				·46	·27	·01	·03	·01		30
31		✕	·04	✕		✕		·06	✕		✕	·04	31
Total	1·47	1·06	1·71	1·34	3.28	1·80	2·21	5·26	1·91	3·62	·89	1·17.	YEAR'S TOTAL 25·72
Rain Days.	15.	11	20	14	10	17.	12	25	14	22	16	11	187.

W. 8,000, IX. 17.

458331 50

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Hewletts Reservoir. Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51°·54' Long. 2°2'
Time of Observation 9 am
Nearest Railway Station Charlton Kings. G W. Ry.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 419 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·09	·07			·04		·02	·37	·02	1
2		·08						·22		·01	·02	·02	2
3		·08	·03	·03	·06			·09	·30	·02	·02	·02	3
4		·09	·02	·02				·05	·07		·74	·07	4
5					·18			·02	·15	·02	·09		5
6	·04	·13		·07		·04			·02	·06		·04	6
7	·01	·13		·08	·37	·02			·04	·03	·23		7
8		·12							·07	·08		·07	8
9	·03	·19		·13		·31	·05		·34	·16		·10	9
10	·07			·05			·32		·35	·17		·14	10
11				·01	·14		·02		·06	·14	·04	·11	11
12	·02	·03	·14		·09		·19		·01				12
13		·06		·01	·04	·01	·02		·12	·04		·21	13
14	·24		·08			·07	·83		·53	·04		·05	14
15	1·45			·82	·01		·16					·24	15
16	·22			·79			·02		·16	·04		·05	16
17	·13		·01	·06	·02		·31		·01	·05		·07	17
18	·41					·27	·04		·78	·02		·39	18
19	·05	·05	·17	·08			·07			·10		·01	19
20	·03	·06		·30		·05	·01		·17	·11	·02	·05	20
21	·06			·18		·01	·02		·38	·02		·02	21
22	·03				·10		·04		·21	·09		·30	22
23	·03				·44	·03	·40				·01	·02	23
24		·15					·09	·01	·03		·11		24
25						·03	·29	·20		·02			25
26							·52		·01	·03	·12	·13	26
27		·02	·02			·04		·20	·12		·13	·05	27
28		·19	·29	·01		·01					·22	·04	28
29			·03						2.09		·01	·02	29
30			·20								·06	·06	30
31			·27					·03		·02			31
Total	2.82	1·38	1·28	2·73	1·52	·89	3·40	·86	6·02	1·29	2·19	2·30	YEAR'S TOTAL 26 68.
Rain Days	15	14	12	16	11	12	18	9	22	22	15	25	191

W. 6,500, VII. 18. W W C

Ex 8L 458331

9 JAN 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

Kept at Hewletts Reservoir. Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51°.54' Long. 2°.2'
Time of Observation 9 am
Nearest Railway Station Charlton Kings. G.W. Ry
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft six in.
" " " " Sea Level 419. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·28	·02	·02	·07	·04	·01	·18		·02	·09	·02	·55	1
2	·13				·03		·20	·02	·09		·18	·08	2
3	1·20		·08		·05	·07	·04		·18		·13	·27	3
4	·09	·01	·42			·14		·08	·27			·13	4
5		·13	·52		·09				·28			·18	5
6	·09		·06		·43						·01	·03	6
7	·27		·26	·20	·01						·08	·08	7
8	·15		·01	·12									8
9	·15		·03	·14							·02		9
10			·36	·03							·01	·13	10
11	·01		·37	·02	·03		·38					·03	11
12			·12			·60				·10	·01	·02	12
13	·05	·01		·25					·01	·04		·05	13
14	·29			·16	·11		·07		·03	·10		·02	14
15	·19	·01	·02	·19						·01	·01	·25	15
16	·08	·66						·01			·11	·01	16
17		·73				·02					·13		17
18			·28		·46			·21	·03		·02	·05	18
19	·12	·12	·87			·10	1·45	·62	·04		·02	·03	19
20	·22	·02	·14			·03		·15	·01		·09		20
21	·04	·44	·04			·05	·19		·01		·01	·14	21
22		·23				·01	·04		·22			·20	22
23						·01		·09		·50	·06		23
24				·04		·03				·79	·08	·01	24
25	·13			·01	·05			·15				·08	25
26	·09		·14	·11		·02	·69	·08	·17			·23	26
27	·13			·63				·47				·06	27
28	·03		·16					·30			·24	·20	28
29	·04			·08		·02				·21	·08	·25	29
30				·30		·32		·22		·06	·10	·34	30
31			·01				·01			·01			31
Total	3·78	2·38	3·91	2·35	1·30	1·43	3·25	2·40	1·36	1·91	1·41	3·42	Year's Total 28·90
Days with ·01 in. or more	21	11	19	15	10	14	10	12	13.	10	20	25	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd WWD

458331

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hewletts Reservoir Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 54' Long 2° 2'
Time of Observation 9 a.m
Nearest Railway Station Cheltenham G. W. R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 419 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			[illegible]	·32	·28		·23		·01	·20		·45	1
2	[illegible]		[illegible]	·04			·20	·25	[illegible]	·04		·10	2
3	[illegible]	[illegible]		·28	·02		1·06	·05	·11	·31			3
4			[illegible]	·14			·04	·36		·24			4
5			[illegible]	·15	·08		·39	·04	·02	·46			5
6			[illegible]		·06		·16			·04		·01	6
7				·15			·13				·01		7
8	·08	·15		·40	[illegible]		·45	·02				·05	8
9	·13			·44									9
10	·49	·08	·05	·06		·14	·09				·04	·01	10
11	·30	·02	·10	·35	·38	·06	·04					·02	11
12	·10	·02		·19	·01	·89		·43			·02		12
13	·04	·01	·24	·06		·10			·03				13
14		·01	·68	·45		·09			·14	·05	[illegible]		14
15		·05	·04	·20		·14				·05			15
16				·03	·02	·02	·23		·21	·09			16
17	·02				·12	·05			·63	·04		·02	17
18	·38			·03	·09	·01	·12	·34	·61			·01	18
19	·04	·40		·14		·26	·01	·02				·01	19
20	·03	·11		·14		·65			·01			·08	20
21				·03			·01	·01				·04	21
22				·11				·10	·01			·28	22
23		·01					·50	·04				·25	23
24			·26	·01				·03		·01		·06	24
25	·01	·05	·16			·02	·50	·04	·01		·04		25
26	·19		·32	·02	·02	·04	·04				·04	·44	26
27	·53	·06	·13	·15	·01	·44	·06			·01	·02	·24	27
28	·83		·08	~~·05~~	·20		·03						28
29	·19		·08	·05	·04	·09	·14				·06	·34	29
30			·35	·10		·31	·10		·26	·40	·20	·19	30
31	·05		·21		·02							·04	31
TOTAL	3·62	1·05	3·13	4·24	1·36	2·81	4·53	1·59	2·33	2·00	·63	2·34	YEAR'S TOTAL 29·66
Days with ·01 in. or more	18	13	18	25	15	16	21	13	13	13	9	19	193
Days with ·04 in. or more	15	8	16	19	8	13	18	9	4	11	6	13	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOROLOG** … **ZATION.**

REGI…

2173

CHELTENHAM, THIRLESTANE HOUSE

1920

10 JAN 1921

Kept at Hurle… … 4 W

… previous 24

in the County of …

by …

… Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

,, ,, ,, ,, Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·26	·29	—	·15	—	—	·20	—	·53	1
2	·05	—	·05	·07	—	—	·09	·04	·07	·03	—	·10	2
3	·16	·07	—	·24	—	—	1·52	—	·08	·36	—	—	3
4	—	—	·03	·15	—	—	·02	·35	—	·21	—	—	4
5	—	—	·17	·09	·08	—	·30	·05	—	·29	—	—	5
6	—	—	·43	—	·05	—	·15	—	—	·17	—	—	6
7	—	—	·03	·10	—	—	·26	—	—	—	—	·01	7
8	·07	08	—	·31	—	—	55	—	—	—	—	·13	8
9	·16	—	—	·41	07	—	01	—	—	—	—	—	9
10	·57	·07	·06	·06	—	·15	08	—	—	—	·03	—	10
11	·37	·04	·13	·30	·29	·04	02	—	—	—	—	·01	11
12	·10	·03	—	·21	·02	·83	—	·54	—	—	·01	—	12
13	·05	·02	·34	·08	—	—	—	—	·03	—	—	—	13
14	—	·01	·48	·49	—	·11	—	—	·14	·01	·22	—	14
15	—	·07	·34	·42	—	·53	—	—	·02	·01	—	·01	15
16	—	—	—	·01	·03	·04	·21	—	·43	·10	—	—	16
17	·02	—	—	—	·14	·05	—	—	·74	·06	—	·02	17
18	·41	—	—	·02	·07	—	·24	·37	·41	—	—	—	18
19	·05	·19	—	·17	—	·08	—	·01	—	—	—	—	19
20	·05	·07	—	·18	—	·17	—	—	—	—	—	·03	20
21	—	—	—	·02	—	—	—	·01	—	—	—	·01	21
22	—	—	—	·11	—	—	—	·06	—	—	—	·10	22
23	—	·01	—		—	—	·55	·09	—	—	·01	·31	23
24	—	—	·31	—	—	—	—	01	—	—	·02	·06	24
25	—	·04	·15	—	—	·01	·49	01	—	—	·01	01	25
26	·19	—	·30	—	—	·05	·04	01	—	—	·04	·13	26
27	·62	·04	·13	·13	—	·43	·05	—	—	—	01	·28	27
28	79 ·79	·01	·11	·03	·14	—	·04	—	—	—	—	—	28
29	·30	—	·11	·03	·02	·07	·08	—	—	—	04	·24	29
30	—	╳	·17	·05	—	·08	·17	—	·23	—	19	·13	30
31	·06	╳	·02	╳	·02	╳	—	—	╳	40	╳	·09	31
TOTAL	3·97	0·75	3·38	3·94	1·16 1·14	2·64	5·02	1·55	2·15	1·84	0·58	2·20 ~~2·30~~	YEAR TOTAL ~~29·~~ 29·18
Days with ·01 in. or more	~~16~~ 17	14	19	24	12	14	20	12	9	11	10	18	180

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

19 13 17 7 7 8 4 11

16 4·72 8·10 12·04 13·20 15·84 20·85 22·40 24·55 26·39 26·97 29·18 133

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Hurlestone Hall

in the County of Cheltenham

by J Player

Lat. 51.52.20 Long. 2.3.4 W

Time of Observation 9 a m for previous 24

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.26	.29	—	.15	—	—	.20	—	.53	1
2	.05	—	.05	.07	—	—	.09	.04	.07	.03	—	.10	2
3	.16	.07	—	.24	—	—	1.52	—	.08	.36	—	—	3
4	—	—	.03	.15	—	—	.02	.35	—	.21	—	—	4
5	—	—	.17	.09	.08	—	.30	.05	—	.29	—	—	5
6	—	—	.43	—	.05	—	.15	—	—	.17	—	—	6
7	—	—	.03	.10	—	—	.26	—	—	—	—	.01	7
8	.07	.08	—	.31	—	—	.55	—	—	—	—	.13	8
9	.16	—	—	.41	.07	—	.01	—	—	—	—	—	9
10	.57	.07	.06	.06	—	.15	.08	—	—	—	.03	—	10
11	.32	.04	.13	.30	.29	.04	.02	—	—	—	—	.01	11
12	.10	.03	—	.21	.02	.83	—	.54	—	—	.01	—	12
13	.05	.02	.34	.08	—	—	—	—	.03	—	—	—	13
14	—	.01	.48	.49	—	.11	—	—	.14	.01	.22	—	14
15	—	.07	.34	.42	—	.53	—	—	.02	.01	—	.01	15
16	—	—	—	.01	.03	.04	.21	—	.43	.10	—	—	16
17	.02	—	—	—	.14	.05	—	—	.74	.06	—	.02	17
18	.41	—	—	.02	.07	—	.24	.37	.41	—	—	—	18
19	.05	.19	—	.17	—	.08	—	.01	—	—	—	—	19
20	.05	.07	—	.18	—	.17	—	—	—	—	—	.03	20
21	—	—	—	.02	—	—	—	.01	—	—	—	.01	21
22	—	—	—	.11	—	—	—	.06	—	—	—	.10	22
23	—	.01	—	—	—	—	.55	.09	—	—	.01	.31	23
24	—	—	.31	—	—	—	—	.01	—	—	.02	.06	24
25	—	.04	.15	—	—	.01	.49	.01	—	—	.01	.01	25
26	.19	—	.30	—	—	.05	.04	.01	—	—	.04	.13	26
27	.62	.04	.13	.13	—	.43	.05	—	—	—	.01	.28	27
28	.79	.01	.11	.03	.14	—	.04	—	—	—	—	—	28
29	.30	—	.11	.03	.02	.07	.08	—	—	—	.04	.24	29
30	—	✕	.17	.05	—	.08	.17	—	.23	—	.19	.13	30
31	.06	✕	.02	✕	.02	✕	—	—	✕	.40	✕	.09	31
Total	3.97	0.75	3.38	3.94	1.16 ~~1.14~~	2.64	5.02	1.55	2.15	1.84	0.58	2.20 ~~2.81~~	Year Total 29.18
Days with ·01 in. or more	17	14	19	24	12	14	20	12	9	11	10	18	180
				19	7	13	17	7	7	8	4	11	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

16 4.72 8.10 12.04 13.20 15.84 20.85 22.40 24.55 26.39 26.97 29.18 133

Cord for auth 28-11-13

GLOUCESTER.

~~TIDENHAM~~
CHEPSTOW
"PEN-MOEL"
1912 — 1920

FORM A.
BRITISH RAINFALL.

14 JAN 1913

REGIST …2

Kept at Pen Mo…
in the County of Glouc…
by Chas Cann…
For W. R. P…

…g.
9 a.m
…n Tidenham
…e 5 in.
…above Ground 1 ft. in.
„ Sea Level 240 ft.

IMPORTANT NOTE.— … and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W..

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	—	·12	—	—	·30	·25	—	—	·59	—	·76	1
2	—	—	·06	·05	—	·65	·28	·02	—	·01	—	·01	2
3	—	—	·46	—	·04	·26	·11	·58	·06	—	·07	·03	3
4	·16	—	1·00	—	·07	·19	—	·04	—	—	·08	·01	4
5	·56	—	·12	—	·05	·06	—	·50	—	—	·01	·09	5
6	·13	·35	—	—	·16	·03	—	·71	—	—	·01	·03	6
7	·02	·18	·10	—	·05	·51	·07	·02	—	—	·02	·04	7
8	·71	·23	·18	—	—	·07	·13	·13	—	—	—	·11	8
9	·16	·08	·27	—	—	·18	·03	·25	—	—	·02	·42	9
10	·13	·07	·02	·09	—	·06	·03	·09	—	—	·75	·01	10
11	·07	·02	·01	—	—	—	·02	·06	—	—	—	·45	11
12	·05	·31	·15	·08	—	·27	·02	—	—	—	—	·32	12
13	·05	—	·01	·02	—	·01	—	—	—	·10	—	·29	13
14	·18	—	·83	—	·32	—	—	·02	—	·01	—	·07	14
15	·15	·23	—	—	·10	·60	—	·03	—	—	—	·41	15
16	·74	·06	·34	—	—	·03	—	·21	—	·12	·07	·03	16
17	·65	—	·23	—	—	·09	—	·95	—	—	·02	·65	17
18	·08	~~·05~~	·09	—	~~·02~~	·01	—	·82	—	·02	·01	·09	18
19	·06	·10	—	—	—	—	·11	·29	—	·03	—	·02	19
20	—	·03	·57	—	·10	—	·02	·12	—	·47	—	·01	20
21	·02	·19	·35	—	·95	—	·03	·16	—	·13	—	—	21
22	·42	·34	·19	—	·62	·01	·89	·32	—	·02	·10	·08	22
23		·42	·45	—	·01	·31	·03	·35	—	·22	·12	·35	23
24	·27	·07	·09	—	—	·38	·64	·07	—	—	—	·17	24
25	·10	·01	·03	—	—	·92	·07	·90	—	·04	·60	·47	25
26	—	·18	·01	—	—	—	·15	·26	—	·87	·58	·20	26
27	—	·04	—	—	—	78	129	·01	—	115	·01	·69	27
28	—	·13	—	—	—	13	170	117	·13 ~~·18~~	·31	·40	·45	28
29	—	·10	—	—	—	09	34	40	·37	47	·01	·08	29
30	—		·04	—	—	·12	·13	—	02	23	—	·03	30
31	—		·22		·17		·77	·20		·01		·45	31
Total	~~4·72~~	3·19	~~5·88~~	·24	2·40	6·04	6·52 6·52	8·66 ~~8·68~~	·56	4·80	2·28	6·22	YEAR'S TOTAL 51·53
Rain Days.	21	21	26	4	13	24	22	27	4	18	17	30	226

W. 7,500, XI. ·12

cnd for auth 28-11-13

REGIST 2

FORM A. BRITISH RAINFALL.

14 JAN 1913

g.

Kept at Pen Moel

in the County of Gloucester

by Chas Canning
For W. R. Price Esq

Time of Observation 9 a.m

Nearest Railway Station Tidenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	—	·12	—	—	·30	·25	—	—	·59	—	·76	1
2	—	—	·06	·05	—	·65	·28	·02	—	·01	—	·01	2
3	—	—	·66	—	·04	·26	·11	·58	·06	—	·07	·03	3
4	·16	—	1·60	—	·07	·19	—	·04	—	—	·08	·01	4
5	·56	—	·12	—	·05	·06	—	·50	—	—	·01	·09	5
6	·13	·35	—	—	·10	·03	—	·71	—	—	·01	·03	6
7	·02	·18	·10	—	·05	·51	·07	·02	—	—	·02	·04	7
8	·71	·23	·18	—	—	·07	·13	·13	—	—	—	·11	8
9	·16	·08	·27	—	—	·18	·03	·25	—	—	·02	·42	9
10	·13	·07	·02	·09	—	·06	·03	·09	—	—	·75	·01	10
11	·07	·02	·01	—	—	—	·02	·06	—	—	—	·45	11
12	·05	·31	·15	·08	—	·27	·02	—	—	—	—	·32	12
13	·05	—	·01	·02	—	·01	—	—	—	·10	—	·29	13
14	·18	—	·83	—	·32	—	—	·02	—	·01	—	·07	14
15	·15	·23	—	—	·10	·60	—	·03	—	—	—	·41	15
16	·74	·06	·34	—	—	·03	—	·21	—	·12	·07	·02	16
17	·65	—	·23	—	—	·09	—	·95	—	—	·02	·65	17
18	·08	~~·05~~	·09	—	~~·02~~	·01	—	·82	—	·02	·01	·09	18
19	·06	·10	—	—	—	—	·11	·29	—	·03	—	·02	19
20	—	·03	·57	—	·10	—	·03	·12	—	·47	—	·01	20
21	·02	·19	·35	—	·95	—	·03	·16	—	·13	—	—	21
22	·42	·34	·19	—	·42	·01	·89	·32	—	·02	·10	·08	22
23		·42	·45	—	·01	·31	·03	·35	—	·22	·12	·35	23
24	·27	·07	·09	—	—	·38	·06	·07	—	—	—	·17	24
25	·10	·01	·03	—	—	·92	·07	·90	—	·04	·60	·47	25
26	—	·18	·01	—	—	—	·15	·26	—	·87	·58	·20	26
27	—	·04	—	—	—	·78	129	·01	—	115	·01	·69	27
28	—	·13	—	—	—	13	170	117	·13 ~~·18~~	·31	·40	·45	28
29	—	·10	—	—	—	09	34	40	·37	47	·01	·08	29
30	—		·04	—	—	·12	13	—	02	23	—	·02	30
31	—		·22		·17		·77	·20		·01		·45	31
Total	~~4·72~~	3·19	~~5·88~~	·24	~~2·40~~	6·04	6·52 6·52	8·68	3·6	4·80	2·28	6·22	YEAR'S TOTAL 51·53
Rain Days.	21	21	25	4	13	24	22	27	4	18	17	30	226

W. 7,500, XI. 12

~~W. md.~~ Cord by Observer 1·VII·15

REGISTER OF RAINFALL IN 19 1~~4~~3

FORM A.
BRITISH RAINFALL.

Kept at Pen Moel

in the County of Gloucester

by J. Adamson

Lat. Long.
Time of Observation 9 a.M.
Nearest Railway Station Tidenham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	'03	'01	—	'07	—	—	'77	'50	—	—	'12	'18	1
2	—	—	'01	—	'05	'01	'68	'09	—	—	'48	'67	2
3	—	—	'01	'28	'68	—	'01	'06	—	—	'23	'19	3
4	'37	—	'02	'30	'03	—	'38	'04	—	—	'43	'77	4
5	'02	—	'04	'27	'08	—	'07	—	—	—	'18	—	5
6	—	'23	'07	'06	'17	—	—	'11	—	—	—	'35	6
7	'03	'38	'33	'22	'44	'01	'32	'18	—	—	—	'19	7
8	'08	'01	'35	'24	'02	'79	'07	'14	'04	—	—	'19	8
9	'11	'05	'22	'32	'06	1'47	'03	'23	'07	—	—	—	9
10	—	'16	—	—	'10	—	—	—	'50	—	—	—	10
11	'01	'01	'33	—	'05	'47	'19	—	'05	—	'05	'76	11
12	—	'15	'11	—	—	—	'01	—	'30	—	'06	'34	12
13	—	'79	'52		—	—	'05	—	'25	'27	'20	'20	13
14	—	'69	'35	—	—	—	'03	'10	—	'09	'10	—	14
15	'01	'08	'17	—	—	—	'01	'24	'18	—	'30	—	15
16	—	'58	—	—	—	—	'07	—	'22	—	—	—	16
17	—	'06	'22	—	—	—	'05	—	'04	—	—	'80	17
18	—	'07	'03	—	—	—	'16	—	'11	—	—	'52	18
19	—	'25	'21	—		—	'61	—	'02	—		'24	19
20	—	'25	'03	—	—	'01	—	—	—	—	'05	'15	20
21	—	'09	—	—	—	'01	'08	—	—	'19	—	—	21
22	—	—	—	—	'19	'02	—	'24	—	—	—	—	22
23	—	—	'38	—	'06	—	'01	—	—	—	—	—	23
24	—	—	'18	—	—	—	'07	'08	—	'25	'08	—	24
25	—	—	'23	—	'01	—	'03	'80	—	'49	'01	'52	25
26	—	—	—	—	—	—	'07	'01	—	'09	'23	'34	26
27	'14	'02	'31	—	'04	—	—	—	—	—	'55	'45	27
28	'03	'27	'49	—	'09	—	'03	—	—	'06	'12	'97	28
29	'48		'26	—	'04	—	—	'01	—	'15	'43	—	29
30	'18	✕	—	—	'02	—	—	—	—	'22	'95	'63	30
31	'12	✕	—	✕	'01	✕	'82	—	✕	'10	✕	'05	31
Total	1'61	4'15	4'87	1'76	2'14	2'79	4'62	2'83	1'78	1'91	4'57	8'51	YEAR'S TOTAL 41'54
Rain Days.	13	19	23	8	18	8	24	15	11	10	18	20	187

W. 8,000. X. 14.

W.D.J.

cor for auth 23.III.15
reconnected for Burges 1.VII.15

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Pen Moel

in the County of Gloucester

by J. Adamson (Gardener.)

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Chepstow

Diameter of Rain Gauge (5 in.)

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	—	·07	—	—	·77	·50	—	—	·12	·18	1
2	—	—	·01	—	·05	·01	·68	·09	—	—	·48	·67	2
3	—	—	·01	·28	·68	—	·01	·06	—	—	·23	·19	3
4	·37	—	·02	·30	·03	—	·38	·04	—	—	·43	·77	4
5	·02	—	·04	·27	·08	—	·07	—	—	—	·18	—	5
6	—	·23	·07	·06	·17	—	—	·11	—	—	—	·35	6
7	·03	·38	·33	·22	·44	·01	·32	·18	—	—	—	·19	7
8	·08	·01	·35	·24	·02	·79	·07	·14	·04	—	—	·19	8
9	·11	·05	·22	·32	·06	1·47	·03	·23	·07	—	—	—	9
10	—	·16	—	—	·10	—	—	—	·50	—	—	—	10
11	·01	·01	·33	—	·05	·47	·19	—	·05	—	·05	·76	11
12	—	·15	·11	—	—	—	·01	—	·30	—	·06	·34	12
13	—	·79	·52	—	—	—	·05	—	·25	·27	·20	·20	13
14	—	·69	·35	—	—	—	·03	·10	—	·09	·10	—	14
15	·01	·08	·17	—	—	—	·01	·24	·18	—	·30	—	15
16	—	·58	—	—	—	—	·07	—	·22	—	—	—	16
17	—	·06	·22	—	—	—	·05	—	·04	—	—	·80	17
18	—	·07	·03	—	—	—	·16	—	·11	—	—	·52	18
19	—	·25	·21	—	—	—	·61	—	·02	—	·05	·24	19
20	—	·25	·03	—	—	·01	—	—	—	—	—	·15	20
21	—	·09	—	—	—	·01	·08	—	—	·19	—	—	21
22	—	—	—	—	·19	·02	—	·24	—	—	—	—	22
23	—	—	·38	—	·06	—	·01	—	—	—	—	—	23
24	—	—	·18	—	—	—	·07	·08	—	·25	·08	—	24
25	—	—	·23	—	·01	—	·03	·80	—	·49	·01	·52	25
26	—	—	—	—	—	—	·07	·01	—	·09	·23	·34	26
27	·14	·02	·31	—	·04	—	—	—	—	—	·55	·45	27
28	·03	·27	·49	—	·09	—	·03	—	—	·06	·12	·97	28
29	·48	X	·26	—	·04	—	—	·01	—	·15	·43	—	29
30	·18	X	—		·02		—	—	—	·22	·95	·63	30
31	·12	X	—	X	·01	X	·82	—	X	·10	X	·05	31
Total	1·66	4·15	4·87	1·76	~~2·18~~ 2·14	2·79	4·62	2·83	1·78	1·91	4·57	8·51	YEAR'S TOTAL 41·56
Rain Days.	~~1·66~~ 13	19	23	8	18	8	24	15	11	10	18	20	~~41·59~~ 187

1·61

41·54

W. 8,000. X. 14.

crd by Castleford 22.III.16 ~~W~~ 2220

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Pen Moel
in the County of Gloucester
by J. Adamson

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Tidenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·40	·24	—	—	·20	—	—	·15	·18	·31	·02	19	1
2	·26	·26	·19	·28	—	—	—	·34	·07	·27	—	12	2
3	·64	·12	·10	·06	·14	—	·37	·11	—	—	—	20	3
4	·05	·06	—	—	·14	—	·08	—	—	—	—	78	4
5	·14	·22	—	·08	—	—	·15	·22	—	—	—	62	5
6	·24	·03	—	·31	—	—	·40	·06	—	—	—	39	6
7	·17	·68	—	·04	—	—	·26	·05	—	—	—	28	7
8	·46	·34	—	·05	—	—	·01	·10	—	—	·12	—	8
9	·02	·08	—	·05	—	—	—	·01	—	—	·29	1·00	9
10	·24	·06	—	·09	—	·02	—	·01	—	·10	—	·04	10
11	·01	—	·14	·03	—	—	—	—	—	—	·95	·15	11
12	·17	·09	—	·14	·44	—	—	—	—	·09	·65	·01	12
13	·01	·55	—	—	·67	—	—	—	·12	·02	—	—	13
14	·14	—	—	—	—	—	·03	·34	·06	·04	—	1·21	14
15	·45	—	—	—	·32	—	·07	·01	—	·03	·08	·09	15
16	—	·88	—	·02	·50	—	·77	—	—	—	—	·05	16
17	—	·25	—	—	·37	—	—	·32	—	—	—	·01	17
18	—	·40	—	—	—	—	·01	—	—	—	—	—	18
19	—	—	—	·06	·26	—	·44	—	—	—	—	—	19
20	·14	·10	—	·10	—	—	—	—	—	·04	—	·16	20
21	·08	—	—	—	—	—	·09	—	—	·07	—	·11	21
22	·08	·40	·45	·04	—	—	·35	—	·07	—	—	·35	22
23	—	—	·33	—	—	—	·13	—	—	·99	—	·63	23
24	—	—	·03	·10	—	—	·43	—	·24	·67	—	·56	24
25	—	—	—	—	—	·34	·03	—	·02	·02	—	·29	25
26	—	~~·02~~	—	—	—	—	·17	—	—	—	—	·61	26
27	—	(74)	—	—	—	·10	·21	—	—	·49	—	—	27
28	—	—	·02	—	—	—	·01	—	·34	·06	—	·01	28
29	—	—	—	—	—	·12	·11	·03	—	—	·12	·02	29
30	·15	✕	—	—	—	·30	—	—	—	·28	·16	·20	30
31	—	✕	—	✕	—	✕	·07	·05	✕	·58	✕	·40	31
Total	3·85	5·50	1·26	1·45	3·04	·88	4·19	1·80	1·10	4·06	2·39	8·48	YEAR'S TOTAL 38·00
Rain Days.	19	20	7	15	9	5	21	14	8	16	8	26	168

W. 8,000. X. 15.

2155

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Pen Mael
in the County of Gloucester
by J. Bond

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Tidenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	—	·03	—	·13	·28	·30	—	—	·28	·23	—	1
2	1·10	·12	·06	—	·08	—	—	—	·12	1·02	·05	—	2
3	—	·74	—	—	·08	·02	—	—	·04	·50	·13	—	3
4	·73	·18	—	·01	·37	·75	—	—	·05	·43	·26	—	4
5	·02	·22	·02	—	·17	·05	·18	—	—	·21	·05	—	5
6	·07	·37	·07	—	·41	·13	·62	—	—	·40	·76	—	6
7	·03	·03	·15	—	·30	—	·09	—	—	·31	·42	·32	7
8	—	·02	·01	—	·55	·04	—	—	—	—	·04	·29	8
9	—	—	—	—	·07	·19	·04	—	—	·05	·01	·02	9
10	—	·58	—	·05	·07	—	—	—	—	·20	·02	·03	10
11	·02	·01	·03	·13	·07	·10	—	—	—	·02	—	—	11
12	(03)	·19	·06	—	·30	—	·23	·07	—	·12	·01	—	12
13	—	·46	·17	·11	—	—	—	·42	—	·12	·01	—	13
14	—	·54	·42	·01	·03	—	—	·08	—	·10	—	—	14
15	—	·32	·08	·10	02	—	—	·08	—	·02	—	—	15
16	·16	·10	—	·36	—	—	·24	·19	—	·04	—	—	16
17	·11	·13	—	·12	—	—	—	14	·29	·47	·17	—	17
18	·01	—	·12	·01	—	—	—	—	·07	·02	·23	—	18
19	·50	—	·48	·16	—	—	—	—	—	—	·06	·07	19
20	·38	·01	·46	·03	—	—	—	—	—	—	·02	·28	20
21	·30	·06	·42	·14	·08	—	·04	—	—	—	—	·34	21
22	—	—	—	·05	—	·24	—	—	—	·24	·04	·75	22
23	·01	·19	—	·05	—	·08	—	·17	—	·11	·23	·01	23
24	—	·07	·07	21	1·05	·02	—	·20	—	·23	·02	·24	24
25	—	·25	·20	—	—	·04	—	·96	—	—	·13	—	25
26	·05	·09	02	—	—	·23	—	·13	·22	·15	—	—	26
27	·06	·07	1·18	—	·02	·20	·79	·33	·29	1·02	—	·02	27
28	—	·30	·04	—	—	—	—	—	·10	·33	—	·68	28
29	—	·26	—	—	—	·47	—	1·77	—	·33	—	·42	29
30	—	X	—	—	—	·01	—	·03	—	·47	—	·01	30
31	—	X	—	X	—	X	—	·13	X	·37	X	·04	31
Total	3·69	5·31	4·09	1·54	3·80	2·85	2·53	4·70	1·18	7·56	2·89	3·52	YEAR'S TOTAL 43·66
Rain Days.	17	24	20	15	17	16	9	14	8	26	20	15	201

W. 8,000, VIII. 16

2057

FORM A.
BRITISH RAINFALL
8. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Pen Moel
in the County of Gloucester
by J. Bond for W. R. Price Esq

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Tidenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·28	·37	—	19	—	·79	·25	—	·3	·4	1
2	—	—	·1	—	—	·15	—	·3	—	·2	·5	—	2
3	·2	—	—	·2	—	—	·14	·6	—	·92	·2	—	3
4	—	·28	·15	—	—	—	·17	—	—	·23	—	—	4
5	·20	—	·12	·26	—	13	—	·42	—	·27	19	—	5
6	—	—	·18	—	—	·22	—	—	—	·14	·28	·5	6
7	·26	—	—	—	—	—	·5	26	—	·27	·8	·5	7
8	·45	—	—	7	—	—	·55	67	·2	·50	·31	—	8
9	—	—	·42	·9	22	—	—	42	·9	·8	23	·5	9
10	·26	—	·60	·20	—	—	—	·22	·2	·6	—	—	10
11	·11	—	·34	·47	·2	—	—	·80	—	28	·1	—	11
12	·10	—	—	—	·40	—	—	·7	—	·38	·2	—	12
13	—	—	·24	·25	—	5	—	·9	·11	13	—	—	13
14	—	—	·4	·6	—	—	—	·39	—	—	·1	—	14
15	—	—	—	·2	—	—	·30	—	·3	·22	·1	·20	15
16	·3	·7	—	·19	—	—	·1	—	—	·3	·1	·10	16
17	—	—	—	7	·35	—	·30	·14	·22	·8	—	—	17
18	·1	4	—	—	1	—	·56	·1	1·92	—	—	—	18
19	—	·61	·10	—	—	·16	—	—	·2	—	—	—	19
20	—	·7	·4	—	·29	·58	·5	—	·1	—	—	—	20
21	—	·3	·33	—	·2	·2	—	·6	—	·12	—	—	21
22	—	—	·5	—	·1	—	—	·11	—	·9	—	—	22
23	—	·14	—	—	·3	9	—	·47	—	·2	·2	·2	23
24	—	·2	—	—	—	·14	—	·14	—	31	—	·—	24
25	—	·8	·5	—	—	—	·6	·6	·1	·4	·1	—	25
26	—	—	—	—	·12	·9	—	·26	·31	—	·6	—	26
27	—	—	—	—	·62	10	·1	·90	—	—	—	·1	27
28	—	—	·12	—	·2	38	—	·15	—	—	—	·3	28
29	—		·10	—	—	23	—	·1	—	·40	·4	·17	29
30	—	✕	·2	—	—	—	·5	·41	—	·5	3	—	30
31	—	✕	·7	✕	·6	✕	—	·58	✕	·6	✕	5	31
Total	1·44	1·34	3·21	2·07	2·17	2·53	2·25	7·52	3·01	4·70	1·41	77	YEAR'S TOTAL 32·42
Rain Days.	9	9	19	12	13	14	12	25	12	23	18	11	177

W. 8,000, IX. 17.

Exd M DS

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9-1-19

Kept at Pen Moel
in the County of Gloucester
by J. Adamson (Gardener)

Lat. Long.
Time of Observation 9. A.M.
Nearest Railway Station Tidenham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·17	—	·5	·8	—	—	·25	—	·5	·36	—	1
2	—	·43	—	·1	·41	—	—	·33	—	·2	·2	·56	2
3	—	·14	—	·33	—	—	—	·10	·24	·8	·20	·2	3
4	—	·5	—	·1	—	—	—	·14	·20	·6	1·08	·41	4
5	—	·1	—	·17	·20	—	—	·9	·20	·50	·7	·2	5
6	7	·67	—	·28	—	·2	—	—	·4	·16	·1	·21	6
7	—	·23	—	·1	·59	—	—	·2	·31	17	·34	·3	7
8	—	·22	—	—	—	—	·2	—	·11	·18	—	·8	8
9	·1	·15	—	·28	—	·8	·21	—	·88	·16	·1	·17	9
10	·3	—	—	·19	—	—	·46	—	·50	·8	·2	·38	10
11	·4	—	·6	·2	—	—	·19	—	·26	·2	·14	·15	11
12	—	·13	23	—	·19	—	·1	—	·3	—	—	·1	12
13	·6	—	·3	—	·4	—	·11	—	·75	·21	—	·20	13
14	·69	—	·5	—	·12	·6	·19	—	·55	·46	—	·23	14
15	1·40	—	—	·27	·4	·2	·41	—	·1	·1	—	·39	15
16	·41	—	—	·37	—	·25	·17	·18	·53	·1	—	·8	16
17	·18	—	·9	·11	—	—	·16	·5	·3	·4	—	·26	17
18	1·39	—	—	—	—	·64	·23	—	1·16	·4	—	·43	18
19	·7	·3	·14	·2	—	—	·7	·1	·4	·2	—	·3	19
20	—	·22	—	·32	—	·3	·5	—	·41	—	—	—	20
21	·4	·8	—	·6	—	—	—	—	·63	·2	—	·10	21
22	·8	—	—	—	·36	—	·45	—	·13	·6	—	·33	22
23	·8	—	—	—	·19	·1	·33	—	·2	—	·6	·5	23
24	·1	·8	—	—	—	—	·19	·12	·15	—	·6	·2	24
25	—	—	—	—	·7	—	·89	·44	—	·7	·3	—	25
26	—	—	—	—	—	—	·70	—	·28	·2	·20	·28	26
27	—	—	13	—	—	—	·3	·43	·16	—	·5	·2	27
28	—	·15	·24	·1	—	—	—	—	·1	·3	·1	·4	28
29	—		·30	—	—	—	—	—	1·40	·4	—	·3	29
30	—	✕	·49	—	—	—	—	—	3	·4	·9	·9	30
31	·1	✕	·41	✕	—	✕	—	·1	✕	—	✕	—	31
Total	4·57	2·46	2·17	2·51	2·29	1·11	4·87	2·17	9·06	2·55	2·45	4·62	YEAR'S TOTAL 41·43
Rain Days.	16	15	11	17	11	8	19	13	27	25	17	27	206

W. 8,000. X. 15.

1029

FORM A.
BRITISH RAINFALL.

14 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Pen Moel

in the County of Gloucester

by J Adamson

Lat. 51°39'24" Long. 2°39'44" W

Time of Observation 9 A.M.

Nearest Railway Station Tidenham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·51	—	·16	·03	·05	—	·08	—	·18	·14	—	·67	1
2	·34	—	·08	—	·01	—	·29	·03	·54	—	·07	·15	2
3	·28	—	·15	—	·04	—	—	—	·11	—	·10	·26	3
4	·10	·19	·52	—	—	·09	·23	·07	·56	—	—	·26	4
5	·02	·38	·69	—	·03	—	·03	—	·56	—	·04	·24	5
6	·10	·08	·31	—	—	—	—	—	—	—	—	·10	6
7	·17	—	·59	·14	—	—	—	—	·01	—	—	·02	7
8	·19	—	·14	·09	—	·08	—	—	—	—	—	—	8
9	·26	—	—	·14	—	—	—	—	·01	—	12	—	9
10	—	—	·45	—	—	—	—	—	—	·04	—	·26	10
11	·06	—	·65	·11	·16	—	·17	—	—	·02	·02	·21	11
12	·06	—	·10	·09	—	·24	—	—	—	·04	·03	·01	12
13	·17	·05	—	·31	—	—	—	—	·03	02	·01	·23	13
14	·70	·05	—	·17	—	—	·05	—	·02	—	—	·03	14
15	·72	·01	—	·03	·01	—	—	—	—	·07	—	·19	15
16	·15	·96	—	—	—	—	—	—	—	—	·07	·01	16
17	·04	·31	—	·01	—	·05	—	—	—	—	·15	·03	17
18	—	—	·62	—	—	—	·05	1·15	·07	—	·15	·06	18
19	·31	·65	·96	—	—	·24	1·77	·69	·01	—	·07	·04	19
20	·54	·10	·39	—	—	·06	—	·14	·04	—	·03	·03	20
21	·01	1·09	·04	—	—	—	·04	·03	·02	—	·04	·12	21
22	—	·07	—	—	—	—	·04	—	·46	—	—	·11	22
23	—	—	·01	—	—	—	—	—	—	1·09	·24	·6	23
24	—	—	—	·08	—	07	—	·(02)	·03	1·03	·31	·25	24
25	·15	—	—	—	·06	—	—	·58	·03	—	·02	·01	25
26	·07	—	·15	·20	—	·03	—	·02	·25	—	—	·58	26
27	·10	—	·04	·31	—	—	—	·82	—	—	—	·05	27
28	·01	—	·33	·01	—	—	—	·25	—	—	·41	·44	28
29	·02		—	·09	—	—	—	·01	—	·12	·02	·40	29
30	—		—	·15	—	·30	—	·45	—	·01	·48	·60	30
31	·01		·04		—		·05	—		·02		·06	31
Total	5·09	3·94	6·42	1·96	·36	1·16	2·80	4·26	2·94	2·60	2·38	5·48	YEAR'S TOTAL 39·39
Rain Days.	25	12	20	16	7	9	11	13	17	11	19	29	189

W.7,000, XI. 13

[illegible] B

—W—PHS.— [illegible]

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1920

Kept at Pen Mool

in the County of Gloucester

by J. Adamson "Gardener"

Lat. Long.

Nearest Railway Station

RAIN GAUGE.
Time of Observation
Diameter 5 in.
Height of top above Ground 1 ft. in.
" " Sea Level 240 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·35	·67	—	·46	·05	·14	·13	·04	·53	1
2	·04	—	·02	·17	·05	—	·33	·09	·04	·28	—	·37	2
3	·04	·12	—	·19	·01	—	·27	—	·02	·17	—	—	3
4	—	—	·01	·03	—	—	·01	·98	—	·36	—	—	4
5	—	—	·19	·03	·08	—	·47	·01	—	·37	—	·01	5
6	—	—	·35	—	·42	—	·06	—	—	·05	—	—	6
7	·13	—	·02	·08	·13	—	·12	—	—	—	—	—	7
8	·03	·04	—	·53	·12	—	·30	·07	—	·02	—	—	8
9	·26	·08	—	·59	—	·06	·08	·02	—	—	—	—	9
10	1·82	·17	13	·19	—	·28	·26	—	—	—	·04	—	10
11	·30	—	·30	·36	·57	·02	·14	—	—	·01	—	—	11
12	·23	·26	·04	·18	·02	·95	·10	—	—	—	·15	·07	12
13	·07	·05	·39	·26	—	—	—	—	—	—	·02	—	13
14	·09	·04	·70	·48	—	·03	09	—	·16	·51	·89	03	14
15	04	·07	·02	·42	·06	·16	—	—	·05	·15	·09	—	15
16	—	—	·01	·10	·03	·45	·72	—	·59	36	·11	—	16
17	·10	—	·02	·02	·36	·15	—	—	2·04	·33	—	—	17
18	·41	—	—	·03	·15	·01	—	·15	64	—	—	—	18
19	·03	·22	—	·37	04	·21	·03	·41	—	—	—	·02	19
20	—	·06	—	·17	—	·22	—	—	·01	—	—	·24	20
21	—	—	—	—	—	—	·03	—	—	·17	—	·12	21
22	·05	·01	—	·16	—	·01	·09	·09	—	·02	·02	·37	22
23	—	—	—	(17) ~~43~~	—	—	·36	—	—	·01	—	·67	23
24	·03	—	·51	·01	—	—	—	·02	—	—	·07	·58	24
25	·02	·04	·23	—	—	—	·89	—	—	—	—	·02	25
26	·21	—	·43	—	—	—	·09	—	—	—	·09	·06	26
27	·22	—	·08	·07	·08	·59	·02	—	—	—	—	·27	27
28	·92	·01	·13	—	·12	03	·07	—	—	—	—	·04	28
29	·30	·02	·20	·03	·02	·10	·10	—	—	—	·19	·62	29
30	·43		·06	·05	—	33	·18	—	·64	—	·35	·60	30
31	·35		·24		·02		—	—		47		27	31
Totals	6·12	1·19	4·10 ~~4·12~~	5·06 ~~5·04~~	2·95	3·60	5·27	1·89	4·23	3·41	2·06	4·89	Year's total 44·47
Rain days Total from Jan. 1	23	14	22	25	18	16	24	10	10	16	12	18	208
.04	19	11	15	19	13	11	20	7	8	12	10	14	15

K 5600/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

CHEPSTOW

CASTLEFORD

GLOUCESTER

1911 - 1920

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RE

Kept at Castle f

in the County of Gl

by Mrs W. R

in.

round ft. 8 in.

ea Level 146 ft.

a. m.

ame Chepstow

istance 3/4 mile Direction S. S. E.

IMPORTANT NOTE

the result entered to the previous day. If an Ob

ersal rule, he is earnestly requested to add the read

r in the space provided for it at the end of this

ent of rain, the selection and placin

ish Rainfall Organization are given in

pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04			0·05								0·04	1
2	0·02				0·40			0·33		0·03	0·45	0·24	2
3			0·05		0·39			0·02			0·20	0·05	3
4			0·16		0·01			0·02	0·05	0·04	0·38	0·35	4
5	0·07		0·06					0·11		0·05		0·04	5
6	0·25		0·02					0·02			0·03		6
7											0·60		7
8	0·15		0·19								0·09	0·34	8
9	0·05		0·02								0·25	0·22	9
10	0·04	0·07	0·41		0·05							0·18	10
11	0·31				0·20						0·65	0·08	11
12			0·55						0·03		0·34	0·08	12
13			0·01		0·04				0·49		0·02	0·43	13
14		0·02	0·02								0·03	0·83	14
15		0·05				0·01					0·31	0·15	15
16						0·19					0·30	0·18	16
17		0·02		0·02		0·10					0·30	0·22	17
18		0·30	0·05	0·08		0·80				0·05		0·33	18
19				0·02		0·21			0·13	0·15	0·03	0·22	19
20	0·03	0·04	0·07	0·11					0·09	0·17		0·55	20
21	0·01	0·34	0·16			0·06		0·41	0·03	0·40		0·20	21
22		0·12	0·15	0·08		0·33				0·09		0·60	22
23		0·20	0·22						0·16	0·40	0·03	0·30	23
24		0·12				0·36		0·18		0·14		0·20	24
25	0·02	0·08		0·13		0·06			0·01	0·08		0·04	25
26		0·19		0·34	0·21		0·03	0·27		0·44	0·15	0·24	26
27		0·49	0·24	0·04		0·01		0·53	0·18		0·10	0·13	27
28		0·25		0·35	0·05			0·03			0·05	0·01	28
29						0·26	0·05	0·11	0·25	0·45			29
30							0·11	0·03		0·25	0·05	0·01	30
31			0·01				0·03						31
Total	0·99	2·29	2·39	1·22	1·35	2·39	0·22	2·06	1·42	2·74	4·36	6·26	TOTAL for year 27·69
No. of Rain Days	11	14	17	10	8	11	4	12	10	14	20	27	158

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

RE

Kept at Castleford

in the County of Gloucester

by Mrs W. R. Lysaght.

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 146 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Chepstow
Distance 3/4 mile Direction S.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·04			0·05								0·04	1
2	0·02				0·40			0·33		0·03	0·45	0·24	2
3			0·05		0·39			0·02			0·20	0·05	3
4			0·16		0·01			0·02	0·05	0·04	0·38	0·35	4
5	0·07		0·06					0·11		0·05		0·04	5
6	0·25		0·02					0·02			0·03		6
7											0·60		7
8	0·15		0·19								0·09	0·34	8
9	0·05		0·02								0·25	0·22	9
10	0·04	0·07	0·41		0·05							0·18	10
11	0·31				0·20						0·65	0·08	11
12			0·55						0·03		0·34	0·08	12
13			0·01		0·04				0·49		0·02	0·43	13
14		0·02	0·02								0·03	0·83	14
15		0·05				0·01					0·31	0·15	15
16						0·19					0·30	0·18	16
17		0·02		0·02		0·10					0·30	0·22	17
18		0·30	0·05	0·08		0·80				0·05		0·33	18
19				0·02		0·21			0·13	0·15	0·03	0·22	19
20	0·03	0·04	0·07	0·11					0·09	0·17		0·55	20
21	0·01	0·34	0·16			0·06		0·41	0·03	0·40		0·20	21
22		0·12	0·15	0·08		0·33				0·09		0·60	22
23		0·20	0·22						0·16	0·40	0·03	0·30	23
24		0·12				0·36		0·18		0·14		0·20	24
25	0·02	0·08		0·13		0·06			0·01	0·08		0·04	25
26		0·19		0·34	0·21		0·03	0·27		0·44	0·15	0·24	26
27		0·49	0·24	0·04		0·01		0·53	0·18		0·10	0·13	27
28		0·25		0·35	0·05			0·03			0·05	0·01	28
29						0·26	0·05	0·11	0·25	0·45			29
30							0·11	0·03		0·25	0·05	0·01	30
31			0·01				0·03						31
Total	0·99	2·29	2·39	1·22	1·35	2·39	0·22	2·06	1·42	2·74	4·36	6·26	TOTAL for year 27·69
No. of Rain Days	11	14	17	10	8	11	4	12	10	14	20	27	158

9,000, IX. '10.

cor by own stats 25·III·13

7·III·13

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Castleford

in the County of Gloucester

by Mrs W. R. Lysaght.

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Chepstow

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	0·10	...	0·01	0·39	0·26	...	0·16	0·60	...	0·26	1
2	...	...	0·20	0·03	...	0·70	0·33	0·03	0·01	...	...	...	2
3	...	...	0·25	...	0·04	0·26	0·09	0·62	...	...	0·07	0·03	3
4	0·15	...	0·75	...	0·06	0·46	...	0·10	0·03	...	0·11	...	4
5	0·38	...	0·10	...	0·05	0·07	...	0·44	...	...	...	0·10	5
6	0·28	0·15	...	...	0·12	...	...	0·84	0·01	...	...	0·03	6
7	...	0·14	0·05	...	0·04	0·49	0·11	0·44	...	...	0·03	0·06	7
8	0·65	0·22	0·20	...	...	0·06	0·03	0·20	...	...	...	0·10	8
9	0·13	0·05	0·35	0·10	...	0·15	0·04	0·07	...	...	0·02	0·35	9
10	0·09	0·13	0·03	0·02	...	0·05	0·02	~~0·30~~	...	...	0·15	...	10
11	0·03	0·03	...	...	...	...	0·01	0·03	...	...	0·02	0·40	11
12	...	0·22	...	0·08	...	0·16	0·04	0·06	...	...	...	...	12
13	0·08	...	0·25	0·02	...	...	...	...	...	0·06	...	0·42	13
14	0·13	...	...	...	0·25	...	...	...	...	0·05	...	0·06	14
15	0·03	0·40	0·75	...	0·20	0·74	...	0·02	...	...	...	0·36	15
16	0·65	0·05	0·25	...	...	0·04	...	0·03	...	0·12	0·07	0·04	16
17	0·35	0·03	0·25	...	...	0·09	...	0·22	...	...	...	0·50	17
18	0·10	...	0·12	...	...	0·01	...	0·92	...	...	0·01	0·10	18
19	0·09	0·05	...	...	...	...	0·24	0·82	...	0·06	0·01	0·03	19
20	...	0·13	0·54	...	0·12	...	0·03	0·30	...	0·42	...	...	20
21	...	0·05	0·37	...	1·06	...	0·04	0·15	...	0·13	...	...	21
22	0·05	0·35	0·12	...	0·48	...	0·84	0·17	...	0·07	0·07	0·06	22
23	0·65	0·41	0·41	...	...	0·19	...	0·27	...	0·22	0·10	0·34	23
24	...	...	0·08	...	...	0·20	0·04	0·33	...	...	...	0·15	24
25	...	0·05	0·03	...	...	0·92	...	0·07	...	0·10	0·50	0·34	25
26	...	...	0·01	...	...	...	0·23	0·82	...	0·76	0·48	0·20	26
27	...	0·07	...	...	...	1·00	1·11	0·29	...	1·08	...	0·71	27
28	...	0·10	...	...	...	0·14	1·29	...	0·08	0·30	0·38	0·34	28
29	...	0·09	...	...	...	0·25	0·39	1·09	0·38	0·47	0·01	0·09	29
30	...	...	0·02	...	...	0·08	0·16	0·34	0·03	0·17	...	0·02	30
31	...	...	0·23	...	0·19	...	0·67	·16	...	0·01	...	0·33	31
Total	3·84	2·72	5·46	0·25	2·62	6·45	5·97	8·83 ~~8·97~~	·54 ~~0·70~~	4·62	2·03	5·42	YEAR'S TOTAL 48·75
Rain Days.	16	19	23	5	12	21	20	26	~~7~~ 6	16	15	25	~~205~~ 204

48·75

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6 - JAN 1914

Kept at Castleford, Nr Chepstow
in the County of Glos.
by Mrs W. R. Lysaght

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chepstow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0·08	0·29	0·08	...	...	...	...	0·38	...	0·15	0·01	1
2	0·05	0·25	0·19	...	...	...	...	...	0·01	0·15	0·19	0·06	2
3	0·13	0·04	0·07	0·01	0·33	...	...	...	...	0·07	...	0·14	3
4	1·00	0·07	0·13	...	0·30	...	...	...	1·86	0·43	...	0·11	4
5	...	0·06	0·04	...	0·36	0·22	0·02	...	0·53	...	0·25	...	5
6	0·02	0·02	0·18	...	0·22	0·12	0·03	...	...	0·40	0·28	0·54	6
7	...	0·31	...	...	0·38	0·12	0·17	...	...	0·19	0·37	0·01	7
8	...	0·31	0·02	...	0·18	0·02	0·01	...	0·05	0·11	0·01	0·03	8
9	...	0·21	0·01	0·01	0·06	0·10	0·16	0·13	...	...	0·11	0·02	9
10	0·27	...	0·01	0·03	0·15	...	...	0·16	...	...	0·23	...	10
11	0·74	...	~~0·17~~	0·17	0·35	...	...	0·01	...	0·08	0·64	0·08	11
12	...	...	...	...	0·11	...	...	...	...	...	0·60	...	12
13	...	...	0·49	...	0·05	...	...	0·06	0·89	...	0·25	...	13
14	0·09	0·04	0·37	0·07	...	...	...	0·01	0·13	0·12	0·01	...	14
15	0·20	0·03	0·25	0·85	...	...	...	0·32	0·02	...	...	0·04	15
16	0·18	...	0·65	0·02	...	...	0·02	...	...	...	...	...	16
17	...	0·01	0·05	0·27	...	...	0·02	...	0·02	...	0·12	...	17
18	0·20	...	0·15	0·38	0·01	...	...	...	0·01	...	0·05	...	18
19	0·11	...	0·14	...	0·01	0·12	0·07	...	0·27	0·02	0·04	...	19
20	0·33	...	0·12	0·12	...	...	...	...	...	0·06	0·23	...	20
21	...	...	0·04	0·11	0·12	...	0·04	0·09	...	0·10	0·29	...	21
22	0·39	...	0·61	...	0·03	0·16	...	0·34	0·47	...	...	...	22
23	0·04	...	...	...	...	0·05	...	0·01	0·02	...	0·08	0·12	23
24	0·06	...	0·01	0·08	...	...	...	...	...	0·03	...	...	24
25	...	0·07	...	0·32	...	...	...	...	0·02	...	0·02	0·23	25
26	...	0·07	...	0·10	...	...	...	0·11	...	0·01	...	...	26
27	0·05	...	0·07	0·24	...	...	...	...	...	0·11	...	...	27
28	0·57	...	0·05	0·36	0·01	...	...	...	...	0·14	...	0·05	28
29	...		0·54	0·37	...	...	...	0·05	...	0·12	...	...	29
30	0·34		...	0·01	...	...	...	...	0·01	0·50	0·06	...	30
31	0·05		0·13	...	0·23	...	...	0·06		0·02	...	...	31
Total	4·84	1·57	4·61	3·60	2.90	0·91	0·54	1·35	4.69	2·66	3·98	1·44	YEAR'S TOTAL 33·79 33.09
Rain Days	20	14	23 24	19	17	8	9	12	15	18	20	13	188 189

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs W. R. Lysaght

Lat. ____ Long. ____
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ____ ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	....	....	00·02	00·06	....	00·02	00·70	00·53	....	....	00·13	00·17	1
2	....	....	00·02	00·03	00·05	....	00·67	00·09	....	....	00·47	00·51	2
3	....	....	00·02	00·26	00·57	....	....	....	....	....	00·25	00·10	3
4	00·31	....	00·01	00·27	00·04	....	00·40	....	....	....	00·45	00·66	4
5	00·03	....	00·03	00·25	00·13	....	00·06	....	....	....	00·13	....	5
6	....	00·22	00·05	00·16	00·14	....	00·05	00·12	....	....	00·02	00·30	6
7	00·04	00·29	00·28	00·21	00·39	....	00·30	00·03	....	....	....	00·22	7
8	00·08	....	00·40	00·04	00·03	00·81	00·05	00·26	00·05	....	00·02	00·19	8
9	00·12	00·06	00·24	00·25	00·06	01·60	....	00·20	00·04	....	00·01	....	9
10	....	00·01	....	00·30	00·06	00·01	....	....	00·47	....	00·02	....	10
11	....	00·15	00·29	00·01	00·02	00·50	00·20	....	00·02	....	00·05	00·73	11
12	....	00·26	00·15	....	....	00·01	....	....	00·34	00·02	00·07	00·18	12
13	....	00·63	00·35	....	....	....	00·05	....	00·25	00·26	00·06	00·33	13
14	....	00·50	00·27	....	....	....	00·04	00·09	00·02	00·10	00·33	....	14
15	00·02	00·07	00·18	....	....	....	....	00·25	00·10	....	00·35	....	15
16	....	....	....	....	....	....	00·09	00·01	00·26	....	....	....	16
17	....	00·40	00·22	....	....	....	00·06	....	00·02	....	....	00·72	17
18	....	00·07	00·10	....	....	....	00·20	....	....	....	....	00·55	18
19	....	00·08	00·12	....	....	....	00·59	....	00·11	....	....	00·22	19
20	....	00·31	00·05	....	....	00·02	....	....	....	....	....	00·15	20
21	....	00·24	....	....	....	00·01	00·06	....	....	00·19	....	....	21
22	....	00·12	00·~~[illegible]~~	....	00·20	00·04	....	00·14	....	00·13	....	....	22
23	....	00·05	00·36	....	00·06	....	....	00·05	....	00·35	....	....	23
24	....	00·01	00·14	....	....	....	00·09	00·09	....	00·18	00·14	....	24
25	00·07	....	00·26	....	00·02	....	00·05	00·84	....	00·43	00·02	00·52	25
26	....	....	....	....	....	....	00·09	00·03	....	00·09	00·36	00·29	26
27	00·07	00·02	....	....	....	....	....	....	00·02	....	00·34	00·38	27
28	00·05	00·24	00·30	....	00·02	....	....	....	....	00·08	00·11	00·64	28
29	00·42	....	00·48	....	00·10	....	....	....	....	00·15	00·37	....	29
30	00·15	✕	00·22	....	00·03	....	....	....	....	00·20	00·90	00·50	30
31	00·08	✕	....	✕	00·01	✕	00·76	....	✕	00·13	✕	00·07	31
													YEAR'S TOTAL
Total	1·44	3·63	4·56	1·84	1·93	3·02	4·51	2·73	1·70	2·31	4·60	7·43	39·70
Rain Days.	12	19	24	11	17	9	19	14	12	13	21	20	191

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs W. R. Lysaght

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·35	0·19	....	....	0·17	....	....	0·01	0·15	0·33	....	0·17	1
2	0·30	0·20	0·18	0·26	....	....	0·03	0·42	0·12	0·25	...	0·10	2
3	0·61	0·11	0·08	....	0·15	0·03	0·39	0·14	....	....	....	0·24	3
4	0·05	0·05	0·02	0·05	0·15	....	0·09	....	....	....	....	0·69	4
5	0·09	0·21	....	0·12	....	....	0·13	0·24	....	....	....	0·55	5
6	0·22	0·05	....	0·28	....	....	0·35	0·06	....	....	....	0·36	6
7	0·19	0·30	....	0·04	....	....	0·31	0·05	....	....	....	0·27	7
8	0·45	0·24	....	0·06	....	....	....	0·10	...	....	0·08	0·03	8
9	0·04	0·08	....	0·04	....	....	....	0·02	....	....	0·28	0·92	9
10	0·21	0·06	0·03	0·07	....	....	....	....	....	....	0·02	0·11	10
11	0·02	....	0·11	0·04	....	....	....	....	....	....	0·95	0·04	11
12	0·16	0·13	....	0·15	0·45	....	....	....	....	0·08	0·62	0·03	12
13	0·01	0·46	....	....	0·66	....	....	....	0·12	....	....	....	13
14	0·12	0·02	....	....	0·05	....	0·03	0·42	0·08	....	....	0·94	14
15	0·04	...	....	0·02	....	....	0·06	0·06	0·01	0·03	0·08	0·10	15
16	—	0·68	....	....	0·64	...	0·80	....	....	0·02	....	0·04	16
17	—	0·21	....	....	0·43	....	....	0·40	....	....	....	....	17
18	—	0·36	....	....	....	....	0·02	....	....	....	....	....	18
19	—	0·01	....	0·07	0·24	....	0·39	....	....	....	....	....	19
20	0·15	...	....	0·09	....	....	....	....	....	0·09	....	0·17	20
21	0·07	0·10	....	0·03	....	....	0·05	....	....	0·12	....	0·07	21
22	0·07	0·21	0·48	....	....	....	0·30	....	....	....	....	0·33	22
23	0·00	...	0·25	....	....	....	0·14	....	....	1·00	....	0·53	23
24	0·00	....	0·03	0·02	....	....	0·54	....	0·33	0·78	....	0·50	24
25	0·00	....	0·01	....	....	0·30	0·04	....	....	0·02	....	0·24	25
26	0·00	0·35	....	....	....	....	0·14	....	....	....	....	....	26
27	0·00	0·13	....	....	....	0·01	0·12	....	0·02	0·42	....	0·02	27
28	0·00	0·22	....	....	....	....	0·02	....	....	....	....	....	28
29	0·00	....	....	....	....	0·15	0·14	0·04	0·34	....	0·11	0·03	29
30	0·14	✕	....	....	....	0·24	....	....	....	0·34	0·15	0·30	30
31	0·00	✕	....	✕	....	✕	0·07	0·05	✕	0·62	✕	0·37	31
Total	3·29	4·37	1·19	1·34	2·94	·73	4·16	2·01	1·17	4·10	2·29	7·05	YEAR'S TOTAL 34·64
Rain Days.	19	22	9	15	9	5	21	13	8	13	8	25	167

V. 8,000. X. 15.

Exd [illegible]

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 191

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs. W. R. Lysaght

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·12	....	0·06	....	0·09	0·20	0·36	....	....	0·29	0·20	....	1
2	0·72	0·12	0·04	....	0·07	0·02	....	....	0·08	1·10	0·05	....	2
3	....	0·61	....	....	0·13	....	....	....	0·07	0·55	0·12	....	3
4	0·50	0·11	....	....	0·31	0·60	0·09	....	....	0·58	0·25	....	4
5	0·02	0·14	0·02	....	0·15	0·05	0·20	....	....	0·18	0·05	....	5
6	0·10	0·33	0·02	....	0·39	0·12	0·60	....	....	0·35	0·60	....	6
7	....	0·05	0·02	....	0·34	0·02	0·07	....	....	0·30	0·42	0·32	7
8	....	0·03	0·09	....	0·51	0·06	....	....	....	0·02	0·04	0·30	8
9	....	....	....	....	0·10	0·24	0·03	....	....	0·04	0·03	0·05	9
0	....	0·55	....	....	0·07	0·06	....	....	....	0·12	....	....	10
1	0·02	....	0·02	0·15	0·08	0·10	0·02	....	....	0·03	....	....	11
	0·02	0·14	0·06	....	0·28	....	0·16	....	....	0·10	....	....	12
	....	0·55	0·16	....	....	....	....	0·07	....	....	....	....	13
14	....	0·47	0·40	....	0·04	....	....	....	....	0·15	....	....	14
15	0·01	0·20	0·08	0·20	....	....	....	....	....	0·02	....	....	15
16	0·10	0·10	....	0·24	0·03	....	0·16	....	....	....	....	....	16
17	....	0·12	....	0·15	....	....	....	0·14	0·22	0·50	0·04	....	17
18	0·10	0·02	0·14	0·02	....	....	....	....	0·06	....	0·10	0·10	18
19	0·24	....	0·48	0·20	....	....	....	....	....	....	0·36	....	19
20	0·31	0·02	0·46	0·09	....	....	....	....	....	....	....	0·45	20
21	0·20	0·06	0·40	0·10	0·04	....	0·03	....	....	....	....	0·18	21
22	0·02	....	....	0·07	0·03	0·26	....	0·22	....	0·22	0·20	0·70	22
23	....	....	....	0·07	....	0·04	....	0·17	....	0·12	0·03	0·10	23
24	....	0·10	0·04	0·16	0·95	0·09	....	0·19	....	0·24	....	0·20	24
25	0·02	0·14	0·17	....	0·05	0·01	....	0·96	....	0·01	0·14	0·05	25
26	0·04	0·05	0·10	....	....	0·25	....	0·21	0·22	0·25	....	....	26
27	0·05	0·05	0·28	....	0·02	0·16	0·80	0·28	0·24	0·74	....	....	27
28	....	0·19	0·38	....	....	....	....	....	0·12	0·30	....	0·60	28
29	....	0·25	....	....	....	0·42	....	1·77	....	0·33	....	0·32	29
30	....	X	....	....	....	0·01	....	0·02	....	0·50	....	0·03	30
31	....	X	....	X	....	X	....	0·13	X	0·32	X	0·04	31
Total	2·59	4·40	3·42	1·45	3·68	2·71	2·52	4·16	1·01	7·36	2·63	3·44	YEAR'S TOTAL 39·37
Rain Days.	17	23	20	11	19	18	11	11	7	25	15	14	191

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

7. JAN 1918

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs W. R. Lysaght

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	...	...	0·29	0·37	...	0·22	...	0·86	0·30	...	0·03	...	1
2	...	...	...	...	...	0·14	...	0·10	...	...	0·05	...	2
3	...	...	...	...	...	...	0·07	0·02	...	1·05	0·02	...	3
4	...	0·27	0·25	0·03	...	...	0·25	...	...	0·20	...	...	4
5	0·22	...	0·09	0·20	...	0·09	...	0·31	0·35	0·29	0·13	...	5
6	0·01	...	0·20	...	...	0·19	...	...	...	0·20	...	0·12	6
7	0·04	...	...	...	...	...	0·14	0·03	...	0·13	0·09	0·03	7
8	0·70	...	0·24	...	...	...	0·50	0·86	0·14	0·50	0·04	...	8
9	...	...	0·16	0·17	0·20	...	...	0·42	0·06	0·05	0·27	...	9
10	0·29	...	0·42	0·17	0·10	...	...	0·23	...	0·02	0·40	...	10
11	0·09	...	0·40	0·50	0·20	...	...	0·75	...	0·17	0·03	...	11
12	0·12	...	...	...	0·40	...	...	0·07	...	0·40	...	0·10	12
13	...	...	0·21	0·18	...	0·05	...	0·10	0·11	0·18	...	...	13
14	...	...	0·05	...	...	...	...	0·40	...	0·02	...	...	14
15	0·01	...	...	0·08	...	...	0·10	0·02	0·05	0·15	...	0·26	15
16	0·02	...	...	0·17	...	...	0·20	...	0·08	0·03	0·03	0·08	16
17	...	...	...	0·10	0·33	...	0·12	0·16	0·15	0·06	...	...	17
18	...	...	...	...	...	0·05	0·56	...	1·45	0·02	...	...	18
19	...	0·70	0·10	...	...	0·15	0·10	...	0·01	...	...	...	19
20	...	0·06	0·11	...	0·30	0·50	...	0·07	0·01	...	...	...	20
21	...	...	0·20	...	0·05	0·03	...	0·06	...	...	...	...	21
22	...	...	0·05	...	0·02	0·05	...	0·10	...	0·17	...	...	22
23	...	...	...	...	0·03	0·05	...	0·35	...	...	0·03	...	23
24	...	0·20	...	...	...	0·15	0·07	0·10	...	0·27	...	...	24
25	...	0·08	0·05	...	...	0·07	...	0·13	...	0·05	...	...	25
26	...	...	0·04	...	0·10	0·05	...	0·26	0·30	0·02	0·07	...	26
27	...	...	0·02	...	0·68	0·19	...	0·90	...	...	...	...	27
28	...	...	0·12	...	0·02	0·40	...	0·23	...	...	...	...	28
29	...	...	0·11	...	...	0·28	0·02	0·02	...	0·35	0·05	0·20	29
30	...	✕	0·03	...	...	...	0·04	0·42	...	0·07	0·02	...	30
31	...	✕	0·10	✕	0·03	✕	...	0·45	✕	0·05	✕	...	31
Total	1·50	1·31	3·24	1·97	2·46	2·66	2·17	7·42	3·01	4·45	1·26	0·79	YEAR'S TOTAL 32·24
Rain Days.	9	5	21	10	13	17	12	26	12	23	14	6	168

W. 8,000, IX. 17.

1.04

Ex 8f

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.
6·1·19

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs W. R. Lysaght

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .. ft. 8 in.
" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
							...					...	
1	...	0·21	...	0·04	0·63	...	...	0·24	...	0·03	0·35	0·40	1
2	...	0·37	...	0·02	...	...	...	0·38	0·23	0·04	0·02	0·40	2
3	...	0·14	...	0·35	...	...	...	0·10	0·20	0·05	0·31	0·02	3
4	...	0·05	...	0·01	0·26	...	...	0·11	0·25	0·05	0·82	0·36	4
5	0·05	0·02	...	0·13	...	...	...	0·14	...	0·36	0·07	0·02	5
6	0·07	0·52	...	0·26	...	0·02	...	...	0·05	0·10	...	0·19	6
7	...	0·20	...	...	0·66	...	...	...	0·35	0·18	0·30	...	7
8	...	0·24	...	...	...	...	...	...	0·05	0·16	0·02	0·10	8
9	0·01	0·13	...	0·26	...	0·10	0·17	...	0·77	0·10	0·02	0·23	9
10	0·04	...	...	0·19	...	...	0·43	...	0·45	0·07	0·02	0·38	10
11	0·02	0·02	...	0·02	...	...	0·17	...	0·30	0·02	0·15	0·12	11
12	...	...	0·28	...	0·20	...	0·02	...	0·03	...	...	0·02	12
13	0·05	0·10	0·06	...	...	...	0·10	...	0·67	0·28	...	0·20	13
14	0·60	...	0·01	...	0·10	0·05	0·17	...	0·60	0·35	...	0·19	14
15	1·50	...	...	0·25	0·03	0·02	0·44	...	0·03	0·03	...	0·36	15
16	0·30	...	...	0·45	...	0·24	0·13	...	0·49	...	...	...	16
17	0·31	...	0·10	0·11	...	...	0·13	0·02	0·08	0·03	...	0·26	17
18	1·26	...	0·05	...	...	0·60	0·20	...	1·13	0·06	...	0·40	18
19	0·08	0·03	0·10	0·02	...	...	0·08	...	0·04	0·02	...	0·04	19
20	...	0·16	...	0·40	...	0·03	0·06	...	0·48	...	...	...	20
21	0·05	...	...	...	...	...	0·03	...	0·63	0·03	...	0·09	21
22	...	...	...	...	0·28	...	0·37	...	0·13	0·03	...	0·40	22
23	0·13	...	...	...	0·21	...	0·36	...	0·02	...	0·10	...	23
24	...	0·17	...	...	0·10	...	0·26	...	0·16	...	0·05	...	24
25	...	...	...	0·32	...	...	0·55	...	...	0·08	...	0·02	25
26	...	...	...	...	...	...	0·85	0·54	0·17	0·02	0·20	0·10	26
27	...	0·03	0·15	...	...	...	...	...	0·18	0·02	0·05	0·17	27
28	...	0·11	0·21	0·02	...	...	...	0·38	0·02	0·05	0·02	0·05	28
29	...	—	0·26	...	...	...	...	...	1·35	...	...	0·06	29
30	...	✕	0·53	...	...	...	...	...	0·03	0·03	0·09	0·08	30
31	...	✕	0·35	✕	...	✕	...	0·02	✕	...	✕	...	31
Total	4·47	2·50	2·10	2.85	2·47	1·06	4·52	1·93	8·89	2·19	2·59	4·26	YEAR'S TOTAL 39·83
Rain Days.	14	16	11	16	9	7	18	9	27	24	16	24	~~194~~

24

191

W, 6,500, VII. 18. w w c

1928

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Castleford, Chepstow
in the County of Gloucester
by Mrs W. R. Lysaght

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chepstow
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft 8 in.
„ „ „ „ Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·40	...	0·14	0·02	0·04	...	0·07	...	0·16	0·15	...	0·64	1
2	0·35	...	0·07	...	0·02	...	0·26	...	0·60	...	0·10	0·17	2
3	0·27	...	0·18	...	...	...	...	...	0·10	...	0·06	0·24	3
4	0·10	0·20	0·50	...	...	0·09	0·24	0·08	0·40	...	...	0·25	4
5	...	0·35	0·60	...	0·03	...	...	...	0·61	...	0·03	0·24	5
6	0·20	0·07	0·28	...	...	...	...	...	...	...	...	0·08	6
7	0·09	...	0·42	0·12	...	...	...	...	...	...	...	0·01	7
8	0·17	...	0·14	0·05	...	0·07	...	...	...	...	...	...	8
9	0·21	...	0·02	0·20	...	...	...	...	...	...	0·14	...	9
10	...	...	0·42	...	...	...	...	...	...	0·05	...	0·22	10
11	0·07	...	0·59	0·09	0·15	...	0·18	...	...	0·02	...	0·01	11
12	0·08	...	0·10	0·12	...	0·16	...	...	...	0·02	0·05	...	12
13	0·16	0·05	...	0·20	...	...	0·05	...	0·02	0·03	0·05	0·20	13
14	0·63	0·05	...	0·12	...	...	...	...	0·02	...	...	0·03	14
15	0·62	0·02	...	0·02	...	...	...	...	...	...	...	0·18	15
16	0·10	0·93	...	...	...	0·02	...	...	...	...	0·07	...	16
17	0·02	0·35	...	...	...	0·03	...	...	...	...	0·16	0·02	17
18	0·05	...	0·60	...	...	...	0·04	0·95	0·04	...	0·14	0·03	18
19	0·29	0·60	0·95	...	...	0·12	1·97	0·55	0·04	...	0·05	0·05	19
20	0·49	0·08	0·40	...	...	0·09	...	0·20	0·02	...	0·05	0·02	20
21	0·01	1·05	...	...	...	...	0·05	0·02	0·02	...	0·03	0·10	21
22	...	0·05	0·03	...	...	...	0·02	...	0·59	...	...	0·10	22
23	...	...	...	...	...	...	...	...	...	1·13	0·19	0·05	23
24	...	...	...	0·07	...	...	...	0·02	0·02	0·97	0·28	0·32	24
25	0·13	...	...	...	0·05	0·08	...	0·50	0·02	...	...	0·01	25
26	0·07	...	0·12	0·17	...	0·01	...	0·20	0·15	...	...	0·54	26
27	0·09	...	0·03	0·27	...	...	...	0·65	...	...	...	0·05	27
28	...	...	0·25	...	...	...	...	0·40	...	...	0·39	0·44	28
29	0·02		...	0·10	...	...	...	...	...	0·13	0·02	0·42	29
30	...		...	0·15	...	0·25	...	0·52	...	...	0·46	0·55	30
31	0·01		0·05		...		...	0·01		0·02		0·04	31
TOTAL	4·63	3·80	5·89	1·70	0·29	0·92	2·88	4·10	2·81	2·52	2·27	5·01	YEAR'S TOTAL 36·82
Days with ·01 in. or more	24	12	20	14	5	10	9	12	15	9	17	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A/1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Castleford, Chepstow

in the County of Gloucestershire

by Mrs W. R. Lysaght

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Chepstow

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ...... ft. 8 in.

" " " " Sea Level 146 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.. ..	.. ..	0·01	0·32	0·66	.. ..	0·61	0·04	0·13	0·15	.. ..	0·52	1
2	0·03	.. ..	.. ..	0·16	0·02	.. ..	0·35	0·08	0·08	0·27	.. ..	0·25	2
3	0·04	0·10	.. ..	0·18	.. ..	.. ..	0·31	0·01	.. ..	0·18	.. ..	.. ..	3
4	.. ..	.. ..	0·03	0·18	.. ..	.. ..	0·03	0·94	.. ..	0·37	.. ..	.. ..	4
5	.. ..	.. ..	0·19	0·06	0·06	.. ..	0·50	.. ..	.. ..	0·20	.. ..	.. ..	5
6	.. ..	.. ..	0·28	~~0·07~~	0·29	.. ..	0·08	.. ..	.. ..	0·20	.. ..	.. ..	6
7	0·08	.. ..	.. ..	0·07	0·22	.. ..	0·10	.. ..	.. ..	.. ..	.. ..	0·01	7
8	.. ..	0·05	.. ..	0·53	0·11	.. ..	0·35	0·07	.. ..	0·02	.. ..	.. ..	8
9	0·39	0·04	.. ..	0·59	.. ..	0·04	0·15	.. ..	.. ..	.. ..	.. ..	.. ..	9
10	1·29	0·17	0·10	0·19	.. ..	0·30	0·25	.. ..	.. ..	.. ..	.. ..	.. ..	10
11	0·32	0·01	0·28	0·39	0·55	0·01	0·16	.. ..	.. ..	.. ..	.. ..	.. ..	11
12	0·22	0·17	0·02	0·17	0·02	0·96	0·10	.. ..	.. ..	.. ..	0·15	0·03	12
13	0·07	0·06	0·40	0·21	.. ..	.. ..	.. ..	.. ..	.. ..	.. ..	0·02	.. ..	13
14	0·05	0·03	0·76	0·46	.. ..	0·04	0·08	.. ..	0·15	0·51	0·73	.. ..	14
15	0·04	0·06	0·02	0·33	0·06	0·26	.. ..	.. ..	0·06	0·18	0·23	.. ..	15
16	.. ..	.. ..	.. ..	0·06	0·02	0·36	0·73	.. ..	0·56	0·35	.. ..	.. ..	16
17	0·10	.. ..	.. ..	0·03	0·30	.. ..	.. ..	0·08	1·85	0·35	.. ..	.. ..	17
18	0·37	.. ..	.. ..	0·02	0·14	0·01	.. ..	0·50	0·80	.. ..	.. ..	0·01	18
19	.. ..	0·24	.. ..	0·35	0·04	0·20	0·02	.. ..	0·02	.. ..	.. ..	.. ..	19
20	.. ..	0·05	.. ..	0·16	.. ..	0·24	.. ..	.. ..	.. ..	.. ..	.. ..	0·25	20
21	.. ..	.. ..	.. ..	0·02	.. ..	.. ..	0·03	.. ..	.. ..	0·15	.. ..	0·08	21
22	0·04	.. ..	.. ..	0·12	.. ..	0·01	0·06	0·10	.. ..	.. ..	.. ..	0·30	22
23	.. ..	.. ..	.. ..	.. ..	.. ..	.. ..	0·36	.. ..	.. ..	.. ..	.. ..	0·67	23
24	0·05	.. ..	0·46	.. ..	.. ..	.. ..	.. ..	.. ..	.. ..	.. ..	0·08	0·48	24
25	0·04	0·05	0·24	.. ..	.. ..	.. ..	0·81	.. ..	.. ..	.. ..	.. ..	0·03	25
26	0·20	.. ..	0·38	.. ..	.. ..	.. ..	0·07	.. ..	.. ..	.. ..	0·08	0·04	26
27	0·20	.. ..	0·08	0·08	0·05	0·61	0·02	.. ..	.. ..	.. ..	0·01	0·25	27
28	0·76	0·01	0·13	.. ..	0·03	0·03	0·64	.. ..	.. ..	.. ..	.. ..	0·03	28
29	0·25	0·02	0·18	0·02	0·06	0·09	0·07	.. ..	.. ..	.. ..	0·16	0·52	29
30	0·34	X	0·06	0·04	.. ..	0·15	0·21	.. ..	0·51	.. ..	0·35	0·54	30
31	0·36	X	0·25	X	.. ..	X	.. ..	.. ..	X	0·53	X	0·20	31
TOTAL	5·24	1·06	3·87	4·74	2·63	3·31	5·49	1·82	4·16	~~3·26~~ 3.46	1·81	4·21	YEAR'S TOTAL ~~41·60~~ 41·80
Days with ·01 in. or more	21	14	18	24	16	15	24	8	9	13	9	17	188
Days with ·04 in. or more	20	10	14	20	12	11	20	7	8	12	7	12	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Corrected W.D. 29.i.16

REGIST 5

GLOUCESTER

CHILDS WYCKHAM VIC

1915 – 1919

FORM A. BRITISH RAINFALL.

8 - JAN 1916

Kept at Childswyckham

in the County of Gloucester

by J.E. Tompton (

ng.

bout 9 or 10 a.m.

n Broadway

Rain Gauge 5 in.

above Ground 1 ft. 9 in.

„ Sea Level — ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.02				01	.01	.01		.60	.18	1
2	.30	.06	.05		.27			.10		.21	.01	.06	2
3	.18	.11	.16	.18		.05		.49		.04		.04	3
4	.91	.03	.03	.06	.02		1.19	.32				.25	4
5	.01						27	.03				.31	5
6		55						.05				.17	6
7	.23	.02		.12			34	.05				.10	7
8	.05	30		.01		19	.09	.01			.01	.23	8
9	.20	19	(.06)	.06				.04			.02		9
10	.07	.01		.08				.01			.19	.33	10
11	.19		.03	.03							.01	.01	11
12	.01			.14	02						.91	.05	12
13	.02	.14		.18	.39		.01	.05		.06	.44		13
14		.52			1.07			.08					14
15		.01			.01		.04	.12	.05			.33	15
16	.28	.01			.03		.02	.12		.07	.05	.02	16
17	.02	.45			.08		.44	.05					17
18		.21	.01	.01	.48		.01					.02	18
19		.14	.04		.01						.03		19
20		.01	.01		.02		.22						20
21	.21			.06						.02		.13	21
22	.08	.06					.05			.04		.08	22
23	.16	.01	.28	.08			.21			.03		.07	23
24	.01	.12	.10				.38		.02	.28		.28	24
25			.02	.04		.01	.02		.26	.42		.30	25
26				.01		.73	.22		.03	.03		.10	26
27		.01					.05		.01			.33	27
28		.15 Mdt					.17			29		.01	28
29						.01		.14	.17	.01			29
30		X				.39 Mdt	.24	.02			.02 Mdt	.02	30
31	.04	X		X		X	.29 Mdt		X	.52 Mdt	X	.13 Mdt	31
	–	02	—	—	—	.01	.01 Mdt	.01	—	.60 m	.18	.07 Mdt	YEAR'S TOTAL
Total	~~2.98~~	~~3.11~~	~~.75~~	~~1.06~~	~~2.40~~	~~1.29~~	~~4.27~~	~~1.69~~	~~.55~~	~~2.02~~	~~2.29~~	~~3.55~~	~~25.96~~
	2.97	3.13	.73	1.06	2.40	1.30	4.27	1.69	.54	2.62	1.87	3.41	26.02
Rain Days.	~~19~~ 18	~~21~~ 22	~~11~~ 10	14	11	~~6~~ 7	20	17	~~7~~ 6	~~13~~ 14	11	2~~3~~4	17~~3~~4

W. 8,000. X. 15. Mdt means Midnight on last day of Month

Corrected W.D. 29.i.16

REGIST 5

FORM A. BRITISH RAINFALL.

8 - JAN 1916

Kept at Childswyckham Vicarage

in the County of Gloucester

by I E Tompton (Revd)

Lat. Long.

Time of Observation about 9 or 10 a.m

Nearest Railway Station Broadway

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01		.02				01	.01	.01		.60	.18	1
2	.30	.06	.05		.27			.10		.21	.01	.06	2
3	.18	.11	.16	.18		.05		.49		.04		.04	3
4	.91	.03	.03	.06	.02		1.19	.32				.25	4
5	.01						27	.03				.31	5
6		55						.05				.17	6
7	.23	.02		.12			.34	.05				.10	7
8	.05	30		.01		19	.09	.01			.01	.23	8
9	20	19		(.06) .06				.04			.02		9
10	.07	.01		.08				.01			.19	.33	10
11	.19		.03	.03							.01	.01	11
12	.01			.14	.02						.91	.05	12
13	.02	.14		.18	.39		.01	.05		.06	.44		13
14		.52			1.07			.08					14
15		.01			.01		.04	.12	.05			.33	15
16	.28	.01			.03		.02	.12		.07	.05	.02	16
17	.02	.45			.08		.44	.05					17
18		.21	.01	.01	.48		.01					.02	18
19		.14	.04		.01						.03		19
20		.01	.01		.02		.22						20
21	.21			.06						.02		.13	21
22	.08	.06					.05			.04		.08	22
23	.16	.01	.28	.08			.21			.03		.07	23
24	.01	.12	.10				.38		.02	.28		.28	24
25			.02	.04		.01	.02		.26	.42		.30	25
26				.01		.73	.22		.03	.03		.10	26
27		.01					.05		.01			.33	27
28		.15 Mdt					.17			29		.01	28
29						.01		.14	.17	.01			29
30		X				.39 Mdt	.24	.02			.02 Mdt	.09	30
31	.04	X		X		X	.29 Mdt		X	.52	X	.13	31
	–	02	—	—	—	.01	.01	.01	—	.60 M	.18	.07	YEAR'S TOTAL
Total	~~2.98~~	~~3.11~~	~~.75~~	~~1.06~~	~~2.40~~	~~1.29~~	~~4.27~~	~~1.69~~	~~.55~~	~~2.02~~	~~2.29~~	~~3.55~~	~~25.96~~
	2.97	3.13	.73	1.06	2.40	1.30	4.27	1.69	.54	2.62	1.87	3.44	26.02
Rain Days.	~~19~~ 18	~~21~~ 22	~~11~~ 10	14	11	~~6~~ 7	20	17	~~7~~ 6	~~13~~ 14	11	24	173+ ✓

W. 8,000. X. 15. Mdt means Midnight on last day of Month cod quarterly for WD W. C. E

2217

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAIN 9 JAN

Kept at Childswyckham Vicarage
in the County of Gloucester
by J E Tompson

Lat. Long.
Time of Observation about 9 or 10 a.m. except last day of month midnight
Nearest Railway Station Broadway
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 17 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07		.09								.05		1
2	.12		.01		.06	.03	.15			.16	.16		2
3	.23	.01	.08		.28	.02	.02		.01	.38	.09		3
4	.01	.55	.01		.08				.05	.26	.08		4
5	.25	.04	.01		.39	.12			.05	.07	.42		5
6	.02				.11	.10	.03			.02	.29		6
7	.04	.20	.09	.09	.13	.08	.36			.08	.44		7
8	.01	.01	.13		.03	.01	.32			.19	.48	.13	8
9	.03		.02		.13					.02	.01	.15	9
10			.01		.05	.46				.01			10
11		.33	.08	.07	.01	.05	.03		.01	.08			11
12	.01	.06	.06	.10	.03	.22				.01		.34	12
13	.03		.02	.06	.43	.01	.24	.03		.11			13
14		.34	.11	.01	.01		.04	.13			.01		14
15		.29			.02			.04		.04			15
16		.15	.44	.01	.21		.06	.20		.02			16
17	.01	.01	.09	.25	.04		.05	.45	[illegible]	.01			17
18	.05	.16		.07			.02	.17	.38	.33			18
19		.08	.02	.05				.04	.17	.04	.62	.07	19
20	.07		.09	.30				.01	.12		.28		20
21	.02		.35	.03							.04	.38	21
22		.01	.47		.08		.03					.40	22
23		.01			.02	.01				.05		.72	23
24		.30		.01				.07		.07	.02	.11	24
25		.20			.07	.12		.02		.35			25
26		.22						.18	.23	.01	.18		26
27	.01	.05	.33			.10		.06	.10	.30			27
28	.03	.06	1.13			.07	.28		.09	.16		.15	28
29		.57	.04			.13			.11	.09	.02	.11	29
30		~~Midt~~				.26		1.52		.24		.05	30
31		.99			.02			.01		Midt .26		.04 Midt	31
Total	~~1.92~~ 1.94	~~3.65~~ 3.74	~~3.68~~ 3.59	1.05	2.20	1.79	1.63	2.93	1.32	~~3.36~~ 3.41	~~3.19~~ 3.14	2.65	YEAR'S TOTAL 28.87
Rain Days.	~~17~~ 16	~~21~~ 22	~~22~~ 21	12	20	16	13	14	11	~~26~~ 27	~~16~~ 15	12	~~200~~ 199

28.39

W. 8,000, VIII. 16

card fwd

Diameter of Rain Gauge 5 in
Height of top above ground 1 ft. 6 in

28. JAN 1918

RAINFALL CHART.

NEGRETTI AND ZAMBRA,

METEOROLOGICAL INSTRUMENT MAKERS.

38, HOLBORN VIADUCT, E.C.; 45, CORNHILL, E.C.; & 122, REGENT STREET, W.

Kept by J E Tompson — **YEAR** **1917.** — At Childswyckham Vicarage

Time of Observation about 9 or 10 a.m. except last day of month at midnight — County Gloucester

Rules for observing Rainfall will be found on back of this Chart.

January 1 following .04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
	in.	in.	in	in	in.	in.	in.	in.	in.	in.	in.	in.
1				.04					.08	[illegible]		.02
2		.02	.05	.04		.03		1.09	.07		.18	.02
3				.05		.10		.02		.01	.02	
4	.02	.02		.12				.16		.37		
5		.22	.13	.01				.08		.30		
6	.18		.03	.27					.06	.19	.16	
7			.34	.01		.18				.05	.17	
8	.23						.22	.12		.09	.01	.02
9	.38		.01	.14		.20	.56	.19	.01	.38	.11	.15
10			.02	.04	.14		.01	.22		.11	.21	
11	.30		.08	.12	.06			.13	.11			.01
12	.12	.01	.14	.19				.31	.07	.10	.02	
13	.06		.01	.02	.03			.02		.16	.01	.01
14	.01		.02					.14	.05			
15			.08	.03	.08					.02		
16	.01							.10	.01	.07		.06
17	.08	.08	.01	.19	.03		.24			.03		.82
18	.01			.04	.63	.02	.28	.04	.08	.06		
19	.01	.02		.01	.01		.10		1.03	.06		
20	.01	.18	.33			.05		.04	.02			
21	.03	.09	.01		.33	.09	.14		.26		.01	
22			.15			.12	.01		.01	.01	.06	
23			.11			.39		.04		.11	.01	
24		.15	.01		.03			.20		.06		.01
25		.02	.01			.07		.10		.13	.02	
26		.14	.11							.01	.03	
27					.01	.10		.34	.11		.24	
28			.01		1.68	.25	.02	.47	.01		.01	.01
29			.18			.59		.12				.02
30			.01			.49	.06	.02		.35		.41
31	.01		.01				.37	.24		.04		.01
			.04					.08			.02	3.04
Totals	1.46	.95	~~1.86~~ 1.90	~~1.32~~ 1.28	3.03	2.68	2.01	~~4.19~~ 4.27	1.99 1.91	2.71	~~1.27~~ 1.29	~~1.57~~ 1.59
Jan 1 1918 .04	15	11	24	~~15~~	11	14	11	23 3	14	27	16	4

Years Total ~~25·04~~ 25·08

190

Inches	Jan	Feb.	Mar.	Apr.	May.	June	July	Aug	Sept	Oct.	Nov.	Dec.
	1.46	.95	1.86	1.32	3.03	2.68	2.01	4.19	1.99	2.71	1.27	
9												
8												
7												
6												
5												
4												
3												
2												
1												

MONTHLY TOTALS

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Cutsdean Wyckham Vicarage
in the County of Gloucester
by J E Tompson

Lat. .... Long. ....
Time of Observation about 9 or 10 a.m
Nearest Railway Station Broadway Worc:
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. .00

~~Date~~	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.05	.04	.						.01	.04	1
2			.01	.07	.03			.03	.01	.02	.30 .36		2
3		.01						.22			.03 .33	.01	3
4		.04	.02	.05	.07			.02	.37	[illegible]	.06 .06		4
5		.08	.01					.07	10	01	.53	.06	5
6		.04	.01	.01	.30			.07	25		.04		6
7		.24		.04		.04			06	.12		.02	7
8	.03	.12		.05	.22				10	.14	.16	.01	8
9		.01		.03					08	.10	.01		9
10	.02	.03		.15		.25	.57		22	.22		.06	10
11	.06			.07			.13		.19	.13		.15	11
12				.04			.05		.07	.04	.06	.05	12
13			.19	.02	14		.24		01	.03	[illegible]	.14	13
14		.05		.01		.11	.01		.04		[illegible]		14
15	12		.06			.01	.17+		40	.10		.02	15
16	.83		.01	.68			.14		01			.27	16
17	.23			.71		.07	.02		12				17
18	.12			.10	.01	.01	.25	.01	.03	.05			18
19	.43					.16	.08		1.17	.01		.48	19
20	.03	.05	.25	.06			.06		.01	.13		.06	20
21	.01	.06		.46		.03	.03		.08	.03		.05	21
22	.02			.30		.01	.02		.41	.06			22
23	.08			[illegible]	.15		.07		.04	.05	.01	.25	23
24	.02				.58		.03		.02			.01	24
25							.02	.01	.02	.01	.08		25
26							.17	.26		.04	.01		26
27	.01						.40		.01	.01	.03	13	27
28		.29						.14		.02	.14	.09	28
29		[illegible] Note	22						06		.20	.02	29
30			.04						1.13		.01		30
31			.31					.12	~~.02~~			.08 to midnight	31
Total	2.05	1.02	1.18	2.89	1.50	.69	2.46	.95	5.03	1.32	1.68	1.99	YEAR'S TOTAL 22.76
Rain Days.	15	12	12	18	8	9	actually fallen day before 18	10	26	20	16	20	184

W. 8,000, IX. 17.

FORM R.1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Childswyckham (till March) & Winchcombe

in the County of Gloucestershire

by Rev J. E. Tompson

Lat. 52° N. Long. 2° W.

Time of Observation 10 a.m.

Nearest Railway Station Broadway. Winchcombe

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 150 & 400 ft. approximately

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Childswyckham. Winchcombe.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					·28		·15						1
2	·30	·03	·02		·16		·19		·01	·14	·02	·67	2
3	·10		·03		·02		·30		·11	·02	·22	·14	3
4	·82		·18		·04	·04	·01		·15		·13	·15	4
5	·11	·04	·51			·14	·01	·05	·28		·01	·39	5
6		·13	(19)		·08				·22		·09	·13	6
7	·05		·13		·52							·03	7
8	·18		·35	·02	·10						·06	·01	8
9	·12		·05	·19	·01						·01		9
10	·17		·02	·16			·03				·02		10
11			·52	·02			~~·42~~				(·03)	·10	11
12	·04		·30	·02	·02		·42			·01		·06	12
13			·15	·02		·38			·01	·11			13
14	·13			·23					·03	·08		·04	14
15	·27			·29			·06		·04	·06		·02	15
16	·26		·07	·14	·08					·08		·28	16
17	·08	·89									·21	·07	17
18	·04	·71				·02					·14		18
19		·06	·34				·02	·21			·04	·06	19
20	·07	·09	·93			·10	1·50	·63	·04		·08	·01	20
21	·13		·29			·01	·09	·15	·03		·10	·04	21
22	·01	·38	·04			·04	·31		·01		·01		22
23		·06					·06		·45			·23	23
24						·04		·15	·01	·53	·04		24
25				·08		·02					·11	·12	25
26	·14			·08	·03	·05		·18		·66			26
27	·16		·24	·11				·02	·21			·22	27
28	·15			·67				·42				·01	28
29	·04		·14	·02				·25		·04	·30	·31	29
30	·04	✕		·07		·15				·09	·01	·17	30
31	·05	✕	·03	✕		✕		·13	✕	·11	✕	·35	31
TOTAL	3·46	2·39	4·53	~~2·12~~ 2·40	~~1·34~~ 1·06	~~0·99~~ 1·14	~~3·15~~ 3·00	~~2·19~~	~~1·60~~	~~1·93~~	~~1·63~~	~~3·61~~	YEAR'S TOTAL ~~28·~~94
Days with ·01 in. or more	24	9	20	~~16~~16	~~11~~ 10	~~11~~ 12	~~13~~ 12	10	14	12	19	23	~~181~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

melt 24.7.18

80 prelimy

Glos 61

CHILDSWYCKHAM VICARAGE,
BROADWAY,
WORCESTERSHIRE.

[illegible] water

Jany 23 1918

Dear Sir

I am sorry to trouble you again, but the circumstances under which I should like your opinion are these:
On Wednesday Jany ~~9~~ 16th when I went to measure the Rainfall there had been a heavy fall of snow 10 inches deep without drifting. The receiver (5 inch diam.) of the raingauge was piled up with snow bulging out all round & making a diameter of 9 inches or more. I think now I ought to have reduced the superabundant snow to the diameter of the receiver before melting it. I did not do so but put all the snow on the receiver into a bowl & when melted it amounted to 1.65

Whereas judging by the depth of snow on the ground according to the estimate in "Rules for observers" it should only be about .83. Under these circumstances how would you advise me to record the rainfall? would you split the difference? There might have been some sleet with the snow causing it to lie closer than it ordinarily would.

Again apologising for troubling you I am

Yours faithfully
J E Compton

POST CARD

½ HALFPENNY ½
POSTAGE

BR
26

Dr Mill LLD
62 Camden Square
London
N.W.

61
1918

1918

Chyldswyckham Vicarage
Nr Broadway Glos:
Jany 26 1918

Dear Sir

I fear I made a mistake as to the date of the snowfall referred to. It took place during the 24 hours preceding 9 a.m. January 16th not the 9th.

Yours faithfully

J E Tompson

✓

GLOUCESTER

CHIPPING-
CAMPDEN.

"HIDCOTE"

1911 -1920

REG 19

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Hidcote Ca

in the County of Glou

by Major W. W

of top 5 in.

op above Ground 1 ft. — in.

" " Sea Level 520 ft.

n 9 ol.

tation { Name Campden
Distance 2 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·06	—	—	—	—	—	—	—	·02	·61	1
2	·01	—	—	·09	·27	—	—	·19	—	·45	·09	·07	2
3	T	—	—	—	·20	—	—	—	—	—	·01	—	3
4	·02	—	·15	·01	—	—	—	—	·08	·03	·30	·31	4
5	·03	—	—	·02	—	—	—	·11	—	·01	·03	—	5
6	·29	—	·01	·01	—	—	—	—	—	—	·04	·71	6
7	·01	—	—	—	—	—	—	—	—	·03	·20	—	7
8	·21	—	·09	—	—	—	—	—	—	—	·04	·20	8
9	·10	—	·01	—	—	—	—	—	—	—	·04	·15	9
10	·01	·11	·27	—	—	—	—	—	—	—	—	·56	10
11	·11	—	—	—	—	—	—	—	—	—	·45	·01	11
12	—	—	·46	—	—	—	—	—	·15	—	·19	—	12
13	—	—	—	—	·02	—	—	—	·43	·01	·02	·32	13
14	—	—	·03	—	—	—	—	—	—	—	—	·57	14
15	—	·02	·01	—	—	—	—	—	—	·02	·10	·02	15
16	—	—	—	—	—	·08	—	—	—	—	·25	·14	16
17	—	—	·01	—	—	—	—	—	—	—	·08	·32	17
18	—	·35	·01	·06	—	·02	—	—	—	·09	—	·21	18
19	·01	·01	—		—	·44	—	—	·05	·11	·09	·07	19
20	·01	·07	·01		—	—	—	·22	·05	—	—	·57	20
21	—	·07	—		—	—	—	·02	—	·30	—	·08	21
22	—	—	·02		—	·37	—	—	—	·09	—	·45	22
23	—	·19	·28		—	·03	—	·23	·20	—	—	·18	23
24	—	·05	—	·01	—	·38	—	·07	—	·59	—	·11	24
25	—	·14	·01	·04	·09	·06	—	—	—	—	—	·12	25
26	—	·12	—	·21	—	—	—	·05	·01	·18	·20	·10	26
27	—	·15	·15	·06	—	—	—	·38	·33	—	·04	·19	27
28	—	·20	—	·12	—	·01	·02	—	—	—	·05		28
29	—		—	·11	—	·28	·07	—	·11	·15	—		29
30	—		·06	·17	·08	·05	—	·75	·02	·12	—		30
31	—		—		—		—	—		·03			31
Total	·82	1·48	1·64	·91	·66	1·72	·09	2·02	1·43	2·21 ✓	2·24	5·47	TOTAL for year 20·69
No. of Rain Days	12	12	17	12	5	10	2	9	10	15 ✓	19	23	146 ✓

7,000. X. '09.

✓

REG 19

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Hidcote Campden Glos
in the County of Gloucestershire 4
by Major W. Wright

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 520 ft.

Time of Observation 9a.

Nearest Railway Station
Name Campden
Distance 2 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·06	—	—	—	—	—	—	—	·02	·61	1
2	·01	—	—	·09	·27	—	—	·19	—	·45	·09	·07	2
3	T	—	—	—	·20	—	—	—	—	—	·01	—	3
4	·02	—	·15	·01	—	—	—	—	·08	·03	·30	·31	4
5	·03	—	—	·02	—	—	—	·11	—	·01	·03	—	5
6	·29	—	·01	·01	—	—	—	—	—	—	·04	·71	6
7	·01	—	—	—	—	—	—	—	—	·03	·20	—	7
8	·21	—	·09	—	—	—	—	—	—	—	·04	·20	8
9	·10	—	·01	—	—	—	—	—	—	—	·04	·15	9
10	·01	·11	·27	—	—	—	—	—	—	—	—	·56	10
11	·11	—	—	—	—	—	—	—	—	—	·45	·01	11
12	—	—	·46	—	—	—	—	—	·15	—	·19	—	12
13	—	—	—	—	·02	—	—	—	·43	·01	·02	·32	13
14	—	—	·03	—	—	—	—	—	—	—	—	·57	14
15	—	·02	·01	—	—	—	—	—	—	·02	·10	·02	15
16	—	—	—	—	—	·08	—	—	—	—	·25	·14	16
17	—	—	·01	—	—	—	—	—	—	—	·08	·32	17
18	—	·35	·01	·06	—	·02	—	—	—	·09	—	·21	18
19	·01	·01	—		—	·44	—	—	·05	·11	·09	·07	19
20	·01	·07	·01		—	—	—	·22	·05	—	—	·57	20
21	—	·07	—		—	—	—	·02	—	·30	—	·08	21
22	—	—	·02		—	·37	—	—	—	·09	—	·45	22
23	—	·19	·28		—	·03	—	·23	·20	—	—	·18	23
24	—	·05	—	·01	—	·38	—	·07	—	·59	—	·11	24
25	—	·14	·01	·04	·09	·06	—	—	—	—	—	·12	25
26	—	·12	—	·21	—	—	—	·05	·01	·18	·20	·10	26
27	—	·15	·15	·06	—	—	—	·38	·33	—	·04	·19	27
28	—	·20	—	·12	—	·01	·02	—	—	—	·05		28
29	—		—	·11	—	·28	·07	—	·11	·15	—		29
30	—		·06	·17	·08	·05	—	·75	·02	·12	—		30
31	—		—		—		—			·03			31
Total	·82	1·48	1·64	·91	·66	1·72	·09	2·02	1·43	2·21 ✓	2·24	5·47	TOTAL for year 20·69
No. of Rain Days	12	12	17	12	5	10	2	9	10	15 ✓	19	23	146 ✓

7,000. X. '09.

cordly c 28.11.13 H 9ML

FORM A2. BRITISH RAINFALL. 8 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Hidcote Campden. ~~Glo~~

in the County of Gloucestershire 4

by W. Wright

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground one ft. in.
" " " Sea Level 520 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Campden
Distance 2 miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·01	·11	·01	—	·28	·22	—	·04	·08	—	·05	1
2	—	—	·17	·06	·01	·09	·49	·02	—	—	—	—	2
3	·06	—	·02	—	·02	·09	·26	·57	—	—	·02	·10	3
4	·17	—	·81	—	·16	·82	—	·11	—	—	·28	—	4
5	·16	·03	·27	—	·09	·06	—	·50	—	—	—	—	5
6	·18	·11	—	—	·02	—	·16	·74	—	—	—	·03	6
7	—	·08	—	·04	·05	·56	·03	·25		—	—	·01	7
8	·30	·10	·29	·03	—	·02	·15	·03	·07	—	—	·10	8
9	—	·02	·10	—	—	·34	—	·08	—	—	—	·17	9
10	—	·03	·01	—	—	·04	—	·21	·02	—	·18	—	10
11	·09	·06	—	—	—	·12	—	·12	—	—	·05	·35	11
12	·05	·45	·15	—	·03	—	·01	—	—	—	—	—	12
13	—	·10	—	—	—	—	·03	·02	—	—	—	—	13
14	09	—	·37	—	·05	—	—	·14	~~·01~~	·01	—	—	14
15	·14	·05	·03	—	·35	·20	—	·01	—	—	—	·16	15
16	·30	—	·03	—	·12	·10	—	·05	~~·02~~	·02	·09	—	16
17	·89	—	·27	—	—	·05	—	·31	—	—	·01	·43	17
18	·17	—	·26	—	—	—	—	·13	~~·04~~	·04	—	—	18
19	·11	·05	—	—	·02	—	·15	·44	—	—	·01	—	19
20	—	—	·38	—	·02	·01	·24	·21	—	·33	·07	—	20
21	—	·02	·29	—	·67	—	—	·57	—	·22	—	—	21
22	·62	·05	·05	—	1·18	·05	·46	·16	—	·01	—	·01	22
23	·19	·47	·24	—	—	·26	·20	·15	—	·01	·05	·35	23
24	·02	—	—	—	·01	·30	·10	·18	—		—	·09	24
25	—	—	·02	—	—	·68	—	·64	—		·26	·38	25
26	—	—	—	—	—	—	·05	·95	—	·32	·27	·14	26
27	—	·01	—	—	—	·08	·24	—	—	·57	—	·16	27
28	—	·09	—	—	—	·13	·33	·61	·02	·18	·16	·47	28
29	—	—	—	—	—	·13	·49	—	·45	·13	·03	—	29
30	—		·01	—	·02	·01	·07	·06	·06	·12	·01	—	30
31	—		·13		·23		·49	·03		·01		·05	31
Total	3·54	1·73	4·01	·14	3·05	4·42	4·17	7·23	·66	2·05	1·49	3·05	TOTAL for year 35·54
No. of Rain Days	16	17	21	4	17	22	19	27	6	14	14	17	194

9,000, IX. '10.

andlyc 26.11-14

REGISTER OF RAINFALL IN 19/3

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Hidcote Campden

in the County of Gloucestershire 4

by N. Wright

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 520 ft.

Time of Observation 9 o'c. am

Nearest Railway Station
Name M. Campden G.W.R.
Distance 2 Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·06	·14	·08	·03	—	—	—	1·02	—	·06	—	1
2	·01	·14	—	·01	—	—	·02	—	·50	·19	·02	—	2
3	·08	—	·17	—	·62	—	—	—	·01	·01	—	·07	3
4	·77	·01	—	—	·22	—	—	—	·01	·21	—	·25	4
5	·01	—	—	—	—	·02	·07	—	—	·23	·06	·05	5
6	·01	·07	·07	—	·20	·13	1·25	—	—	·29	—	·22	6
7	—	·13	—	—	·14	—	·06	—	—	·16	·11	—	7
8	—	—	—	—	·18	·04	—	—	—	·30	—	—	8
9	—	·19	—	—	·05	·08	·01	·08	·14	—	·03	·02	9
10	·06	—	—	·06	·11	—	—	—	—	—	·24	—	10
11	·68	—	—	·26	—	—	—	·10	—	·05	·62	—	11
12	—	—	—	—	·07	—	—	—	—	—	·62	—	12
13	·03	—	—	—	—	—	—	—	·31	—	·22	—	13
14	·09	—	·42	·02	—	—	·02	·07	—	·15	—	—	14
15	·04	·19	·40	·30	—	—	·08	·18	·10	—	·02	—	15
16	·03	—	·76	—	—	—	—	—	·10	—	·01	—	16
17	·05	·03	·11	·10	—	·03	·15	—	—	—	—	—	17
18	—	—	·09	·09	·04	—	·09	—	—	—	—	—	18
19	·26	—	·14	·01	—	·09	·02	—	·07	—	—	—	19
20	·27	—	·05	·04	—	—	—	—	—	·19	·10	—	20
21	—	—	·11	·04	·08	—	·14	—	—	—	·38	—	21
22	·36	—	·40	·07	—	·01	—	·05	·37	—	—	—	22
23	—	—	—	—	—	·03	—	·11	—	—	—	·05	23
24	—	—	—	·03	—	—	—	·03	—	—	—	—	24
25	—	·04	—	·13	—	—	—	—	—	·04	—	—	25
26	—	·05	—	·44	—	—	—	—	·01	·11	—	·18	26
27	—	·02	·01	·19	·05	—	—	·11	—	—	—	—	27
28	·29	—	·19	·37	·01	—	—	—	—	·26	—	—	28
29	·02		·35	·49	·02	—	—	·02	—	·04	—	·03	29
30	·25		—	—	—	—	—	—	—	·22	·16	—	30
31	—		·04		·10 ·10		—	—		—		—	31
Total	3·31	·93	3·45	2·73	1·92	·43	1·91	·75	2·64	2·45	2·65	·87	TOTAL for year 24·04
No. of Rain Days	18	11	16	18	15	8	11	9	11	15	14	8	154

9,000, IX. '10.

ordly c. 25.III.15 ~~W~~ DJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Hidcote . Campden
in the County of Glos. 4
by W. Wright

Lat. 52° 5′ Long. 1° 46′
Time of Observation 9 of. am
Nearest Railway Station Campden
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·02	·08	—	—	·14	·19	—	—	·05	·09	1
2	—	—	—	—	—	—	·20	·25	—	—	·70	·53	2
3	—	—	·08	—	·03	—	·37	—	—	—	·02	—	3
4	·17	—	·09	·18	—	—	—	·08	—	—	·51	·41	4
5	—	—	·07	·08	·09	·05	·55	—	—	—	·20	—	5
6	·02	·05	—	—	—	·15	—	·02	—	—	·33	·09	6
7	—	·20	·23	·01	·20	—	·09	·09	—	—	—	·04	7
8	—	—	·20	·04	·10	1·01	·21	·07	—	—	—	·11	8
9	·19	—	·31	·30	—	1·54	—	·06	·05	—	—	—	9
10	·04	·30	·09	·09	·08	·01	—	—	·28	—	—	—	10
11	—	·15	·29	·03	·16	·35	·03	—	·61	—	·20	·33	11
12	—	·08	·11	—	—	—	·40	—	·30	—	—	·20	12
13	—	·11	·40	—	—	—	—	—	·08	·07	·06	·38	13
14	·01	·07	·08	—	—	—	·04	—	—	·36	·08	·07	14
15	—	·01	·07	—	—	—	—	·02	·02	·01	·10	·02	15
16	·02	—	·02	—	—	—	—	—	·04	—	—	·02	16
17	—	·19	·08	—	—	—	—	—	·04	—	—	·21	17
18	—	—	—	—	—	·06	·06	—	—	—	—	·32	18
19	—	—	·08	—	—	—	·85	—	·02	—	·07	·02	19
20	—	·20	·16	—	—	·09	·05	—	—	—	—	·11	20
21	—	·30	·03	—	—	·12	—	·03	—	·13	—	·25	21
22	—	—	·07	·03	·22	—	—	·03	—	·11	—	—	22
23	—	·04	·13	—	·14	—	—	—	—	·06	—	—	23
24	—	·03	·13	—	·20	02	·06	—	—	·14	·05	—	24
25	·14	—	·04	—	—	—	·05	·15	—	·21	·02	·15	25
26	—	—	·20	—	—	—	·09	·02	—	·04	·18	·40	26
27	·06	—	—	—	—	—	—	—	—	—	·07	·10	27
28	—	—	·03	—	·04	—	—	—	—	·04	·02	·99	28
29	—	·09	·03	—	·02	—	—	—	—	·29	·15	—	29
30	—	X	—	—	—	·07	—	—	—	·09	·38	·50	30
31	—	X	—	X	—	X	·27	—	X	—	X	—	31
Total	·65	1·83	3·04	·84	1·28	3·47	3·46	1·01	·84	1·55	3·19	5·34	YEAR'S TOTAL 26.50
Rain Days.	8	15	25	9	11	11	16	12	9	12	18	22	168

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4. JAN

Kept at Hedcote Campden
in the County of Gloucestershire
by Major W. Wright

Lat. 52° 5′ Long. 1° 46′
Time of Observation 9 o'c
Nearest Railway Station Campden
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·08	·01	—	·45	—	—	·61	[illegible]	·18	·02	—	1
2	·15	·15	·20	·09	—	·05	—	·46	—	·30	—	·11	2
3	·89	·02	·05	·10	—	—	·27	·22	—	—	—	·22	3
4	—	—	—	—	·02	—	·25	·07	—	—	—	·40	4
5	—	·47	—	—	·03	—	·13	·07	—	—	—	·26	5
6	·22	·18	—	·14	—	—	·38	·04	—	—	—	·08	6
7	·04	·42	—	·01	·30	·11	·24	·03	—	—	—	·26	7
8	·08	·20	—	·04	—	—	—	·04	—	—	·03	—	8
9	·05	—	—	·12	—	—	—	—	—	—	·19	·34	9
10	·19	·05	·03	·02	—	—	—	·09	—	—	—	·02	10
11	—	—	—	·11	·05	—	—	—	—	—	·98	—	11
12	—	·04	—	·14	·65	—	—	—	—	·05	·61	·05	12
13	—	·42	—	—	·92	—	—	·02	—	—	—	—	13
14	—	—	—	—	—	—	·15	·02	·08	·01	—	·30	14
15	·23	—	—	—	·06	—	—	·07	—	·03	·10	·14	15
16	—	·50	—	—	—	—	·47	·13	—	—	—	—	16
17	—	·28	—	—	·61	—	—	—	—	—	—	—	17
18	—	·27	·05	—	—	—	—	—	—	—	—	—	18
19	—	·02	·01	—	·03	—	·13	—	—	—	—	—	19
20	·29	—	—	·04	—	—	·04	—	—	—	—	·16	20
21	·08	·08	—	—	—	—	·05	—	—	07	—	·05	21
22	·16	·01	·25	·02	—	—	·16	—	—	—	—	·10	22
23	—	·10	—	—	—	—	·12	—	·02	·42	—	·31	23
24	—	—	·08	·05	—	·02	·06	—	·33	·43	—	·08	24
25	—	—	—	—	—	·65	—	—	·02	·03	—	·25	25
26	—	·02	—	—	—		·05	—	—	—	—	·36	26
27	—	·02	·01	—	—	·01	·06	—	—	45	—	—	27
28	—	·09	—	—	—	·02	·02	—	·27	—	—	—	28
29	—		—	—	—	·19	·20	·17	—	—	·08	·03	29
30	06		—	—	—	—	·05	—	—	·23	·20	·19	30
31	—		—		—		·01	·03 ~~·22~~		·67		·12	31
Total	2·65	3·42	·69	·88	2·82	1·05	2·84 2·84	1·47	·72	2·87	2·21	3·83	YEAR'S TOTAL 25·45
Rain Days.	13	20	9	12	10	7	19	15	5	12	8	21	157

W.7,000, XI. 13

[illegible]

2218

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 JAN 1917

Kept at Hidcote Campden
in the County of Gloucester
by Major N. Wright

Lat. 52° 5′ Long. 1° 46′
Time of Observation 9 a.
Nearest Railway Station Campden
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·11	–	·02	–	·03	–	·15	–	–	·16	~~·10~~	–	1
2	·20	–	·65	–	·23	·03	·02	–	–	·55	·20	–	2
3	–	·70	–	–	–	–	–	–	·08	·33	·05	–	3
4	·27	·01	–	·07	·35	·20	–	–	·03	·09	·11	–	4
5	·05	–	–		·20	·05	·24	–	–	·02	·38	–	5
6	·06	·16	·08	–	·19	·20	·41	–	–	·05	·31	–	6
7	–	–	·05	–	·01	·62	·13	–	–	·15	·67	·15	7
8	–	·01	·04	–	·24	–	–	–	–	–	·55	·21	8
9	·01	–	·02	–	·10	·30	–	–	–	·03	·04	–	9
10	–	·25	·07	·10	–	·31	–	–	·05	·04	–	–	10
11	–	·06	·07	·08	·05	·28	·02	–	·10	–	–	·35	11
12	·02	–	·06	·10	·37	–	–	·02	–	·18	–	–	12
13	·01	·22	·13	–	–	–	·27	·13	–	–	–	–	13
14	–	·32	–	–	·03	–	·04	·01	–	·04	–	–	14
15	–	·20	·64	·04	·15	–	–	·32	–	·04	–	–	15
16	02	·02	·18	·21	·13	–	·05	·22	–	–	–	–	16
17	05	·20	–	·11	–	–	·06	·08	·38	·35	–	–	17
18	–	·05	·02	·05	–	–	·03	·05	·13	·03	·77	·17	18
19	–	–	·12	·38	–	–	–	–	·10	–	·25	–	19
20	11	–	·35	·02	–	–	–	·02	–	–	·05	·38	20
21	–	–	·56	–	·07	–	·22	–	–	–	–	·37	21
22	–	·01	–	–	·03	–	–	–	–	·02	–	·69	22
23	–	·20	–	–	–	–	–	·06	–	·08	·06	·15	23
24	–	·18	·01	–	·12	·24	–	·03	–	–	–	·19	24
25	–	·01	·20	–	–	–	–	·26	·39	–	·22	–	25
26	–	·19	·08	–	–	·23	–	–	–	·21	–	–	26
27	04	·09	·40	–	–	·05	·03	–	·04	·29	–	–	27
28	–	·23	·31	–	–	·05	–	–	·08	·07	–	·13	28
29	–	·12	–	–	–	·17	–	1·48	–	·32	–	·07	29
30	–	×	–	–	·06	·05	–	–	–	·19 ·19	–	–	30
31	–	×	–	×	–	×	–	–	×	·10	×	·06	31
Total	·95	3·23	3·46	1·16	2·36	2·18	1·67	2·68	1·88	3·34 3·34	3·66 3·66	2·92	YEAR'S TOTAL 28·99 28·99
Rain Days.	12	20	21	10	17	14	13	12	10	22	13	12	176

W. 8,000, VIII. 16

2118

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

14 JAN 1918

Kept at Hidcote Campden

in the County of Gloucester

by Major W. Wright

Lat. 52° 5′ Long. 1° 46′

Time of Observation 9 o'c. am

Nearest Railway Station Campden

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. in.

" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·01	·05	·05	—	·04	—	1·05	·23	—	·10	·03	1
2	—	—	—	—	—	·09	—	·04	—	·04	·02	—	2
3	—	—	—	·18	—	—	—	·15	—	·25	—	—	3
4	—	·13	·20	—	—	—	—	·17	—	·29	—	—	4
5	·22	—	·05	·19	—	—	—	—	·05	·13	·14	—	5
6	—	—	·23	—	—	·11	—	—	—	·07	·17	—	6
7	·25	—	—	—	—	—	·10	·19	—	·17	—	—	7
8	·22	—	—	—	—	—	·54	·15	·03	·29	·10	·16	8
9	·01	—	·13	·17	·40	—	—	·19	·03	·01	·18	—	9
10	·18	—	·18	·03	·20	—	—	·08	·08	—	—	—	10
11	·08	—	·17	·36	—	—	—	·19	·10	·15	·01	—	11
12	·05	·01	—	·03	·09	—	—	—	—	·20	—	—	12
13	—	—	·05	—	—	—	—	·19	·04	—	—	—	13
14	·02	—	·10	·04	—	—	—	—	—	—	—	·02	14
15	·01	—	—	—	—	—	—	·02	—	·05	—	·06	15
16	·05	·15	—	·12	·06	—	·12	—		·05	—	·86	16
17	—	—	—	—	·67	·09	·29	·04	·08	·06	—	—	17
18	—	·02	—	·06	·02	—	·12	—	·92	·02	—	—	18
19	·04	·25	·23	—	—	·08	—	—	·03	—	—	—	19
20	—	·15	—	—	·42		·15	—	·22	—	·02	—	20
21	—	·01	·11	—	—		—	·02	—	·01	·04	—	21
22	—	—	·08	—	—	·05	—	·02	—	·12	—	—	22
23	—	·14	—	—	·05		—	·16	—	—	—	—	23
24	—	·02	·02	—	—	·10	—	·07	—	·15	·04	·03	24
25	—	·11	·03	—	—		·05	—	—	—	·02	—	25
26	—	—	·01	—	—	·04	—	·31	·10	—	·25	—	26
27	—	—	—	—	1·38	·10	·02	·60	—	—	—	—	27
28	—	—	·25	—	—	·55	—	·10	—	—	—	·03	28
29	—		·02	—	—	·15	·10	·06	—	·39	—	·38	29
30	·01	✕	—	—	—	—	·27	·34	—	·01	·02	—	30
31	—	✕	·06	✕	—	✕	·02	·06	✕	·01	✕	·04	31
Total	1·16	1·00 1·10	1·97	1·23	3·29	1·40	1·78	4·20	1·91	2·47	1·11	1·61	YEAR'S TOTAL 23·13 23·23
Rain Days.	13	11	18	10	9	11	11	22	12	20	13	9	159

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

3. 1. 19

Kept at Hidcote Campden

in the County of Gloucestershire

by Major W. Wright

Lat. 52° 5′ Long. 1° 46′

Time of Observation 9 A.M.

Nearest Railway Station Campden

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·01	·03	·04	—	—	·01	—	·02	·39	—	1
2	—	·03	—	·61	—	—	—	·17	—	·62	·02	·05	2
3	—	·08	·02	·08	·12	—	—	·07	·38	—	·07	—	3
4	—	·04	·02	—	—	—	—	—	·14	—	·71	·06	4
5	—	—	—	·63	·29	—	—	·09	·34	·01	·03	—	5
6	—	·18	·01	·05	—	·05	—	—	·04	·06	—	·03	6
7	·03	·12	—	·07	·20	—	—	—	·08	·10	·20	·02	7
8	—	—	—	—	—	—	—	—	·22	·09	—	·08	8
9	—	·04	—	·10	—	·25	·07	—	·35	·25	—	·10	9
10	·07	—	—	·13	—	—	·30	—	·10	·15	—	·11	10
11	—	—	—	·05	—	—	·10	—	·08	·24	·08	·04	11
12	—	·02	·17	—	·12	—	·28	—	·07	—	—	—	12
13	—	·02	—	·02	—	—	·03	—	·05	·03	—	·13	13
14	·24	—	—	—	—	·02	·13	—	·44	·06	—	·04	14
15	·75	—	—	·55	·02	—	·13	—	—	—	—	·25	15
16	·22	—	—	·74	—	·06	—	—	·17	—	—	—	16
17	·11	—	·04	·05	—	—	·27	·01	·07	·03	—	·11	17
18	·44	—	—		—	·28	·06	—	·78	—	—	·50	18
19	·02	·04	·14	·05	—	—	·05	—	—	·09	—	·02	19
20	—	·07	—	·54	—	·06	·85	—	·07	·02	—	·02	20
21	·07	—	—	·40	—	·02	·03	—	·38	·03	—	·04	21
22	·15	—	—	—	·13	—	·07	—	·08	·26	—	·28	22
23	·03	—	—	—	·52	—	·01	—	·09	—	·01	—	23
24	—	·12	—	—	—	·01	·01	—	·20	—	·10	—	24
25	—	—	—	—	—	—	·15	·19	—	·05	·06	—	25
26	—	—	—	—	—	—	·54	—	—	·04	·04	·15	26
27	—	—	~~27~~	—	—	—	·02	·21	·04	—	·16	·07	27
28	—	·16	·27	—	—	·02	—	—	—	—	·12	·02	28
29	—		·03	—	—	—	—	—	1·41	—	—	·04	29
30	—		·21	—	—	—	—	·04	·02	—	·09	·07	30
31	—		·26		—		—	·03		·02		—	31
Total	2·13	·92	1·18	2·90	1·44	·77	3·10	·82	~~5·58~~ 5·60	1·57	2·08	2·23	YEAR'S TOTAL ~~24·72~~ 24·74
Rain Days.	11	12	11	16	8	9	18	9	23	19	14	22	172

W. 7,500, XI. 12

1986

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL
20

Kept at Hidcote Campden
in the County of Glos
by Major W. Wright

Lat. 52 5 Long. 1 46
Time of Observation 9 am
Nearest Railway Station Campden
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.05	.04	—	.11	—	.20	—	—	.24	.01	.49	1
2	.10	.01		—	—	—	.14	.02	.20	.05	.16	.06	2
3	.68	—	.13	—	.06	.15	.05	—	.14	—	.20	.13	3
4	.12	—	.48	—	—	.09	.12	.05	.20	—	.03	.20	4
5	.03	.28	.25	—	—	—	.04	—	.27	—	—	.11	5
6	.03	—	.10	—	.25	—	—	—	—	—	—	.12	6
7	.10	—	.34	.10	.04	—	—	—	—	—	.01	—	7
8	.35	—	.05	.25	—	—	—	—	—	—	—	—	8
9	.15	—	.03	.08	—	—	—	—	—	—	—	—	9
10	.03	—	.40	.03	—	—	—	—	—	—	—	.12	10
11	.03	—	.31	.02	.01	—	.39	—	—	—	—	.61	11
12	—	—	.04	.05	—	.12	—	~~.03~~	.03	.21	.05	.02	12
13	.11	—	—	.20	—	—	.18	~~0~~	.04	.13	—	.03	13
14	.38	—	—	.17	—	—	—	—	.04	.05	—	.04	14
15	.16	—	.01	.15	—	—	—	—	—	—	.02	.37	15
16	.09	.97	—	—	—	—	—	.02	—	—	.09	.02	16
17	—	.48	—	.02	—	.01	—	—	—	—	.15	—	17
18	—	—	.36	—	—	—	—	.10	—	—	.02	.09	18
19	.11	.20	1.04	—	—	.09	1.42	.47	.04	—	.07	—	19
20	.37	.03	.16	—	—	.01	.11	.15	.06	—	.05	—	20
21	—	.45	.05	—	—	.02	.28	—	.01	—	—	.09	21
22	—	.14~~22~~	—	—	—	—	.01	—	.37	—	—	.35	22
23	—	—	—	—	—	.04		.09	—	.48	.04	.05	23
24	—	—	—	.04	—	—	.06		—	.65	.10	.13	24
25	.13	—	—	.02	.05	—	—	.25	—	—	—	—	25
26	.11	—	.17	.09	—	.08	.02	.10	.10	—	—	.33	26
27	.14	—	.07	.75	—	—	—	.62	—	—	—	13	27
28	.12	—	.09	—	—	—	—	.38	—	—	.20	.23	28
29	.06	—	—	.01	—	—	—	.03	—	.09	.09	.23	29
30	—	X	—	.24	—	.25	—	.06	—	.09	—	.38	30
31	—	X	—	X	—	X	—	—	X	.03	X	.03	31
Total	3.69	2.61	4.12	2.22	.52	.86	3.02	2.34	1.50	2.02	1.29	3.76	YEAR'S TOTAL 27.95 ~~28.65~~
Rain Days.	22	9	19	16	6	10	13	13	12	10	16	24	170

W, 6,500, VII. 18. W W C

obsr agrees 1898

3 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Hidcote Campden

in the County of Gloucester

by Major W. Wright

Lat. 52° 5′ Long. 1° 46′

Time of Observation 9 am

Nearest Railway Station Campden

Diameter of Funnel of Rain Gauge ~~[illegible]~~ in. 5 in

Height of top of Gauge above Ground one ft — in.

" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·25	·30	·02	·14	—	·01	·14	—	·22	1
2	—	—	—	·09	—	—	·22	·05	·04	·07	—	·06	2
3	·07	·02	—	·15	—	·06	·58	·03	·20	·31	—	—	3
4	—	—	·06	·24	—	—	·03	·26	·05	·22	—	—	4
5	—	—	·15	·03	·14	—	·55	·05	·05	1·09	—	—	5
6	—	—	·40	—	·13	—	·09	—	—	·05	·01	·02	6
7	—	—	·04	·14	—	—	·22	—	—	—	—	—	7
8	·11	·09	—	·51	·05	—	·56	—	—	—	—	—	8
9	·17	—	—	·41	—	—	·01	—	—	—	—	—	9
10	·28	·07	·07	—	—	·14	·07	—	—	—	—	—	10
11	·26	—	·04	·27	·39	·09	·05	—	—	—	·05	·02	11
12	·07	·01	—	·22	—	·63	—	·22	—	—	—	—	12
13	—	—	·21	·07	—	—	—	[illegible]	·06	—	—	·02	13
14	—	—	·60	·33	—	·26	·01	—	·32	·02	·18	—	14
15	—	·06	·19	·33	—	·11	—	—	·02	—	·01	—	15
16	—	—	—	·02	·02	·11	·06	—	·32	·24	·02	—	16
17	—	—	—	—	·10	—	·01	—	·63	·08	—	·07	17
18	·22	—	—	·05	·03	—	—	·26	·44	—	—	—	18
19	·09	·20	—	·19	—	·09	·02	—	·04	—	—	03	19
20	—	·12	—	·42	—	·21	—	—	·01	—	—	02	20
21	·03	—	—	·01	—	—	—	·02	·02	—	—	—	21
22	—	—	—	·13	—	—	—	·17	—	—	—	22	22
23	—	—	—	—	—	—	·30	·15	—	—	—	·26	23
24	—	—	·16	·02	—	—	—	—	—	·03	·03	·08	24
25	—	·05	·13	—	—	·02	·66	—	—	—	—	—	25
26	·22	—	·28	·04	—	—	·06	—	—	—	—	·14	26
27	·40	·02	·05	·29	·04	·42	—	—	—	—	·03	·31	27
28	·66	—	·05	·66	·26	—	·03	·02	—	—	—	·01	28
29	·15	—	·10	—	·07	·06	·07	—	—	—	·08	·52	29
30	·01	X	·02	·11	—	·09	·19	—	·23	—	·16	·17	30
31	·04	X	—	X	—	X	—	—	X	·54	X	·02	31
TOTAL	2·78	·64	2·55	4·38	1·53	2·31	3·93	1·23	2·44	2·79	·57	2·19	YEAR'S TOTAL 27·34 ~~24·34~~
Days with ·01 in. or more	15	9	16	24	11	14	21	10	15	11	9	17	172
	13	6	15	20	9	12	15	7	11	9	4	10	131

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

POST CARD

POSTAGE
STAMP
HERE.

O.H.M.S.

CAMPDEN S.O.
6.45 PM
14 AP
21

The Superintendent
Meteo. Office Air Ministry
62 Camden Square
London. N.W.1

HIDCOTE
CAMPDEN
GLOS.

14 APR 1921

14·4·21

Recd yours of the 13th Inst. 27.34 inches is the correct total

F. Wright

I made ✓

2171

CHURCHDOWN, BARROW HILL

1913 - 20

13

FORM A2.
BRITISH RAINFALL.

2 - JAN 1914

Kept at Barro

in the County of Gl

by Mrs. J.

5 ins

ove Ground ft. 11 in.

" Sea Level 225 ft.

9 a.m.

Name Churchdown

Distance Direction

IMPORTANT nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	.16	.05	.07	-	-	-	.84	-	.09	-	1
2	.07	.18	.03	.11	-	-	.05	-	.18	.80	.09	-	2
3	.14	-	.06	-	.40	-	-	-	-	-	-	.05	3
4	.84	-	.02	-	.29	-	-	-	.37	.85	-	.14	4
5	.07	-	.07	-	.07	.33	.15	-	.07	.12	.10	.02	5
6	.03	-	.17	-	.27	.12	.23	-	-	.20	.47	.49	6
7	-	.32	-	-	.33	.12	.05	-	-	.18	.13	-	7
8	-	.05	-	-	.18	.07	-	-	-	.23	-	-	8
9	-	.17	-	-	.10	.03	.04	.25	.25	.07	.02	.02	9
10	.13	-	-	.04	.07	-	-	.12	-	-	.14	-	10
11	.99	-	-	.25	.02	-	-	-	-	.06	.68	-	11
12	-	.07°	-	-	.05	.07	-	-	-	-	.57	-	12
13	× .02	.02°	.12	-	.09	.07	-	-	.17	-	.33	-	13
14	.08	.07°	.30	-	-	-	-	.04	-	-	-	-	14
15	.17	.15	.46	.57	-	-	-	.07	.30	.12	-	.07	15
16	.15	-	.69	.03	-	.02	-	.11	-	-	-	-	16
17	.02	.07	.14	.05	-	.04	.22	-	.03	-	.07	-	17
18	.03	-	.16	.08	.07	-	.08	-	-	-	.04	-	18
19	.18	-	.04	-	-	.13	.06	-	.11	-	-	.02	19
20	.35	-	.07	.04	-	-	-	-	.03	.06	.08	-	20
21	-	-	.06	.10	.08	-	.03	.07	-	.03	.36	-	21
22	÷ .43	-	.40	.02	-	.03	-	.08	.43	-	.07	-	22
23	-	-	-	-	-	.04	-	-	-	-	.07	.10	23
24	.07	-	-	.04	-	-	-	-	-	-		-	24
25	-	.07	-	.22	-	-	-	-	-	-		.07	25
26	-	.04	-	.43	-	-	-	.34	-	.02		.28	26
27	.07	-	.12	.47	.07	-	-	-	-	.13		-	27
28	.27	-	.11	.37	.07	-	-	-	.07	.25		.02	28
29	.07	-	.47	.44	-	-	-	.04	-	.13	.07	× .07	29
30	.23	-	-	-	-	-	-	-	.02	.27	.04	-	30
31	.02	-	10		.26		-	.07		-		-	31
Total	4.08	1.08	3.69	3.25	2.13	0.89	0.91	1.01	2.81	3.46	3.18	1.17	TOTAL for year 27.66
No. of Rain Days	22	12	20	17	17	12	9	10	13	16	18	12	178

9,000, IX. '10. × Snow; ÷ Sleet; ° Fog.

I made ✓

13

FORM A2. BRITISH RAINFALL.

2 JAN 1914

Kept at Barrow Hill, Churchdown
in the County of Gloucester 3. E4 M
by Mrs. J. H. Jones

RAIN GAUGE
Pattern
Diameter of top 5 ins
Height of top above Ground ft. 11 ins
" " " Sea Level 225 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Churchdown
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.11	.16	.05	.01	-	-	-	.84	-	.09	-	1
2	.01	.18	.03	.11	-	-	.05	-	.18	.80	.09	-	2
3	.14	-	.06	-	.40	-	-	-	-	-	-	.05	3
4	.84	-	.02	-	.29	-	-	-	.37	.85	-	.14	4
5	.01	-	.01	-	.01	.33	.15	-	.07	.12	.10	.02	5
6	.03	-	.17	-	.27	.12	.23	-	-	.20	.47	.49	6
7	-	.32	-	-	.33	.12	.05	-	-	.18	.13	-	7
8	-	.05	-	-	.18	.01	-	-	-	.23	-	-	8
9	-	.17	-	-	.10	.03	.04	.25	.25	.01	.02	.02	9
10	.13	-	-	.04	.01	-	-	.12	-	-	.14	-	10
11	.99	-	-	.25	.02	-	-	-	-	.06	.68	-	11
12	-	.01°	-	-	.05	.01	-	-	-	-	.57	-	12
13	× .02	.02°	.12	-	.09	.01	-	-	.17	-	.33	-	13
14	.08	.01°	.30	-	-	-	-	.04	-	-	-	-	14
15	.17	.15	.46	.51	-	-	-	.01	.30	.12	-	.01	15
16	.15	-	.69	.03	-	.02	-	.11	-	-	-	-	16
17	.02	.01	.14	.05	-	.04	.22	-	.03	-	.01	-	17
18	.03	-	.16	.08	.01	-	.08	-	-	-	.04	-	18
19	.18	-	.04	-	-	.13	.06	-	.11	-	-	.02	19
20	.35	-	.07	.04	-	-	-	-	.03	.06	.08	-	20
21	-	-	.06	.10	.08	-	.03	.01	-	.03	.36	-	21
22	÷ .43	-	.40	.02	-	.03	-	.08	.43	-	.01	-	22
23	-	-	-	-	-	.04	-	-	-	-	.01	.10	23
24	.01	-	-	.04	-	-	-	-	-	-		-	24
25	-	.01	-	.22	-	-	-	-	-	-		.01	25
26	-	.04	-	.43	-	-	-	.34	-	.02		.28	26
27	.01	-	.12	.47	.01	-	-	-	-	.13		-	27
28	.22	-	.11	.37	.01	-	-	-	.01	.25		.02	28
29	.01	-	.47	.44	-	-	-	.04	-	.13	.01	× .01	29
30	.23	-	-	-	-	-	-	-	.02	.27	.04	-	30
31	.02	-	10		.26		-	.01		-		-	31
Total	4.08	1.08	3.69	3.25	2.13	0.89	0.91	1.01	2.81	3.46	3.18	1.17	TOTAL for year 27.66
No. of Rain Days	22 ✓	12 ✓	20 ✓	17 ✓	17 ✓	12 ✓	9 ✓	10 ✓	13 ✓	16 ✓	18 ✓	12 ✓	178

9,000, IX. '10. × Snow; ÷ Sleet; 0 fog.

cord [illegible] 25 III-15 m 9

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 - JAN 1915

Kept at Barrow Hill, Churchdown
in the County of Gloucester 3
by Mrs. J. H. Jones

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Churchdown
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground ft. 11½ ins
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	.01	.01	.10	-	.01	.07	.28	-	-	.01	.08	1
2			-	-	-	-	.53	.24	-	-	.60	.60	2
3	-		.02	.09	.34	-	.05	-	-	-	.09	.01	3
4	.18		.01	.17	.04	-	.07	.01	-	-	.35	.54	4
5	.02		.06	.16	.15	-	.26	.04	-	-	.12	-	5
6	-	.10	.03	-	.01	.12	.01	.11	-	-	.02	.17	6
7	-	.16	.11	.10	.18	.18	.19	.02	-	-	-	.05	7
8	-	.01	.26	.05	.09	1.19	-	.06	-	-	-	.12	8
9	.17	.02	.26	.30	.10	1.54	-	-	.02	-	-	-	9
10	.04	.37	.01	.13	.06	.10	-	-	.29	-	-	-	10
11	-	.13	23	.11	.21	.55	-	-	-	-	.18	.48	11
12	.01	.14	.15	-	-	-	.33	-	.29		.02	.16	12
13	-	.24	.35	-	-	-	.01	-	.20	0.15	.04	.51	13
14	-	.28	.27	-	-	-	.04	-	-	0.47	.11	-	14
15	.02	.03	.13	-	-	-	-	.14	.08	0.01	.16	-	15
16	.02	-	-	-	-	-	.04	-	.08	-	-	-	16
17	-	.14	.13	-	-	-	-	-	.02	0.01	-	.23	17
18	-	-	-	-	-	-	.11	-	-	-	-	.30	18
19	-	.03	.03	-	-	-	.65	.08	-	-	.09	.05	19
20	-	.44	.19	-	-	.02	-	-	-	-	-	.14	20
21	-	.58	-	-	-	-	.10	.14	-	.12	-	.09	21
22	-	.07	.03	.01	.14	.01	-	.06	-	.06	-	-	22
23	-	.06	.07	-	.10	-	.01	.01	-	.10	-	.01	23
24	-	-	.10	.01	.01	-	.02	.02	-	.04	.09	.01	24
25	.13	-	.11	-	-	-	.02	.15	-	.18	.01	.09	25
26	-	-	.04	-	-	-	.06	-	-	.06	.12	.28	26
27	.06	-	-	-	-	-	-	-	-	.03	.14	.20	27
28	-	.13	.12	-	.02	-	-	-	-	.01	.17	.91	28
29	.03		.08	-	.10	-	-	-	-	.34	.26	-	29
30	.02		.08	-	.01	-	-	-	-	.11	.45	78	30
31	.03		-		.01		.28	-		.05		.01	31
Total	0.73	2.94	2.88	1.23 1.23	1.57	3.72	2.85	1.36	0.98	1.74	3.03	5.82	YEAR'S TOTAL 28.85 28.85
Rain Days.	12	18	25	11	16	9	19	14	7	15	19	23	188 ✓

1,000, XI. '12 Sleet

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
3 JAN 1916

Kept at Barrow Hill, Churchdown,
in the County of Gloucester
by Mrs. J. H. Jones

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Churchdown
Diameter of Rain Gauge 5 ins
Height of top of Gauge above Ground 12 ins
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.32	.06	.14	-	.23	-	1.00	.08	.08	.22	-	.06	1
2	.13	.17	.07	.16	-	.05	-	1.29	-	-	-	.10	2
3	× 1.19	.09	-	.07	.04	-	.55	.42	-	-	-	.10	3
4	.03	-	-	-	.03	-	.05	.33	-	-	-	.46	4
5	.01	.84	-	-	-	-	.22	.05	-	-	-	.34	5
6	.18	.02	-	.19	-	-	.47	.02	-	-	-	.26	6
7	.07	.47	-	-	-	.03	.07	.07	-	-	.01	.23	7
8	.28	.23	-	-	-	-	.15	.06	-	-	.03	-	8
9	.12	.01	-	.11	-	-	-	.16	-	-	.17	.37	9
10	.15	-	.04	.05	-	-	-	-	-	-	-	.01	10
11	.01	-	-	.10	.02	-	-	-	-	-	.62	.02	11
12	.08	.10	-	.25	.44	-	-	.01	-	.05	.36	× .03	12
13	.01	.53	-	-	.78	-	-	.05	.03	-	-	-	13
14	-	.01	-	-	-	-	.07	.52	-	.01	-	.36	14
15	.24	-	-	-	.06	-	.04	.37	-	.09	.03	.09	15
16	-	.08	-	.01	.16	-	.49	.05	-	-	-	.03	16
17	-	.20	.01	-	1.25	-	-	.15	-	.01	-	° .02	17
18	-	.20	× .03	-	-	-	-	-	-	.01	-	-	18
19	-	.02	-	.01	.08	-	.25	-	-	-	-	-	19
20	.24	-	-	.13	-	-	-	-	-	-	-	.15	20
21	.12	.09	-	-	-	-	.02	-	-	.09	-	.10	21
22	× .10	.06	.29	.01	-	-	.20	-	.02		-	.22	22
23	-	.13	.44	-	-	.03	.08	-	.01	1.28	-	.55	23
24	-	-	.09	.04	-	-	.32	-	.58	.21	-	.29	24
25	-	-	-	-	-	.52	-	-	-	.03	-	.19	25
26	-	.08	-	-	-	-	.09	-	-	-	-	.39	26
27	-	.01	-	-	-	.14	.20	-	-	.36	-	.01	27
28	-	.04	-	-	-	.02	.01	.04	.36	.01	-	-	28
29	-		-	-	-	.06	.25	.10	-	-	.03	.02	29
30	.07		-	-	-	.06	.29	-	-	.34	.25	.10	30
31	.01		-		-		.07	.01		.94		.22	31
Total	3.36	4.10	1.11	1.13	3.09	0.91	4.89	3.78	1.08	3.65	1.50	4.72	YEAR'S TOTAL 33.32
Rain Days.	19	21	8	12	10	8	21	18	6	14	8	26	171

1,000, XI. 13 × Snow

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

° fog

Price 2d.

Small

[illegible] C3S

REGISTER OF RAINFALL IN 1916.

May 21 – September 30
10 a.m.
Summer time

FORM A.
BRITISH RAINFALL.
2 JAN. 1917

220

Kept at Barrow Hill, Churchdown.

in the County of Gloucester

by Mrs. J. H. Jones

Lat. .... Long. ....
Time of Observation 9 a. m.
Nearest Railway Station Churchdown
Diameter of Rain Gauge 5 in.s
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.06	-	.02	-	.06	.05	.20	-	-	.16	.20	-	1
2	.24	.02	⊗ .25	-	.39	.06	-	-	.01	.60	.04	-	2
3	-	.70	-	-	.09	-	-	-	.02	.31	.07	-	3
4	.44	.03	-	-	.46	.20	-	-	.12	.06	.39	-	4
5	.01	-	⊗ .04	-	.22	.04	.12	-	-	.04	.12	-	5
6	.02	.15	⊗ .04	-	.28	.01	.28	-	-	.11	.50	-	6
7	-	-	.14	-	.06	.01	.02	-	-	.07	.54	.17	7
8	.05	.02	.05	-	.18	.01	-	-	-	-	.03	.14	8
9	-	-	.01	-	.03	.23	-	-	-	.09	.02	-	9
10	-	.47	.04	.09	-	.53	.01	-	.01	.08	-	× .01	10
11	.03	.06	.05	.07	.05	.22	-	-	.01	-	-	° .29	11
12	.03	-	.02	.05	.35	-	.30	-	-	.10	× .01	-	12
13	-	.29	.09	.04	-	-	.08	.23	-	.07	× .01	× .01	13
14	-	° .34	.06	.01	.12	-	-	.02	-	.06	-	-	14
15	-	.18	.15	.02	.14	-	.01	.20	-	.04	-	-	15
16	.01	.02	-	.19	-	-	.20	.34	-	.02	-	-	16
17	.16	.14	-	.14	-	-	.02	.02	.39	.27	-	-	17
18	-	.07	.02	.01	-	-	-	-	.09	.08	° .63	.08	18
19	.08	-	.24	.53	-	-	-	-	.02	-	° .23	-	19
20	.17	-	.47	.04	-	-	-	-	-	-	.02	.48	20
21	.03	-	.58	.05	.07	-	.19	-	-	-	-	° .47	21
22	-	° .01	-	.11	04	.07		-	-	.10	.01	° .49	22
23	-	° .20	-	-	-	-	-	.08	-	.06	.02	° .09	23
24	-	° .15	.03	-	.22	.27	-	.04	-	.29	-	.14	24
25	-	° .38	.25	-	-	-	-	.38	.01	.06	.16	-	25
26	-	° .10	-	-	.01	.10	-	.04	.03	.30	.01	-	26
27	.02	° .07	° 1.23	-	8 -	-	-	.28	.15	.36	-	× .02	27
28	-	° .77	° .15	-	-	.05	-	.02	.26	.09	-	.09	28
29	-	⊗ .19	9 -	-	-	.22	-	2.02	-	.34	-	.21	29
30	-	X	-	.01	-	.04	-	-	-	.27	-	-	30
31	-	X	-	X	-	X	-	-	X	.44	X	.01	31
Total	1.35	4.36	3.93	1.36	2.77	2.11	1.43	3.67	1.12	4.47	3.01	2.70	YEAR'S TOTAL 32.78
Rain Days.	14	21	21	14	17	16	11	12	12	26	18	15	197

W. 8,000. X. 14. ° Snow ⊗ Sleet × Mist

2102

FORM A.
BRITISH RAINFALL

Summer · time
Ap: 8 – Sept. 17

-2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Barrow Hill, Churchdown
in the County of Gloucester
by Mrs. J. H. Jones

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Churchdown
Diameter of Funnel of Rain Gauge 5 ins.
Height of top of Gauge above Ground 1 ft. ~~in.~~
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.11	x .07	-	.10	-	1.18	.11	-	.13	-	1
2	-	-	.01	.35	.	.11	-	.04	-	.	.02	-	2
3	.06	-	-	x .10	-	.	.01	.10	-	.67	-	-	3
4	-	x .18	x .04	-	-	-	.01	.08	-	.47	-	.	4
5	.18	-	.10	x .18	-	.01	-	.14	.03	.19	.10	-	5
6	-	-	.25	-	-	.55	-	-	-	.08	.16	-	6
7	.11	-	-	-	-	-	.16	.13	-	.34	.02	.02	7
8	x .46	-	-	x .15	-	-	.78	.47	.06	.36	.06	.22	8
9	-	-	.07	x .02	.30	-	-	.17	.08	.05	.01	-	9
10	.19	-	.19	x .20	.01	-	-	.14	.02	.05	-	-	10
11	.08	-	.13	x .34	.	-	-	.47	.09	.18	.01	.	11
12	x .03	-	.02	.01	.15	-	-	.06	.01	.13	-	-	12
13	-	-	.04	.05	-	.01	-	.13	.08	.05	-	-	13
14	.02	-	* .20	.02	-	-	-	.05	-	-	-	.04	14
15	x .02	-	-	-	-	-	-	.53	-	.02	-	.13	15
16	.04	.07	-	.13	.04	-	-	.01	-	.07	-	-	16
17	-	.01	-	.07	.56	.18	.25	.02	.12	.06	-	.11	17
18	.01	.02	-	-	-	-	.28	.01	1.25	.01	-	-	18
19	.01	.24	* .20	-	-	.03	-	-	.02	-	.01	-	19
20	.01	.10	x .20	-	.56	.12	.14	.03	.01	-	-	-	20
21	.01	.03	x .18	-	-	.11	-	-	-	-	13	-	21
22	-	-	x .02	-	-	.13	-	.07	-	.11	-	-	22
23	-	.18	-	-	.13	-	-	.33	-	.05	-	.03	23
24	-	-	.01	-	-	.12	-	.23	-	.17	0 .01	-	24
25	-	.15	.02	-	-	-	-	.01	-	-	.03	-	25
26	-	-	-	-	.15	.02	-	.31	.11	-	.07	-	26
27	-	-	-	-	1.27	.02	.01	.52	-	-	-	-	27
28	-	-	.04	-	.04	.67	-	.14	-	-	-	.03	28
29	-	X	* .04	-	-	.37	.16	-	-	.36	-	.25	29
30	-	X	* .02	-	-	-	.34	.27	-	.09	.02	.01	30
31	-	X	* .18	X	-	X	-	.11	X	.01	X	.04	31
Total	1.23 ✓	0.98 ✓	2.07 ✓	1.39 ✓	3.21 ✓	2.55 ✓	2.14 ✓	5.75 ✓	1.99 ✓	3.52 ✓	0.78 ✓	0.88 ✓	YEAR'S TOTAL 20.49
Rain Days.	14 ✓	9 ✓	21 ✓	13 ✓	10 ✓	15 ✓	10 ✓	27 ✓	13 ✓	21 ✓	14 ✓	10 ✓	175

W. 8,000, VIII. 16

x Snow * partly Snow

0 Sleet

Exd E.J. 46

Mar: 24: Sept: 30

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at Barrow Hill, Churchdown

in the County of Glocester

by Mrs. J. H. Jones

Lat. Long.

Time of Observation 9 a. m. (Summer time 10. a. m.

Nearest Railway Station Churchdown

Diameter of Funnel of Rain Gauge 5 in 5.0

Height of top of Gauge above Ground 1 ft. ~~in.~~

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.01	x .01	.14	.07			.04		.02	.29	.02	1
2		.10						.54		.01	.01	.03	2
3		.12	.02	.21	.04			.03	.33	~~21~~	.01	.01	3
4		.35	.01	.04				.08	.10	.02	.08	.08	4
5				.02	.24			.01	.22	.06	.08	.01	5
6	.03	.17		.06					.37	.19	-	.06	6
7		.15		.04	.37				.08	.06	.20	-	7
8		.15							.03	.11	-	.17	8
9		.17		.13		.25	.02		.37	.15	.01	.12	9
10	.02			.11			.28		.53	.10	-	.13	10
11	.02			.02	.07		.02		.07	.06	.05	.10	11
12		01	.23		.06		.14				-	-	12
13	.01			.01	.05	.01	.02		.12	.05	-	.15	13
14	.37		.09			.09	.44		.54	.05	-	.07	14
15	x 1.35			.66		.01	.14			.02	-	.35	15
16	.32			.66		.03	.01		.17	.02	-	.03	16
17	.19		.02	.07	.07		.33			.06	-	.07	17
18	.57					.31	.10		.97	.05	-	.46	18
19	.03	.04	.15 °	.09		.02	.14			.08	-	.02	19
20	.02	.09	°	.31		.02	.02		.19	.04	-	.03	20
21	.04			.03			.01		.36	.02	.02	-	21
22	.02				.07		.03		.14	.11		.28	22
23	.01				.34		.18				-	.01	23
24		.13					.12		.02		.08	-	24
25						.01	.34	.01		.02	-	-	25
26							.59	.28	.04	.02	.11	.10	26
27			.03			.02			.11		-	.05	27
28		x .24	.22					.17			.10	.05	28
29		X	.03						1.34		-	.01	29
30		X	.18								.07	.06	30
31		X	.30	X		X		.09	X	.01	X	-	31
Total	3.00 ✓	1.43 ✓	1.29 ✓	2.60 ✓	1.38 ✓	.77 ✓	2.93 ✓	1.25 ✓	6.10 ✓	1.33 ✓	1.77 ✓	2.47 ✓	YEAR'S TOTAL 26.32 ✓
Rain Days.	14 ✓	13 ✓	12 ✓	16 ✓	10 ✓	10 ✓	18 ✓	9 ✓	20 ✓	23 ✓	13 ✓	25 ✓	183 ✓

W. 8,000. X. 15. x Snow ° Mostly Snow

REGISTER OF RAINFALL IN 1919

March 30 — Sept: 28 ind: 10 a.m. Summer time

FORM A. BRITISH RAINFALL.

Kept at Barrow Hill, Churchdown,

in the County of Gloucester

by Mrs. J. H. Jones

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Churchdown

Diameter of Funnel of Rain Gauge 5 ins

Height of top of Gauge above Ground 1 ft. ~~in.~~

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25		·01	·04	·04	·01	·13		·02	·10	·02	·57	1
2	·15		·01		·02		·22		·38		·15	·11	2
3	× ·96		·01		·04	·07			·06		·09	·24	3
4	·10	·01	·45			·10	·01	·07	·34			·10	4
5		× ·17	·30		·08				·36		·02	·15	5
6	·09		·13		·27						·03	·06	6
7	·14		·32	·23							·03	·02	7
8	·12		·02	·14									8
9	·21		·02	·10							·03		9
10	·02		·47							·03		·19	10
11	·02		·50	·02	·04	·01	·46			·02		·01	11
12			·03			·48			·01	·10		·02	12
13	·06			·24						·07		·05	13
14	·26		—	·22			·13		·03	·04		·01	14
15	·27			·01	·08					·14	·01	·20	15
16	·14	·72									·08	·01	16
17		·81				·02					·09	·01	17
18			× ·35		·02		·02	·23	·06			·06	18
19	·12	·19	·75			·15	2.16	·59	·08			·05	19
20	·19	·04	·24			·03		·15	·03		·03	·01	20
21	·08	·48	·04			·02	·14		·02			·13	21
22		·29	·01			·01			·25			·12	22
23								·03		·83	·07		23
24				·05		·09				·85	·12	·01	24
25	·11			·02	·11	·05		·20		·01	·01	·12	25
26	·07		·11	·10			·20	·01	·18			·23	26
27	·02			× ·59				·42				·02	27
28	× ·09		× ·16			·01	—	·14			× ·33	·20	28
29	·03	X		·08		·02		·01		·21	× ·07	·20	29
30		X		·23		·22		·33		·04	·14	·39	30
31	× ·02	X	× ·01	X		X	·01		X		X	·01	31
Total	3.52	2.71	3.94	2.07	·70	1.29	3.48	2.18	1.82	2.44	1.32	3.30	YEAR'S TOTAL 28.77
Rain Days.	23	8	~~19~~ 20	14	9	15	10	11	13	12	17	28	~~179~~ 180

W. 8,000, IX. 17.

× Snow

1883

REGISTER OF RAINFALL IN 1920

FORM A.
BRITISH RAINFALL.

Kept at Barrow Hill, Churchdown
in the County of Gloucester
by Mrs. J. H. Jones

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Churchdown
Diameter of Funnel of Rain Gauge 5 ins
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.02	.27	.30		.17			.21		.37	1
2	.07		.05	.10			.08	.05	.07	.06			2
3	o .04	.09		.36	.07		.70		.06	.12			3
4			.03	.08			.03	.43	.06	.17			4
5			.29	.12	.09		.25	.07		.32			5
6			.32		.09		.21			.04		.07	6
7			.09	.12			.04		.07			.07	7
8		.16		.36	.02		.67					.28	8
9	.22	.07		.47			.07						9
10	.65	.06	.05	.07		.10	.10				.02	.04	10
11	.27	.02	.10	.25	.34	.03	.02						11
12	.13	.05		.07	.02	.70	.07	.03			.02		12
13	.06	.03	.20	.11								.07	13
14			.68	.41		.20	.07		.15	.07	.31		14
15		.08	.03	.32		.33				.06	.02		15
16					.09	.14	.26		.42	.14			16
17	.02				.18	.14			.90	.13		.07	17
18	.36			.06	.08		.05	.44	.60				18
19	.03	.16		.30		.15		.03					19
20	.05	.17		.15		.18		.02				.08	20
21		.07	—	.05					.02			.05	21
22	.07	.07		.13			.02	.13				.23	22
23		.07					.51	.05		.07		.20	23
24			.32	.07				.07			.02	.07	24
25	.07	.03	.14			.02	.42			x		.07	25
26	.21		.32		.04	.09	.09				.04	.11	26
27	.48	.05	.10	.09	.07	.48	.08					.18	27
28	.82		x .06		.13		.08				.04	.07	28
29	.20		.17	.02	.03	.14	.25					.35	29
30			.06	.07		.19	.11		.22		.24	.17	30
31			.11		.02		.03			.26		.05	31
Total	3.63	.94	3.14	3.93	1.57	2.80	4.20	1.26	2.45	1.59	0.71	2.24	YEAR'S TOTAL 28.40
Rain Days.	17	15	19	23	15	14	24	10	10	12	8	19	186

W. 6,500, VII. 18. W W & S   o Sleet & rain. x—x Summertime + Mist • Snow

137

FORM A2.
BRITISH RAINFALL.
8 MAY 1912

CIRENCESTER

ROYAL. AGRI. COLL.

GLOUCESTER

1911 - 12

REG

Kept at The R. G. Co ... den

... in.

in the County of Glou ... ound 1 ft. – in.

... a Level 443 ft.

by M. Kershaw ... .m

... ame Cirencester G. W.

... istance 1½ miles Direction E

IMPORTANT NOTE. ... he result entered to the previous day. If an Obse ... sal rule, he is earnestly requested to add the readin ... r in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	·02	·13	—	—	·01	—	—	—	·03	·22	1
2	·02	—	·01	·05	·37	—	—	·16	—	·10	·27	·02	2
3	—	—	—	—	·28	—	—	·05	—	·01	·11	·06	3
4	·01	—	·12	—	—	—	—	·01	·02	·07	·25	·37	4
5	·04	—	·02	—	—	—	—	·31	—	·06	—	·01	5
6	·40	—	·08	—	—	—	—	—	—	—	·03	·56	6
7	·02	—	—	—	—	—	—	—	—	—	·41	·02	7
8	·15	—	·11	—	—	—	—	—	—	—	·01	·24	8
9	·12	—	—	—	—	—	—	—	—	—	·03	·18	9
10	·04	·12	·27	—	—	—	—	—	—	—	·01	·22	10
11	·26	—	—	—	·09	—	—	—	—	—	·82	·01	11
12	—	·01	·53	—	—	—	—	—	·01	—	·43	·06	12
13	—	—	·01	—	·02	—	—	—	·44	·23	·01	·21	13
14	—	·01	—	—	—	—	—	—	—	—	—	·60	14
15	—	·03	·07	—	—	—	—	—	—	—	·20	·04	15
16	—	—	—	—	—	·29	—	—	—	—	·43	·32	16
17	—	—	—	—	—	·07	—	—	—	—	·02	·31	17
18	—	·38	·03	·08	—	·13	—	—	—	·01	—	·30	18
19	—	—	·01	—	—	·39	—	—	·14	·13	·04	·19	19
20	·02	·05	·11	·03	—	—	—	—	·11	·14	—	·47	20
21	—	·17	·02	—	—	—	—	·13	—	·77	—	·05	21
22	—	·01	·14	—	—	·48	—	·05	—	·15	—	·61	22
23	—	·19	·08	—	—	·02	·03	—	·04	·03	—	·18	23
24	·01	·08	·01	—	—	·27	—	·03	[illegible]	·53	—	·11	24
25	—	·05	·02	·05	·01	·03	—	—	·02	·01	—	·01	25
26	—	·10	—	·20	·04	·04	—	—	—	·33	·12	·17	26
27	—	·40	·17	·05	—	—	—	·24	·35	—	·16	·11	27
28	—	·21	—	·41	—	—	—	·11	—	—	·03	—	28
29	—		—	—	—	·30	—	—	·14	·33	·01	—	29
30	—		·01	·01	·05	·02	—	·01	·01	·19	—	—	30
31	—		—		—		—	—		·01		—	31
Total	1·16	1·81	1·84	1·01	·86	2·04	·04	1·10	1·28	3·10	3·42	5·65	TOTAL for year 23·31 in
No. of Rain Days.	12	14	20	9	7	11	2	10	10	17	20	27	159

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
8 MAY 1912

Kept at The R. A. College, Cirencester

in the County of Gloucester 7

by W. Kershaw B.A.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 443 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Cirencester G.W.
Distance 1½ miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	—	·02	·13	—	—	·01	—	—	—	·03	·22	1
2	·02	—	·01	·05	·37	—	—	·16	—	·10	·27	·02	2
3	—	—	—	—	·28	—	—	·05	—	·01	·11	·06	3
4	·01	—	·12	—	—	—	—	·01	·02	·07	·25	·37	4
5	·04	—	·02	—	—	—	—	·31	—	·06	—	·01	5
6	·40	—	·08	—	—	—	—	—	—	—	·03	·56	6
7	·02	—	—	—	—	—	—	—	—	—	·41	·02	7
8	·15	—	·11	—	—	—	—	—	—	—	·01	·24	8
9	·12	—	—	—	—	—	—	—	—	—	·03	·18	9
10	·04	·12	·27	—	—	—	—	—	—	—	·01	·22	10
11	·26	—	—	—	·09	—	—	—	—	—	·82	·01	11
12	—	·01	·53	—	—	—	—	—	·01	—	·43	·06	12
13	—	—	·01	—	·02	—	—	—	·44	·23	·01	·21	13
14	—	·01	—	—	—	—	—	—	—	—	—	·60	14
15	—	·03	·07	—	—	—	—	—	—	—	·20	·04	15
16	—	—	—	—	—	·29	—	—	—	—	·43	·32	16
17	—	—	—	—	—	·07	—	—	—	—	·02	·31	17
18	—	·38	·03	·08	—	·13	—	—	—	·01	—	·30	18
19	—	—	·01	—	—	·39	—	—	·14	·13	·04	·19	19
20	·02	·05	·11	·03	—	—	—	—	·11	·14	—	·47	20
21	—	·17	·02	—	—	—	—	·13	—	·77	—	·05	21
22	—	·01	·14	—	—	·48	—	·05	—	·15	—	·61	22
23	—	·19	·08	—	—	·02	·03	—	·04	·03	—	·18	23
24	·01	·08	·01	—	—	·27	—	·03	[illegible]	·53	—	·11	24
25	—	·05	·02	·05	·01	·03	—	—	·02	·01	—	·01	25
26	—	·10	—	·20	·04	·04	—	—	—	·33	·12	·17	26
27	—	·40	·17	·05	—	—	—	·24	·35	—	·16	·11	27
28	—	·21	—	·41	—	—	—	·11	—	—	·03	—	28
29	—		—	—	—	·30	—	—	·14	·33	·01	—	29
30	—		·01	·01	·05	·02	—	·01	·01	·19	—	—	30
31	—		—		—		—	—		·01		—	31
Total	1·16	1·81	1·84	1·01	·86	2·04	·04	1·10	1·28	3·10	3·42	5·65	TOTAL for year
No. of Rain Days.	12	14	20	9	7	11	2	10	10	17	20	27	23·31 in 159

W. 8,000, X. '11.

Ex J.C.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

7 APR 1913

Kept at The R.A.C. Cirencester

in the County of Gloucestershire 7

by W. Kershaw

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 443 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cirencester G.W.R.
Distance 1½ Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·09	—	—	·36	·12	—	—	·43	—	·20	1
2	—	—	·16	·07	—	·24	·15	—	—	—	—	—	2
3	·02	—	·09	—	·07	·15	·17	·58	·02	—	·01	·03	3
4	·24	—	·87	—	·11	·69	—	·13	—	—	·27	·01	4
5	·22	·01	·11	—	·19	·01	—	·24	—	—	—	·19	5
6	·70	·18	·01	—	·07	—	·05	·52	—	—	·01	·08	6
7	—	·15	·03	—	·06	·37	—	·05	—	—	—	·04	7
8	·61	·11	·38	—	—	·01	·05	·09	·01	—	—	·07	8
9	·10	—	·35	—	—	·25	·01	·04	—	—	—	·34	9
10	·02	·12	·02	—	—	·04	—	·22	—	—	·05	·02	10
11	·10	·04	·01	·02	—	·01	—	·01	—	·01	·01	·39	11
12	·03	·28	·12	·01	·01	—	·02	—	—	—	·04	·06	12
13	—	·01	—	—	—	—	·01	·07	—	—	·03	·12	13
14	·13	—	·47	—	·25	—	—	·16	·01	—	—	·05	14
15	·11	·13	—	—	·16	·35	—	—	—	—	—	·47	15
16	·97	·01	·21	—	·01	—	—	·14	—	·14	·05	·01	16
17	·20	—	·07	—	—	·06	—	·54	—	—	·01	·32	17
18	·01	—	·39	—	—	—	—	·08	—	·05	—	·05	18
19	·25	·06	—	—	·01	—	·22	·47	—	·03	—	·01	19
20	·02	·01	·50	—	·14	—	·07	·23	—	·36	·01	—	20
21	—	·05	·39	—	·69	—	·03	·17	—	·28	—	—	21
22	·40	·20	·01	—	·29	·28	·40	·22	—	·01	·04	·22	22
23	·24	·32	·41	—	—	·11	·22	·47	—	·04	·04	·40	23
24	·05	·03	·06	—	—	·28	—	·08	—	—	·01	·06	24
25	—	—	—	—	—	·28	—	·51	—	·01	·35	·40	25
26	—	·05	·01	—	—	—	·40	·65	—	·72	·45	·17	26
27	—	—	·01	—	—	·20	·13	—	—	·70	—	·35	27
28	—	·04	—	—	—	·15	·18	·86	·16	·42	·41	·78	28
29	—	·09	·01	—	—	·25	·34	—	·51	·25	—	·04	29
30	—		—	—	—	·01	·16	·01	·10	·31	—	·01	30
31	—		·08		·44		·72	·15		·01		·04	31
Total	4·42	1·89	4·86	·10	2·44	4·10	3·45	6·69	·81	3·77	1·79	4·93	TOTAL for year
No. of Rain Days.	19	19	25	3	14	20	19	25	6	16	16	28	39·25

W. 8,000, X. '11.

GHLOUCESTER.

CIRENCESTER,

"BAUNTON MANOR FARM"

1911 -1912

REG 1911

Form A2.
British Rainfall.
8 - JAN 1912

Kept at Baunton M

Ci

in the County of

by E. S. B

top .... in.

p above Ground .... ft. .... in.

" Sea Level .... ft.

9 a.m.

tion Name Cirencester
Distance 1½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·12	—	—	·03	—	—	—	—	·04	1
2	·08	—	~~·03~~	·03	·37	—	—	·31	—	·13	·27	·25	2
3	—	—	—	—	·29	—	—	·07	—	·04	·14	·05	3
4	—	—	·12	—	—	—	—	—	—	·08	·35	·37	4
5	—	—	·01	—	—	—	—	·29	—	·08	·02	—	5
6	·04	—	·05	—	—	—	—	—	—	—	·02	·64	6
7	·41	—		—	—	—	—	—	—	—	·49	—	7
8	·03	—	·15	—	—	—	—	—	—	—	—	·22	8
9	·16	—	"	—	—	—	—	—	—	—	·06	·22	9
10	·10	·13	·31	—	—	—	—	—	—	—	—	·21	10
11	·04	—	—	—	·13	—	—	—	—	—	·77	—	11
12	·23	—	·58	—	—	—	—	—	—	—	·51	—	12
13	—	—	—	—	—	—	—	—	·31	·01	·06	·31	13
14	—	—	—	—	—	—	—	—	—	—	—	·62	14
15	—	—	·13	—	—	—	—	—	—	—	·22	·04	15
16	—	—	—	—	—	·23	—	—	—	—	·45	·25	16
17	—	—	—	—	—	·06	—	—	—	—	—	·42	17
18	—	·31	·03	·08	—	·09	—	—	—	—	—	·29	18
19	—	—	—	—	—	·40	—	—	·16	·23	·02	—	19
20	—	·05	·11	·03	—	—	—	—	·17	·05	—	·10	20
21	·02	·18	·02	·02	—	—	—	·08	—	·77	—	·57	21
22	—	·01	·12	—	—	·41	—	·03	—	·10	—	·11	22
23	—	·15	·04	—	—	·02	·05	—	·07	—		·59	23
24	—	·09	—	—	—	·36	—	·05	—	·53	—	·21	24
25	—	·10	·01	·07	·02	·06	—	—	·04	—	—	·14	25
26	—	·11	·03	·20	—	·03	—	·01	—	·34	·07	·05	26
27	—	·38	—	·04	—	—	—	·27	·41	—	·21	·19	27
28	—	·25	·18	·31	—	—	—	·15	—	—	·05	·11	28
29	—	—	—	—	—	·27	—	—	·12	—	—	—	29
30	—	—	—	·06	·11	·04	—	—	—	·42	—	—	30
31	—	—	—	—	~~·97~~	—	—	—	—	·04	—	—	31
Total	1·11	1·76	1·92	·96	·92	1·97	·08	1·26	1·28	2·82	3·71	6·00	TOTAL for year 23·79
No. of Rain Days	9	11	18	10	5	11	2	9	7	13	16	23	134

9,000, IX. '10.

J. Slade

REG 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at BAUNTON MANOR FARM
CIRENCESTER
in the County of Glo
by E. S. Baunton

RAIN GAUGE
Pattern Snowdon
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Cirencester
Distance 1½ m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·03	·12	—	—	·03	—	—	—	—	·04	1
2	·08	—	~~·03~~	·03	·37	—	—	·31	—	·13	·27	·25	2
3	—	—	—	—	·29	—	—	·07	—	·04	·14	·05	3
4	—	—	·12	—	—	—	—	—	—	·08	·35	·37	4
5	—	—	·01	—	—	—	—	·29	—	·08	·02	—	5
6	·04	—	·05	—	—	—	—	—	—	—	·02	·64	6
7	·41	—		—	—	—	—	—	—	—	·49	—	7
8	·03	—	·15	—	—	—	—	—	—	—	—	·22	8
9	·16	—		—	—	—	—	—	—	—	·06	·22	9
10	·10	·13	·31	—	—	—	—	—	—	—	—	·21	10
11	·04	—	—	—	·13	—	—	—	—	—	·77	—	11
12	·23	—	·58	—	—	—	—	—	—	—	·51	—	12
13	—	—	—	—	—	—	—	—	·31	·01	·06	·31	13
14	—	—	—	—	—	—	—	—	—	—	—	·62	14
15	—	—	·13	—	—	—	—	—	—	—	·22	·04	15
16	—	—	—	—	—	·23	—	—	—	—	·45	·25	16
17	—	—	—	—	—	·06	—	—	—	—	—	·42	17
18	—	·31	·03	·08	—	·09	—	—	—	—	—	·29	18
19	—	—	—	—	—	·40	—	—	·16	·23	·02	—	19
20	—	·05	·11	·03	—	—	—	—	·17	·05	—	·10	20
21	·02	·18	·02	·02	—	—	—	·08	—	·77	—	·57	21
22	—	·01	·12	—	—	·41	—	·03	—	·10	—	·11	22
23	—	·15	·04	—	—	·02	·05	—	·07	—		·59	23
24	—	·09	—	—	—	·36	—	·05	—	·53	—	·21	24
25	—	·10	·01	·07	·02	·06	—	—	·04	—	—	·14	25
26	—	·11	·03	·20	—	·03	—	·01	—	·34	·07	·05	26
27	—	·38	—	·04	—	—	—	·27	·41	—	·21	·19	27
28	—	·25	·18	·31	—	—	—	·15	—	—	·05	·11	28
29	—	—	—	—	—	·27	—	—	·12	—	—	—	29
30	—	—	—	·06	·11	·04	—	—	—	·42	—	—	30
31	—	—	—	—	~~·97~~	—	—	—	—	·04	—	—	31
Total	1·11	1·76	1·92	·96	·92	1·97	·08	1·26	1·28	2·82	3·71	6·00	TOTAL for year 23·79
No. of Rain Days	9	11	18	10	5	11	2	9	7	13	16	23	134

9,000, IX. '10.

✓made

Corrd by own stats 1-III-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

29 JAN 1913

Kept at Baunton Manor Farm
Cirencester
in the County of Gloucester 7
by E S Bruton.

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Cirencester
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·42	·11	—	·02	·10	—	·18	1
2	—	—	·16	·03	—	·52	·17	—	—	·44	—	—	2
3	—	—	·14	·09	—	·15	·16	·58	·02	—	·03	·05	3
4	—	—	·79	—	·17	·61	—	·10	—	—	·21	—	4
5	·21	—	—	—	·16	—	—	·18	—	—	—	·19	5
6	1·00	·20	—	—	·05	—	—	·59	·01	—	—	·07	6
7		·28	—	—	·05	·38	—	·04	—	—	—	·06	7
8	·64		·31	—	—	·04	·04	·10	·01	—	—	·07	8
9	·09	—	·37	·07	—	·28	—	·08	—	—	—	·41	9
10	—	·12	·01	—	—	·26	—	·13	—	—	·60	—	10
11	·14	·33	·01	—	—	—	—	·06	—	—	·10	·41	11
12	·03	—		—	—	—	·01	—	—	—	—	·09	12
13	—	—		—	—	—	·02	—	—	—	—	·09	13
14	·14	·03	·69	—	·24	—	—	·07	—	—	—	·03	14
15	·14	·14	·02	—	·16	·36	—	·04	—	—	—	—	15
16	·80	—	·20	—	—	·07	—	·15	—	·13	—	—	16
17	·65	—	·15	—	—	—	—	·57	—	—	·07	·85	17
18	·28	—	·39	—	—	—	—	·08	—	·05	—	·04	18
19	·15	·07	—	—	—	—	·40	·32	—	·07	—	—	19
20	·02	—	·48	—	·13	—	·12	·26	—	·31	·07	—	20
21	—	·05	·38	—	·62	—	·01	·15	—	·35	—	—	21
22	·54	·19	·03	—	·33	·11	·37	·20	—	·02	·02	·15	22
23	·38	·31	·42	—	—	·17	—	·44	—	·05	—	·44	23
24	·05	—	—	—	—	·27	·08	·11	—	—	—	·07	24
25	—	·02	—	—	—	·37	—	·58	—	—	·31	·39	25
26	—	·10	—	—	—	—	·30	·48	—	·72	·45	·16	26
27	—	—	—	—	—	·17	·17	—	—	·68	—	·35	27
28	—	·06	·01	—	—	·12	·18	·90	·16	·39	·35	·76	28
29	—	·07	—	—	—	·39	·45	—	·51	·22	—	·12	29
30	—	~~·07~~	—	—	—	·10	·15	—	·10	·27	—	—	30
31	—	—	—	—	·32	—	·69	·20	—	·01	—	—	31
Total	5·26	1·97	4·56	·19	2·23	4·79	3·43	6·41	·83 ~~·73~~	3·71 ~~3·81~~	2·21	4·98	YEAR'S TOTAL 40·57
Rain Days.	17	15	19	3	10	18	17	24	6	15	10	21	175

W. 7,500, XI. ·12

CIRENCESTER
CRIPP'S MEAD
GLOUCESTER
1911 - 1920

REG

FORM A.
BRITISH RAINFALL.

2 - JAN

Kept at Cripps Me

in the County of ~~Ciren~~

by Mr Wilfred

2

5 in.

Ground [illegible] ft. 8 in.

Sea Level 366 ft.

NOTE.—Rain should be measured … instructions for the measurement of rain and particulars as to the Britis… …rs," sent post-free on application to Dr. H. R. MILL, 62, Camden Squa…

Date	Jan.	Feb.	March.							ct.	Nov.	Dec.	*Date.*
	in.	in.	in.							in.	in.	in.	
1	.06		.03								.04		1
2	.33			[illegible]	30			.19		10	.26	.21	2
3			.01		.27			.04		.03	.13	.03	3
4	.01		13	.01				01	03	.06	28	35	4
5	.06		03					30		.08		61	5
6	37		.08	.01				01			.35	57	6
7	.03										43		7
8	.17		12								01	08	8
9	.11		.01								56	.09	9
10	.04	.11	.28								.01	.17	10
11	.20	.01		TH	.32						75	01	11
12		.31	.54						02		30	08	12
13					.01				45	09	.01	.24	13
14		01	.01									32	14
15		.07	.07								20	.04	15
16						20					41	.27	16
17						06					04	35	17
18		.37	05	.09		12				02		.30	18
19						35			.15	.27	22	.13	19
20	.02	.06	.12	.05					.12	.16		.50	20
21	.16	.17	.02					.18		.70		.16	21
22		.01	.16			44				18		.61	22
23		.19	08			03	04	.05	.06	.09		.17	23
24	.31	.08	.01			26				.50		.12	24
25		.05	.02	.05	.03	04			.03	05		.04	25
26		.18		.21	.01	03		02		.31	13	.17	26
27		.35	17	.05				.26	35	.01	.15	.11	27
28		21	01	.38				12			.05		28
29						34		.04	15	33	01		29
30				02	07	.02			01	20	01	fog .01	30
31					.01					04			31
Total	1.10	1.86	1.95	1.03	1.08	1.89	05	1.23	1.37	3.22	3.59	5.59	TOTAL for year 23.97
No. of Rain Days	13	15	20	11	8	11	2	12	10	18	21	26	167

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAIN

FORM A.
BRITISH RAINFALL.
2 - JAN 191[illegible]

Kept at Cripps Mead Cirencester

in the County of ~~Cirencester~~ Gloucester

by Mr Wilfred Cripps

Lat. Long.
Nearest Railway Station 5 minutes
Time of Observation 9 30
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " Sea Level 366 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.03	.12			.01	01			.04		1
2	.13			.04	.36			.19		10	.56	.21	2
3			01		.27			04		.03	.13	.08	3
4	.01		13	.01				01	03	06	28	35	4
5	.06		03					30		.03		01	5
6	.37		.08	.01				01			.35	57	6
7	.03										.03		7
8	.17		12								.01	.20	8
9	.11		.01								.66	.09	9
10	.04	.11	.28								.01	.07	10
11	.20	.01			.32						75	01	11
12		.01	.54						02		.50	.08	12
13					.01				45	09	.01	.21	13
14		.01	.01									.38	14
15		.05	.07								20	.01	15
16						20					40	.27	16
17						06					04	35	17
18		.37	05	09		12				02		.30	18
19						35			.15	27	.02	13	19
20	.07	.66	.12	.05					12	.16		.50	20
21	.01	.17	.02					.19		.70		.06	21
22		.01	.16			44				18		.61	22
23		.19	08			03	04	.05	.06	.09		.17	23
24	.01	.08	.01			26				.50		.12	24
25		.05	.02	.05	.03	04			.03	05		.04	25
26		.18		.21	.01	03		02		.31	13	.17	26
27		.35	17	.05				.26	35	.01	.15	.11	27
28		21	01	.38				12			.25		28
29						34		.04	15	.33	01		29
30				02	07	.02			.01	20	01	.01	30
31					.01					04			31
Total	1.11	1.86	1.95	1.03	1.08	1.89	05	1.23	1.37	3.22	3.59	5.59	TOTAL for year 23.97
No. of Rain Days	13	15	20	11	8	11	2	12	10	18	21	26	167

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Section **A** for the entry of Daily Observations

Station No.........................

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 19~~6~~ 11

METFORM 1090
(Rev. Feb. 1965)

Kept at CRIPPS MEAD CIRENCESTER

in the County of GLOUCESTERSHIRE

Diameter of funnel of gauge..................in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	06		03	12			01	01			04			1
2	03			04	36			19		10	26	21		2
3			01		27			04		03	13	08		3
4	01		13	01				01	03	06	28	35		4
5	06		03					30		08		01		5
6	37		08	01				01			05	57		6
7	02										43			7
8	17		12								01	20		8
9	11		01								06	19		9
10	04	11	28								01	17		10
11	20	01			32						75	01		11
12		01	54						02		50	08		12
13					01				45	09	01	24		13
14		01	01									58		14
15		02	07								20	06		15
16						20					44	27		16
17						06					04	35		17
18		37	05	09		12				02		30		18
19						35			15	27	02	13		19
20	02	06	12	05					12	16		50		20
21	01	17	02					18		70		06		21
22		01	16			44				18		61		22
23		19	08			03	04	05	06	09		17		23
24	01	09	01			26				50		12		24
25		07	02	05	03	04			03	05		04		25
26		18		21	01	03		02		31	13	17		26
27		35	17	05				26	35	01	16	11		27
28		21	01	38				12			05			28
29		X				34		04	15	33	01			29
30		x		02	07	02			01	20	01	01		30
31		x		x	01	x			x	04	x			31
TOTAL	111	186	195	103	108	189	05	123	137	322	359	559	Year's Total 23·97	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2- JAN 1913

Kept at Cripps Mead Cirencester

in the County of Gloucester

7

by Mrs Wilfred Cripps

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
„ „ „ Sea Level 366 ft.

Time of Observation 9. 30 am

Nearest Railway Station
Name Cirencester
Distance 5 minutes Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			11			35	05		.02	.46		19	1
2		01	17	10		25	17		~~03~~				2
3	.04		17		04	14	31	57	.03		02	05	3
4	25		87		13	61		09			25	01	4
5	81	10	12		19			26				17	5
6	69	13	01		09		01	53	02			08	6
7		15	6		04	36	05	07				05	7
8	59	12	32			01	01	12	03			08	8
9	11	07	22	05		24		11	—			33	9
10	05	12	04			29		18			05	02	10
11	09	05	02			21	02	04			03	27	11
12	05	29	18	01	02		04				04	07	12
13		02	01			01		04			02	10	13
14	16		[illegible]		28			19				05	14
15	11	13			15	34		05				48	15
16	97		2					15		14	05	02	16
17	1.15		09			09		57		07		32	17
18	20	01	40					07		07		04	18
19	05	.06	.01				35	34		05			19
20	02	.01	47		14		10	19		35	.04		20
21		06	40		67		03	13		.33			21
22	78	19	.05		43	10	41	24		02	04	23	22
23	19	33	39			15		49		.05	[illegible]	40	23
24	04	03	07			27	01	07				09	24
25						22		52		01	34	37	25
26		1.0	01				39	.53		72	48	18	26
27			.02			17	14			65		33	27
28		06			02	12	35	.85	16	39	36	75	28
29		10	.01			.25	34		48	25	01	06	29
30						03	17	01	11	28		01	30
31			07		.40		68	18		01		16	31
Total	5.85 5.83	2.08	5.05	.16	2.66	3.98	3.63	6.62	85	3.78	177	4.97	TOTAL for year 41.34
No. of Rain Days	19	21	27	3	13	20	19	26	7	15	14	27	211

9,000, IX. '10.

Section **A** for the entry of Daily Observations

Station No. 3

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~12

Kept at CRIPPS MEAD
in the County of GLOUCESTERSHIRE
Diameter of funnel of gauge ..... in.
Height of top of gauge above ground ..... ft. ..... in.
Height of ground above sea level ..... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			11			35	05		02	46		19		1
2		01	17	10		29	17							2
Rl. 3	04		17		04	~~8~~14	31	57	03		02	05		3
4	25		87		13	61		09			25	01		4
5	31	10	12		19			26				17		5
6	69	13	01		09		01	53	02			08		6
7		15	06		04	36	05	67				05		7
8	59	12	32			01	01	12	03			08		8
9	11	01	29	05		24		11				33		9
10	05	12	04			22		~~0~~18			05	02		10
11	09	05	02			01	02	04			03	27		11
12	05	29	18	01	02		04				04	07		12
13		02	01			01		04			02	10		13
14	16		48		28			19				05		14
15	11	13			15	34		05				48		15
16	97		21					15		14	05	02		16
17	115		09			09		54				32		17
18	20	01	40					07		07		04		18
19	05	06	01				35	34		05				19
20	02	01	47		14		10	19		35	04			20
21		06	40		67		03	19		33	[illegible]			21
22	78	19	05		49	10	41	24		02	04	23		22
23	19	33	39			15		49		05	04	40		23
24	04	03	07			27	01	07				09		24
25						22		32		01	34	37		25
26		10	01				39	53		72	48	18		26
27			02			17	14			65		33		27
28		06			02	12	35	85	16	39	36	75		28
29		10	01			25	34		48	25	01	06		29
30		x				03	17	01	11	28		01		30
31		x	07	x	40	x	68	18	x	01	x	16		31
TOTAL	585	208	505	16	266	398	363	662	85	378	177	491	Year's Total 4134	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

V

Ex. 7c.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 JAN 1914

Kept at Cripps Mead
in the County of Gloucester
by Mrs Wilfred Cripps

7

Lat. .... Long. ....
Time of Observation 9.30
Nearest Railway Station Cirencester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		21	.18	13	02				.93		.22	.04	1
2	01	12	04	.11			.01		.23	.10	.08	01	2
3	04	.04	11	.11	33	.01				.24		.17	3
4	.58	.02	05		.17	.30			40	.61	.05	.17	4
5	.01	.02	02		.03	.13	05		01	.06	06	.08	5
6	.05	.15	.13		.30	.16	.56			.34	02	.49	6
7		33			.17	.15	03			25	31		7
8		25			.19	.10		.01		.24		.02	8
9		21			.11	.09	14	.18	20	01	.05	03	9
10	.21		02	11	.02			.10		04	.43		10
11	1.23			.50	.11					.10	.34	03	11
12		Fog 01		[illegible]	.24				.04	01	.50		12
13	Snow 10	" 01	.06		.07	.02			.12		.32		13
14	" 09	" 01	35	.01			03	.03		16			14
15	12	08	.46	.83			.01		.14				15
16	08		.41	.06		.05		.49	03				16
17	01		.08	hail .22		.09	.05				.02		17
18	.11		17	.23			.10				.05		18
19	.32		.15	.02	01	.01			.21			.03	19
20	.16		thunder 21	.06						14	23		20
21			.20	12	23		.01	21		.62	37		21
22	57		40	.15	.03	.07		.19	.32				22
23	.02					.04					02	08	23
24	08			.65									24
25		.08		.20						.01		.04	25
26		.03		.32				.28		.12		.23	26
27	01		10	.26	04					02			27
28	43		13	37						.20		Frost 08	28
29	01		39	.67				01		09		03	29
30	32									38	01		30
31	01		06		08			08					31
Total	4.87	1.57	3.72	4.42	2.10	1.17	.99	1.38	2.63	3.14	3.08	1.48	YEAR'S TOTAL 30.57
Rain Days.	23	15	21	19	17	13	10	10	11	20	17	15	191

W. 7,500, XI. ·12

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~13

Kept at CRIPPS MEAD

in the County of GLOUCESTERSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		21	18	13	02				93		22	04		1
2	01	12	04	11			01		23	10	08	01		2
3	04	04	11		33	01				24		17		3
4	88	02	05		17	30			40	61	05	12		4
5	01	02	02		03	13	05		01	06	06	08		5
6	05	15	13		30	16	56			34	02	49		6
7		33			17	15	03			25	31			7
8		25			19	10		01		24		02		8
9		21			11	09	14	18	20	01	05	03		9
10	21		02	11	02			10		04	43			10
11	123			50	11					10	34	03		11
12		01	[illegible]		24				04	01	50			12
13	10	01	06		02	02			12		32			13
14	09	01	35	01			03	03		16				14
15	12	08	46	83			01		14					15
16	08		41	06		05		49	03					16
17	01		08	22		09	05				02			17
18	11		17	23			10				05			18
19	32		15	02	01	01			21			03		19
20	16		21	06						14	23			20
21			20	12	23		01	01		02	37			21
22	57		40	15	03	02		19	32					22
23	02					04					02	08		23
24	08			05										24
25		08		20						01		04		25
26		03		32				28		12		23		26
27	01		10	26	04					02				27
28	43		13	37						20		08		28
29	01	X	39	67				01		09		03		29
30	32	x								38	01			30
31	01	x	06	x	08	x		08	x		x			31
TOTAL	487	157	372	442	210	117	99	138	263	314	308	148	Year's Total 3055	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

end for auth. 25.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

7

Kept at Cripps Mead Cirencester
in the County of Gloucester
by Mr Wilfred Cripps

Lat. .... Long. ....
Time of Observation 9.30
Nearest Railway Station Cirencester
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.07			.38	.32			.15		1
2					.03		.43	.17			.96	21	2
3	.01		.05	.15	40		.06	.01			.01	06	3
4	.21			.35	.14		12	.11			36	.70	4
5	.09		09	.24	.06		.21	.04			.33		5
6		06	05	.03	.12			.04			.01	24	6
7	.01	.80	30	.20	.17	.10	.42	.12	—		.01	07	7
8	.04	.03	48	.03	.13	.51	06	.11				04	8
9	.09		.24	.08	.10	.94		.04	.10				9
10	.06	19	.04	20	.09	.02			.30				10
11		.07	.33	.01	.09	.70	.10				.24	.50	11
12		.08	.17				.17		.27		08	29	12
13		.56	.32						.41	.05	.06	35	13
14		.28	.47				.03	.01	.01	52	.27	01	14
15	.13	.03	.15				.06	.14	45	.03	.16		15
16							.01		.17				16
17		.27	13						.04			.55	17
18						.12	.24					.41	18
19		.08					.71	.01			.05	13	19
20		.28	22			.09						27	20
21		.47	.01			.06				.18		05	21
22			.01		.14	03	.03	05		28		.01	22
23		.03	.11	.01	.02		03	01		.12		01	23
24		.17	.08				09			.15	10		24
25	07		.29				05	.33		.35	.02	27	25
26		.07	.02				12			.06	19	34	26
27	.08										.16	30	27
28		.15	.13		04					.01	.13	74	28
29	.10		17		03					.16	53	.01	29
30	.02					02				17	.65	.50	30
31	.03						41			07		02	31
Total	.87	3.62	3.86	1.37	1.56	2.59	3.70	1.51	1.75	2.15	4.47	6.06	YEAR'S TOTAL 33.51
Rain Days.	13	17	22	11	14	10	19	15	8	13	4·47 20	24	196

W.7,000, XI. 13

33·51

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~14

Kept at CRIPPS HEAD

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1				07			38	32			15			1
2					03		43	17			96	21		2
3	01		05	15	40		06	01			01	06		3
4	21		4–	35	14		12	11			36	70		4
5	02		09	24	06		21	04			33			5
6		06	05	03	12			04			01	24		6
7	01	80	30	20	17	10	42	12			01	07		7
8	04	03	48	03	13	51	06	11				04		8
9	09		24	08	10	94		04	10					9
10	06	19	04	20	09	02			30					10
11		07	33	01	09	70	10				24	50		11
12		08	17				17		27		08	27		12
13		56	32						41	05	06	35		13
14		28	47				03	01	01	52	27	01		14
15	13	03	15				06	14	45	03	16			15
16							01		17					16
17		27	13						04			55		17
18						12	24					41		18
19		08					71	01			05	13		19
20		28	22			09						27		20
21		47	01			06				18		05		21
22			01		14	03		05		28		01		22
23		03	11	01	02		03	01		12		01		23
24		17	08				09			15	10			24
25	07		29				05	33		35	02	27		25
26		07	02				12			06	19	34		26
27	08										16	30		27
28		15	13		04					01	13	74		28
29	10	X	17		03					16	53	01		29
30	02	x				02				17	65	50		30
31	03	x		x		x	41		x	07	x	02		31
TOTAL	87	362	386	137	156	259	370	151	175	215	447	606	Year's Total 3351	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

2313

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Crippsmead Cirencester

in the County of Gloucester

by Mrs Wilfred Cripps

Lat. Long.

Time of Observation 9 30

Nearest Railway Station Cirencester

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	34	14			16		08	07	18 thunder storm	22	.01	1.13	1
2	40	29	26	16				1.12		43		.11	2
3	1.15	04	.07	.07	07	.01	04	.15		02		16	3
4	.05				.01		96	.01				85	4
5	02	58						.05				40	5
6	19	.01		.19			.47	05				14	6
7	15	.53		.06		57	17	.05			.01	14	7
8	36	.30		.01			.12	.66			.04		8
9	13	.02		.17							.20	80	9
10	35		02	.04				.02		01		01	10
11	03		06	.06	01		.10				85	11	11
12	11	07		.10	48		.03	.09		04	.46	01	12
13	02	.50			68		63		.03	01		02	13
14	20	03		0				.06	10	01		81	14
15	34			03	07			12		17	05	09	15
16	02	.72			41			.06				05	16
17		45			1.57							01	17
18		42	05								.01		18
19		01		.11	.09		16						19
20	23				01					01		17	20
21	12	08		.11	01		.07			14		.12	21
22	07	13	.41				54		01			23	22
23			37			15	.16		.22	.99		.43	23
24			.02	.09		01	69		32	02		.38	24
25				.01		60	01			.04		.30	25
26		.19					1.2					57	26
27		.05				05	37			.48		.02	27
28		05	02			01	thunderst 88		.59				28
29							.01	06			06	03	29
30	71	X				32				.12	.43	16	30
31	02	X		X		X	03	03	X	97	X	16	31
Total	4.41	4.61	1.28	1.21	3.51	1.75	4.84	2.00	1.45	4.29	2.12	6.65	YEAR'S TOTAL 38.10
Rain Days.	21	20	9	14	12	8	20	15	7	16	10	27	179

W. 8,000. X. 14.

Section A **for the entry of Daily Observations** **Station No.**

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at (CRIPPS HEAD)

COPY

in the County of

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	34	14			10 ~~14~~		08	07	18	22	01	13		1
2	40	29	26	16				112		43		11		2
3	115	04	07	07	07	01	04	15		02		16		3
4	05				01		96	01				85		4
5	02	58						05				40		5
6	19	01		19			47	05				14		6
7	15	53		06		51	17	05			01	14		7
8	36	30		01			12	06			04			8
9	13	02		17							20	80		9
10	35		02	04				02		01	~~8~~ -	01		10
11	03		06	06	01		10				85	11		11
12	11	07		10	48		03	09		04	46	01		12
13	02	50			68		63		03	01		02		13
14	20	03						06	10	01		81		14
15	34			03	07			12		17	05	09		15
16	02	72			41			06				05		16
17		45			157							01		17
18		42	05								01			18
19		01		11	09		16							19
20	23				01					01		17		20
21	12	08		11	01		07			14		12		21
22	07	13	41				54		01			23		22
23			37			15	16		22	99		43		23
24			02	09		01	~~16~~ 69		32	61		38		24
25				01		69	01			04		30		25
26		19					12					51		26
27		05				05	37			48		02		27
28		05	02			01	08		59					28
29		X					01	06			06	03		29
30	11	X				32				12	43	16		30
31	02	X		X		X	03	03	X	97	X	46		31
TOTAL	441	461	128	121	351	175	484	200	145	427	212	665	Year's Total 3810	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2247

FORM A.
BRITISH RAINFALL

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Cripps Reed, Cirencester

in the County of Gloucester

by Mr Wilfred Cripps

Lat. Long. +

Time of Observation 9.30

Nearest Railway Station Cirencester

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	63		01		15	13	.48		02	9.30 0.15	21		1
2	62	.04	snow 03		35	04			02	.79	05		2
3		.89			10				12	.46	11		3
4	39	.42			17	44			.15	.56	45		4
5	01	.06	snow .02		34	.08	.19			14	13		5
6	03	.26	snow 03		.26	.12	.66			39	38		6
7	07	.01	snow 12		13	.01				12	35	20	7
8	03		snow 04		33	.78					.01	25	8
9	01				14	thunder .06	09			03	.01	05	9
10	03	.50	snow 03	11	02	.09				.10		01	10
11	03	.01	snow 06	15	09	25						snow 59	11
12	03	08	.02	05	33		.13	.01		17			12
13		.32	17				01	20		02			13
14		snow 43	.03		11			08		16			14
15		29	.25	04	.03		01	37		05			15
16	03	05	.03	.21	.01		25	27		13		01	16
17	16	18		.08				09	38	78		17	17
18		11	03	.08				06	.17	32	snow 37	15 snow	18
19	.36		.12	.45					.13		16	12	19
20	.17	snow 03	.46								01	69 snow	20
21	34	02	.66		18		.06					52 snow	21
22		.02		34	07	.04				.23	02	70 snow	22
23	04	.23		04		01		06		.16	16	.14 snow	23
24		14	01	02	22	10		04		.29	03	25 snow	24
25		snow .43	32					.53	.02		14		25
26	04	.15	01			27		05	.01	13			26
27	06	.06	snow 1.12			.03		.43	21	50			27
28		49	snow 23			.03		.01	09	08		.20	28
29		20				.31		1.46		39		.60	29
30		X				.17				46			30
31		X		X		X		.01	X	30	X	02	31
Total	2.48	5.12	3.90	1.23	2.91	2.96	1.88	3.69	1.32	6.83	2.59	4.41	YEAR'S TOTAL 39.12
Rain Days.	19	25	22	10	18	18	9	15	11	25	16	16	204

W. 8,000. X. 15.

+ from May 20 – Oct 1st taken at 10 a.m. Summer time

3912

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1916

Kept at CRIPPS MEAD

in the County of

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	03		01		15	13	48		02	15	21			1
Rl. 2	62	04	~~0~~13		35	04			02	79	05			2
Rl. 3		89			10				12	46	11			3
4	39	12			17	44			15	56	45			4
5	01	06	02		34	08	19			14	13			5
6	03	26	03		26	12	66			29	38			6
7	07	01	12		13	01				14	35	20		7
8	03		04		33	78					01	25		8
9	01				14	06	09			03	01	05		9
10	03	50	03	11	02	09				10		01		10
11	03	01	06	15	09	25						59		11
12	03	08	02	05	33		13	01		~~4~~17				12
13		32	17				01	20		02				13
14		43	03		11			08		16				14
15		29	25	04	03		01	37		05				15
16	03	05	03	21	01		25	27		13		01		16
17	16	18		08				09	38	78				17
18		11	03	08				06	17	32	37	15		18
19	36		12	45					13		16	02		19
20	17	03	46								01	62		20
21	34	02	66		06		06					52		21
22		02		04	07	04				23	02	70		22
23	04	23				01		06		16	16	14		23
24		14	01	02	22	10		04		29	03	25		24
25		43	32					55	02		14			25
26	04	15	01			27		05	01	13				26
27	06	06	112			03		43	21	50				27
28		49	23			03		01	09	08		28		28
29		20				31		146		39		60		29
30		x				17				46				30
31		x		x		x		01	x	30	x	02		31
TOTAL	248	512	~~370~~ 3.90	123	291	296	188	369	132	683	259	441	Year's Total 39~~8~~32	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

2141

REGISTER OF ~~RAINFALL~~ IN 1917

W.F.W.

BRITISH RAINFALL. FORM A.

2 JAN 19[illegible]

Kept at [illegible]

in the County of [illegible]

by [illegible]

Lat. Long.

Time of Observation 9 30 10 a.m. [illegible] April 8th – [illegible] 16

Nearest Railway Station 5 [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 36[illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.10	snow 10		.09		46	07		.02		1
2			03	04		.25		02	.17				2
3	.02	snow 02					03	17		.70			3
4		snow 10	.17				.07	14		.39		01	4
5	.34		08	10		05		27	03	.30	.12		5
6			snow 13			.45	~~.33~~			.17	.21	.02	6
7	snow 27						33	14		27	.01	.03	7
8	snow 70		snow 04			.03	66	40	02	39	.05	.20	8
9	.01		snow 18	snow 09	17		03	32	12	11	.03		9
10	snow .24		.38	28	.02			18	06	61	.01	.02	10
11	.08		22	snow 27				37	40	.21	03 fog		11
12	.06		04	02	05			05		28	fog .01		12
13			15	08		.08		25	07	.07			13
14	snow 02		05	09				32		.01		.01	14
15							.03	46		.14		15	15
16	snow 01	.13		14	03		.01			15		snow .31	16
17		.02		1.0	.38		.29	05	18	11			17
18		.05		02		.03	57	36	1.08				18
19	.01	.47	snow 27			.02			03				19
20	.04	.11	snow 16		.55	05	.03		08		01		20
21	.02	.61	snow 17			Th. St. .32				.02	07		21
22			snow 12			03		04		.15			22
23		.21			05			66		05		.03	23
24		.12	.01			.23		27	03	.21			24
25		.09	05					03	03				25
26		/			10			37	12		.18		26
27					thunder 1.20	.03		88					27
28		.02	.11			.96		34				01	28
29			snow 10		thunderstorm .29	.32	.13	06		.42	.01	0.18	29
30		X	snow 08				12	.25		fog ? .02	01		30
31	.01	X	snow .17	X		X			X	04	X	mist .06	31
Total	1.83 √	1.35 √	2.81 √	1.32 √	2.84 √	2.94 √	2.50	6.51 √	2.46 √	4.05 √	0.84 √	1.03 √	YEAR'S TOTAL 30.[illegible]
Rain Days.	14 √	12 √	22 √	11 √	10 √	15 √	12	25 √	14 √	22 √	14 √	12 √	183

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations — Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~17

Kept at CRIPPS MEAD

in the County of GLOUCESTERSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			10	10		09		46	07		06			1
2			03	04		25		02	17		~~4~~–			2
3	02	02					03	17		70				3
4		10	17				07	14		32		01		4
5	34		08	10		05		27	03	30	12			5
6			13			45				17	21	02		6
7	27						33	11		27	01	03		7
8	70		04			03	86	40	02	39	08	20		8
9	01		18	02	17		03	32	12	01	03			9
10	24		38	28	02			18	06	01	01	02		10
11	08		22	27				37	40	21	03			11
12	06		04	02	05			05		28	01			12
13			15	08		08		25	07	07				13
14	02		05	09				30		01		01		14
15							03	46		14		15		15
16	01	13		14	03		01 ~~03~~			15		31		16
17		02		16	38		29	05	18	11				17
18		05		02		03	57	06	108					18
19	01	47	27			02			03					19
20	04	11	16		55	05	03		08		01			20
21	02	01	17			32				02	07			21
22			12			03		04		15				22
23		21			05			66		05		03		23
24		12	01			23		27		21				24
25		09	05					03	03					25
26					10			37	12		18			26
27					120	03		88						27
28		02	11			96		34				01		28
29		X	10		29	32	13	06		42	01	18		29
30		x	08				12	25		02	01			30
31	01	x	17	x		x			x	04	x	06		31
TOTAL	183	135	281	132	284	294	250	651	246	405	84	103	Year's Total 3048	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Esc M.S. 83

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Cripps Mead

in the County of Gloucester

by Mr Wilfr Cripps

Lat. Long.

Time of Observation 9.30 am March 25 — 10 am

Nearest Railway Station Cirencester G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 8 in.

" " " " Sea Level 36 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.06		.10	04			07		02	27	.02	1
2		.12		.16	[illegible]			35	06	.01	04	22	2
3		.05	.02	.26	.14			.38	21	.03	03		3
4		18		.05				.06	06	02	.86	07	4
5				.03	.19			.04	07	19	03	02	5
6	.10	.16		21		.03	[illegible]		09	19		.11	6
7	.01	.08		.02	.36	.01			06	.18	32	.02	7
8		17					03		14	20		.04	8
9	.06	.20		.12		16	23		81	32	03	.12	9
10	.10			23			.53		10	22		.26	10
11	.02			.04	03		04		27	02	07	15	11
12	01	31	.18		.20		29		05				12
13		.01	[illegible]		.07		17		55	09		.25	13
14	.45		05		01	.12	40		58	07		.18	14
15	snow .01			.41	.03		.25		—		01	.24	15
16	~~3~~ 525 snow			42		.17		08	19	02		.02	16
17	80		04	17	.30 thunder		26	02	33	04		14	17
18	.66		01		[illegible]	.53	12		35	01	01	.42	18
19	.02	05	15	.04			10		13	01		09	19
20	.03	18		.30		.04	thunder 1hr 06		25	01		.06	20
21	.08	.01		04		02	04		87	13		.07	21
22	13	01			.06	01	17		19	06		.42	22
23	10				.32		34				02		23
24	.01	.17					08	.05	07		15		24
25							12	46		03	04		25
26						.07	40	.02	07	05	21	.23	26
27	01		.05					.26	24		20	.04	27
28		snow 09	.29								18	.08	28
29			.13						1.13			.02	29
30		✕	.32						01	02	18	09	30
31	fog (?) 01	✕	.20	✕		✕		.05	✕	05	✕		31
Total	~~3.56~~ 386	1.85	1.47	260	1.84	1.16	3.60	2.38	6.61	1.97	2.65	3.38	YEAR'S TOTAL ~~33.31~~
Rain Days.	19	16	17	16	12	10	18	12	25	24	17	25	205

1.44

33.34

205

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1918

COPY

Kept at CRIPPS MEAD
in the County of GLOUCESTERSHIRE
Diameter of funnel of gauge in.
Height of top of gauge above ground ft. in.
Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		06		10	04			07		02	27	02		**1**
2		12		16				35	06	01	04	22		**2**
3		05	02	26	14			88	21	03	03			**3**
4		18		05				06	06	02	86	07		**4**
5				03	19			04	07	19	03	02		**5**
6	10	16		21		03			09	19		11		**6**
7	01	08		02	36	01			06	18	32	02		**7**
8		17					03		14	20		04		**8**
9	06	20		12		16	23		81	32	03	12		**9**
10	10			23			53		10	22		26		**10**
11	02			04	03		04		27	02	07	15		**11**
12	01	31	18		20		29		05					**12**
13		01			07		17		55	07		25		**13**
14	45		05		01	12	40		58	07		18		**14**
15	101			41	03		25				01	24		**15**
16	25			42		17		08	19	02		02		**16**
17	80		04	17	39		26	02	03	04		14		**17**
18	66		01			53	12		38	01	01	42		**18**
19	02	05	15	04			10		13	01		09		**19**
20	03	18		30		04	06		25	01		06		**20**
21	08	01		04		02	01		87	13		07		**21**
22	13	01			06	01	17		19	06		482		**22**
23	10				32		34				02			**23**
24	01	17					08	05	07		15			**24**
25							12	46		03	04			**25**
26						07	40	02	07	05	21	23		**26**
27	01		05					26	24		20	04		**27**
28		09	29								18	08		**28**
29		X	13						113			02		**29**
30		x	32						01	02	18	09		**30**
31	01	x	20	x		x		09	x	05	x			**31**
TOTAL	386	185	144	260	184	116	360	238	661	197	265	338	Year's Total 3334	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

2007

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Cripps Mead Cirencester
in the County of Glos'tershire
by Mrs Wilfred Cripps

Lat. Long.
Time of Observation 10.30 a.m. March 30th to Sept 29 10 am summertime
Nearest Railway Station Cirencester
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	snow .02	03	01	02		08			09		78	1
2	.12		02		03		04		.26		11	21	2
3	1.08		.13		02	.02	19		.11		03	16	3
4	09	snow 07	.40			11	01	05	.39			thunder Storm 17	4
5		34	.60		02		21	.07	.41		03	.14	5
6	.06	.03	.13		52						01	.09	6
7	26		.27	.11							04	01	7
8	08		06	.27									8
9	09		04	.28							08		9
10	02		37	.04							snow 02	12	10
11	02		(38)	09	09	01	.34			.01		04	11
12			.18	03		81				09	.01	11	12
13	08			.35				~~01~~	01	.02		05	13
14	52	.02		48			10	~~.04~~	04			02	14
15	.40	04	03	03	.07					08	02	34	15
16	13	.74									16	01	16
17		.42	53			02					15	02	17
18					.65		06	.25	03	fo 01	07	06	18
19	.32	38	79			13	1.01	.37	06		07	02	19
20	37	.15	27			08	01	10	.05		01	43	20
21	27	.72	01			09	.24	02	.02		02	.12	21
22		.20				01	.04	02	25			20	22
23						01				.36	14	02	23
24						07			03	75	08	23	24
25	.14			.02	03			23	.01		01	05	25
26	.06	.01	12	.05			.17	.03	.16			40	26
27	08			snow .91				.52				03	27
28	snow 05			.02				.48			28	30	28
29	snow 03		18	01		01				09	03	27	29
30	snow 01	X	01	20		16		23		03	26	.42	30
31		X	03	X	[illegible]	X	01		X	01	X	03	31
Total	4.69	3.14	4.53	2.69	1.45	1.53	2.50	2.46	1.83	1.54	1.63	4.75	YEAR'S TOTAL 32.74
Rain Days.	23	13 ✓	21 ✓	16 ✓	9 ✓	13 ✓	13 ✓	12 ✓	14 ✓	11 ✓	21 ✓	29 ✓	~~215~~ 195

W, 6,500, VII. 18. w w c

Section A for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1919

Kept at CRIPPS MEAD

in the County of GLOUCESTERSHIRE

COPY

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	39	02	03	01	02		08			09		78		1
2	12		02		03		04		26		11	21		2
3	108		13		02	02	19		11		03	46		3
4	09	07	40			11		05	39			17		4
5		34	60		02		21	07	41		03	14		5
6	06	03	13		52						01	09		6
7	26		27	11							04	01		7
8	08		06	27										8
9	09		04	28							08			9
10	02		37	04							02	12		10
11	02		38	08	09	01	34			01		04		11
12			18	03		81				09	01	11		12
13	08			35					01	02		05		13
14	52	02		48			10		04			02		14
15	40	04	03	03	07					08	02	34		15
16	13	74									16	01		16
17		42	53			02					15	02		17
18					65		06	25	03	01	07	06		18
19	32	38	79			13	101	37	06		07	02		19
20	37	15	22			08	01	19	05		01	03		20
21	29	72	01			09	24	02	02		02	12		21
22		20				01	04	02	25			20		22
23						01				36	14	02		23
24						07			03	75	08	23		24
25	14			02	03			23	01		01	05		25
26	06	01	12	05			17	03	16			40		26
27	08			71				52				03		27
28	05			02				48			28	30		28
29	03	X	18	01		01				09	03	27		29
30	01	x	01	20		16		23		03	26	42		30
31		x	03	x		x	01		x	01	x	03		31
TOTAL	469	314	453	269	145	153	250	246	183	154	163	475	Year's Total 32·74	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

1920

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

3 JAN 1921

Kept at Cripps Mead Cirencester
in the County of Gloucestershire
by Mr Wilfred Cripps

Lat. .... Long. ....
Time of Observation 9.30 [illegible] 10.a.m
Nearest Railway Station 5 minutes
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground .... ft .... in.
" " " " Sea Level 368 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	(19) in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.19	.45		.29	02		70	.01	33	1
2	03			.07			.16	24	06	18		18	2
3	01	03	01	22			th. storm 72		.04	23			3
4			05	02				.60		31		01	4
5			12	.16	.02		.44	02		45			5
6			29		.12		.15			5		02	6
7	05		snow & hail 03	.11	.02		.15						7
8	62	.09		.55	.05		69	.02				06	8
9	24	06		.75		03	03						9
10	31	09	09	.14		17	.19				.05		10
11	hail 39	03	14	.28	.42	05	.04						11
12	16	09	02	.27		.46	.04				.05		12
13	05	05	snow 33	.12					.09			03 snow	13
14	04	01	.56	.39	thunder storm	.46	07		09	22	.54		14
15	02	07	05	.29	02	.02	01		.15	.40	.09		15
16			01	.04	01	thunderst. .23	.14	.01	32	.11	.08		16
17	02				26	thunder storm .33			38	.09		01	17
18	.15			.12	.14 th. st.	.02		17	.23			.02	18
19	.02	19		.35		.16		.03	.10			.01 snow	19
20	.05	12		17		.26						22	20
21				02			~~.04~~		.04			.07	21
22	03			20			.04	03	.04			.24	22
23							64					.46	23
24	.01		23								.07	.18	24
25	.02	07	08				.50	01					25
26	22		31			.09	.06				.02	.09	26
27	43	02	07	.19		.58						.27	27
28	66		12		30	.03	.05					.01	28
29	13	01	06		05	.08	18				15	.38	29
30	08		07	02	01	16	13		.27		18	.49	30
31	18		17							27		.21	31
TOTAL	3.82	95	281	4.67	1.96	3.18	4.72	1.15	1.72 ~~1.62~~	2.41	1.24	3.29	YEAR'S TOTAL 31.87 ~~31.77~~
Days with ·01 in. or more	24	14	20	22	13	16	21	10	11	~~10~~ 11	10	20	192 ~~193~~

(44,283): Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

t.04 15 9 16 19 8 12 19 3 11 11 8 13 144

Section **A** for the entry of Daily Observations

Station No. (~~2204~~)

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1920

COPY

Kept at CRIPPS MEAD

in the County of GLOUCESTERSHIRE

Diameter of funnel of gauge..........in.

Height of top of gauge above ground..........ft..........in.

Height of ground above sea level..........ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1				19	45		29	02		10	01	33		1
2	03			07			16	24	06	18		18		2
3	01	03	01	22			72		04	23				3
4			05	02				60		31		01		4
5			12	16	02		44	02		45				5
6			29		12		15			05		02		6
7	05		03	11	02		15							7
8	02	09		55	05		69	02				06		8
9	24	06		75		03	03							9
10	81	09	09	14		17	19				05			10
11	39	03	14	28	42	05	04							11
12	16	09	02	27		46	04				05			12
13	05	05	33	12								03		13
14	04	01	56	39		46	07		09	22	54			14
15	02	09	05	29	02	02	01		15	40	09			15
16			01	04	01	23	14	01	32	11	08			16
17	02				26	33			38	09		01		17
18	15			12	14	02		17	23			02		18
19	02	19		35		16		03	10			01		19
20	05	12		17		26						22		20
21				02					04			07		21
22	03			20			04	03	04			24		22
23							64					46		23
24	01		23								07	18		24
25	02	07	08				50	01						25
26	22		31			09	06				02	09		26
27	43	02	07	19		58						27		27
28	66		12		39	03	05					01		28
29	13	01	06		05	08	18				15	38		29
30	08	x	07	02	01	16	13		27		18	49		30
31	18	x	17	x		x			x	27	x	21		31
TOTAL	382	95	281	467	196	313	472	115	172	241	124	329	Year's Total 31·87	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).......... (P.T.O.)

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

CHIPPING
SODBURY
(THE RIDGE)

GLOUCESTER
1911 - 1920

REC

Kept at The Ridg Ch

in the County of

by P. Bur

5' in.

Ground 1 ft. 4 in.

Sea Level 375 ft.

AM

Name ~~Gate~~ Chipping Sodbury

Distance 1¼ Direction S.E.

IMPORTANT NOTE the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi ar in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.34								.03		1
2			.01	.11	.23			.19		.13	.22	.18	2
3			.02		.30						.09	.06	3
4									.03 .03	.04	.24	.41	4
5	.05		.16					.32		.03	.10	.01	5
6	.24		.07								.09	.32	6
7											.41		7
8	.15		.17								.02	.30	8
9	.13										.14	.28	9
10	.03	.09									.01	.26	10
11	.22										.63	.08	11
12		.09	.81						.02		.44	.16	12
13					.23				.56	.04	.01	.50	13
14					.01							.74	14
15			.05			.01				.01	.20	.23	15
16						.26					.47	.20	16
17		.02				.05					.05 .05	.26	17
18		.53	.09			.25				.01		.26	18
19				.08		.15			.30	.21	.03	.31	19
20		.04	.11	.10				.02	.11	.09		.47	20
21		.19		.03		1.03		.11	.02	.40		.22	21
22		.21	.60							.17		.47	22
23		.10				.20			.05	.15	.02	.20	23
24		.07						.09		.46		.11	24
25		.13		.11		.45		.05	.02			.03	25
26		.22		.21	.26	.03	.06			.31	.12	.18	26
27			.21	.05				.25	.24		.16 .16	.12	27
28				.41				.19			.04	.01	28
29				.03		.40			.20	.30	.01		29
30								.23		.15		.03	30
31										.08			31
Total	.82	1.69	2.64	1.13	1.03	2.83	.06	1.45	1.55	2.58	3.53	6.40	TOTAL for year 25.71
No. of Rain Days.	6	11	12	9	5	10	1	9	10	16	22	27	138

W. 8,000, X. '11.

✓

RE

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at The Ridge
Chipping Sodbury

in the County of Glostr 5

by P. Burges -

RAIN GAUGE
Pattern Bottle & funnel
Diameter of top 5' in.
Height of top above Ground 1 ft. 4 in.
" " " Sea Level 375 ft.

Time of Observation 9. AM

Nearest Railway Station
Name ~~Yate~~ Chipping Sodbury
Distance 1/4 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.34								.03		1
2			.01	.11	.23			.19		.13	.22	.18	2
3			.02		.30						.09	.06	3
4									.03	.04	.24	.41	4
5	.05		.16					.32		.03	.10	.01	5
6	.24		.07								.09	.32	6
7											.41		7
8	.15		.17								.02	.30	8
9	.13										.14	.28	9
10	.03	.09									.01	.26	10
11	.22										.63	.08	11
12		.09	.81						.02		.44	.16	12
13					.23				.56	.04	.01	.50	13
14					.01							.74	14
15			.05			.01				.01	.20	.23	15
16						.26					.47	.20	16
17		.02				.05					.05	.26	17
18		.53	.09			.25				.01		.26	18
19				.08		.15			.30	.21	.03	.31	19
20		.04	.11	.10				.02	.11	.09		.47	20
21		.19		.03		1.03		.11	.02	.40		.22	21
22		.21	.60							.17		.47	22
23		.10				.20			.05	.15	.02	.20	23
24		.07						.09		.46		.11	24
25		.13		.11		.45		.05	.02			.03	25
26		.22		.21	.26	.03	.06			.31	.12	.18	26
27			.21	.05				.25	.24		.16	.12	27
28				.41				.19			.04	.01	28
29				.03		.40			.20	.30	.01		29
30								.23		.15		.03	30
31										.08			31
Total	.82	1.69	2.64	1.13	1.03	2.83	.06	1.45	1.55	2.58	3.53	6.40	TOTAL for year 25.71 ✓
No. of Rain Days.	6	11	12	9	5	10	1	9	10	16	22	27	138

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at The Ridge

in the County of Gloucester 5

by Slade

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 4 in.
„ „ „ Sea Level 375 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Chipping Sodbury
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
~~[illegible]~~

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10		·04	·60	·10		·01	·65		·21	1
2		·02	·10	·03		·43	·37			·02	·01	·01	2
3	·01		·31			·19	·06	·40	·06		·03	·01	3
4	·12		·55		·04	·40		·05			·19		4
5	·40	·06	·13		·05	·04		·67			·01	·14	5
6	·20	·07	·09		·07		·19	·74				·07	6
7	·02	·18	·04		·10	·47	·01	·01				·01	7
8	·43	·14	·24			·21	·10	·09	·07			·09	8
9	·04	·03	·31	·06		·11	·02	·08				·24	9
10	·04	·05				·25		·15			·04	·04	10
11	·05	·02	·01			·06	·01	·01				·40	11
12	·02	·44	·08	·04	·03	·04	·02				·02	·03	12
13		·03	·02			·01		·01			·02	·18	13
14	·11		·56		·33			·08		·01		·10	14
15	·11	·14			·23	·55		·03				·37	15
16	·68	·01	·18			·03		·15		·10	·06	·05	16
17	·88		·14		·03	·09		·70		·01	·01	·35	17
18	·16	·01	·36					·09		·02	·01	·07	18
19	·03	·18	·01		·01	·13	·15	·38		·10	·01	·01	19
20	·02		·32		·30		·12	·09		·40			20
21	·01	·02	·25		·78		·02	·14		·18			21
22	·49	·41	·05		·32		·13	·18		·04	·02	·14	22
23	·20	·42	·43		·01	·08	·01	·41		·08	·04	·38	23
24	·04		·23			·16	·02	·10		·02	·01	·05	24
25	·01	·01	·01			·72		·74		·05	·37	·43	25
26		·08					·32	·33		·45	·70	·20	26
27		·01	·01			·14	1·27	·01		·65	·02	·48	27
28		·07	·01			·30	·19	·76	·07	·45	·29	·85	28
29		·04				·12	·37	·02	·42	·35		·07	29
30						·06	·17	·01	·07	·17		·01	30
31			·09		·03		·32	·03		·01		·22	31
Total	4·07	2·44	4·63	·13	2·37	5·13	3·97	6·46	·64	3·76	1·86	5·21	TOTAL for year 40·67
No. of Rain Days.	22	22	26	3	15	23	21	28	6	19	18	28	231

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at *The Ridge, Chipping Sodbury* 5
in the County of *Gloucestershire*
by *H. P. Burges.*

Lat. Long.
Time of Observation *9 a.m.*
Nearest Railway Station *Chipping Sodbury*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *4* in.
" " " " Sea Level *375* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	.01	.14	.26	.11	2				.47	.01	.04	.03	1
2	.02	.14	.02	.05	2		.04		.09	.37	.10	.02	2
3	.12	.01	.13	.01	60		.01		.01	.02	.01	27	3
4	97	.03	.13		31				1.30	.18	.02	.06	4
5	.01	.04	.04		12	.26	.05		.14		.14	04	5
6	.02	.04	16		24	.07	.04			.43	.23	50	6
7	.01	.15			25	.14	.10		.01	49	.34	.02	7
8		.11			28	.05	.01			.04		.02	8
9		.12	.09	.01	1	.10	.08	.03	.12	.02	.05	.02	9
10	.19	.01	.04	.01	10	.01	.01	.06		.12	.10		10
11	.91		.01	.22	10			.01		.15	.48	.03	11
12	.01	.01	.01		.9				.05	.01	.23	.01	12
13	.04	.01	.04				.01	.03	.16		.17		13
14	.11	.02	18	.02						.22	.01	.03	14
15	.28	.09	.36	.78				.09	.01		13	.02	15
16	.33	.01	.32	.05		1		.04	.06	.01	.01		16
17	.03		.04	.14			.02		.13		.02		17
18	.13		.09	.14		1	.01		.01		.03	.01	18
19	.35		.06			14	.15		.20		.01	.01	19
20	.39		.11	.02		1				.07	09		20
21	.01		.12	.05	.25		.09	.01	.01		30		21
22	44		.66	.07	.04	5	.01	.03	.28	.02	.01		22
23	.04		.01		.01	8		.11	.02	.01	.06	.16	23
24	.14	.01	.01	.05				.05			.01	.01	24
25	.01	.01		.20					.01		.01	07	25
26		.01		.21		1		.25		.01		.18	26
27	02		13	.45				.01		.22	.01		27
28	.31		.09	.36						.10	.01	03	28
29	.01		45	.49	.01			.06		.13		.02	29
30	.26		.01	.01						.32			30
31	.08		.09		.08			06			.03		31
Total	5.25	.96	3.66	3.45	2.53	.94	.63	.84	3.08	2.95	2.65	1.56	YEAR'S TOTAL 28.50
Rain Days.	28	18	27	21	17	13	14	14	18	21	27	21	239

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at The Ridge, Chipping Sodbury
in the County of Gloucestershire 5
by Colonel P. Burges

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Chipping Sodbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·005			·05		·01	·20	·33			·78		1
2				·01			·65	·23			·75	·28	2
3			·01	·18	·34		·01	·07			·02	·10	3
4	·20		·005	·30	·19		·20	·10			·35	·68	4
5	·03		·03	·28	·01		·36	·01			·10	·07	5
6		·06	·06	·10	·10		·08	·03			·01	·17	6
7		·33	·34	·18	·29	·01	·39	·08	·02		·005	·14	7
8	·10	·005	·72	·03	·05	·53	·25	·02	·04			·04	8
9	·13		·29	·04	·03	·86		·12	·02				9
10	·01	·09		·06	·02				·22				10
11		·03	·24	·05	·03	·25	·09				·04	·58	11
12		·07	·12			·005	·01		·14		·05	·28	12
13		·39	·19						·22	·21	·03	·60	13
14		·23	·38				·02	·03	·03	·36	·24	·03	14
15	·005	·02	·10				·02	·76	·41	·04	·13		15
16			·02				·01		·11				16
17		·30	·17				·005		·02			·53	17
18		·005	·005				·21		·02			·34	18
19		·09	·16				·70		·01		·05	·07	19
20		·45	·10									·25	20
21		·50				·01				·14		·005	21
22				·01	·16	·11		·05		·15			22
23		·05	·14		·02					·10			23
24			·06				·01			·07	·06		24
25	·04		·11					·38		·35	·01	·38	25
26			·09				·17			·05	·14	·43	26
27	·05						·05				·13	·27	27
28		·10	·16		·005		·11			·03	·47	·83	28
29	·19		·08		·07					·17	·23	·005	29
30	·02		·05			·08				·18	·51	·59	30
31					·01		·41			·32		·03	31
													YEAR'S TOTAL
Total	·78	2·72	3·63	1·29	1·325	1·865	3·955	2·21	1·26	2·17	4·105	6·70	32·01
Rain Days.	11	16	24	12	14	9	21	13	12	13	20	23	188

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.
4 - JAN 191

REGISTER OF RAINFALL IN 1915

Exe 82

Kept at The Ridge Chipping Sodbury
in the County of Gloucester
by P. Burges

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Chipping Sodbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·12			·14			·7	·32	·25	·03	·20	1
2	·31	·21	·21	·18				·86	·01	·05		·06	2
3	·66	·04	·03	·04	·08		·08	·24				·15	3
4	·05	·02			·01		·74					·81	4
5	·07	·45	·005	·03				·06				·29	5
6	·25	·01		·20			·38	·04				·23	6
7	·36	·30		·03			·31	·04				·61	7
8	·27	·24		·03			·05	·09					8
9	·03	·04		·03				·005			·21	·74	9
10	·18	·04	·09	·04				·23		·07			10
11	·01		·34	·03	·02			·05		·005	·91	·04	11
12	·13	·29	·01	·18	·37			·01	·005	·10	·43	·01	12
13	·02	·60			·90			·02	·15				13
14	·11	·01					·08	·30	·04	·03		·71	14
15	·24			·02	·05		·06	·06	·04	·005	·05	·03	15
16		·59			·35		·58	·05	·11			·06	16
17		·12	·02		·59				·41			·005	17
18	·005	·18	·01		·01								18
19		·03			·06		·20						19
20	·11			·17									20
21	·12	·03			·02		·01					·01	21
22	·06	·34	·43	·02			·55		·01	·07		·13	22
23	·005	·02	·30				·14			·75		·28	23
24			·02	·05			·41			·52		·47	24
25						·53	·13					·26	25
26		·11					·28		·03			·18	26
27		·12					·57			·42		·35	27
28		·12	·04			·02	·09		·54	·04			28
29						·07	·10	·05	·005		·08	·04	29
30	·13			·005		·21				·36	·23	·05	30
31							·10			·71		·35	31
Total	3·47	4·03	1·505	1·055	2·60	·83	4·86	2·175	1·67	3·38	1·94	6·065	YEAR'S TOTAL 33·58
Rain Days.	21 19	23	12 11	15 14	12	4	19	16 15	12 10	14 12	7	24 23	179 169

W. 7,500, XI. 12

2235

FORM A.
BRITISH RAINFALL.

5 JAN

[illegible] ~~A 7HD~~

REGISTER OF RAINFALL IN 1916

Kept at The Ridge Chipping Sodbury

in the County of Gloster

by Col. P. Burges

Lat. Long.

Time of Observation

Nearest Railway Station Chipping Sodbury

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35				.06	.15	.35		.02	.17	.13		1
2	.04	.05	.04 s		.05	.01				1.06	.03		2
3	1.04	.79			.15		.04		.02	.40	.14		3
4	.31				.16	.60			.09	.24	.54		4
5	.10	.08	.05 s		.10	.10				.02	.12		5
6	.01	.15	.04		.26	.32	.42			.15	.43		6
7	.10	.08	.07		.06	.05	.005			.09	.33	.26	7
8	.04	.05	.04		.26	.30					.01	.20	8
9	.03				.22	.04	.71			.01	.01	.07	9
10	.005	.43	.01	.12	.02	.10				.11		.03	10
11	.03	.01	.06	.09	.05	.10							11
12	.01	.08	.005	.01	.40		.15	.10		.17			12
13		.40	.09	.09				.30		.02			13
14		.39	.01		.07			.31				.01	14
15	.005	.15	.03		.02			.20		.03			15
16	.03	.06			.005		.08	.52		.01			16
17	.12	.10		.05			.02	.10	.44	.41	.06		17
18		.03	.05	.26					.06		.11	.05	18
19	.28		.37	.11							.005		19
20	.17	.05	.61	.21							.10	.45	20
21	.22	.04	.70	.08	.11							.50 s	21
22				.06	.04	.10				.24		.38 s	22
23		.11		.03	.01	.01		.09		.05		.23 s	23
24		.04		.12	.46	.15		.05		.31		.005	24
25		.43 s	.38			.16		.72		.05			25
26		.06 s	.04	.01		.31		.04	.09	.33			26
27	.05	.11 s	.65				x .90	.10	.24	.32			27
28	.10	.24 s	.14						.26	.25		.68	28
29		.33 s	.005			.30		1.60		.46		.64	29
30		✕								.37			30
31		✕		✕		✕		.02	✕	.24	✕	.06	31
Total	~~3.44~~ 2.69	4.26	3.39	1.24	2.505	2.80	2.675	4.15	1.22	5.51	2.015	3.565	YEAR'S TOTAL ~~36.47~~ 36.02
Rain Days.	~~20~~ 18	24	~~20~~ 19	13	19	16	~~9~~ 8	13	8	24	13	~~14~~ 13	~~193~~ 188

W. 8,000, VIII. 16 S = Snow. X of this .76 fell in 30 minutes

2132

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

10 JAN

Kept at The Ridge Chipping Sodbury
in the County of Gloucestershire
by Colonel S. Burges

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station ~~Chipping Sodbury~~ Yate
Diameter of Funnel of Rain Gauge 5 in
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·16	·18		·09		·53	·11		·04	·02	1
2				·31		·11		·07			·10		2
3	·02			·03				·03		1·07	·02		3
4		·20	·07							·20			4
5	·41		·20	·21		·07	·18	·29	·24	·39	·11		5
6			·66			·05	·11			·15	·30		6
7	·17						·02	·14		·05	·01	·02	7
8	·26		·08	·14	·08	·005	·66	·58	·005	·43	·07	·03	8
9			·10				·58	·42	·09	·09	·14		9
10	·16		·25	·005	·01			·12				·005	10
11	·05		·31	·17				·08	·12	·11			11
12			·03	·22	·75			·19	·38	·53	·02		12
13	·03		·11	·03		·07		·19	·01	·04			13
14			·06	·04				·04	·07	·15			14
15	·01							·28	·01	·03		·21	15
16		·10		·04					·01	·14		·07	16
17	·01			·22	·33	·01	·33	·05	·29	·20			17
18	·01	·03		·005				·03	·75				18
19		·38	·07			·01			·03				19
20	·005	·11	·04		·30	·07					·02		20
21		·02	·26			·01				·01			21
22		·005	·04			·09				·15			22
23		·15			·10			·04		·08	·01		23
24		·005	·005			·21	·01	·69		·23			24
25		·04	·04					·35		·11			25
26					·05			·41	·26	·04	·04		26
27					1·03	·02		·72					27
28			·08			1·33		·28			·01	·05	28
29			·02		·01	·42		·01		·35		·16	29
30		X	·03				·24	·28		·05			30
31		X	·23	X		X		·04	X	·02	X	·01	31
Total	1·195	1·040	2·845	1·600	2·660	2·565	2·130	5·860	2·375	4·620	·890	·575	YEAR'S TOTAL 28·355
Rain Days.	12	10	20	13	9	15	8	24	14	23	13	9	177

W. 8,000, IX. 17.

·87

W C.J.E. Cor. for arith by obsr

75

30.4.19

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

Kept at The Ridge Chipping Sodbury
in the County of Gloucester
by Colonel P. Burges

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chipping Sodbury G.W.R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.005	.005	.16	.03			.17				.01	1
2		.04		.06	.29			.35		.01	.45	.15	2
3		.03		.08				.45	.14	.005	.01		3
4		.10						.03	.03	.04	.69	.06	4
5				.02	.27			.18	.93	.005	.11		5
6	.14	.35		.005				.005	.04	.26	.26		6
7		.12		.25	.51				.59	.11			7
8		.005		.07			.03		.23	.23		.04	8
9		.20		.22		.09	.11		.50	.21	.01	.15	9
10	.01	.01		.11			.62		.63	.12	.03	.36	10
11	.03	.005	.37	.005			.07		.89	.005	.11	.27	11
12	.08	.11	.02		.18		.07		.005			.01	12
13	.39	.01					.57		.49	.04		.33	13
14	1.08		.04			.005	.18		.30	.04		.14	14
15	.26			.31	.21	.09	.03					.26	15
16	.14			.59		.84	.41		.22	.01		.06	16
17	.68		.12	.10			.17	.07	.34	.02		.12	17
18	.04					.59	.68	.44	.67	.01		.10	18
19			.13				.11		.02	.03		.02	19
20	.02	.11		.21		.01	.26		.32	.02		.01	20
21	.03	.02				.01	.42		.88	.03		.03	21
22	.01						.16		.13	.03		.24	22
23	.07				.82	.03	.40		.01	.005		.02	23
24		.16					.72	.08	.10		.10	.01	24
25	.06			.11						.02	.02		25
26				.22					.06	.01	.09	.16	26
27		.04						.27	.33		.09	.03	27
28		.14	.24	.24							.07	.09	28
29			.13	.13					.80	.04		.03	29
30		X	.38	.35					.04	.005	.07	.07	30
31		X	.79	X		X			X		X		31 35.87
Total	3.04	1.455	2.225	3.24	2.31	1.665	5.01 ~~4.41~~	2.045	8.695	1.305	2.11	2.77	YEAR'S TOTAL ~~35.27~~
Rain Days.	15	16 17	9 10	18 19	7	8	17	9 10	25	24 21	14	25	~~191~~ 184

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 19*19*

and for auth (total correct)

FORM A.
BRITISH RAINFALL.

16 JAN 20

Kept at *The Ridge Chipping Sodbury*
in the County of *Gloucester*
by *Colonel P. Burges.*

Lat. Long.
Time of Observation *9. am.*
Nearest Railway Station *Chipping Sodbury.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *375* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·31	·04	·02		·06		·28			·04		·64	1
2	·12		·02		·005		·11		·09		·10	·25	2
S 3	1·10		·23		·03				·20		·06	·54	3
S 4	·18	·09	·44			·10		·03	·15			·04	4
5	·01	·26	·62		·05				·54		·03	·23	5
6	·19	·02	·18		·01						·02	·03	6
7	·09		·32	·07								·02	7
8	·11		·12	·04									8
9	·10		·05	·20							·14		9
10			·37	·01						·06		·12	10
11	·01		·36	·06	·09		·39					·02	11
12	·005		·13	·01		·23	·01			·08	·03	·045	12
13	·06			·29						·005		·06	13
14	·67	·06		·43			·05		·005			·01	14
15	·54	·01		·03	·03			·01		·03		·19	15
16	·16	·63									·18		16
17		·22				·03					·05	·02	17
18			·41				·04	·28			·04	·02	18
19	·25	·24	·84			·20	1·56	·49	·12		·06	·04	19
20	·30	·13	·55 s			·13		·25	·03		·005	·06	20
21		·60	·01				·06		·02			·03	21
22		·16				·06	·12		·25		·01	·10	22
23										·75	·06		23
24						·05			·06	·77	·11	·42	24
25	·09			·05				·27			·03		25
26	·15							·03	·19			·32	26
27	·09		·09	·34				·37				·01	27
28	·005		·03					·22			·405	·40	28
29			·18	·08						·14	·03	·45	29
30		X		·16		·21		·24		·03	·24	·38	30
31		X		X		X	·04		X		X	·05	31
Total	4·54	2·46	~~4·07~~ 4·97	1·77	·275	1·01	2·66	2·19	1·655	1·905	1·595	4·49	29·52
Rain Days.	20	12	19	13	7	8	10	10	10	9	18	26	164

W. 8,000, IX. 17.

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at The Ridge Chipping Sodbury
in the County of Gloucester
by Colonel P. Burges

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Chipping Sodbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·005	·45	·44		·33	·08	·03	·20	·06	·47	1
2	·07		·03	·09	·01		·05	·20	·05	·16		·17	2
3	·04	·07		·15			·32			·33		·01	3
4			·02	·03			·01	·60		·10			4
5			·07	·07	·06		·39			·23			5
6			·22	·005	·30		·10			·12			6
7	·06		·03	·04	·19		·04						7
8	·04	·06		·45	·08		·71	·05					8
9	·34	·11		·76		·04	·03	·03	·13				9
10	·70	·18	·07	·08		·23	·27				·04		10
11	·28	·02	·14	·36	·40	·01	·06						11
12	·17	·03	·01	·11	·01	1·00	·09				·04		12
13	·06	·07	·29	·15		·01			·01		·02	·05	13
14	·06	·01	·65	·32			·03		·07	·20	·55	·03	14
15	·02	·09	·05	·19	·02	·04	·02		·09	·30	·15		15
16	·005		·005	·04	·05	·10	·20	·01	·35	·10	·25		16
17	·05		·005	·03	·22	·07	·005	·005	·29	·04		·02	17
18	·18			·17	·15	·01		·23	·21		·01	·02	18
19	·04	·23		·35	·02	·05						·02	19
20	·02	·12		·15		·26	·02					·19	20
21				·01			·04		·01	·01		·06	21
22	·01			·08		·03	·65	·09	·005			·21	22
23								·01				·48	23
24	·06		·22	·01							·04	·16	24
25	·02	·14	·08				·49				·01	·005	25
26	·27		·26				·05				·03	·03	26
27	·28	·04	·02	·11		·57	·03					·18	27
28	1·02	·01	·07		·20	·03	·04					·01	28
29	·13	·005	·16		·03	·04	·10				·14	·30	29
30	·02	X	·06	·03		·22	·29		·24		·25	·45	30
31	·14	X	·23	X		X			X	·39	X	·23	31
TOTAL	4·085	1·185	2·695	4·235	2·18	2·71	4·365	1·305	1·485	2·18	1·59	3·095	YEAR'S TOTAL 31·110
Days with ·01 in. or more	24	~~14~~ 15	~~19~~ 20	~~24~~ 25	15	16	24	~~9~~ 10	11	12	13	~~19~~ 20	~~200~~ 205 days
Days with ·04 in. or more	19	10	14	19	10	11	18	6	8	11	9	12	147 days

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGIS 11

GLOUCESTER.
CHIPPING SODBURY
STANSHAWES.

1911-1912

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

Kept at Stansh
5 in.
in the County of Glo
ove Ground 1 ft. 3 in.
" Sea Level 280 ft.
by R. N. Ho
9 a.m.
Name Gate
Distance 1m Direction W by N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·08				·05			·03		1
2	·01			·05	·24			·18		·14	·23	·17	2
3					·32						·13	·05	3
4			·16							·03	·30	·39	4
5	·03		·02					·31		·02	·16	·01	5
6	·24		·07					·04			·09	·35	6
7	·01										·42		7
8	·16		·18								·02	·31	8
9	·14										·18	·39	9
10	·02	·06	·26									·19	10
11	·29										·56	·14	11
12			·65						·01	·08	·57	·19	12
13					·18				·53			·50	13
14		·04										·81	14
15		·01				·01					·22	·19	15
16		·02				·26					·48	·20	16
17		·07				·05					·05	·31	17
18		·57	·11	·09		·26				·20		·26	18
19				·11		·15			·31	·10	·03	·34	19
20		·03	·20	·05					·12	·40		·42	20
21		·21						·11	·04	·21		·25	21
22			·47			1·03				·16		·47	22
23		·22	·13			·14			·05	·45		·20	23
24	·01	·11				·37		·08				·11	24
25		·05		·09		·12				·34		·03	25
26		·13		·22	·21		·08	·06				·17	26
27		·26	·26	·04				·26	·24		·31	·12	27
28		·23		·43				·25			·03		28
29		·33		·02		·41			·17	·33			29
30						·02		·09		·17		·01	30
31										·12			31
Total	·94	2·29 2·28	2·51	1·18	·95	2·82	·08	1·43	1·47	2·75	3·81 3·81	6·58	TOTAL for year 26·80
No. of Rain Days.	10	15	11	10	4	11	1	10	8	14	26 17	84 26	137

W. 8,000, X. '11.

✓

REGIS 11

back

FORM A2.
BRITISH RAINFALL.
17 FEB 1912

Kept at Stanshawes
in the County of Gloster 5
by R. N. Hooper

Rain Gauge
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 280 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Yate
Distance 1 m Direction N by N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·08				·05			·03		1
2	·01			·05	·24			·18		·14	·23	·17	2
3					·32						·13	·05	3
4			·16							·03	·30	·39	4
5	·03		·02					·31		·02	·16	·01	5
6	·24		·07					·04			·09	·35	6
7	·01										·42		7
8	·16		·18								·02	·31	8
9	·14										·28	·39	9
10	·02	·06	·26									·19	10
11	·29										·56	·14	11
12			·65						·01	·08	·57	·19	12
13					·18				·53			·50	13
14		·04										·81	14
15		·01				·01					·22	·19	15
16		·02				·26					·48	·20	16
17		·07				·05					·05	·31	17
18		·57	·11	·09		·26				·20		·26	18
19				·11		·15			·31	·10	·03	·34	19
20		·03	·20	·05					·12	·40		·42	20
21		·21						·11	·04	·21		·25	21
22			·47			1·03				·16		·47	22
23		·22	·13			·14			·05	·45		·20	23
24	·01	·11				·37		·08				·11	24
25		·05		·09		·12				·34		·03	25
26		·13		·22	·21		·08	·06				·17	26
27		·26	·26	·04				·26	·24		·31	·12	27
28		·23		·43				·25			·03		28
29		·33		·02		·41			·17	·33			29
30						·02		·09		·17		·01	30
31										·12			31
Total	·94	2·28 2·28	2·51	1·18	·95	2·82	·08	1·43	1·47	2·75	3·81 3·81 26	6·58 84	TOTAL for year 26·80
No. of Rain Days.	10	15	11	10	4	11	1	10	8	14	17	26	137

W. 8,000, X. '11.

Exo K11

FORM A2. BRITISH RAINFALL. 22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stanshawes

in the County of Glöster 5

by R. N. Hooper

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 280 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Yate
Distance 1 m. Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·58	·08			·70			1
2			·11			·30	·40						2
3			·24	·04		·19	·10	·43	·08		·04		3
4	·16		·60		·05	·36		·04			·20		4
5	·44	·07	·09		·04			·62					5
6	·22	·07	·05		·07		·27	·92					6
7		·17	·04		·08	·42						·11	7
8	·46	·15	·25			·15	·09	·25					8
9	·03	·02	·35	·06		·10		·04				·23	9
10	·01	·05				·33		·21			·03	·03	10
11	·08	·01				05						·42	11
12		·42	·09	·05	·03							·03	12
13	~~·12~~		~~·59~~		~~32~~			~~02~~				·22	13
14	·12		·59		·32			·02				·09	14
15	·10	·17			·23	·55		·03				·39	15
16	·67		·22			·03		·09		·12	·08	·04	16
17	·93		·10			·10		·71				·34	17
18	·18		·36		·06	·13		·08		·01		·07	18
19	·03	·18					·14	·23		·19			19
20			·36		·20		·13	·07		·43			20
21		·01	·25		·80			·12		·18			21
22	·63	·47	·05		·09		·10	·21		·02		·16	22
23	·20	·45	·45			·09	·03	·47		·08	·06	·42	23
24	·04		·26			·15		·06				·18	24
25						·78		·83		·05	·44	·35	25
26		·07					·35	·33		·50	·66	·22	26
27						·16	1·25			·67	·03	·46	27
28		·08				·30	·20	·75	·02	·57	·29	·87	28
29		·03				·09	·38		·45	·42		·11	29
30						·04	·18		·06	18		·23	30
31			·06		·10		·33	·03					31
Total	4·30	2·42	4·63	0·15	2·07	4·90	4·03	6·54	0·61	4·12	1·83	4·97	TOTAL for year 40·57
No. of Rain Days.	16	16	20	3	12	20	15	22	4	14	9	20	171

W. 8,000, X. '11.

81 ✓

REC

COLESBORNE PK
GLOUCESTER
1913, 1915 + 1919-20

FORM A.
BRITISH RAINFALL.

28 JAN 1914

395

Kept at Colesbourn

in the County of Glou

by W. H. Walters

in.

bove Ground ft. in.

Sea Level ft.

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re ear in the space provided for it at the end of t rement of rain, the selection and placi British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·17		·05									1
2	·24	·16		·29									2
3	1·45	·02											3
4	·02												4
5	·15	·03											5
6		·02											6
7		·50											7
8		·13											8
9		·21											9
10	·18			·09									10
11	1·19			·40									11
12													12
13													13
14	·25			·04									14
15	·16	·06		·88									15
16	·10			·23									16
17	·05	·03		·18									17
18	·05			·18									18
19	·38												19
20	·19			·12									20
21				·12									21
22	·57			·12									22
23	·03												23
24		·03		·06									24
25				·15									25
26		·04		·55									26
27	·01			·23									27
28	·36			·50									28
29	·02			·75									29
30	·34												30
31	·06												31
Total	5·82 ✓	1·40		4·94									YEAR'S TOTAL
Rain Days.	21	12		18									

W. 7,500, XI. ·12

81 ✓

RE

FORM A. BRITISH RAINFALL.

28 JAN 1914

375

Kept at Colesbourn

in the County of Gloucestershire

by W. H. Walters

7

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·17		·05									1
2	·24	·16		·29									2
3	1·45	·02											3
4	·02												4
5	·15	·03											5
6		·02											6
7		·50											7
8		·13											8
9		·21											9
10	·18			·09									10
11	1·19			·40									11
12													12
13													13
14	·25			·04									14
15	·16	·06		·88									15
16	·10			·23									16
17	·05	·03		·18									17
18	·05			·18									18
19	·38												19
20	·19			·12									20
21				·12									21
22	·57			·12									22
23	·03												23
24		·03		·06									24
25				·15									25
26		·04		·55									26
27	·01			·23									27
28	·36			·50									28
29	·02			·75									29
30	·34												30
31	·06												31
Total	5·82 ✓	1·40		4·94									YEAR'S TOTAL
Rain Days.	21	12		18									

W. 7,500, XI. '12

W ML cnd for anth 22.11.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

4 JAN 1916

Kept at Colesbourne Park
in the County of Gloucester
by W Walters Gardener to H J Elwes

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Withington 3 miles
Diameter of Funnel of Rain Gauge 5in in.
Height of top of Gauge above Ground about 3 ft ft. in.
" " " " Sea Level about 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.41	.18	.01		.15		.20	.07	.43	.21	.02	.12	1
2	.44	.36	.23	.20				1.53		.34		.03	2
3	.71	.05	.09	.11			.11	.32				.17	3
4	.12				.07		.80	.16				.73	4
5	.18	.82					.21	.08				.61	5
6	.16	.04		.23			.46					.08	6
7	.29	.73					.18	.09				.35	7
8	.25	.27		.01		.08	.05	.05					8
9	.26	.05		.30				.01			.19	.59	9
10			.05	.03						.02			10
11				.14							.89	.74	11
12	.08	.06		.23	.40			.02			1.01	.08	12
13	~~.05~~ ~~.77~~	.79			.83				.02				13
14	.05	.09					.05	.03	.07			.79	14
15	.26	.98		.02	.08			.09		.18	.05	.20	15
16	.01	.50			.28		.73	.02				.07	16
17		.60			1.45			.06				.02	17
18			.17										18
19					.10		.21						19
20	.25			.15								.29 .29	20
21	.21	.04					.12					.13	21
22	.07	.13	.28	.12			.48		.02	.12		.48	22
23		.13	.62			.10	.08		.07	.91		.21	23
24			.09	.08		.95	.18		.30	.57		.41	24
25							.06			.15		.62	25
26		.14					.20					.01	26
27		.02				.01	.01			.59		.31	27
28		.04				.04	.23		.43				28
29							.05	.12		.19	.12	.08	29
30	.01	X				.16				1.25	.40	.14	30
31		X		X		X		.02	X		X	.38	31
Total	3.81	6.02 6.02	1.54	1.62	3.36	1.34	4.41	2.67	1.34	4.53	2.68	7.08 7.04	YEAR'S TOTAL 40.45 40.36
Rain Days.	18	20	8	12	8	6	19	15	7	11	7	25	156

W. 8,000. X. 15.

A rec'd 1.21.

M.S.S. [illegible]

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

8 JAN 1921

Kept at Colesborne

in the County of Gloucester

by H J Elwes F.R.S.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·05	·06		·02		·15			·13		65	1
2	·14		·03		·05		·12		·27		·18	·11	2
3	1·14		·13				·01	·10	·19		·08	·47	3
4	·11	·05	·42			020		·08	·45			·12	4
5		·38	·43						·31			·18	5
6	·06		·16		·47							·8	6
7	·37		·30	·08							·13		7
8	·25			·32							·6		8
9	·22			·14		·06							9
10			·40	·07								·24	10
11	·05		·44	·05	·03		·24					·04	11
12			·10			·78				·14		·16	12
13	·12			·54						·07		·17	13
14	·63			·27			·17					·04	14
15	·52		·06	·13	·12					·08		·40	15
16	(·12)	·96									·03	[illegible]	16
17		·48									35	[illegible]	17
18			·45					·32	·08	·01 ·01	·03	·08	18
19	·34	·32	1·15			·11	1·10	·39	·07		·03	·02	19
20	·50	·13	·27			·05	·01	·23	·12				20
21		·75	·02				·24	·02				·15	21
22		·27					·08		·23			·18	22
23										(0·40)	·14		23
24				·06		·09				·64		·03	24 3
25	·13							·28				·04	25
26	·04		·16	·13			·19		·17			·47	26
27	·72			·71				·49				·03	27
28	·04		·35									·21	28
29		X		·11				·50		·31	·19	·52	29
30		X		·27		·29				·03	·63	·51	30
31		X		X		X	·02	·27	X	·01	X	·02	31
Total	5·39	3·39	4·93	2·88	·69	1·58	2·33	2·68	1·89	1·82	1·85	4·92	YEAR'S TOTAL 34·35
Rain Days.	19	9	17	13	5	7	11	10	9	10 ~~9~~	11	24	145 ~~154~~

4·90 3   49·0 10   489   158   4.13

W, 6,500, VII. 18. w w c

FORM A. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

Stn. No 2205

3 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Colesbourne

in the County of Gloucester

by H. J. Elwes F.R.S.

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Withington
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·20	·48		·48			·28		·47	1
2			·06	·11	·02		·08	·10	·07	·21		·28	2
3	·24	·08		·24			·84	·04	·07	·24			3
4			·05	·02			·05	·60		·35			4
5			·19	·20	·12		·24	·04		·43			5
6	01		·56		·17		·31			·24			6
7			·02	·16			·15						7
8	·04	·14		·64			·50					·22	8
9	·21			·75			·02						9
10	·51	·11		·20		·16	·23						10
11	·42		·23	·43	·42	·08	·02						11
12	·14	·12		·32	·02	·41	·02	·02					12
13	·12	·03	·37	·46					·02				13
14		·04	·69	·65		·05			·12	·10	·50		14
15	·03	·12	·05	·03		·24			·12	·11	·14		15
16						·10	·25		·41	·15			16
17						·13		·02	·41	·11			17
18	·33			·09		·03		·25	·53			·06	18
19		·04		·34		·07		·14					19
20	·09	·40		·29	·26	·80			·07				20
21				·05	·18		·01					·22	21
22				·24			·02	·13	·04			·35	22
23							·52					·42	23
24			·36									·26	24
25	·05	·08	·24				·71	·02					25
26	·31		·34			·33	·10					·15	26
27	·55	·09	·10	·27		·48	·01					·37	27
28	·87	·	·12	·02	·37		·09						28
29	·24	·01	·14	·02	·03	·11	·05				·31	·51	29
30	·05	X	·06	·06		·13	·32		·25		·19	·47	30
31	·13	X	09	X		X	·01		X	·45	X	·25	31
TOTAL	4·43	1·26	3·70	5·90	~~2·04~~ 2·07	3·42	~~[illegible]~~ 5·03	1·36	~~2·12~~ 2·11	2·67	1·17	4·03	YEAR'S TOTAL 37·15 ~~37·33~~
Days with ·01 in. or more	18	12	14	23	10	14	23	10	11	11	4	13	166
	16	10	16	20	7	13	16	7	10	11	4	13	143

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REGIS 11

GLOUCESTER.

CLIFTON COLLEGE.

1911 –1920

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Clifton C

in the County of Glouce

by D Rintoul

8 in.

ove Ground 1 ft. 2 in.

Sea Level 230 ft.

9 am

Name Clifton Down

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005	—	·020	·090	·015	—	—	·045		—	·050	—	1
2	—	—	—	·170	·225	—	—	·280		·040	·325	·195	2
3	—	—	·050	—	·430	—	—	·010		—	·130	·120	3
4	—	—	·200	·015	—	—	—	—		·020	·352	·340	4
5	·080	—	·025	—	—	—	—	·325		·010	·365	—	5
6	·230	—	·100	—	—	—	—	·110		—	·125	·350	6
7	·010	—	—	—	—	—	—	—		—	·470	—	7
8	·230	—	·160	—	—	—	—	—		—	·025	·350	8
9	·150	—	—	—	—	—	—	—		—	·115	·285	9
10	·050	·070	·280	—	·020	—	—	—		—	—	·270	10
11	·375	·040	—	—	·065	—	—	—		—	·910	·285	11
12	—	—	·690	—	—	—	—	—		—	·650	·170	12
13	—	—	·040	—	·270	—	—	—	·610	·370	·005	·430	13
14	—	·035	—	—	—	—	—	—		—	—	·900	14
15	—	·040	—	—	—	·030	—	—		·008	·300	·210	15
16	—	·080	—	—	—	·160	—	—		—	·300	·200	16
17	—	·070	—	—	—	·020	—	—		—	·075	·280	17
18	—	·570	·070	·210	—	·055	—	—		·030	·015	·300	18
19	—	·050	—	·075	—	·025	—	—	·305	·090	·005	·360	19
20	·010	·015	·150	·150	—	·020	—	—	·110	·090	—	·280	20
21	—	·200	·115	—	—	—	—	·050	—	·360	—	·280	21
22	·005	·015	·250	·045	—	1·175	—	—	—	·230	—	·420	22
23	·010	·260	·280	—	—	·135	—	—	·077	·110	·010	·280	23
24	·010	·100	—	—	—	·380	—	·070	—	·390	—	·110	24
25	—	·060	—	·160	—	·100	—	—	·010	·005	—	·100	25
26	—	·065	—	·385	·050	·005	·070	·060	—	·290	·100	·255	26
27	—	·510	·110	·010	—	—	—	·250	·175	—	·040	·120	27
28	—	·410	—	·470	—	·020	—	·430	—	—	·040	·015	28
29	—		—	·052	—	·540	—	—	·100	·250	·005	—	29
30	—		—	·015	—	·025	—	—	—	·270	—	·010	30
31			—		—		—	—		·220		—	31
Total	1·165	2·590	2·540	1·847	1·075	2·690	·070	1·630	1·387	2·783	4·412	6·915	TOTAL for year 29·104
No. of Rain Days.	11	17	15	13	7	~~13~~ 14	1	10	7	16 ~~15~~	21 ~~19~~	26	~~153~~ 157 158

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGIS 11

Kept at Clifton College

in the County of Gloucestershire 5

by D Rintoul

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 230 ft.

Time of Observation 9 am

Nearest Railway Station
Name Clifton Down
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005	—	·020	·090	·015	—	—	·045		—	·050	—	1
2	—	—	—	·170	·225	—	—	·280		·040	·325	·195	2
3	—	—	·050	—	·430	—	—	·010		—	·130	·120	3
4	—	—	·200	·015	—	—	—	—		·020	·352	·340	4
5	·080	—	·025	—	—	—	—	·325		·010	·365	—	5
6	·230	—	·100	—	—	—	—	·110		—	·125	·350	6
7	·010	—	—	—	—	—	—	—		—	·470	—	7
8	·230	—	·160	—	—	—	—	—		—	·025	·350	8
9	·150	—	—	—	—	—	—	—		—	·115	·285	9
10	·050	·070	·280	—	·020	—	—	—		—	—	·270	10
11	·375	·040	—	—	·065	—	—	—		—	·910	·285	11
12	—	—	·690	—	—	—	—	—		—	·650	·170	12
13	—	—	·040	—	·270	—	—	—	·610	·370	·005	·430	13
14	—	·035	—	—	—	—	—	—		—	—	·900	14
15	—	·040	—	—	—	·030	—	—		·008	·300	·210	15
16	—	·080	—	—	—	·160	—	—		—	·300	·200	16
17	—	·070	—	—	—	·020	—	—		—	·075	·280	17
18	—	·570	·070	·210	—	·055	—	—		·030	·015	·300	18
19	—	·050	—	·075	—	·025	—	—	·305	·090	·005	·360	19
20	·010	·015	·150	·150	—	·020	—	—	·110	·090	—	·280	20
21	—	·200	·115	—	—	—	—	·050	—	·360	—	·280	21
22	·005	·015	·250	·045	—	1·175	—	—	—	·230	—	·420	22
23	·010	·260	·280	—	—	·435	—	—	·077	·110	·010	·280	23
24	·010	·100	—	—	—	·380	—	·070	—	·390	—	·110	24
25	—	·060	—	·160	—	·100	—	—	·010	·005	—	·100	25
26	—	·065	—	·385	·050	·005	·070	·060	—	·290	·100	·255	26
27	—	·510	·110	·010	—	—	—	·250	·175	—	·040	·120	27
28	—	·410	—	·470	—	·020	—	·430	—	—	·040	·015	28
29	—		—	·052	—	·540	—	—	·100	·250	·005	—	29
30	—		—	·015	—	·025	—	—	—	·270	—	·010	30
31			—		—		—	—		·220		—	31
Total	1·165	2·590	2·540	1·847	1·075	2·690	·070	1·630	1·387	2·783	4·412	6·915	TOTAL for year 29·104
No. of Rain Days.	~~10~~ 11	17	15	13	7	~~13~~ 14	1	10	7	16 ~~15~~	21 ~~19~~	26	17 ~~153~~ 158

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

9 - JAN

Kept at Clifton College

in the County of Gloucester 5

by D Rintoul

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Clifton Down
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·160	—	—	·350	·150	—	—	·780	—	·240	1
2	—	—	·110	·015	—	·290	·300	—	—	—	—	—	2
3	·015	—	·640	—	—	·190	—	·575	·150	—	·030	—	3
4	·240	—	·590	—	·170	·310	—	·050	—	—	·170	—	4
5	·400	·070*	·235	—	·070	—	—	·595	—	—	—	·085	5
6	·220	·080	·010	—	·050	—	·170	·550	—	—	—	·050	6
7	—	·150	·090	—	·170	·395	—	·200	—	—	—	·070	7
8	·350	·160	·145	—	—	·080	·140	—	—	—	—	·180	8
9	·015	·040	·170	·160	—	·195	—	·050	—	—	·040	·360	9
10	·050	·070	·020	—	—	·040	—	·020	—	—	·110	·040	10
11	·080	·010	·010	—	—	—	—	—	—	—	—	·485	11
12	·010	·370	·050	·090	·020	·070	·030	—	—	—	—	·090	12
13	—	—	·030	—	—	·010	—	·090	—	—	—	·460	13
14	·055	—	·680	—	·195	—	—	·030	—	—	—	·070	14
15	·090	·130	·020	·010	·350	·750	—	·040	—	—	—	·550	15
16	·640	—	·240	—	—	·030	—	·210	—	·150	·040	·050	16
17	·430	—	·270	—	·050	·120	—	·740	—	—	·020	·380	17
18	·140	·010	·330	—	—	—	—	·060	—	·035	·010	·100	18
19	·040	·090	·010	—	—	·100	·200	1·250	—	·160	—	·010	19
20	·015	·010	·260	—	·280	—	·070	·040	—	·540	—	—	20
21	·010	·030	·140	—	·700	—	·020	·280	—	·180	—	—	21
22	·420	·410	·110	—	·210	·030	·120	·270	—	·025	·010	·120	22
23	·300	·400	·460	—	—	·070	—	1·120	—	·170	·046	·385	23
24	·050	—	·280	—	—	·160	·025	·010	—	·020	—	·200	24
25	—	·010	—	—	—	·770	—	·810	—	·070	·490	·570	25
26	—	·035	—	—	—	—	·140	·350	—	·450	·930	·210	26
27	—	·010	—	—	—	·210	1·240	—	—	·730	·010	·610	27
28	—	·100	—	—	—	·225	·750	·700	·042	·430	·400	·830	28
29	—	·100	·010	—	—	·015	·860	—	·290	·405	—	·090	29
30	—		—	—	—	·060	·185	—	·060	·180	—	—	30
31	·010		·190		·010		·460	·020		—		·190	31
Total	3·580	2·285	5·260	0.275	2·275	4·470	4·860	8·060	0·542	4·325	2·306	6·425	YEAR'S TOTAL 44·663
Rain Days.	21	20	26	4	12	22	16	23	4	15	13	25	~~197~~ 201

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Clifton College

in the County of Gloucester 5

by D Rintoul

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·130	·270	·020	·115	—	—	—	·350	—	·080	·028	1
2	·010	·180	·010	·020	·020	—	—	—	·030	·085	·180	·035 ~~·028~~	2
3	·140	·010	·200	—	·550	—	—	—	—	·120	·030	·240 ~~·035~~	3
4	1·080	—	·220	—	·170	·010	—	—	1·200	·330	·030	·122	4
5	—	·060	·020	—	·170	·200	·110	—	·350	—	·160	·160	5
6	·010	·050	·220	—	·190	·100	·040	—	—	·620	·090	·780	6
7	—	·150	·010	—	·190	·200	·020	—	—	·160	·240	·006	7
8	—	·110	—	—	·210	—	·010	—	—	·150	—	·018	8
9	—	·130	—	—	—	·340	·010	·550	·100	—	·045	—	9
10	·175	—	·030	—	·020	·010	·010	·150	—	·100	·130	—	10
11	·850	—	—	·125	·110	—	—	—	—	·200	·730	·075	11
12	—	—	—	—	·100	—	—	—	·050	—	·230	—	12
13	·110	·010	·075	—	—	—	·010	·030	1·010	—	·270	—	13
14	·100	—	·460	·025	—	—	—	—	·030	·230	·050	·040	14
15	·150	·045	·440	·875	—	—	—	·010	·010	—	·080	·040	15
16	·330	—	·480	·050	—	—	·010	—	·055	—	—	—	16
17	·065	·010	—	·090	—	—	·040	—	·040	—	·010	—	17
18	·210	—	·120	·220	·010	·020	—	—	—	—	·080	—	18
19	·280	—	·020	—	·010	·020	·020	—	·220	—	·010	·010	19
20	·350	—	·100	·050	—	—	—	—	—	·026	·150	—	20
21	—	—	·070	·060	·240	—	·140	·010	—	—	·340	—	21
22	·520	—	·7[illegible]0	—	·040	·060	—	·070	·260	·010	—	—	22
23	·030	—	—	—	—	·060	—	·260	·020	—	·080	·230	23
24	·160	—	—	·035	—	—	—	·010	—	—	—	—	24
25	—	·050	—	·200	—	—	—	—	·010	—	·020	·210	25
26	—	·050	—	·260	—	—	—	·170	—	—	—	·240	26
27	·050	—	·095	·410	—	—	—	—	—	·070	—	—	27
28	·280	—	·140	·180	—	—	—	—	—	·135	—	·028	28
29	·010		·490	·420	—	—	—	·080	—	·110	·005	·010	29
30	·560		—	—		—	—	—	—	·320	·070	—	30
31	·160		·030		·340		—	·040		—		—	31
Total	5·630	0·985	4·2[illegible]0	3·040	2·485	1·020	0·420	1·380	3·735	2·666	3·110	2·272	YEAR'S TOTAL 30·953
Rain Days.	22	13	21	16	16	10	11	11	15	15	22	16 7	18 8

189

W.7,000, XI. 13

Exd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Clifton College
in the County of Gloucester 5
by D Rintoul

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Clifton Down
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·115	—	·020	1·500	·800	—	—	·036	·002	1
2	—	—	—	—	—	—	·720	·020	—	—	·710	·490	2
3	—	—	·030	·174	·320	—	—	·190	—	—	·029	·170	3
4	·240	—	·030	·240	·410	—	·240	·065	—	—	·615	·840	4
5	·060	—	·100	·500	·100	—	·110	·020	—	—	·030	·120	5
6	—	·110	·060	·110	·070	—	·115	·050	—	—	·020	·260	6
7	·020	·710	·560	·327	·365	·040	·640	·110	—	—	·010	·162	7
8	·210	·010	·980	·080	·010	·427	·253	·050	·065	—	—	·050	8
9	·310	—	·320	·095	·015	·800	—	·083	·125	—	—	·002	9
10	—	·140	·010	·070	·080	—	—	—	·260	—	·001	—	10
11	—	·085	·263	—	·100	·270	·330	—	—	—	·080	·338	11
12	—	·150	·130	—	—	—	—	—	·244	—	·098	·270	12
13	—	·600	·260	—	—	—	·013	—	·375	·110	·028	·256	13
14	—	·365	·535	—	—	—	—	·120	·023	·150	·210	—	14
15	·010	·015	·185	—	—	—	·075	·590	·206	·052	·300	—	15
16	—	—	—	—	—	—	·095	—	·100	—	—	·010	16
17	—	·500	·150	—	—	—	·030	—	·036	—	—	·720	17
18	—	·042	·040	—	—	—	·150	—	·045	—	—	·308	18
19	—	·200	·230	—	—	—	·530	—	·152	—	·048	·110	19
20	—	·420	·140	—	—	·080	—	—	—	—	—	·160	20
21	—	·475	—	—	—	·635	—	—	—	·112	·010	·002	21
22	—	·010	·010	·010	·353	·207	—	·050	—	·101	—	—	22
23	—	·060	·230	—	·050	—	—	·010	—	·247	—	·004	23
24	—	—	·072	—	—	—	·058	—	—	·140	·068	—	24
25	·110	—	·120	—	·017	—	—	·400	—	·364	·006	·450	25
26	—	·010	—	—	—	—	·100	·080	—	·082	·287	·450	26
27	·090	—	—	—	—	—	—	—	—	·070	·220	·302	27
28	·020	·145	·120	—	·038	—	—	—	—	006 ·004	·755	·934	28
29	·455		·312	—	·060	—	·030	—	—	·090	·239	—	29
30	·030		·030	—	—	·080	—	—	—	·238	·495	·580	30
31	—		—		—		·300	—		·200		·092	31
Total	1·555	4·037	4·917	1·721	1·988	2·559	5·289	2·638	1·631	1.962	4·285	7·042	YEAR'S TOTAL 39·634
Rain Days.	11	18	24	10	14	9	18	15	11	14 13	21 26	21	184 186

W. 8,000. X. 14.

W. Dl cnd 22. III-16

2289

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

10 JAN. 1916

Kept at Clifton College

in the County of Gloucester

by D Rintoul

Lat. 51° 28′ N. Long. 2° 37′ W

Time of Observation 9 a.m.

Nearest Railway Station Clifton Down

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·340	·120	—	—	·130	—	—	·174	·051	·300	·028	·256	1
2	·178	·300	·198	·281	—	—	—	·488	·012	·055	—	·103	2
3	·216	·050	·096	·100	·140	—	·418	·138	—	·004	—	·197	3
4	—	·018	·004	—	·081	—	1·512	—	—	—	—	·957	4
5	·080	·652	·003	·030	—	—	—	·047	—	—	—	·260	5
6	·340	·022	—	·028	—	—	·304	·028	—	—	—	·394	6
7	·450	·348	—	·080	·032	—	·414	·012	—	—	—	·213	7
8	·440	·260	—	·060	—	—	·012	·111	—	—	·105	—	8
9	·015	·072	—	—	—	—	—	·130	—	—	·205	·910	9
10	·306	—	·098	·065	—	—	—	·043 ~~·043~~	—	·004	·008	·020	10
11	·006	—	·102	·008	—	—	·012	·083	—	—	·783	·039	11
12	·182	·210	·003	·287	·522	—	—	·043	—	·138	·308	·008	12
13	·020	·520	—	—	1·054	—	·016	·103	·209	—	·020	·004	13
14	·238	—	—	—	—	—	·118	·240	·032	·016	—	·721	14
15	·353	—	—	·036	·078	—	·107	·103	·055	—	·114	·028	15
16	—	·690	—	—	·608	—	(796)	·039	—	—	—	·047	16
17	—	·203	·006	—	·350	—	—	—	—	—	—	·008	17
18	—	·254	·012	—	—	—	—	—	—	—	—	—	18
19	—	·017	—	—	·078	—	·225	—	—	—	—	—	19
20	·260	—	—	·200	—	—	—	—	—	·024	—	·087	20
21	·008	·062	—	—	—	—	·004	—	—	·087	—	·079	21
22	·050	·304	·460	·044	—	·028	·827	—	·020	—	—	·308	22
23	—	·010	·303	—	—	—	·170	—	·074	1·319	—	·571	23
24	—	—	·016	·020	—	—	·901	—	·449	·704	—	·370	24
25	—	—	·002	—	—	·350	·095	—	—	·020	—	·229	25
26	·008	·152	—	—	—	·063	·284	—	·008	—	—	·453	26
27	—	·035	—	—	—	·256	·453	—	·004	·366	—	—	27
28	—	·078	—	—	—	·028	—	—	·496	·118	—	—	28
29	—		—	—	—	·229	—	·028	·024	—	·043	·047	29
30	·210		—	·002	—	·101	—	—	—	·296	·178	·205	30
31	—		—		—		·055	·126		·827		·354	31
Total	3·700	4·377	1·303	1·241	3·073	1·055	6·723	1·936	1·434	4·278	1·792	6·868	YEAR'S TOTAL 37·780
Rain Days.	~~18~~ 19	21	~~8~~ 9	~~17~~ 13	10	7	18	17	~~10~~ 11	13	~~9~~ 10	~~23~~ 25	~~164~~ 173

W. 8,000. X. 15.

[illegible] MO to [illegible]

2226

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Clifton College

in the County of Gloucester

by D Rintoul

Lat. 51°28′N Long. 2° 37′W

Time of Observation 9 am GMT

Nearest Railway Station Clifton Down

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm.	mm	m.m	mm	mm	mm	
1	1.7	—	0.1	—	4.4	4.1	6.7	2.2	0.5	6.2	4.0	—	1
2	30.8	0.9	0.2	—	1.5	—	—	—	0.5	35.1	0.3	—	2
3	—	20.2	—	—	3.1	0.5	—	—	2.0	9.8	3.9	—	3
4	(13.3)	4.0	—	—	7.5	20.8	—	—	4.8	5.2	8.2	—	4
5	0.3	0.2	0.3	—	4.9	2.0	—	—	—	0.4	2.4	—	5
6	4.7	7.1	—	—	8.4	4.0	12.9	—	—	8.8	14.2	—	6
7	1.1	4.7	3.0	—	1.9	—	—	—	—	3.0	8.4	4.7	7
8	—	6.0	0.9	—	4.0	—	—	—	—	—	—	3.6	8
9	—	—	—	—	3.4	8.0	6.5	—	—	0.8	0.3	1.0	9
10	—	11.6	1.0	2.1	0.8	0.2	—	—	—	3.5	—	0.8	10
11	0.3	0.8	0.5	6.4	1.6	9.2	—	—	—	0.2	—	—	11
12	1.5	4.8	1.1	1.0	8.3	—	6.9	0.1	—	7.7	—	—	12
13	—	12.3	5.1	—	—	—	—	5.3	—	1.0	—	—	13
14	—	9.9	1.9	—	15.1	—	—	23.0	—	1.9	—	—	14
15	—	5.8	2.0	1.9	—	—	—	12.0	—	—	—	—	15
16	0.9	0.8	—	12.2	0.3	—	1.6	5.4	—	0.5	—	—	16
17	2.5	3.4	—	0.8	—	—	—	1.7	8.7	12.0	1.3	—	17
18	—	0.3	2.7	—	—	—	—	—	—	1.6	8.2	1.2	18
19	5.5	—	10.0	4.6	—	—	—	—	—	—	2.3	—	19
20	9.1	0.3	14.0	2.0	—	—	—	—	—	—	2.0	14.2	20
21	11.1	1.1	14.1	—	2.1	—	—	—	—	—	—	10.9	21
22	—	0.2	—	—	—	4.4	—	5.3	—	6.0	2.9	11.2	22
23	0.9	6.6	—	—	—	0.7	—	2.7	—	2.6	3.1	5.1	23
24	—	3.0	—	—	38.0	1.8	—	19.0	—	8.5	0.4	5.0	24
25	—	11.3	7.8	—	—	—	—	1.2	—	0.7	6.8	0.9	25
26	2.9	1.4	1.8	—	—	7.2	—	2.0	16.2	6.5	—	—	26
27	3.3	4.6	27.0	—	3.8	4.0	—	—	4.1	11.3	—	0.2	27
28	—	5.5	0.6	—	—	2.1	—	41.9	1.6	15.8	—	30.0	28
29	0.1	9.5	0.5	—	—	8.2	—	—	0.1	11.5	—	20.3	29
30	—		—	—	—	—	—	1.0	—	14.8	—	0.7	30
31	—		—		—		—			2.0		0.5	31
Total	90.0 ✓	136.3 ~~118.3~~	94.6 ✓	31.0 ✓	109.1 ✓	77.2 ✓	34.6 ✓	122.8 ✓	38.5 ✓	177.4 ✓	68.7 ✓	110.3 ✓	YEAR'S TOTAL 1090.5 1090.5
Rain Days.	~~12~~ 16	~~14~~ 26	~~10~~ 19	~~7~~ 8	~~15~~ 17	~~12~~ 15	5	13	~~6~~ 8	~~21~~ 26	~~13~~ 16	~~11~~ 16	185

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Clifton College
in the County of Gloucester
by W Rudont

Lat. 51°28' N Long. 2°37' W
Time of Observation 9 am.
Nearest Railway Station Clifton Down Jn.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. mm	Feb. mm	March. mm	April. mm	May. mm	June. mm	July. mm	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	Date. mm
1	—	—	7.3	13.0	—	2.1	—	18.5	2.0	—	1.3	0.5	1
2	0.4	—	0.2	0.1	—	3.6	—	2.4	—	—	0.7	—	2
3	1.0	2.0	—	—	—	—	2.7	—	—	41.5	—	—	3
4	—	4.6	1.8	—	—	—	1.3	0.7	0.5	5.4	—	—	4
5	8.2	—	4.2	9.2	—	6.0	—	—	11.5	8.0	4.1	—	5
6	—	—	13.2	—	—	0.3	—	—	—	1.3	8.5	—	6
7	3.7	—	—	—	—	—	4.7	8.6	—	3.5	—	1.7	7
8	3.5	—	3.7	3.0	—	1.5	11.4	17.6	0.4	21.5	4.3	1.6	8
9	—	—	1.6	0.1	2.9	—	—	17.1	0.6	3.2	4.1	—	9
10	3.8	—	5.4	5.0	—	—	—	7.4	0.2	0.2	—	—	10
11	0.5	—	9.9	6.9	0.4	—	—	2.0	9.5	2.6	—	—	11
12	0.6	—	0.7	—	7.1	—	—	6.4	0.2	18.6	0.2	—	12
13	—	—	3.4	2.7	5.0	—	—	4.5	3.7	2.3	—	0.2	13
14	—	—	4.4	0.8	—	—	0.1	3.1	0.1	1.2	—	—	14
15	—	—	—	0.7	—	—	7.9	1.0	0.1	1.1	—	3.7	15
16	0.2	2.5	—	3.1	0.9	—	0.3	—	—	2.8	—	1.3	16
17	—	0.3	—	4.0	5.5	—	8.4	2.1	7.3	5.6	—	—	17
18	—	0.4	—	—	—	0.1	14.4	2.1	21.1	—	—	—	18
19	—	14.6	1.6	—	—	1.7	—	—	0.9	—	0.1	—	19
20	—	4.0	0.5	—	7.4	2.3	—	—	2.4	—	—	—	20
21	—	0.6	9.2	—	—	0.1	—	—	—	0.3	—	—	21
22	—	—	1.5	—	—	4.9	—	1.3	—	4.7	—	—	22
23	—	3.3	—	—	2.1	—	—	10.7	—	0.1	0.6	0.7	23
24	—	—	—	—	5.5	4.7	0.6	2.9	—	6.7	—	—	24
25	—	1.0	0.9	—	—	—	—	0.3	—	6.9	—	—	25
26	—	—	—	—	2.6	—	—	17.1	6.0	3.6	1.3	—	26
27	—	—	—	—	22.7	2.0	—	20.0	—	—	—	—	27
28	—	—	2.4	—	—	31.4	—	23.3	—	—	0.4	0.3	28
29	—	✕	1.7	—	—	4.4	0.8	0.2	—	12.1	0.4	4.0	29
30	—	✕	—	—	—	—	2.0	8.3	—	3.1	—	—	30
31	—	✕	3.3	✕	0.1	✕	—	4.5	✕	1.5	✕	1.7	31
Total	21.9	33.3	76.9	~~46.6~~ 48.6	62.2	65.1	54.6	182.1	66.5	157.8	26.0	15.7	YEAR'S TOTAL mm 810.7
Rain Days.	9 8	10	20 19	11 10	11	12	11	24 23	14 13	23 22	10 11	10 9	810.7 ~~158~~ 166
	0.862	1.311	3.027	~~1.865~~ 1.91	2.449	2.563	2.150	7.169	~~2.5~~ 2.62	6.213	1.024	0.619	31.801 inches 31.92

·25 mm or over — ·01 or over

W. 8,000, IX. 17.

~~XI~~ 84 · [illegible]

69

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9.1.19

Kept at Clifton College
in the County of Gloucester
by D Rintoul

Lat. 51° 28′ Long. 2° 37′
Time of Observation 9 h GMT
Nearest Railway Station Clifton Down
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.8	—	2.5	0.8	—	—	7.1	—	1.0	11.3	—	1
2	—	1.0	—	2.3	—	—		10.5	—	0.7	0.4	9.4	2
3	—	0.4	—	5.8	5.6	—	—	6.1	3.3	2.0	0.1	—	3
4	0.2	2.1	—	1.3	—	—	—	0.5	1.0	1.8	16.4	2.8	4
5	—	—	—	1.2	5.8	—	—	7.1	4.2	8.8	0.3	0.4	5
6	2.4	23.5	—	7.0	—	—	—	—	1.5	4.3	—	2.3	6
7	—	4.5	—	—	16.5	—	—	0.2	7.0	11.1	8.0	0.1	7
8	—	1.8	—	—	—	—	—	—	10.4	3.9	—	1.5	8
9	—	7.0	—	11.8	—	7.8	11.0	—	13.2	3.0	0.4	4.5	9
10	0.2	2.8	—	2.5	—	—	14.8	—	17.5	1.0	—	10.6	10
11	1.0	7.1	1.0	0.1	—	—	3.7	—	58.2	—	2.3	9.2	11
12	—	3.2	5.0	—	11.3	—	9.5	—	1.3	—	—	1.6	12
13	2.0	—	—	—	—	0.8	1.0	—	9.0	0.8	—	20.8	13
14	11.5	—	0.8	6.0	—	1.1	28.1	—	6.3	1.5	—	3.6	14
15	31.7	—	—	6.0	0.6	2.5	7.5	—	—	6.0	—	11.1	15
16	7.1	—	0.6	14.8	—	0.1	—	3.7	3.2	0.1	—	0.8	16
17	6.1	—	0.7	2.2	—	—	3.7	2.1	1.4	0.5	—	4.7	17
18	19.5	—	—	—	—	18.5	6.3	—	26.6	1.6	—	5.2	18
19	0.8	—	4.0	—	—	—	0.7	0.2	4.3	0.4	0.1	1.2	19
20	0.7	3.2	—	2.8	—	0.7	6.1	—	34.8	0.3	—	—	20
21	0.8	1.7	—	—	—	—	2.5	—	17.4	0.5	—	2.3	21
22	—	—	—	—	3.6	—	9.3	—	1.8	1.5	—	9.9	22
23	2.3	—	—	—	4.9	0.1	8.3	—	—	—	—	—	23
24	—	4.2	—	—	—	—	7.0	3.5	3.3	—	0.8	—	24
25	—	—	—	—	1.2	—	4.9	21.2	—	0.9	0.3	—	25
26	—	—	—	6.1	—	—	16.9	0.2	4.0	1.1	2.3	7.4	26
27	—	0.2	1.4	—	—	—	0.3	7.3	7.8	—	3.4	2.6	27
28	—	2.8	8.5	—	—	—	—	—	6.0	0.4	2.1	4.2	28
29	—		4.7	—	—	—	—	—	23.0	—	—	1.6	29
30	—	✕	9.8	—	—	—	—	0.1	0.7	1.5	2.3	2.4	30
31	—	✕	7.2	✕	—	✕	—	1.0	✕	2.0	✕	—	31
Total	86.3	66.3	43.7	72.4	50.3	31.6	141.6	70.8	267.2	56.7	50.5	120.2	YEAR'S TOTAL ~~1036.9~~
Rain Days.	14	16	11	14	9	6	18	14	25	24	13	23	187
	3.40	2.61	1.72	2.85	1.98	1.24	5.57	70.8 2.79	10.52	2.23	1.99	120.2 4.73	1057.6 41.63

W. 6,500, VII 18. W W C

cndly M.O. W. 1808 1993

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Clifton College
in the County of Gloucester
by J.A.O. Muirhead

Lat. 51° 28′N Long. 2° 37′W
19 JAN 20
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9·9	0·2	0·3	—	3·5	—	11·1	—	0·8	3·0	—	19·3	1
2	3·7	—	0·9	—	0·4	—	3·0	—	2·3	trace	—	12·4	2
3	10·1	—	6·7	—	6·0	0·7	—	—	1·7	"	1·7	15·5	3
4	12·4	3·1	13·3	—	6·0	1·5	5·4	1·7	5·0	"	0·1	3·2	4
5	0·2	8·2	17·2	—	2·2	—	0·1	—	10·6	"	0·5	9·6	5
6	—	0·8	6·7	—	8·0	—	—	—	trace	"	0·5	2·3	6
7	3·6	—	11·3	1·9	—	—	—	—	"	"	—	1·6	7
8	3·8	—	3·5	3·0	—	0·6	—	—	"	"	—	trace	8
9	3·7	—	1·5	1·6	—	—	—	—	—	"	2·7	0·1	9
10	—	—	10·4	0·2	—	—	—	—	—	2·0	—	4·8	10
11	0·9	—	11·8	5·3	2·1	0·8	4·6	—	—		—	0·6	11
12	0·7	—	3·3	0·6	—	8·7	0·1	—	—	1·2	1·2	0·8	12
13	1·6	0·7	0·2	8·9	—	—	0·5	—	0·3	—	—	1·8	13
14	18·4	1·9	—	20·4	—	—	3·3	—	0·2	—	—	1·8	14
15	10·5	—	—	0·2	—	—	—	—	—	—		5·4	15
16	4·0	22·2	—	—	—	—	—	—		0·6	4·0	0·1	16
17	—	8·1	—	0·4	0·1	0·8	—	—	—	—	2·8	0·3	17
18	0·5	0·2	13·6	—	0·4	—	2·0	9·9	—	trace	4·0	2·0	18
19	—	5·0	24·2	—	—	4·1	32·3	13·5	1·7	"	2·6	1·7	19
20	6·2	4·7	7·0	—	—	2·4	—	8·8	1·0	"	—	3·8	20
21	8·7	16·7	0·3	—	—	—	2·3	0·1	0·4	"	0·4	0·5	21
22	—	5·3	—	—	—	0·6	1·1	—	11·0	"	0·2	6·1	22
23	—	—	—	—	—	—	—	—	0·1	23·4	2·4	0·1	23
24	—	—	—	2·7	—	3·8	—	8·8	1·6	30·4	5·4	18·3	24
25	3·0	—	—	0·2	—	—	—	0·7	0·4	0·1	1·4	2·6	25
26	4·0	—	3·3	1·6	—	0·7	—	16·3	4·2	trace	trace	8·9	26
27	4·3	—	0·9	5·3	—		—	3·1	—	"	"	0·8	27
28	0·6	—	6·9	—	—	—	—	0·5		"	11·7	11·5	28
29	0·5	—	6·6	3·1	—	—	—			1·1	2·0	10·6	29
30	0·2	╳	—	5·1	—	8·4	—	5·6	—	0·5	5·6	10·9	30
31	0·3*	╳	0·8	╳		╳	1·0	—	╳	0·3	╳	2·1	31
Total	111·7	77·1	144·7	60·5 ~~42·5~~	8·7 ✓	36·1 ~~42·5~~	67·1	64·0	41·3	67·6	48·8	159·8	Year's Total 881·4 ~~870·4~~
Days with 0·2 mm. or more	24	13	22	16	5 ✓	12	11	10	14	9	17	27	180 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Ex. C.a.B. 5/2/20

1993

FORM, A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

7 FEB 20

Kept at Clifton College [M.O]

in the County of Gloucester

by The Head Master

Lat. 51° 28′ N Long. 2° 37′ W.

Time of Observation 9h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge ... in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.9	0.2	0.3	-	3.5	-	11.1	-	0.8	3.0	-	19.3	1
2	3.7	-	0.9	-	0.4	-	3.0	-	2.3	-	-	12.4	2
3	10.1	-	6.7	-	-	0.7	-	-	1.7	-	1.7	15.5	3
4	12.4	3.1	13.3	-	-	1.5	5.7	1.7	5.0	-	0.1	3.2	4
5	0.2	8.2	17.2	-	2.2	-	0.1	-	10.6	-	0.5	9.6	5
6	-	0.8	6.7	-	-	-	-	-	-	-	0.5	2.3	6
7	3.5	-	11.3	1.9	-	-	-	-	-	-	-	1.6	7
8	3.8	-	3.5	3.0	-	0.6	-	-	-	-	-	-	8
9	3.7	-	1.5	1.6	-	-	-	-	-	-	2.7	0.1	9
10	-	-	10.4	0.2	-	-	-	-	-	2.0	-	4.8	10
11	0.9	-	11.8	5.3	2.1	0.8	4.6	-	-	-	-	0.6	11
12	0.7	-	3.3	0.6	-	8.7	0.1	-	-	1.2	1.2	0.8	12
13	1.6	0.7	0.2	8.9	-	-	0.5	-	0.3	-	-	1.8	13
14	18.4	1.9	-	20.4	-	-	3.3	-	0.2	-	-	1.8	14
15	10.5	-	-	0.2	-	-	-	-	-	-	-	5.7	15
16	4.0	22.2	-	-	-	-	-	-	-	0.6	4.0	0.1	16
17	-	8.1	-	0.4	0.1	0.8	-	-	-	-	2.8	0.3	17
18	0.5	0.2	13.6	-	0.4	-	2.0	9.9	-	-	4.0	2.0	18
19	-	5.0	24.2	-	-	7.1	32.3	13.5	1.7	-	2.6	1.7	19
20	6.2	4.7	7.0	-	-	2.4	-	3.8	1.0	-	-	3.8	20
21	8.7	16.7	0.3	-	-	-	2.3	0.1	0.4	-	0.4	0.5	21
22	-	5.3	-	-	-	0.6	1.1	-	11.0	-	0.2	6.1	22
23	-	-	-	-	-	-	-	-	0.1	28.4	2.7	0.1	23
24	-	-	-	2.7	-	3.8	-	-	1.6	30.4	5.7	18.3	24
25	3.0	-	-	0.2	-	-	-	8.8	0.4	0.1	1.4	2.6	25
26	4.0	-	5.3	1.6	-	0.7	-	0.7	4.2	-	-	8.9	26
27	4.3	-	0.9	5.3	-	-	-	16.3	-	-	-	0.8	27
28	0.6	-	6.9	-	-	-	-	3.1	-	-	11.7	11.5	28
29	0.5		0.6	3.1	-	-	-	0.5	-	1.1	1.0	10.6	29
30	0.2	X	-	5.1	-	8.4	-	5.6	-	0.5	5.6	10.9	30
31	0.3	X	0.8	X	-	X	1.0	-	X	0.3	X	2.1	31
TOTAL	111.7	7.71 ~~77.9~~	144.7	60.5	8.7	36.1	67.1	64.0	41.3	67.6	48.8	159.8	YEAR'S TOTAL 887.4 ~~888.2~~
Days with 0.2 mm. or more	24	13.	22.	16	5	12	11	10	14	9	17	27	180

889

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from. [illegible] 3203.

cndly M.O. W. 1806 993

FORM 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

19 JAN 20

Kept at Clifton College

in the County of Gloucester

by J. A. O. Muirhead

Lat. 51° 28′N Long. 2° 37′W

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 2 ins.

„ „ „ „ Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	9.9	0.2	0.3	–	3.5	–	11.1	–	0.8	3.0	–	19.3	1
2	3.7	–	0.9	–	0.4	–	3.0	–	2.3	trace	–	12.4	2
3	10.1	–	6.7	–	6.0	0.7	–	–	1.7	„	1.7	15.5	3
4	12.4	3.1	13.3	–	6.0	1.5	5.7	1.7	5.0	„	0.1	3.2	4
5	0.2	8.2	17.2	–	2.2	–	0.1	–	10.6	„	0.5	9.6	5
6	–	0.8	6.7	–	8.0	–	–	–	trace	„	0.5	2.3	6
7	3.5	–	11.3	1.9	–	–	–	–	„	„	–	1.6	7
8	3.8	–	3.5	3.0	–	0.6	–	–	„	„	–	trace	8
9	3.7	–	1.5	1.6	–	–	–	–	–	„	2.7	0.1	9
10	–	–	10.4	0.2	–	–	–	–	–	2.0	–	4.8	10
11	0.9	–	11.8	5.3	2.1	0.8	4.6	–	–		–	0.6	11
12	0.7	–	3.3	0.6	–	8.7	0.1	–	–	1.2	1.2	0.8	12
13	1.6	0.7	0.2	8 6.9	–	–	0.5	–	0.3	–	–	1.8	13
14	18.4	1.9	–	20.4	–	–	3.3	–	0.2	–	–	1.8	14
15	10.5	–	–	0.2	–	–	–	–	–	–		5.7	15
16	4.0	22.2	–	–	–	–	–	–		0.6	4.0	0.1	16
17	–	8.1	–	0.4	0.1	0.8	–	–	–	–	2.8	0.3	17
18	0.5	0.2	13.6	–	0.4	–	2.0	9.9	–	trace	4.0	2.0	18
19	–	5.0	24.2	–	–	7.1	32.3	13.5	1.7	„	2.6	1.7	19
20	6.2	4.7	7.0	–	–	2.4	–	8.8	1.0	„	–	3.8	20
21	8.7	16.7	0.3	–	–	–	2.3	0.1	0.4	„	0.4	0.5	21
22	–	5.3	–	–	–	0.6	1.1	–	11.0	„	0.2	6.1	22
23	–	–	–	–	–	–	–	–	0.1	28.4	2.4	0.1	23
24	–	–	–	2.7	–	3.8	–	8.8	1.6	30.4	5.7	18.3	24
25	3.0	–	–	0.2	–	–	–	0.7	0.4	0.1	1.4	2.6	25
26	4.0	–	3.3	1.6	–	0.7	–	16.3	4.2	trace	trace	8.9	26
27	4.3	–	0.9	5.3	–		–	3.1	–	„	„	0.8	27
28	0.6		6.9	–	–	–	–	0.5		„	11.7	11.5	28
29	0.5		0.6	3.1	–	–	–			1.1	2.0	10.6	29
30	0.2	✕	–	5.1	–	8.4	–	5.6	–	0.5	5.6	10.4	30
31	0.3*	✕	0.8	✕		✕	1.0	–	✕	0.3	✕	2.1	31
TOTAL	111.7	77.1	144.7	~~42.5~~ 60.5	8.7 ✓	36.1 ~~42.5~~	67.1	64.0	41.3	67.6	48.8	159.8	YEAR'S TOTAL 887.4 ~~870.4~~
Days with 0·2 mm. or more	24	13	22	16	5 ✓	12	11	10	14	9	17	27	180 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1393

Form O111.

Meteorological Office,
South Kensington,
London, S.W. 7.

Telephone:—Kensington 5810.
Telegrams:—Weather, Southkens, London.

For registration stamp or number.

15046

MINUTE PAPER.

METEOROLOGICAL OFFICE
BRITISH RAINFALL ORGN
Recd. 6/12/1919 Ansd. 9/12/1919

The Superintendent,
British Rainfall Organization,
62, Camden Square,
N.W.1.

I am instructed by the Director to forward herewith a copy of an extract of a letter received from Mr. J.A.O.Muirhead of Clifton College, Bristol, for your information and remarks.

METEOROLOGICAL
BRITISH RAINFALL O
Recd. .... re 1 mm 26.3.1920
A. C. S.
Temp. File .... Perm. File ....
End. ....

Fjw

Superintendent of Statistics.

5th December, 1919.

We have accepted the 2 mm & told him we will write if and when there is any reason for a change.

[illegible]

(33,435). Wt.23,191—135. 2500. 9/18. Gp.133. A.&E.W.
(40,520). „ 5647—181. 2500. 5/19. „ „

Copy of Extract from letter received from

Clifton College,
Bristol.
3rd December, 1919

"(3) The rainfall as recorded in the raingauge at 09.00 hrs. on Sunday 30th, was 8·5 mm. The only rain I know of during the 24 hours was a sharp shower at midnight, and from the hardness of the ground next morning there cannot have been much rain after that. It seems quite certain that someone has been tampering with the raingauge, probably by throwing snowballs at it. I have inserted an estimate of 2 mm. for the monthly total."

(Signed) J.A.O.Muirhead.

[illegible] cordly B + M.O 1903

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Clifton College (MO)
in the County of Gloucester
by The Principal.

Lat. 51°27'N Long. 3°37'W
Time of Observation 9h GMT
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	0·1	0·1	10·3	9·2	-	9·6	3·5	2·8	2·3	5·3	12·7	1
2	1·0	2·0	0·5	3·1	-	-	1·3	8·5	1·2	9·4	-	7·2	2
3	31·4	-	-	2·4	-	-	15·2	0·5	1·1	6·7	-	0·6	3
4	0·5	-	0·5	1·4	-	-	0·2	12·8	-	9·2	-	-	4
5	-	-	3·0	0·5	3·2	-	13·5	2·4	-	5·3	-	-	5
6	-	-	5·3	-	7·7	-	0·7	-	-	0·4	-	-	6
7	3·0	-	2·6	1·0	2·0	-	3·2	-	-	-	0·2	-	7
8	-	1·0	-	15·5	2·5	-	20·2	5·0	-	-	-	-	8
9	14·7	16·1	1·0	21·0	-	2·2	0·8	1·6	-	-	-	-	9
10	35·8	10·0	1·3	0·7	-	4·7	5·8	-	-	-	-	-	10
11	2·5	0·2	2·9	9·2	9·0	-	1·7	-	-	-	-	-	11
12	5·0	1·8	-	2·5	-	22·0	1·2	-	-	-	2·3	-	12
13	2·0	2·5	7·2	4·3	-	-	-	-	-	-	-	-	13
14	0·5	0·3	-	15·4	-	1·0	0·5	-	3·2	8·5	17·3	1·2	14
15	1·2	3·4	0·3	7·6	2·2	1·6	-	-	2·0	12·5	6·3	-	15
16	0·2	0·1	-	7·8	0·3	4·7	5·9	-	15·4	3·7	7·2	-	16
17	4·8	-	0·3	2·1	5·8	9·4	-	1·3	15·3	0·2	-	0·4	17
18	4·3	-	-	7·2	1·7	-	-	7·6	9·2	-	-	0·3	18
19	0·5	6·8	-	5·0	0·1	2·9	-	-	-	-	-	-	19
20	1·3	3·0	-	4·7	-	7·1	0·8	-	1·2	-	-	6·3	20
21	-	-	-	0·7	-	-	1·3	-	-	0·8	-	0·5	21
22	0·3	-	-	1·5	-	0·5	1·8	3·1	-	-	-	7·5	22
23	-	-	-	-	-	-	17·7	0·5	-	-	-	14·2	23
24	-	-	5·3	0·2	-	-	0·4	-	-	-	1·8	3·5	24
25	0·6	2·1	2·5	-	-	-	11·3	-	-	-	-	-	25
26	6·5	0·1	8·4	-	-	0·1	2·3	-	-	-	1·3	1·4	26
27	8·1	0·3	1·1	-	-	18·0	0·1	-	-	-	-	4·4	27
28	20·6	0·1	1·7	1·6	1·5	1·7	0·1	-	-	-	-	0·3	28
29	3·1	0·2	4·0	0·9	1·3	0·8	11·1	-	-	-	3·6	11·3	29
30	1·4	×	1·7	1·4	-	7·6	5·2	-	13·4	-	7·9	10·5	30
31	5·5	×	7·1	×	0·6	×	0·2	-	×	12·4	×	7·3	31
TOTAL	154·8 ✓	50·1 ✓	56·8 ✓	128·0 ✓	47·1 ✓	84·3 ✓ ~~84·5~~	132·1 ✓ ~~113·6~~	46·8 ✓	64·8 ✓	71·4 ✓	53·2 ✓	89·6 ✓	YEAR'S TOTAL 979·0
Days with 0·2 mm. or more	24 ✓	14 ✓	19 ✓	25 ✓	13 ✓	14 ✓	24 ✓	11 ✓	10 ✓	12 ✓	10 ✓	17 ✓	193
	18	10	15	20	11	12	17	9	10	9	9	12	152

(14,284). Wt. [illegible]58—2/18. 500. 10/19. Gp.132. A.&E.W.

Copied from [illegible] 3203

mo 10-xi-16

GLOUCESTER.

CINDERFORD

1914 – 1920

REGIST 14

FORM A.
BRITISH RAINFALL.

1915

Kept at Cinderford g.

in the County of Glouc 9. AM.

by D J. N. Bea n Cinderford

e 5 in.

above Ground 1 ft. 1 in.

„ Sea Level 750 ft.

IMPORTANT NOTE.—R and the result entered to the previous day. If an Observer p universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·10		·04	1·33	·31			·10	·10	1
2				·02	·02		·54	·12			·75	·47	2
3	·02		·03	·16	·53		·04	·10			·01	·01	3
4	·23			·36	·11		·25	·02			·45	·64	4
5			·04	·20	·15		·22	·01			·08	·	5
6		·20	·04	·02	·08			·06			·06	·37	6
7	·04	·58		·12	·26	·10	·31	·12			·005	·05	7
8	·04		·18	·04	·11	·67	·02	·18	·02			·10	8
9		·04	·26	·36	·03	1·54		·18	·09		·005		9
10	·03	·78		·40	·02	·02			·55				10
11		·15	·22	·01	·13	·35	·20		·		·06	·56	11
12		·12	·15			·005	·03		·22		·06	·22	12
13		·48	·64			·02	·04		·23	·25	·12	·57	13
14		·48	·45				·03	·01		·28	·36	·005	14
15	—	·01	·16				·03	·18	·14	·03	·15		15
16	·02						·08		·39				16
17		·19	·15				·02		·05			·58	17
18		·01					·12			·005		·39	18
19		·05	·02				·58		·03		·03	·09	19
20		·44	·07									·21	20
21		·20	—			·005	·15			·25			21
22		·08			·14	·02		Total		·22			22
23		·05	·18		·04		·02	for		·23			23
24			·20				·02	week		·14	·09		24
25	·10		·36	·03			·01	↓		·34	·02	·19	25
26			·12				·07	·56		·06	·30	·77	26
27	·06	·005								·005	·38	·40	27
28		·19	·46		·01						·14		28
29	·08		·26		·14					·32	·61		29
30	·06	✕	·23			·02				·30	·84	1·59*	30
31	·32	✕		✕	·02	✕	·44		✕	·06	✕	·02	31
Total	1.00	4.085	4·21	1·82	1·79	2·79	4·55	1·85	1·72	2·485	4·62	7·335	YEAR'S TOTAL 38·255
Rain Days.	11	19	20	12	15	11	22	12	9	14	21	20	186

W. 8,000. X. 14.

* including melted snow.

mo 10.xi.16

REGIST 14

FORM A.
BRITISH RAINFALL.
11 1915

Kept at Cinderford
in the County of Gloucester
by Dr J. N. Beadles

Lat. Long.
Time of Observation 9. AM.
Nearest Railway Station Cinderford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 750 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·10	—	·04	1·33	·31			·10	·10	1
2				·02	·02		·54	·12			·95	·47	2
3	·02		·02	·16	·53		·04	·10			·01	·01	3
4	·23			·36	·11		·25	·02			·45	·64	4
5			·04	·20	·15		·22	·01			·08	·	5
6		·20	·04	·02	·08			·06			·06	·37	6
7	·04	·58		·12	·26	·10	·31	·12			·005	·05	7
8	·04		·18	·04	·11	·67	·02	·18	·02			·10	8
9		·04	·26	·36	·03	1·54		·18	·09		·005		9
10	·03	·78		·40	·02	·02			·55				10
11		·15	·22	·01	·13	·35	·20		·		·06	·56	11
12		·12	·15			·005	·03		·22		·06	·22	12
13		·48	·64			·02	·04		·23	·25	·12	·57	13
14		·48	·45				·03	·01	—	·28	·36	·005	14
15		·01	·16				·03	·18	·14	·03	·15		15
16	·02						·08		·39				16
17		·19	·15				·02		·05			·58	17
18		·01					·12			·005	—	·39	18
19		·05	·02				·58		·03		·03	·09	19
20		·44	·07					Total for week ↓				·21	20
21		·20	—			·005	·15			·25			21
22		·08			·14	·02				·22			22
23		·05	·18		·04		·02			·23			23
24		—	·20				·02			·14	·09		24
25	·10		·36	·03			·01			·34	·02	·19	25
26			·12		—		·07	·56		·06	·30	·77	26
27	·06	·005								·005	·38	·40	27
28		·19	·46		·01						·14		28
29	·08		·26		·14					·32	·61		29
30	·06	X	·23			·02				·30	·84	1·59*	30
31	·32	X		X	·02	X	·44		X	·06	X	·02	31
Total	1.00	4.085	4·21	1·82	1·79	2·79	4·55	1.85	1·72	2·485	4·62	7·335	YEAR'S TOTAL 38·255
Rain Days.	11	19	20	12	15	11	22	12	9	14	21	20	186

W. 8,000. X. 14.

* including melted snow.

W DL

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
8 JAN. 1916

Kept at Cinderford
in the County of Gloucestershire
by Dr J. N. Beadles M.B., B.S.

Lat. Long.
Time of Observation 9. AM.
Nearest Railway Station Cinderford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level about 780 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·20	·005	·12	·18			·03	·50	·22	·01	·04	1
2	·23	·25	·13			·04		1·17	·01	·22		·07	2
3		·26	·04	·04	·15		·40	·09		·005		·15	3
4	·96	·07			·11		·11	·09				·53	4
5	·02	·35		·10			·07	·17				·86	5
6	·20	·03		·39			·38	·07				·22	6
7	·10	·73		·04			·08	·07				·22	7
8	·30	·55		·01			·01	·04			·08		8
9	·07	·07		·09				·03			·25	·68	9
10	·14		·06	·04				·02		·12	·005	·02	10
11	·11		·12	·05							·88	·04	11
12	·12			·24	·50					·15	·64		12
13	·02	·62			·90				·03	·005			13
14	·01	·01					·05	·22	·09	·01		·67	14
15	·27				·07			·07		·05	·03	·42	15
16	·02	1·54		·02	·50			·01				·07	16
17		·29			1·28			·005					17
18		·43								·005			18
19		·05		·01	·28		away						19
20	·15		·05	·13			for					·13	20
21	·04	·09					week. Total =			·13		·15	21
22			·30	·04		·005	1·82					·48	22
23	·15		·32			·15	·02		·02	1·16		·72	23
24			·03	·04		·005	·52		·31	·57			24
25				·005		·25	·18			·005		away.	25
26		·49					·12		·02			Total =	26
27						·005	·15			·58		1·37	27
28		·10				·08	·005	·13	·31	·03		·01	28
29						·005	·01	·02	·005		·15	·07	29
30	·12	✕				·005	·02			·10	·15	·15	30
31		✕		✕		✕	·02	·03	✕	1·15	✕	·50	31
Total	3.28	6·13	1·055	1·365	3·97	·545	3·965	2·265	1·295	4·505	2·195	7·57	YEAR'S TOTAL ~~38·135~~
			1·06	1·36		·55	3·96	2·27	1·29	4·51	2·19		38·14
Rain Days.	19	18	8	15	9	7	(19)	17	8	13	8	(25)	~~163~~ 170

W. 8,000. X. 15.

2165

FORM A. BRITISH RAINFALL.

25 [illegible] 1917

REGISTER OF RAINFALL IN 1916

Kept at Belle Vue Road, Cinderford

in the County of Gloucestershire

by Jn J. N. Beadles

Lat. Long.

Time of Observation 9 A.M. (winter and summer time)

Nearest Railway Station Cinderford.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 780 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15				·08	·11	·14			·15	·28		1
2	·25	·10			·22	·10			·07	·95	·02		2
3	·01	·90			·02	·03			·07	·49	·10		3
4	·36	·20			·45	·38			·10		·30		4
5	·02	·15			·18	·13	(·36)				·08		5
6	·005	·18			·38	·12	·85			·62	1·48		6
7	·04				·32	·04	·02			·08	·27	·23	7
8	·05	·02			·34	·25					·02	·41	8
9			·53* error		·12	·26			·01	·09	·02		9
10		·45	·13*	·06	·02	(·05)	·01		·005	·10	·01		10
11	·09	(·26) ~~·45~~	·05	·05	·08	(·06)			·005	·005		·05	11
12	·04	·03	·13	·02	·39		·21	·01		·08			12
13		·33	·06	·11	·005			·56		·04	·005		13
14		·68	·20	·005	·04			·09		·12			14
15		·25	·005	·10	·05			·14					15
16	·01	·07		·22	·005		·18	·29					16
17	·13	·10	·18	·12			·01	·11	·30	·42			17
18		·05	·54	·005				·01	·13	·12			18
19	·15		·45	·25					·005		·64*		19
20	·22	·02	·52	·10							·01	·60*	20
21	·07			·05	·12	away on holiday. The 2·19 represents accumulation from 22nd–29th	·01						21
22				·02						·30	·005		22
23	·01	x		·02				·15		·15	·22		23
24		x	·29	·07	·82			·06			·01		24
25		x	·04		·04			·57	·01		·20		25
26								·22	·01	·37		1·55*	26
27	·02	x					·04	·17	·29	·62			27
28		x	·62*						·17	·23	·005	·18	28
29		*1·06 1·60				2·19		2·17		·32		·29	29
30		X				·04		·005		·27		·01	30
31		X		X		X		·02	X	·35	X	·005	31
Total	1·625	4·85	3·745	1·20	3·68	3·76	1·83	4·605	1·175	5·875	3·675	3·325	YEAR'S TOTAL 39·345
Rain Days.	16	(22) 17	13	13	18	(16)	10	15	10	20	15	9	182 169

W. 8,000, VIII. 16 * melted snow

Cinderford 2165
24.1.17

attach to A

Important

Dear Dr Mill

In my register of rainfall for 1916 a mistake has been made in March; on March 10th there was no rain, so that ·13 represents March 11th, ·05 March 12th, & so on to the end of the month (·62 on March 29th).

Enclosed also please find P.O. for 5/- for British Rainfall for 1916.

I am taking up a commission in the RAMC on Feb. 19th for a year, so I fear my record for this year will be sorely broken.

Yours truly
J. N. Beadles

[illegible] ~~H~~

2067

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
12 APR 1918

Kept at Belle Vue Road. Cinderford

in the County of Gloucester

by Dr J. N. Beadles

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Cinderford

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground as before ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·38		·31		·86	·15		·12		1
2				·17		·05		·08		·74	·04		2
3	·04			·01				·05		·20			3
4							·11	·01		·27			4
5	·10		·28	·12		·07		·12	·47	·14	·18		5
6	·03		·22			·33				·45	·21	·01	6
7	·15						·24			·49	·02	·01	7
8	·56			·19			·83	·69		·04	·15	·08	8
*9	[illegible]		·46	·07	·18			·18	·34	·02	·05		9
10			·54	·19	·67			·48	·16	·15		·01	10
11	*·30		·20	·23	·12			·37	·02	·23	·01		11
12	·005				·72	·34		·10		·06	·01		12
13			·16	·12		·04		·15	(·11)				13
14			·03	·02				(·04)		·09			14
15					·01		·06	·02		·02		·21	15
16		*·11		·09						·08		·08	16
17		·08		·12	·51		·28	·35	·12				17
18		·15			·10		·35		1·59				18
19		·50	·09			·14			·01				19
20		·10	·08		·53	·27	·36		·05				20
21		·02	·42		·04			·01		·05	·02		21
22			·07			·06		·26		·06		[illegible]	22
23		·30			·13	·01		·78		·02		·02	23
24		·01				·03		·37		·25			24
25		·07	·03				·02	·02	·02	·01	·06		25
26					·05	·15		·66	·20		·04		26
27					·73	·11		1·17					27
28			·06			·41		·09				·04	28
29			·13		·37	·49	·10	·01		1·07		·28	29
30		X	·02				·35	·44		·20	·02	·01	30
31		X	·22	X	·07	X		·30	X	·07	X		31
Total	1·185	1·34	3·10	1·71	4·23	2·81	2·70	7·71	3·24	4·71	·93	·75	YEAR'S TOTAL 34·415
Rain Days.	6	9	17	12	14	15	10	25	12	22	13	10	165

W. 8,000, IX. 17.

*melted snow

1·44

Cor. for arith.

REGISTER OF RAINFALL IN 1918

~~W.~~ 1808

Kept at Cinderford

in the County of Gloucestershire

by Dr J. N. Beadles

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______ As before

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

FORM A. BRITISH RAINFALL.

9 . 4 . 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·03		·02	·09			·12		·10	·48		1
2		·22						·35	·02	·01	·02	·16	2
3	—	·20		·12	·23			·18	·30	·02	·09	·03	3
4		·05	·02	·03	—			·08	·16	·04	1·50	·52	4
5				·03	·40			·06	·23	·21	·06	·05	5
6	·04	·34		·11		·03		·02	·01	·13		·15	6
7	·02	·18		·03	·48	·005			·17	·07	·32	·23	7
8		·22							·04	·17		·12	8
9		·24		·28		·25	·15		·59	·20	·01	·15	9
10	·01	·01		·32	—		·30		·54	·10		·22	10
11	·05			·03	·005		·10		·10	—	·08	·15	11
12		·04	·40		·10		·10		·04			·01	12
13				·005			·15		·10	·04		·11	13
14	·47	—	·09		·08	·16	·08		·51	·08		·13	14
15				·28	·01		·41		·005	·04		·30	15
16				·78		·14	·12		·42			·02	16
17			·01	·10			·08	·005	·05	·04		·10	17
18	* 1·70					·72	·22		·92	·04		·51	18
19	·11	·02	·22	·08			·11		·02	·05		·03	19
20	·04	·12		·18		·08	·02		·32				20
21	·11	·02		·12		·005	·005		·58	·005			21
22	·02				·06		·24		·17	·08			22
23	·04			·005	·33	·005	·25		·04		·02		23
24		·12					·36	·02	·07		·04		24
25				·005	·03	·01	·30	·45		·05	·02		25
26							·53	·	·09	·02	·12	·55 †	26
27			·08		—	·01	·005	·34	·17	·005	·03	·02	27
28		·10	·38	·005		·02		·01			·12	·05	28
29			·03						1·40	·03		·08	29
30		X	·74						·03	·08	·04	·10	30
31		X	·36	X		X		·10	X	·005	X		31
Total	2·66	1·91	2·33	2·53	1·815	1·435	3.53 ~~2·53~~	1·735	4·095	1·615	2·95	3·79	YEAR'S TOTAL 33.395 ~~33·[illegible]95~~
Rain Days.	12	15	10	~~15~~ 17	~~10~~ 11	~~9~~ 10	~~14~~ 18	~~11~~ 12	26	~~21~~ 23	15	24	~~185~~ 193

W. 6,500, VII. 18. w w c

* including melted snow

† away from Dec. 22nd–26th; ·55 = total of 22nd + 26th

1938

E+Rl

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Hollies . Cinderford

in the County of Gloucestershire

by Dr J. N. Beadles

Lat.......... Long..........

Time of Observation as before

Nearest Railway Station..........

Diameter of Funnel of Rain Gauge..........in.

Height of top of Gauge above Ground..........ft..........in.

" " " " Sea Level..........ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36		·06	·01	·14		·37		·15	·12	·005	·68	1
2	·25		·05		·01		·37	·02	·44		·07	·10	2
3			·08			·05	·15		·09		·14	·30	3
4			·53			·06	·51	·03	·66			·12	4
5			·35						·48		·05	·22	5
6	(with snow) ·94		·16								·01	·13	6
7	·30		·40	·19	·10							·005	7
8	·25		·06	·07	·04	·01							8
9	·33		·02	·22							·12		9
10			·58	·02						·03	·02	·72	10
11	·03		·64	·01	·17		·37			·03		·10	11
12			·07	·02		·60	·005			·07		·04	12
13	·08	·65		·68					·08	·02		·13	13
14	·47	·02		·20			·03		·04	·005		·14	14
15	·49	·04		·02	·03					·02		·58	15
16	·19	·90		·005							·09	·01	16
17						·02	~~[illegible]~~				·15		17
18			·53				·03 ~~1·80~~	·31	·04		·12	·05	18
19	·30	·63	1·06			·14	1·80	·51	·06		·02		19
20	·65	·06	·55			·06		·21	·02		·02		20
21		·80				·005	·10	·005	·02		·02		21
22		·13					·05		·70				22
23								·01		·96	·12		23
24			·07	·02		·05	·04			·97	·26		24
25	·10			·05	·08			·61			·005		25
26			·12	·10		·005		·08	·12				26
27	·05		·01	·51				·60				* ·74	27
28				·005				·59				·28	28
29				·09				·02		·20		·25	29
30		✕	·35	·16		·27		·30		·02	·84	·74	30
31		✕	·01	✕		✕	·005		✕	·02	✕	·01	31
TOTAL	4·79	3·23	5·70	2·38	·57	1·30	3·83	3·295	2·93	2·455	2·06	5·375	YEAR'S TOTAL 37·915
Days with ·01 in. or more	15	8	20	16 17	7	9 10	11 12	12	13	11 12	15 16	+19	~~156~~ 161

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

* Total for week = ·74

1852

16 APR

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Hollies Belle Vue Road. Cinderford
in the County of Gloucestershire
by Dr J. N. Beadles

Lat. Long.
Time of Observation As before
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·31	·53		·41	·02	·05	·19		·46	1
2			·01	·12			·29	·05	·08	·28		·31	2
3	·25	·04		·15	·08	·01	·43	·01	·04	·35		·02	3
4				·06			·01	·62		·32			4
5			·18	·04	·02		·19	·10		·35			5
6			·54		·10		·23			·23			6
7	·01		·02	·10			·19					·01	7
8	·03	·04		·38			·58	·015				·02	8
9	·18	·01		·45			·03						9
10	1·00	·10	·04	·15		·27	·23				·05		10
11	·21	~~·005~~ ·01	·21	·40		·07	·08						11
12	·18	·11	·01	·36	·45	·65	·12	·01		·03	·05		12
13	·10	·03	·43	·06		·04					·02	·06	13
14	·02	·02	·75	·78		·26	·02	·01	·18	·32	·41		14
15		·08		·96	·01	·04	·03		·05	·15	·08		15
16			·04	·03	·03	·33	·42		·37	·35	·01		16
17	·02		·005		·31	·10		·005	1·42	·35			17
18	·21			·08	·30	·02		·26	·60			·02	18
19	·03	·18		·40	·03	·13	·02		·04				19
20	·02	·10		·37		·15						·34	20
21				·02		·005	·02	·10		·08		·08	21
22	·02			·32			·01						22
23							·40					✓	23
24	·02		(·47)	·01			·005				·04	Total for [illegible] days	24
25	·03	·08	·25				·96					[illegible] = 1·68	25
26	·25	~~·005~~ ·01	·31		·01	·09					·05		26
27	·95	·02	·19	·12	(·03)	·40					·01		27
28	·78		·12	·01	·25	·04	·02					×1·68	28
29	·77		·20	·01	·04	·03	·05				(·23)	·55	29
30	·10	╳	·15	·05		·31	·09		·33		·34	·46	30
31	·19	╳	·22	╳	~~·005~~ 01	╳			╳	·21	╳	·14	31
Total	5·37	·89	4·165 4·16	5·74	2·195 2·20	2·945	4·835	4·20	3·16	3·21	1·29	4·15	Year's Total 39·15 ✓
Days with ·01 in. or more	22	12 14	19	25	14	17 18	23	10 11	10	13	11	16	196
Days with ·04 in. or more	13	8	15	20	8	14	15	5	10	12	8	13?	141

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

/

GLOUCESTER.

CLIFTON.

"7, HARLEY PLACE"

1911 – 1920

RE 1911.

FORM A2.
BRITISH RAINFALL.
JAN 5 1912

Kept at 7 Harley

in the County of Glouc

by Miss Hooker

of top 5 in.

top above Ground 1 ft. 5 in.

" " Sea Level 280 ft.

9. a. m.

Station { Name Clifton Down.
Distance 3/4 mile Direction N.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·10	·03			·04			·05		1
2			·02	·16	·22			·24	·01	·05	·33	·17	2
3			·05		·38			·02	·02		·09	·10	3
4			·21	·03	·02					·05	·18	·33	4
5	·07		·04					·32		·02	·36	·02	5
6	·25		·11					·15			·09	·35	6
7	·02										·42		7
8	·21		·17								·03	·37	8
9	·21		·02								·11	·31	9
10	·04	·05	·26		·04						·02	·26	10
11	·39	—	·02		·09						·97	·29	11
12	·01		·72						·02		·55	·16	12
13			·04		·24				·60	·38	·02	·48	13
14		·10			·02					·01		·90	14
15		·03				·04				·02	·28	·21	15
16						·15					·32	·20	16
17						·03					·08	·26	17
18		·54	·07	·20		·26				·04	·03	·29	18
19	·01			·06		·04			·32	·10	·02	·16	19
20	·02		·16	·13		·05			·13	·10		·48	20
21		·21	·15	·02				·03	·01	·36		·32	21
22	·02	·21	·27	·02		1·30				·19		·45	22
23	·02		·33	·03		·16			·09	·12	·02	·25	23
24	·02	·12				·38		·08		·40		·12	24
25		·08	·02	·15		·10		·02	·03	·03		·09	25
26		·07		·33	·07	·02	·07	·06		·36	·10	·26	26
27		·52	·12	·02				·26	·20	·01	·06	·15	27
28		·40		·48		·02		·54			·05	·03	28
29				·07		·53			·09	·23	·02		29
30			·01	·03		·05		·02		·19		·02	30
31										·19			31
Total	1·31	2·33	2·82	1·83	1·11	3·13	·07	1·78	1·52	2·85	4·20	7·03	TOTAL for year 29·98
No. of Rain Days	14	11	20	15	9	14	1	12	11	19	23	27	176

9,000, IX. '10.

(Total 29·98)

RE 1911.

FORM A2. BRITISH RAINFALL.
JAN 10 1912

Kept at 7 Harley Place, Clifton
in the County of Gloucester 5
by Miss Hooker.

Rain Gauge:
Pattern Negretti & Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 280 ft.

Time of Observation 9 a.m.

Nearest Railway Station:
Name Clifton Down.
Distance 2 mile Direction N. N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·10	·03			·04			·05		1
2			·02	·16	·22			·24	·01	·05	·33	·17	2
3			·05		·38			·02	·02		·09	·10	3
4			·21	·03	·02					·05	·18	·33	4
5	·07		·04					·32		·02	·36	·02	5
6	·25		·11					·15			·09	·35	6
7	·02										·42		7
8	·21		·17								·03	·37	8
9	·21		·02								·11	·31	9
10	·04	·05	·26		·04						·02	·26	10
11	·39		·02		·09						·97	·29	11
12	·01		·72						·02		·55	·16	12
13			·04		·24				·60	·38	·02	·48	13
14		·10			·02					·01		·90	14
15		·03				·04				·02	·28	·21	15
16						·15					·32	·20	16
17						·03					·08	·26	17
18		·54	·07	·20		·26				·04	·03	·29	18
19	·01			·06		·04			·32	·10	·02	·16	19
20	·02		·16	·13		·05			·13	·10		·48	20
21		·21	·15	·02				·03	·01	·36		·32	21
22	·02	·21	·27	·02		1·30				·19		·45	22
23	·02		·33	·03		·16			·09	·12	·02	·25	23
24	·02	·12				·38		·08		·40		·12	24
25		·08	·02	·15		·10		·02	·03	·03		·09	25
26		·07		·33	·07	·02	·07	·06		·36	·10	·26	26
27		·52	·12	·02				·26	·20	·01	·06	·15	27
28		·40		·48		·02		·54			·05	·03	28
29				·07		·53			·09	·23	·02		29
30			·01	·03		·05		·02		·19		·02	30
31										·19			31
Total	1·31	2·33	2·82	1·83	1·11	3·13	·07	1·78	1·52	2·85	4·20	7·03	TOTAL for year 29·98
No. of Rain Days	14	11	20	15	9	14	1	12	11	19	23	27	176

9,000, IX. '10.

(Total 29·98)

1

Ex J.C.

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL
14 JAN 1913

Kept at 7 Harley Place Clifton

in the County of Glos. 5

by Miss Hooper

Lat. 51·27 N. Long. ~~38' 35~~

Time of Observation 9. a. m

Nearest Railway Station Clifton Down

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13			·37	·13			·82		·26	1
2			·10	·01		·27	·32			·02		·02	2
3	·02		·14			·20		·54	·10		·05		3
4	·25		·48		·24	·34		·03			·18		4
5	·38	·09	·23		·08	·02		·50				·10	5
6	·24	·06	·03		·07		·25	·45			·02	·06	6
7	·03	·08	·11		·17	·44		·12				·05	7
8	·32	·15	·16			·08	·13					·18	8
9	·03	·03	·17	·17		·11	·02	·05				·34	9
10	·06	·03	·02	·01		·04		·02			·14	·05	10
11	·08	·02	·02			·01	·01					·38	11
12	·02	·30	·06	·09	·03	·08	·03					·08	12
13			·03	·01		·02		·05			·01	·31	13
14	·06	·03	·72	·01	·25			·04			·14	·05	14
15	·08		·03		·30	·69		·04				·47	15
16	·63	·09	·25		·03	·04		·27		·14	·06	·08	16
17	·74		·27		·05	·12		·71		·01	·04	·40	17
18	·25		·35			·01		·09		·03	·02	·11	18
19	·04	·10	·02			·07	·20	1·17		·16		·02	19
20	·02		·26		·29		·10	·21	·02	·38			20
21	·02		·14		·73		·02	·27		·15			21
22	·46	·42	·10		·30	·04	·10	·23		·04	·02	·06	22
23	·32	·43	·47			·08	·01	·96		·17	·05	·36	23
24	·06	·03	·26			·18	·02	·04		·04		·12	24
25			·02			·68		·84		·09	·46	·54	25
26		·03				·01	·14	·48		·42	·84	·25	26
27						·23	1·05			·65	·03	·55	27
28		·10				·23	·64	·78	·04	·40	·41	·83	28
29		·10	·01			·03	·54	·02	·31	·40		·12	29
30						·08	·20	·02	·08	·17		·02	30
31	·02		·20		·02		·64			·01		·14	31
Total	4·13	2·09	4·78	·30	2·56	4·47	4·55	7·93	·55	4·10	2·32	5·95	YEAR'S TOTAL 43·73
Rain Days.	22	17	27	6	13	26	19	24	5	18	14	27	218

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
31 JAN 1914

Kept at 7 Harley Place. Clifton
in the County of Glos:
by Miss (Catherine S.) Hooper.

Lat. 51·27 N. Long. 38' W.
Time of Observation 9 a.m.
Nearest Railway Station Clifton Down
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·14	·30	·04	·13				·40		·06	·05	1
2	·03	·14	·02	·03	·04	·01			·03	·09	·12	·07	2
3	·13	·02	·14		·50					·14	·03	·24	3
4	1·12		·15		·19	·01			1·20	·31	·03	·13	4
5	·01	·06	·02		·20	·15	·12		·30		·10	·12	5
6	·01	·05	·22		·18	·09	·04			·70	·10	·60	6
7		·11	·03		·21	·16	·02			·18	·35	·02	7
8		·07			·20	·03	·02			·12		·03	8
9		·14	·01		·02	·22	·04	·40	·10	·02	·06		9
10	·18		·04	·03	·03	·02	·08	·15		·12	·13		10
11	·86			·09	·12			·03		·25	·71	·07	11
12	·02		·05		·07			·03	·03	·02	·20		12
13	·14		·05				·01	·01	·90		·21	·01	13
14	·12		·40	·03					·03	·20	·11	·05	14
15	·15	·08	·35	·73				·05	·02		·08	·05	15
16	·34		·44	·06			·02		·05		·01		16
17	·08		·02	·07			·03		·05		·11		17
18	·20		·09	·19		·02					·08		18
19	·30		·03		·03	·03	·02		·24		·03	·02	19
20	·28		·09	·05				·01		·04	·15		20
21	·01		·08	·06	·18		·20	·05			·33		21
22	·55		·68		·05	·07	·02	·25	·28	·02			22
23	·04					·06		·03	·05		·10	·21	23
24	·14		·02	·04					·02	·01	·02		24
25	·01	·10		·19					·03	·20	·03	·17	25
26		·04		·24				·18	·02				26
27	·05		·10	·37						·08		·20	27
28	·28		·15	·18						·13		·02	28
29	·02		·48	·44				·09		·11	·02	·10	29
30	·44		·02	·02						·24	·07		30
31	·17		·04		·29					·02			31
Total	5·68	·95	4·02	2·86	2·44	·87	·57	1·28	3·75	3·00	3·16	2·16	YEAR'S TOTAL 30·74
Rain Days.	26	11	26	18	16	12	12	12	17	20	25	18	213

W.7,000, XI. 13

Ext DD

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL. 21 JAN 1915

Kept at 7 Harley Place Clifton Bristol

in the County of Gloucestershire. 5

by Catherine S. Hooker. (Miss Hooper)

Lat. 51 27 Long. ·38 W.

Time of Observation 9 a.m.

Nearest Railway Station Clifton Down

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 260. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·			·13		·03	1·50	·90			·05	·02	1
2				·02			·80				·60	·46	2
3			·03	·20	·26		·03	·25			·04	·18	3
4	·23		·02	·25	·28		·25	·09			·59	·71	4
5	·07		·10	·51	·12		·14	·04			·05	·13	5
6	·03	·09	·08	·10	·06		·14	·05			·03	·27	6
7	·02	·48	·50	·35	·31	·04	·66	·14			·01	·17	7
8	·14	·02	1·03	·05	·02	·44	·23	·05	·12			·06	8
9	·24		·31	·08	·03	·86		·10	·10			·02	9
10	·02	·12	·02	·07	·07				·25			·34	10
11		·10	·28	·02	·09	·26	·33				·09	·28	11
12		·13	·14				·02		·35		·09	·37	12
13		·44	·28				·03		·36	·15	·04	·02	13
14		·45	·44				·01	·14	·02	·15	·22		14
15		·01	·18				·02	·53	·20	·05	·27		15
16			·01				·10		·10		·01		16
17		·20	·14				·05		·05			·70	17
18		·19	·04				·03		·03			·29	18
19		·18	·20				·50		·02		·05	·10	19
20		·40	·11			·07	·01					·15	20
21		·50	·01			·95				·10	·02	·02	21
22		·04			·34	·24		·06		·10			22
23		·08	·20		·07	·02				·25			23
24		·01	·08					·03		·13	·08		24
25	·09		·10		·02			·40		·36	·02	·31	25
26			·02				·27	·09		·10	·29	·39	26
27	·07									·09	·29	·25	27
28	·03	·10	·11		·04					·02	·78	·86	28
29	·31		·25		·07		·05			·08	·21	·02	29
30	·04	×	·03		·01	·10				·24	·45	·55	30
31		×		×	·02	×			×	·21	×	·10	31
Total	1·29	3·54	4·71	1·78	1·81	3·01	5·17	2·87	1·60	2·03	4·28	6·77	YEAR'S TOTAL 38·86
Rain Days.	12	18	26	11	16	10	20	14	11	14	22	25	199

W. 8,000. X. 14. (3·54)

2287

FORM A.
BRITISH RAINFALL.
13 JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at 7 Harley Place. Clifton. Bristol.

in the County of Gloucestershire.

by Miss Hooper.

Lat. 51. 27 Long. ·38 W.

Time of Observation 9. a. m.

Nearest Railway Station Clifton Down

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·12			·15		·02	·18	·15	·34	·04	·28	1
2	·17	·29	·25	·25				·55	·13	·05		·12	2
3	·21	·05	·10	·10	·15		·44	·16		·02		·23	3
4	·03	·04	·02	·01	·08		·96					·94	4
5	·08	·60	·01	·03	·02			·09				·26	5
6	·32	·03		·35			·30					·35	6
7	·43	·33		·10	·03		·48	·04			·01	·22	7
8	·44	·26		·05			·03	·04			·11	·02	8
9	·03	·08		·01				·10			·18	·92	9
10	·28		·12	·05				·17		·01	·02	·05	10
11	·03		·08	·02	·01		·02	·06			·85	·04	11
12	·17	·25	·01	·20	·45			·11		·14	·28	·02	12
13	·03	·49			1·06		·03	·06	·20	·01	·30	·02	13
14	·20						·16	·11	·05	·03		·71	14
15	·31	·62		·03	·07		·15	·26	·07	·01	·10	·04	15
16	·02			·01	·55		·80	·12	·02			·06	16
17		·20	·01		·62		·02	·06				·03	17
18		·21	·03		·02			·03		·02			18
19		·02		·01	·09		·24						19
20	·26	·05		·16			·01			·04		·08	20
21	·02	·24								·12		·09	21
22	·06		·45	·05		·04	·91		·03			·30	22
23			·50				·02		·10	1·40		·58	23
24			·03				·30		·49	·71		·30	24
25			·01	·04		·32	·10			·03		·24	25
26		·13				·08	·30		·03			·42	26
27		·02				·11	·60		·02	·38		·02	27
28			·01			·02			·51	·15			28
29						·22			·06	·02	·05	·04	29
30	·20	X		·01		·15				·30	·21	·20	30
31	·02	X		X		X	·05		X	·91	X	·32	31
Total	3·61	4·03	1·63	1·48	3·30	·94	5·94	2·14	1·86	4·69	2·15	6·90	YEAR'S TOTAL 38·67
Rain Days.	21	19	14	18	13	7	21	16	13	19	11	28	200

W. 8,000. X. 15.

Catherine J. Hooper.

2224

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at 7 Harley Place, Clifton, Bristol

in the County of Gloucester

by Miss Hooper

Lat. 51. 27 Long. ·38 W.
Time of Observation 9. a. m.
Nearest Railway Station Clifton Down.
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 260. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01		·17	·17	·28		·02	·28	·15	·01	1
2	1·13	·05	·03		·07		·01			1·45	·03		2
3	·02	·80			·17	·03			·11	·40	·12		3
4	·43	·15			·28	·76			·20	·26	·33		4
5	·02	·01	·03		·20	·08	·06			·04	·10		5
6	·16	·28	·06		·35	·15	·54			·24	·60		6
7	·05	·24	·09		·10		·01			·16	·34	·18	7
8		·18	·04		·18					·01	·02	·15	8
9			·02		·14	·35	·20			·05	·03	·05	9
10	·01	·50	·05	·11	·05	·02	·04			·15	·02	·04	10
11	·02		·03	·20	·07	·38				·03			11
12	·05	·20	·05	·06	·33		·26	·21		·35			12
13	·01	·65	·20		·02	·01		·73		·06	·02		13
14		·30	·09		·16			·43		·09			14
15	·02	·22	·10	·06	·02			·26		·03			15
16	·04	·	·01	·50	·02		·06	·07		·03			16
17	·09	·18		·03					·38	·49	·05		17
18		·05	·12	·01					·02	·09	·35	·07	18
19	·25		·41	·20							·07		19
20	·30		·58	·02							·10	·56	20
21	·34	·06	·57	·02	·10						·02	·41	21
22	·03		·02	·02	·02	·18		·20		·27	·12	·50	22
23	·03	·34		·09		·04		·10		·11	·12	·21	23
24		·10		·10	1·35	·09		·70		·36	·03	·20	24
25		·60	·31			·01		·09		·06	·29	·05	25
26	·09	·04	·08			·33		·10	·72	·28	·02		26
27	·15	·05	1·00		·17	·15		·01	·20	·40			27
28	·01	·38	·03	·07		·09		1·78	·10	·71		1·18	28
29		·40	·01			·24		·01	·02	·49		·80	29
30		✕						·03		·58		·05	30
31		✕		✕		✕			✕	·08	✕	·03	31
Total	3·31	5·78	3·94	1·49	3·97	3·08	1·46	4·72	1·77	7·55	2·93	4·49	YEAR'S TOTAL 44·49
Rain Days.	22	22	24	14	20	17	9	14	9	28	21	16	216

W. 8,000, VIII. 16

Catherine S. Hooper.

2424

FORM A.
BRITISH RAINFALL.
10 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at 7 Harley Place. Clifton Bristol

in the County of Glo'stershire

by Catherine S. Hooper. (Miss Hooper)

Lat. 51.27 N. Long. ·38 W.

Time of Observation 9. a. m.

Nearest Railway Station Clifton Down

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·31	·50		·08		·80			·04		1
2	·03		·02	·02		·16		·15		·02	·05		2
3	·06			·02			·11			1·68	·02		3
4	·01	·28	·09	·01			·06	·03	·04	·25			4
5	·35		·18	·35		·23			·49	·36	·15		5
6	·02		·55	·01		·02				·07	·33		6
7	·15						·20	·35		·16	·02	·07	7
8	·13		·18	·12		·07	·51	·80	·03	·81	·15	·08	8
9			·04		·11		·02	1·00	·04	·16	·17		9
10	·15		·21	·22				·10	·01	·03	·02	·01	10
11	·03		·37	·29	·04			·20	·34	·13	·01		11
12	·03		·03	·02	·26			·30	·03	·82	·02		12
13			·15	·08	·01	·02		·10	·16	·10		·02	13
14			·16	·06			·01	·15	·04	·06			14
15			·01	·03			·44	·07	·02	·08		·14	15
16	·01	·12		·13			·03			·13	·01	·03	16
17		·04		·17	·26		·36	·10	·32	·23	·02	·04	17
18	·01			·02	·02	·02	·60	·10	·87	·02	·01		18
19		·70	·05			·07			·06		·01		19
20		·15	·04		·28	·10			·08				20
21		·02	·60		·01	·01			·02	·03			21
22		·12	·06			·19		·08		·20			22
23		·15			·09	·01		·40		·03	·04	·03	23
24		·02	·01			·17	·03	·15		·26	·01		24
25		·03	·06					·04		·24			25
26					·10	·10		·66	·25	·22	·06		26
27					·94			·80	·01		·01		27
28			·10		·04	1·18		1·30			·03	·02	28
29			·07			·25	·03	·03		·46	·03	·16	29
30		X	·01				·10	·30		·16	·02		30
31		X	·12	X		X	·01	·09	X	·07	X	·03	31
Total	·99	1·63	3·42	2·05	2·16	2·68	2·57	8·10	2·81	6·78	1·26	·63	YEAR'S TOTAL 35·02
Rain Days.	13	10	23	16	12	16	14	24	17	26	22	11	204

W. 8,000, IX. 17.

68

FORM A.
BRITISH RAINFALL
10 1 19

REGISTER OF RAINFALL IN 1918.

Kept at 7 Harlee Place. Clifton Bristol
in the County of Gloucestershire
by Miss Hooper

Lat. 51·27 Long. ·38
Time of Observation 9 a.m
Nearest Railway Station Clifton Down
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·05		·06	·05			·25	·15	·04	·43	·02	1
2		·05		·11				·46		·03	·02	·36	2
3		·03		·26	·21			·26	·01	·08	·01	·02	3
4		·08	·01	·08				·05	·14	·07	·59	·10	4
5				·03	·25			·31	·10	·32	·02	·02	5
6	·12	·87		·35				·02		·14		·10	6
7	·03	·18		·02	·68			·02	·25	·38	·30		7
8		·07							·42	·19		·08	8
9	·02	·16		·48		·25	·40		·50	·11	·04	·15	9
10	·02	·14		·11			·54		·58	·06		·48	10
11	·05	·27	·06	·02			·16		2·09	·02	·10	·40	11
12		·13	·23		·50		·34		·06			·09	12
13	·10	·01	·02		·12	·04	·04		·32	·03		·85	13
14	·44		·05			·04	1·07		·38	·06		·13	14
15	1·40			·20	·03	·15	·30		·02			·42	15
16	·38		·04	·60		·02	·03	·21	·12	·02		·03	16
17	·41		·04	·10			·02	·09	·07	·03		·17	17
18	·76		·03			·45	·25		1·09	·07		·22	18
19	·04		·14				·27	·02	·16	·03		·05	19
20	·04	·12	·02	·10		·03	·08		1·42	·02			20
21	·05	·08		·01		·01	·20		·71	·02		·10	21
22		·01			·11		·14		·10	·06		·40	22
23	·09				·20	·01	·40		·01				23
24	·01	·16			·01		·38	·27	·14		·04		24
25					·05		·40	·70	·01	·02	·03	·01	25
26		·02		·25			·20	·02	·13	·05	·10	·28	26
27		·03	·03				·63	·30	·30		·10	·08	27
28		·12	·34				·01		·01		·09	·18	28
29			·12						·88		·01	·06	29
30			·39					·02	·04	·06	·10	·10	30
31			·24							·02		·01	31
Total	3·98	2·58	1·76	2·78	2·21	1·30	5·86	3·00	10·21	1·93	1·98	4·91	YEAR'S TOTAL 42.50
Rain Days.	17	19	15	16	11	9	20	15	28	24	15	27	216.

W. 8,000, IX. 17.

Cath: S. Hooper. Jan. 8. 1919.

G+R 1992

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

22 JAN 20

Kept at 7 Harley Place. Clifton
in the County of Gloucester
by Miss Hooper

Lat. 51·27 N Long. ·38 W
Time of Observation 9 a.m
Nearest Railway Station Clifton Down
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·33	·01	·01	·03	·14		·46		·04	·13		·79	1
2	·18		·02		·02		·13		·09		·10	·40	2
3	·73		·25		·04		·02		·09		·08	·76	3
4	·28	·10	·51			·08	·13	·08	·20		·	·10	4
5	·01	·30	·70		·10		·01		·22		·03	·37	5
6	·18	·06	·25						·01		·02	·09	6
7	·12		·40	·08								·10	7
8	·14		·18	·09		·04					·02		8
9	·11		·08	·04							·12		9
10	·01		·41	·01						·09		·20	10
11	·06		·40	·21	·10	·02	·21			·02		·03	11
12	·02		·10	·04		·40	·03			·05	·04	·04	12
13	·06			·33			·03		·03			·07	13
14	·70			·89			·14		·01	·01		·10	14
15	·48	·10		·01			·02			·02		·21	15
16	·20	·92									·16		16
17		·50		·02		·04					·11	·02	17
18	·01	·02	·52		·01		·01	·30			·15	·07	18
19	·30	·19	1·01			·27	1·30	·40	·08		·13	·07	19
20	·33	·75	·30			·13		·22	·04		·01	·15	20
21	·01	·20	·02				·02	·01	·03		·01	·03	21
22		·20				·15	·15		·37		·02	·28	22
23									·07	1·10	·10		23
24				·08		·15			·07	1·24	·25	·75	24
25	·10			·03		·03		·38	·03		·08	·12	25
26	·19		·15	·03		·04		·02	·18		·02	·36	26
27	·17		·04	·22		·02		·56				·03	27
28	·02		·30					·30			·50	·48	28
29	·04			·12				·02		·04		·33	29
30			·01	·20		·36		·20		·03	·25	·40	30
31	·02		·02		·01		·05			·03		·09	31
Total	4·80	3·35	5·68	2·43	·42	1·73	2·71	2·49	1·76	2·76	2·20	6·44	YEAR'S TOTAL 36·77
Days with ·01 in. or more	26	12	21	17	7	13	15	11	16	11	20	27	196
Days with ·04 in.	19	10	16	11	4	10	8	8	11	6	13	23	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Catherine J. Hooper

Feb. 15. 1921.

TELEPHONE 1150. (2 LINES)

WELLINGTON HOTEL,
TUNBRIDGE WELLS.

Dear Sir,

I much regret to find myself - Guilty! - in the matter of all the inaccuracies shown in my copy of my rainfall register. 1 mistake of copying, & of addition. If able to send in a record for 1921. I hope it will be absolutely correct.

Being away from home for a short time, till Feb. 22 I could not reply more speedily to yrs of the 10th as I had to send to Clifton for my register.

With apologies - Yrs truly
Cath: L. Hooker

C. Salter Esq
62 Camden Sq.

[illegible]

SH RAINFALL ORGANIZATION.

FALL IN 1920.

Lat. 51.27 Long. ·38 W.
Time of Observation 9 a.m.
Nearest Railway Station Clifton Down
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5" in.
" " " " Sea Level 260 ft.

at 9 a.m. and the result entered to the previous day.
l rule, he is earnestly requested to add
the space provided for it at the end of
the selection and placing of rain gauges,
ven in "*Rules for Rainfall Observers*,"
sh Rainfall Organization, 62, Camden

Jan. 1, following.

not be entered on this form.

Date								August	Sept.	Oct.	Nov.	Dec.	Date
								in.	in.	in.	in.	in.	
1								·15	·10	·27	·20	·49	1
2								·36	·03	·37	·01	·17	2
3								·03	·01	·29		·04	3
4								·52		·37			4
5								·14		·13			5
6										·10			6
7										·01	·02		7
8								·07		·01			8
9								·18	·02				9
10											·02		10
11													11
12											·08		12
13													13
14	·02	·02	·40	·41		·05			·10	·34	·50	·04	14
15	·04	·12	·02	·18	·09	·07	·02		·12	·52	·25		15
16	·02	·01	·02	·11		·19	·22	·01	·55	·14	·34		16
17	·21			·05	·20	·38	·01	·02	·45	·04	·01	·03	17
18	·18			·25	·05	·02		·33				·02	18
19	·03	·35		·26		·10						·01	19
20	·02	·06		·20		·33	·02		·06			·20	20
21				·03			·03			·02		·03	21
22				·06		·03	·04	·10			·01	·30	22
23				·02			·74	·05				·54	23
24			·20								·07	·13	24
25	·02	·09	·11				·48				·02		25
26	·25	·01	·34			·02	·08				·05	·05	26
27	·31	·02	·04	·10		·64	·03					·18	27
28	·86	·01	·07	·08	·05	·04	·02					·03	28
29	·11	·01	·16	·06	·06	·03	·21				·14	·38	29
30	·05	X	·07	·06		28	·45		·40	5 ·64	·31	·31	30
31	·22	X	·28	X	·03	X			X		X	·28	31 36.89
TOTAL	4.65	1.99	2.67	4.68	1.82	3.40	5.27 ~~3.29~~	1.96 ~~1.88~~	1.84 ~~2.19~~	3.25 3.19	2.13	3.23	YEAR'S TOTAL ~~37.12~~
Days with ·01 in. or more	22	17	21	26	13	17	25	12	10 ~~11~~	14	15	18	210 ~~211~~
Days with ·04 in. or more	16	10	16	22	11	12	17	9	7	11	9	13	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

W ordly obsr.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 7 Harley Place Clifton Bristol
in the County of Glos:
by Miss Hooper

Lat. 51·27 Long. ·38 W.
Time of Observation 9 a.m.
Nearest Railway Station Clifton Down
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·40	·37		·40	·15	·10	·27	·20	·49	1
2	·03		·02	·12			·06	·36	·03	·37	·01	·17	2
3	·04			·08			·63	·03	·01	·29		·04	3
4		·05	·04				·01	·52		·37			4
5			·12	·05	·11		·49	·14		·13			5
6			·21	·03	·30		·86			·10			6
7	·10		·04	·05	·08		·10			·01	·02		7
8		·05	·03	·58	·11		·76	·07		·01			8
9	·54	·55	·04	·84		·08	·03	·18	·02				9
10	1·10	·47	·03	·03		·20	·26				·03		10
11	·19	·02	·13	·36	·36	·01	·07						11
12	·19	·04		·11	·01	·93	·05				·08		12
13	·12	·11	·30	·16									13
14	·02	·02	·40	·41		·05			·10	·34	·50	·04	14
15	·04	·12	·02	·18	·09	·07	·02		·12	·52	·25		15
16	·02	·01	·02	·11		·19	·22	·01	·55	·14	·34		16
17	·21			·05	·20	·38	·01	·02	·45	·04	·01	·03	17
18	·18			·25	·05	·02		·33				·02	18
19	·03	·35		·26		·10						·01	19
20	·02	·06		·20		·33	·02		·06			·20	20
21				·03			·03			·02		·03	21
22				·06		·03	·04	·10			·01	·30	22
23				·02			·74	·05				·54	23
24			·20								·07	·13	24
25	·02	·09	·11				·48				·02		25
26	·25	·01	·34			·02	·08				·05	·05	26
27	·31	·02	·04	·10		·64	·03					·18	27
28	·86	·01	·07	·08	·05	·04	·02					·03	28
29	·11	·01	·16	·06	·06	·03	·21				·14	·38	29
30	·05		·07	·06		·28	·45		·40	5 ·64	·31	·31	30
31	·22		·28		·03							·28	31
TOTAL	4·65	1·99	2·67	4·08	1·82	3·40	5·27 ~~3·39~~	1·96 ~~1·88~~	1·84 ~~2·19~~	3·25 3·19	2·13	3·23	YEAR'S TOTAL 36·89 ~~34·12~~
Days with ·01 in. or more	22	17	21	26	13	17	25	12	10 ~~11~~	14	15	18	210 ~~211~~
Days with ·04 in. or more	16	10	16	22	11	12	17	9	7	11	9	13	153

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Copy

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 7 Harley Place Clifton

in the County of Glos Bristol

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							·40	·15	·10	·27			1
2							·06	·36	·03	37			2
3							·63	·03	·01	29			3
4							·01	·52		37			4
5							·49	·14		·13			5
6							·06			·10			6
7							·10			·01			7
8							·76	·07		·01			8
9						·08	·03	·18	·02				9
10						·20	·26						10
11						·01	·07						11
12						·93	·05						12
13													13
14						·05			·10	·34			14
15						·07	·02		·12	·52			15
16						·19	·22	·01	·55	·14			16
17						·38	·01	·02	45	04			17
18						·02		·33					18
19						·10							19
20						·33	·02		·06				20
21							·03			·02			21
22						03	04	·10					22
23							74	·05					23
24													24
25							·48						25
26						·02	08						26
27						·64	03						27
28						·04	02						28
29						03	21						29
30		X				·28~~35~~	45		·40				30
31		X		X		X			X	·64	X		31
TOTAL						3·40	~~5·29~~	~~1·88~~	~~2·19~~	~~3·19~~			YEAR'S TOTAL
Days with ·01 in. or more		adds to				~~3·37~~	5·27	1·96	1·84	3·25			36·87
Days with ·04 in. or more													

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl/

3/-6

REGIS

11

GLOUCESTER

CLIFTON

"PEMBROKE RD"

1911 - 1917

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Clifton, Pem

in the County of W. Glouce

by R F Sturge

in.

ove Ground ft. in.

, Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.03	.09	.03			.06			.05		1
2				.16	.24			.28		.05	.34	.25	2
3			.05		.43			.03	.01		.14	.13	3
4			.22	.03		.02			.03	.04	.35	.36	4
5	.02		.02	.01				.33		.02	.39	.01	5
6	.30		.13	.01				.13			.13	.38	6
7	.02			.01							.49		7
8	.17		.18								.04	.38	8
9	.21										.13	.25	9
10	.04	.07	.28		.03						.01	.30	10
11	.40	.06	.02		.08						.97	.26	11
12			.70						.03		.70	.11	12
13			.06		.35				.64	.34	.01	.52	13
14		.04										.86	14
15		.05				.04				.02	.31	.32	15
16		.08				.16					.32	.18	16
17		.07		.01		.03					.08	.32	17
18		.58	.08	.22		.23				.04	.02	.34	18
19		.07		.08		.07		.01	.34	.10	.02	.11	19
20	.02	.02	.15	.16		.03			.14	.09		.56	20
21		.20	.15	.01		.01		.06	.01	.38		.30	21
22		.03	.24	.04		1.22				.23		.46	22
23	.01	.27	.32	.02		.13			.09	.08	.03	.26	23
24	.02	.11				.42		.09		.44		.13	24
25		.08	.01	.17		.11		.02	.02			.11	25
26		.07		.31	.05	.02	.07	.06		.30	.10	.26	26
27		.38	.13	.11				.23	.19		.05	.14	27
28		.56		.49		.03		.48			.05	.02	28
29				.06		.52	.01		.10	.27			29
30			.01	.04		.05		.02	.01	.23		.02	30
31							.01			.26			31
Total	1.23	2.74	2.78	2.03	1.21	3.09	.09	1.80	1.61	2.89	4.73	7.34	TOTAL for year 31.54 ✓
No. of Rain Days	11	17	18	19	7	16	3	13	12	16	22	27	181 ✓

9,000, IX. '10.

2/26

REGIS 11

FORM A2.
BRITISH RAINFALL
20 JAN 1912

Kept at Clifton, Pembroke Road

in the County of W. Gloucestershire 5

by R. F. Sturge

RAIN GAUGE	Pattern
	Diameter of top in.
	Height of top above Ground ft. in.
	„ „ „ Sea Level ft.
Time of Observation	
Nearest Railway Station	Name
	Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·09	·03			·06			·05		1
2				·16	·24			·28		·05	·34	·25	2
3			·05		·43			·03	·01		·14	·13	3
4			·22	·03		·02			·03	·04	·35	·36	4
5	·02		·02	·01				·33		·02	·39	·01	5
6	·30		·13	·01				·13			·13	·38	6
7	·02			·01					—		·49		7
8	·17		·18								·04	·38	8
9	·21										·13	·25	9
10	·04	·07	·28		·03						·01	·30	10
11	·40	·06	·02		·08						·97	·26	11
12			·70						·03		·70	·11	12
13			·06		·35				·64	·34	·01	·52	13
14		·04										·86	14
15		·05				·04				·02	·31	·32	15
16		·08				·16					·32	·18	16
17		·07		·01		·03					·08	·32	17
18		·58	·08	·22		·23				·04	·02	·34	18
19		·07		·08		·07		·01	·34	·10	·02	·11	19
20	·02	·02	·15	·16		·03			·14	·09		·56	20
21		·20	·15	·01		·01		·06	·01	·38		·30	21
22		·03	·24	·04		1·22				·23		·46	22
23	·01	·27	·32	·02		·13			·09	·08	·03	·26	23
24	·02	·11				·42		·09		·44		·13	24
25		·08	·01	·17		·11		·02	·02			·11	25
26		·07		·31	·05	·02	·07	·06		·30	·10	·26	26
27		·38	·13	·11				·23	·19		·05	·14	27
28		·56		·49		·03		·48			·05	·02	28
29				·06		·52	·01		·10	·27			29
30			·01	·04		·05		·02	·01	·23		·02	30
31							·01			·26			31
Total	1·23	2·74	2·78	2·03	1·21	3·09	·09	1·80	1·61	2·89	4·73	7·34	TOTAL for year 31·54 ✓
No. of Rain Days	11	17	18	19	7	16	3	13	12	16	22	27	181 ✓

9,000, IX. '10.

DL

2/26

FORM A2.
BRITISH RAINFALL
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Clifton, Pembroke Road

in the County of Gloucestershire 5

by R. F. Sturge

Rain Gauge: Pattern ……
Diameter of top …… in.
Height of top above Ground …… ft. …… in.
„ „ „ Sea Level …… ft.

Time of Observation ……

Nearest Railway Station: Name ……
Distance …… Direction ……

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.15			.38	.17		.02	.68		.24	1
2			.12	.01		.30	.33			.15			2
3			.15	.01		.19	.01	.45	.14		.04	.01	3
4	.26		.58	.01	.17	.34		.19			.18		4
5	.35	.08	.25		.13			.56	.01		.01	.08	5
6	.32	.10	.03		.05		.20	.64			.01	.08	6
7	.03	.16	.11		.19	.43		.20			.01	.03	7
8	.35	.18	.16	.01		.09	.15	.01				.23	8
9	.02	.04	.19	.16		.13	.02	.05			.04	.38	9
10	.06	.07	.04	.01		.08		.03			.13	.05	10
11	.07	.03	.01								.01	.48	11
12	.02	.38	.06	.09	.04	.09	.03					.10	12
13		.01	.03	.01		.01		.09			.01	.39	13
14	.06		.70		.20			.04		.01		.07	14
15	.09	.14	.04	.01	.37	.75		.04				.52	15
16	.61	.01	.25		.02	.02		.20		.17	.04	.05	16
17	.58		.27		.06	.16		.78			.03		17
18	.20	.02	.34					.07		.04	.01	.51	18
19	.05	.09	.03			.12	.22	1.26		.16	.01	.01	19
20	.02	.02	.28		.29		.16	.11		.56			20
21	.02	.07	.15		.76		.03	.30		.19			21
22	.43	.41	.12		.20	.04	.14	.22		.04	.03	.13	22
23	.30	.43	.48			.08	.02	1.16		.19	.05	.39	23
24	.06	.01	.27			.16	.04	.03		.01		.18	24
25			.02			.78		.83		.12	.50	.55	25
26		.04					.15	.38		.44	.91	.26	26
27		.01				.23	1.29			.76	.02	.63	27
28		.16				.28	.76	.70	.05	.44	.40	.87	28
29		.11	.02			.03	.51	.01	.31	.41		.13	29
30			.01			.07	.18		.07	.19		.01	30
31	.02		.21		.03		.48	.03		.01		.19	31
Total	3.92	2.57	5.07	.32	2.51	4.76	4.89	8.38	.60	4.57	2.44	6.57	TOTAL for year 46.60
No. of Rain Days	21	22	28	9	13	22	19	25	6	18	19	27	229

9,000, IX. '10.

82 ✓

2/26

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

[illegible]

Kept at Clifton, Pembroke Road

in the County of Gloucestershire

by R. F. Sturge

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.13	.27	.03	.13				.37		.08	.04	1
2	.03	.18	.02	.03			.02		.04	.08	.18	.04	2
3	.13	.02	.18		.58					.15	.05	.23	3
4	1.14		.20		.20				1.20	.36	.04	.12	4
5	.01	.07			}	.22	.10		.32		.15	.13	5
6	.01	.05	.25		.39 }	.11	.06			.61	.10	.63	6
7	.01	.16	.03		.16	.16	.04			.17	.25	.01	7
8		.15			.26	.06	.01			.16		.03	8
9		.14	.01	.01	.01	.25	.01	.64	.10		.05	.01	9
10	.13		.03	.03	.03	.06	.02	.17	—	.10	.14		10
11	.97	.01	.01	.10	.12			.01		.21	.74	.06	11
12	.04				.12		.01		.05		.24	.03	12
13	.11	.01	.06				.02	.05	.95		.26		13
14	.11	.02	.42	.03				.02		.25	.06	.03	14
15	.15	.05	.42	.73				.03	.03		.07	.05	15
16	.34		.50	.22			.02		.06		.01		16
17	.07	.02		.09			.05		.04		.11		17
18	.21		.17	.21	.02	.03	.01				.06	.01	18
19	.29		.03		.02	.04	.04		.24		.03	.02	19
20	.36		.11	.05						.04	.13		20
21			.08	.05	.24		.14	.02			.36		21
22	.55		.72		.05			.08	.28	.02			22
23	.04					.14		.25	.03		.09	.20	23
24	.17	.01		.03				.02			.01	.01	24
25		.04		.19					.02	.01	.03	.16	25
26		.08		.28				.18	.01			.25	26
27	.05		.07	.40						.08			27
28	.32		.21	.18	.01					.13		.10	28
29	.01		.50	.44				.09		.13	.01	.02	29
30	.53									.34	.07		30
31	.17		.04		.36			.05					31
Total	5.95	1.14	4.33	3.10	2.70	1.07	.55	1.61	3.74	2.84	3.32	2.18	YEAR'S TOTAL 32.53
Rain Days.	25	16	22	18	17	9	14	13	15	16	25 ~~24~~	21	211

W. 7,500, XI. 12

8/

4/.6

FORM A. BRITISH RAINFALL.

23 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Pembroke Road Clifton
in the County of Gloucestershire 5
by R. F. Sturge

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 215 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11		·04	1·61	·85			·04	·01	1
2				·03			·74	·07			·59	·46	2
3			·04	·18	·29		·09	·20			·03	·20	3
4	·24		·04	·26	·36		·25	·08			·63	·74	4
5	·07		·09	·49	·09		·13	·04			·03	·12	5
6	·01	·09	·06	·12	·06		·14	·05			·02	·26	6
7	·01	·49	}	·31	·33	·07	·60	·08			·01	·17	7
8	·15	·01	1·45 }	·08	·03	·45	·33	·11	·06			·04	8
9	·23	·01	·40	·09	·02	}		·09	·10			·01	9
10	·01	·15	·02	·08	·08	·86 }			·33		·01		10
11		·10	·27		·10	·29	·35				·09	·38	11
12		·12	·14			·01			·24		·09	·30	12
13		·47	·25				·03		·32	·15	·05	·36	13
14		·25	·52				·01	·14	·05	·19	·22		14
15	·02	·06	·20				·01	·60	·31	·06	·30		15
16	·01						·10		·09			·01	16
17		·38	·15				·03		·06			·73	17
18		·05	·04				·19		·06			·31	18
19		·16	·16				·46		·01		·06	·11	19
20		·38	·15			·09						·24	20
21		·47	·01			·52				·10	·03		21
22		·03	·02	·01	·40	·23		·07		·11			22
23		·07	·20		·06		·01	·02		·26			23
24			·10				·07	·03		·13	·08	·02	24
25	·09		·10		·05			·40		·36	·02	·34	25
26		·02	·01				·13	·08		·07	·27	·42	26
27	·08									·01	·30	·37	27
28	·03	·15	·11		·05					·06	·65	·91	28
29	·28		·25		·07		·05			·10	·26		29
30	·09		·04		·01					·24	·50	·59	30
31	·01				·02		·27			·22		·07	31
Total	1·33	3·46	4·82	1·76	2·02	2·56	5·60	2·91	1·63	2·06	4·28	7·17	YEAR'S TOTAL 39·60
Rain Days.	15	19	26	11	16	10	21	16	11	14	22	24	205

W.7,000, XI. 13

82

2288

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at 101 Pembroke Road, Clifton
in the County of Gloucestershire
by A. M. Sturge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·12			·15		·01	·26	·07	·45	·03	·27	1
2	·23	·27	·19	·24				·55	·02	·05		·11	2
3	·21	·05	·09	·10	·14		·48	·16		·01		·21	3
4	·03	·03	·01		·09		1·07					·94	4
5	·08	·64	·01	·04	·01			·08				·27	5
6	·34	·04		·27			·33	·05				·40	6
7	·45	·35		·08	·05		·44	·03				·23	7
8	·41	·26		·07			·04	·11			·20		8
9	·04	·07						·15			·19	·97	9
10	·29	·01	·11	·06				·05		·01	·02	·05	10
11	·02		·09	·02			·03	·09			·85	·03	11
12	·19	·27		·24	·47			·05	·01	·15	·29	·02	12
13	·04	·47			1·07		·03	·10	·22		·03	·01	13
14	·21	·01					·14	·25	·04	·03		·72	14
15	·33	·01			·07		·14	·12	·06	·02	·12	·03	15
16		·70			·57		·78	·05				·06	16
17		·21	·01		·34			·01				·02	17
18		·22	·02		·02								18
19	·01	·02			·09		·24						19
20	·25			·21			·01			·03		·09	20
21	·02	·06					·01	·01		·09		·09	21
22	·06	·31	·49	·05		·03	·83		·03			·30	22
23		·01	·30				·18		·10	1·43		·68	23
24			·03	·04			·46		·48	·71		·28	24
25			·01			·37	·11			·03		·24	25
26		·13				·06	·33		·03			·47	26
27		·04				·08	·45			·37		·01	27
28		·10	·01			·03		·01	·55	·12			28
29						·24		·04	·03	·01	·05	·05	29
30	·19	✕				·13				·35	·20	·27	30
31	·01	✕		✕		✕	·07	·14	✕	·89	✕	·36	31
Total	3·73	4·40	1·37	1·42	3·07	·94	6·18	2·31	1·64	4·75	1·98	7·18	YEAR'S TOTAL 38·97
Rain Days.	21	24	13	12	12	7	21	20	12	17	10	27	196

W. 8,000. X. 14.

Dh ✓ 2225 306a

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at 101, Pembroke Road, Clifton

in the County of Gloucestershire

by A. M. Sturge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06					·17	·27		·03	·28	·15		1
2	1·07	·05	·01			·01			·03	1·45	·03		2
3	·06	·81				·03			·10	·40	·13		3
4	·46	·15				·77	·01		·22	·22	·36		4
5	·02	·01	·01			·10				·03	·10		5
6	·16	·29	·02			·19	·55			·34	·57		6
7	·06	·22	·15			·01	·01			·13	·37	·19	7
8		·20	·05							·01	·02	·15	8
9		·01				·36	·25			·04	·01	·05	9
10		·48	·05	·09		·02	·01			·14	·02	·04	10
11	·02	·03	·03	·19		·35				·02			11
12	·06	·19	·05	·04			·25	·01		·30			12
13		·52	·21	·01	—			·20		·04	·01		13
14	·01	·41	·09		from Apr. 14			·92		·09	·01		14
15	·01	·22	·09		3·22			·48		·02			15
16	·04	·05			·03		·06	·24		·05			16
17	·09	·13						·08	·37	·48	·07		17
18	·01	·03	·15						·03	·06	·34		18
19	·22		·39								·13		19
20	·28	·05	·62								·08	·66	20
21	·38	·09	·59		·10							·45	21
22	·01					·19				·26	·12	·54	22
23	·03	·30				·05		·22		·11	·14	·14	23
24		·09			1·24	·08		·11		·35	·02	·20	24
25		·28	·33	—	·01	·01		·75		·05	·30	·04	25
26	·08	·11	·09			·30		·06	·72	·28	·01		26
27	·14	·07	1·09		·18	·21	·01	·09	·20	·39			27
28		·21	·02			·10			·07	·61		1·12	28
29		·39	·03			·39		1·83	·02	·46		·74	29
30		×						·01		·64		·04	30
31		×		×	·01	×		·05	×	·11	×	·03	31
Total	3·27	5·39	4·07		5·12	3·34	1·42	5·05	1·79	7·36	2·99	4·39	YEAR'S TOTAL 44·19
Rain Days.	21	26	20			18	9	14	10	28	21	14	

W. 8,000. X. 15.

81

2125

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at 101 Pembroke Rd, Clifton

in the County of Gloucestershire

by A. M. Sturge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·29										1
2	·02		·02										2
3	·04	·07											3
4		·07	·09										4
5	·31		·18										5
6			·55										6
7	·14												7
8	·19		·18										8
9			·05										9
10	·15		·21										10
11	·03		·42										11
12	·04		·04										12
13			·15										13
14			·19										14
15													15
16	·02	·11											16
17		·02											17
18	·01	·03											18
19	·01	·61	·07										19
20	·01	·14	·03										20
21		·02	·39										21
22		·01	·07										22
23		·14											23
24		·02	·01										24
25		·03	·04										25
26		·01											26
27			·01										27
28			·10										28
29			·07										29
30		×	·03										30
31		×	·13	×		×			×		×		31
Total	·98	1·28	3·32										YEAR'S TOTAL
Rain Days.	13	13	23										

W. 8,000, VIII. 16

B Mate

42

FORM A.
BRITISH RAINFALL
20.11

REGI

GLOUCESTER

DENMARK RD.

1918-19

Kept at Northernhay ... am ... Worcester Grks

in the County of Glost

by Harley B

Gauge 5" in.
Ground 1 ft. 5 in.
Sea Level 80'-5" ft.

IMPORTANT NOTE ... the result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... plication to THE DIRECTOR, British Rai... W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.01	.05	.08	.	-	.05	-	.01	.28	.	1
2	-	.15	-	-	-	.	-	.48	.02	.01	.01	.05	2
3	-	.12	.02	.26	.05	-	-	.04	.31	.01	-	.01	3
4	-	.05	.01	.07	.	.	-	.06	.10	.01	.87	.10	4
5	-	-	-	.01	.21	.	.	.01	.22	.08	.04	-	5
6	.04	.22	-	.06	.	.05	-	-	.05	.14	.	.04	6
7	.01	.18	-	.04	.41	.01	-	-	.07	.05	.24	.01	7
8	.	.16	-	-	-	.	-	-	.01	.10	.	.12	8
9	.01	.16	.	.10	-	.20	.06	.	.30	.13	.	.09	9
10	.03	-	-	.10	.	-	.32	-	.51	.08	.	.10	10
11	.01	-	.02	.02	.	.	.07	-	.03	-	.04	.10	11
12	-	.03	.27	-	.11	.	.09	.	.02	.	-	-	12
13	.	-	-	-	.11	.	.02	-	.13	.05	.	.11	13
14	.38	-	.04	-	.	.06	.11	-	.50	.02	.	.06	14
15	1.20§	.	-	.53	.02	.	.17	-	.	-	.	.29	15
16	.20§	-	.03	.69	.	.06	-	.	.23	.02	.	.03	16
17	.13	.	-	.08	.32	-	.21	.	.08	.05	-	.08	17
18	.58	-	-	-	-	.26	.09	-	.85	.02	.	.44	18
19	.06	.03	.15	.10	.	-	.08	.	.01	.08	-	.06	19
20	.01	.09	-	.31	-	.02	.01	-	.18	.03	-	.01	20
21	.02	-	-	.02	.	-	-	-	.44	.04	.01	-	21
22	.04	-	-	-	.07	-	.04	-	.19	.04	-	.25	22
23	.01	.01	-	-	.31	-	.24	-	-	.01	.01	-	23
24	-	.10	.	-	-	.	.14	.01	.01	-	.07	-	24
25	-	-	-	-	.02	.03	.17	.30	-	.03	.05	.	25
26	-	-	-	.	-	-	.77	.	.03	.02	.04	.08	26
27	-	.01	.03	.	-	.01	.01	.17	09	-	.08	.05	27
28	-	.18	.21	.02	-	-	-	-	-	-	.10	.02	28
29	-		.03	-	-	-	-	-	1.35	.	.	.02	29
30	-	X	.18	.	.	.	-	.	.	.	.09	.07	30
31	-	X	.25	X	.	X	-	.03	X	.01	X	-	31
Total	2.73	1.50	1.25	2.46	1.71	.70	2.60	1.15	5.73	1.04	1.93	2.19	YEAR'S TOTAL 24.99
Rain Days.	15	15	13	16	11	9	17	9	24	23	14	23	=189

W, 6,500, VII 18. W W C

13 Made

42

FORM A.
BRITISH RAINFALL.
20.11

REGI

Kept at Northernhay … Im

in the County of Gloster

by Harley Butt

Nearest Railway Station Cirencester G.W.Ry

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 80'-5" ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.01	.05	.08	.	-	.05	-	.01	.28	.	1
2	-	.15	-	-	-	-	-	.48	.02	.01	.01	.05	2
3	-	.12	.02	.26	.05	-	-	.04	.31	.01	-	.01	3
4	-	.05	.01	.07	.	.	-	.06	.10	.01	.87	.10	4
5	-	-	-	.01	.21	.	.	.01	.22	.08	.04	-	5
6	.04	.22	-	.06	.	.05	-	-	.05	.14	.	.04	6
7	.01	.18	-	.04	.41	.01	-	-	.07	.05	.24	.01	7
8	.	.16	-	-	-	.	-	-	.01	.10	.	.12	8
9	.01	.16	-	.10	-	.20	.06	.	.30	.13	.	.09	9
10	.03	-	-	.10	.	-	.32	-	.51	.08	.	.10	10
11	.01	-	.02	.02	.	.	.07	-	.03	-	.04	.10	11
12	-	.03	.27	-	.11	.	.09	-	.02	.	-	-	12
13	.	-	-	-	.11	.	.02	-	.13	.05	.	.11	13
14	.38	-	.04	-	-	.06	.11	-	.50	.02	-	.06	14
15	1.20§	.	-	.53	.02	.	.17	-	.	-	.	.29	15
16	.20§	-	.03	.69	.	.06	-	-	.23	.02	.	.03	16
17	.13	.	-	.08	.32	-	.21	-	.08	.05	-	.08	17
18	.58	-	-	-	-	.26	.09	-	.85	.02	.	.44	18
19	.06	.03	.15	.10	-	-	.08	-	.01	.08	-	.06	19
20	.01	.09	-	.31	-	.02	.01	-	.18	.03	-	.01	20
21	.02	-	-	.02	.	-	-	-	.44	.04	.01	-	21
22	.04	-	-	-	.07	-	.04	-	.19	.04	-	.25	22
23	.01	.01	-	-	.31	-	.24	-	-	.01	.01	-	23
24	-	.10	-	-	-	-	.14	.01	.01	-	.07	-	24
25	-	-	-	-	.02	.03	.17	.30	-	.03	.05	.	25
26	-	-	-	-	-	-	.77	.	.03	.02	.04	.08	26
27	-	.01	.03	.	-	.01	.01	.17	09	-	.08	.05	27
28	-	.18	.21	.02	-	-	-	-	-	-	.10	.02	28
29	-		.03	-	-	-	-	-	1.35	.	.	.02	29
30	-	X	.18	.	-	.	-	.	.	.	.09	.07	30
31	-	X	.25	X	.	X	-	.03	X	.01	X	-	31
Total	2.73	1.50	1.25	2.46	1.71	.70	2.60	1.15	5.73	1.04	1.93	2.19	YEAR'S TOTAL 24.99
Rain Days.	15	15	13	16	11	9	17	9	24	23	14	23	=189

W. 6,500, VII. 18. W W C

[illegible] 1966

24 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Northernhay Gloster
in the County of Gloster
by Harley Butt

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Gloster
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft 5 in.
" " " " Sea Level 79 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.02	.02	.02	.02	.07	.14	-	.02	.12	-	.50	1
2	.19	-	.01	-	.01	-	.16	-	.41	-	.11	.09	2
3	Snow .90	-	.09	-	.04	.02	-	-	.08	-	.08	.20	3
4	15	.03	.42	-	-	.17	.01	.04	.40	-	-	.10	4
5	-	.22	.28	-	.09	-	-	-	.36	-	.01	.14	5
6	.06	-	.09	-	.22	-	-	-	-	-	.05	.06	6
7	.11	-	.29	.19	.01	-	-	-	-	-	.06	.01	7
8	.08	-	.01	.11	-	-	-	-	-	-	.01	-	8
9	.21	-	.02	.09	-	-	-	-	.01	-	.03	-	9
10	-	-	.49	.02	-	-	-	-	-	.02	-	.19	10
11	.03	-	.41	.01	.04	-	.44	-	-	.07	-	.02	11
12	-	-	.02	-	-	.42	-	-	-	.04	-	.01	12
13	.07	-	-	.18	-	-	-	-	.02	.04	-	.03	13
14	.21	-	-	.23	-	-	.08	-	.03	.01	-	.01	14
15	.48	.03	-	.01	.03	-	-	.01	-	.02	-	.17	15
16	.10	.74	-	-	-	-	-	-	-	-	.06	.01	16
17	-	Snow .62	-	-	.08	.01	.01	-	-	-	.07	-	17
18	.05	-	.40	-	-	-	-	.20	.03	-	.03	.05	18
19	.08	.28	.82	-	-	.16	2.38	.46	.04	-	-	.02	19
20	.21	.03	.21	-	-	.03	.01	.20	.03	-	.01	.02	20
21	.02	.56	.04	-	-	.03	.09	-	.01	-	.01	.08	21
22	-	.14	-	-	-	.01	.07	.01	.23	1.02	-	.09	22
23	-	-	-	-	-	-	-	.01	.01	.82	.09	-	23
24	-	-	-	.03	-	.04	-	-	-	-	.15	.03	24
25	.10	-	-	.01	.04	.01	-	.16	-	-	.01	.05	25
26	.02	-	.11	.10	-	.02	.14	.03	.10	-	-	.24	26
27	.06	-	-	.54	-	-	-	.35	-	-	-	.01	27
28	.03	-	Snow .18	-	-	-	-	.17	-	-	Snow .30	.23	28
29	.03		.01	.07	-	.02	-	.01	-	.17	Snow .70	.16	29
30	-		-	.18	-	.18	-	.31	-	.03	.14	.37	30
31	.01		-		-		-	-		.01		.01	31
TOTAL	3.51	2.67	3.92	1.79	.58	1.19	3.53	1.96	1.78	2.37	1.32	2.90	YEAR'S TOTAL 27.52
Days with ·01 in. or more	23	10	19	15	10	14	11	13	15	12	18	27	187

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Cor for W D 7.IV.12

RE

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

DOWDESWELL
RES.

GLOUCESTER
1911- 1920

Kept at Dowdeswell
near
in the County of Glo
by The Cheltenha

in.
round 1 ft. 0 in.
ea Level 357 ft.
ame Andoversford
istance ~~80 yds.~~ 2 miles. Direction E

IMPORTANT NOTE. … he result entered to the previous day. If an Obse… …sal rule, he is earnestly requested to add the readi… …r in the space provided for it at the end of this … …nt of rain, the selection and placing … …sh Rainfall Organization are given in " … …plication to Dr. H. R. Mill, 62, Camd…

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·26		·03	·01	·01					·01	1
2	·05		·03	·07			·08				·01	·12	2
3	·06			·10	·36			·17	·01	·18	·18	·27	3
4			·18		·30			·01	·02		·03	·02	4
5	·02			·03						·22	·24	·45	5
6	·09		·01					·15			·03		6
7	·35		·11								·05	·92	7
8	·01										·39		8
9	·19		·12							·07	·10	·38	9
10	·16		·03					·01			·05	·23	10
11	·01	·12	·32								·03	·52	11
12	·26										·55		12
13			·70						·18		·33		13
14									·41	·42		·52	14
15			·01									·82	15
16		·01	·05								·17		16
17											·40	·34	17
18						·06					·06	·45	18
19		·21	·02	·03		·27				·01		·39	19
20				·05		·40			·16	·12	·01	[illegible]	20
21	·01	·07	·06						·04	·01		·80	21
22		·10	·01					·31		·50		·07	22
23			·06			·43		·01		·07		·63	23
24		·08	·10						·22	·20		·28	24
25		·07				·40		·10		·38		·11	25
26		·03	·01	·03	·04	·16				·01		·07	26
27		·10		·16	·01	·05		·01		·25	·23	·24	27
28		·21	·18	·06				·40	·50		·04	·08	28
29				·19				·09			·02		29
30						·24	·01		·20	·18	·01		30
31			·01		·13			·06		·04			31
	–	26	–	·03	·01	·01	–	–	–	–	·01	(–)	
Total	1·21	~~1·00~~	~~2·27~~	~~·72~~	~~·87~~	2·02	~~·10~~	1·32	·70	2·66	~~2·93~~	~~[illegible]~~	TOTAL for year 24·62
		1·26	2·01	·75	·85		·09				2·94	3·77	
No. of Rain Days.	11	~~10~~	~~19~~	~~9~~	6	[illegible]	~~3~~	11	9	15	~~20~~	~~23~~	145
		11	18	10			2				21	22	

W. 8,000, X. '11.

Cor^d for W D 7.IV.12

RE

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

Kept at Dowdeswell Reservoir near Cheltenham.

in the County of Gloucester. 3

by The Cheltenham Corporation.

RAIN GAUGE { Diameter of top in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 557 ft.

Time of Observation 9 A.m.

Nearest Railway Station { Name Andoversford
Distance 2 miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·26		·03	·01	·01					·01	1
2	·05		·03	·07			·08				·01	·12	2
3	·06			·10	·36			·17	·01	·18	·18	·27	3
4			·18		·30			·01	·02		·03	·02	4
5	·02			·03						·22	·24	·45	5
6	·09		·01					·15			·03		6
7	·35		·11								·05	·92	7
8	·01										·39		8
9	·19		·12							·07	·10	·30	9
10	·16		·03					·01			·05	·23	10
11	·01	·12	·32								·03	·52	11
12	·26										·55		12
13			·70						·18		·33		13
14									·41	·42		·52	14
15			·01									·82	15
16		·01	·05								·17		16
17											·40	·34	17
18						·06					·06	·45	18
19		·21	·02	·03		·27				·01		·39	19
20				·05		·40			·16	·12	·01	·14	20
21	·01	·07	·06						·04	·01		·80	21
22		·10	·01					·31		·50		·07	22
23			·06			·43		·01		·07		·63	23
24		·08	·10						·22	·20		·28	24
25		·07				·40		·10		·38		·11	25
26		·03	·01	·03	·04	·16				·01		·07	26
27		·10		·16	·01	·05		·01		·25	·23	·24	27
28		·21	·18	·06				·40	·50		·04	·08	28
29				·19				·09			·02		29
30						·24	·01		·20	·18	·01		30
31			·01		·13			·06		·04			31
		·26		·03	·01	·01					·01	(–)	
Total	1·21	~~1·00~~ 1·26	~~2·27~~ 2·01	~~·72~~ ·75	~~·87~~ ·85	2·02	~~·10~~ ·09	1·32	1·74	2·66	~~2·93~~ 2·94	~~7·78~~ 7·77	TOTAL for year [illegible]·62
No. of Rain Days.	11	~~10~~ 11	~~17~~ 18	~~9~~ 10	6	9	~~3~~ 2	11	9	15	~~20~~ 21	~~23~~ 22	145

W. 8,000, X. '11.

wd for W.D. 28.11.13 Eg 38

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

10 JAN

Kept at Dowdeswell Reservoir near Cheltenham

in the County of Gloucester 3

by The Cheltenham Corporation.

Lat. 51° 53' Long. 1° 59'

Time of Observation 9 a.m.

Nearest Railway Station Andoversford G.W.Ry.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level [illegible] ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (·10)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·15	·17		·52	·01	·70	·05	·06	·01		1
2			·02			·64	·27	·01	·03	·21		·11	2
3			·50	·07		·26	·65	·01				·02	3
4	·01		·08		·01	·21	·14	·50			·01	·04	4
5	·06		1·40		·08	·96		·30			·28		5
6	·29	·04	·12		·10	·03		·55			·02	·08	6
7	·27	·17			·02		·01	1·12	·01			·04	7
8		·15	·02		·05	·60	·17	·05				·07	8
9	·43	·15	·47			·40	·25					·10	9
10		·03	·52	·01		·39		·14				·23	10
11		·10				·05	·01	·11	·04		·13		11
12	·24	·10				·03		·09			·07	·54	12
13		·50	·10	·01	·02						·02	·01	13
14	·08	·17					·03	·25		·01		·03	14
15	·09		·45		·06			·06	·01				15
16	·21	·18	·02		·36	·45		·04				·20	16
17	·40		·19		·02			·07		·12	·03		17
18	1·05		·28			·03		·62			·01	·50	18
19	·30	·01	·14					·12		·01		·03	19
20	·06	·10			·01		·44	·21					20
21			·65		·02		·16	·46		·36	·13		21
22	·02	·02	·50		·56			·26		·44			22
23	·46	·10	·20		·26	·05	·64	·15		·09		·04	23
24	·08	·53	·32			·30	·02	·21		·13	·02	·38	24
25	·06					·25	·06	·12				·10	25
26						·75		·65		·50	·35	·33	26
27		·03					·61	1·10		·88	·26	·16	27
28						·15	·20			·35		·35	28
29		·09				·15	·34	·95	·15	·47	·35	·60	29
30						·61	·41		·50	·17		·12	30
31			·19		·05		·10						31
	–	·15	·17	–	·52	·01	·70	·05	·06	·01	–	(·10)	YEAR'S TOTAL
Total	~~4·12~~	~~2·47~~	~~6·35~~	~~·26~~	~~1·62~~	~~6·83~~	~~4·68~~	~~8·15~~	~~·79~~	~~3·80~~	~~1·69~~	~~4·08~~	~~45·44~~
	4·12	2·62	6·37	·09	2·14	6·32	5·27	8·20	·80	3·75	1·68	4·18	45·54
Rain Days.	17	~~17~~ 18	20	~~4~~ 3	~~14~~ 15	20	19	26	7	14	~~14~~ 13	~~22~~ 23	~~194~~ 195

W. 7,500, XI. 12

Cnd for W.D. 26.III.14

FORM A.
BRITISH RAINFALL.
23 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Dowdeswell Reservoir near Cheltenham
in the County of Gloucestershire
by The Cheltenham Corporation.

Lat. 51°·53′ Long. 1°·59′
Time of Observation 9 A.M.
Nearest Railway Station Andoversford. G^t W R^y
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 357. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·05		·07		·14						·03	1
2		·12	·26	·08					1·15		·08		2
3	·03	·14		·17			·05		·15	1·23	·06		3
4	·25		·06		·56							·15	4
5	1·35		·01		·40				·48	·78	·03	·10	5
6	·03		·02			·24	·12		·03	·18			6
7	·12	·02	·13		·31	·20	·55			·22	·05	·44	7
8		·32			·31	·03	·02			·24	·18		8
9		·04			·30	·03				·24			9
10		·19			·12	·02	·03	·14	·30		·03		10
11	·15			·06	·02		·02	·13		·03	·28		11
12	·84			·30	·01					·04	·92		12
13					·25						·68		13
14	·02		·03		·05				·14		·61		14
15	·29		·37	·03			·02	·10		·15			15
16	·15	·11	·39	·55			·01		·06				16
17	·10		·75	·06		·10							17
18		·02	·03	·05			·20		·01		·01		18
19	·10		·27	·12			·07		·12		·03		19
20	·32		·04				·04		·19			·03	20
21	·17		·10	·10		·14			·01	·12	·15		21
22			·25	·10	·12		·03			·03	·42		22
23	·51		·40	·02		·03		·08	·32				23
24						·07		·01				·06	24
25				·09				·05					25
26				·25					·01				26
27		·10		·65				·33		·05		·31	27
28	·02		·11	·27						·02			28
29	·27		·21	·41						·14			29
30	·01		·41	·65						·50		·03	30
31	·27									·45			31
Total	·05 ~~5·10~~ 5·05	~~1·11~~ 1·06	·07 ~~3·84~~ 3·91	~~4·03~~ 3·96	·14 ~~2·45~~ 2·59	~~1·00~~ ·86	1·16	·84	2·97	4·42	·03 ~~3·03~~ 3·56	(—) ~~1·15~~ 1·12	YEAR'S TOTAL ~~31·60~~ 31·50
Rain Days.	20	~~10~~ 9	~~18~~ 19	~~19~~ 18	~~11~~ 12	~~10~~ 9	12	7	13.	16	~~14~~ 15	~~8~~ 7	~~158~~. 157

W.7,000, XI. 13

W.D. within 6.IV.15

cod for W D 9.IV.15 W L McC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Dowdeswell Reservoir near Cheltenham

in the County of Gloucestershire 3

by The Cheltenham Corporation.

Lat. 51°·53 Long. 2·59

Time of Observation 9 am

Nearest Railway Station Andoversford, G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 357 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·17	·15			·02		·28			·05	·52 2	1
2		—		·07			·31	·33			·01	·05 3	2
3							·50	·18			·93	·50 3	3
4		—	·02	·12	·39		·10				·12		4
5	·20			·25	·04		·03	·01			·33	·60	5
6	·01		·08	·21	·25		·57				·57		6
7		·09	·02	·03	·06		·01				·01	·25 5	7
8		·30	·12	·25	·34	·17	·18	·15				·04 4	8
9			·25	·10	·16	·90		·11				·25 5	9
10	·22		·28	·35	·06	1·23		[illegible]	·16				10
11	·06	[illegible]		·15	·03	·03			·29				11
12		[illegible]	·35	·09	·26	·55	·10				·12	·44	12
13		[illegible]	·16				·18		·36		·02	·23	13
14		[illegible]	·41						·18		·04	·38	14
15		[illegible]	·22				·02			·63	·28		15
16	·12	·07	·10					·06	·15		·19	·03	16
17	·13						·04	—	·10		—		17
18		·17	·12						·10	·02		·47	18
19						·27	·12					·41	19
20		·03	·11				1·06	·02			·15	·08	20
21		·31	·23			·05		·15				·48	21
22		·06	·02			·30		·23		·28		·17	22
23		·01		·11	·11	·10		·02		·10			23
24		·07	·18	·16	·16					·10			24
25		·06	·18				·04			·14	·15		25
26	·12		·22					·30		·30	·01	·15	26
27			·12				·06	·02		·08	·16	·48	27
28	·08									·02	·16	·22	28
29			·15		·05					·30	·18	1·00	29
30		╳	·19		·08					·50	·57		30
31	·01	╳	·15	╳		╳			╳	·13	╳	·84	31
	·02	·15	—	—	·02		·28	—	—	·05	·52	—	YEAR'S TOTAL
Total	~~·85~~ ·87	~~2·66~~ 2·81	~~3·[illegible]~~ 3·08	1·89	~~2·79~~ 2·81	~~3·62~~ 3·60	~~3·26~~ 3·54	~~1·62~~ 1·64	1·26	~~2·59~~ 2·64	~~3·92~~ 4·39	~~7·16~~ 6·94	35·27
Rain Days.	~~9~~ 10	16	~~23~~ 22	12	~~13~~ 14	~~10~~ 9	~~15~~ 16	~~14~~ 13	9	~~12~~ 13	19	~~21~~ 20	178

W. 8,000. X. 14.

2266

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

Kept at Dowdeswell Reservoir near Cheltenham
in the County of Gloucestershire.
by The Cheltenham Corporation

Lat. 51° 53' Long. 1° 59'
Time of Observation 9 am
Nearest Railway Station Andoversford.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. three in.
" " " " Sea Level 357. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·47	·11	·03	·13	·15		·20	·03	·09	·17		·08	1
2	·47	·25	·17			·04		2·55		·22		·08	2
3	1·06	·03	·04	·13	·02		·10	·17				·11	3
4	·01						·61	·07				·57	4
5		1·02					·06	·08				·48	5
6	·20	·03					·60	·01				·21	6
7	·06	·75				·45	·26	·07				·20	7
8	·26	·24					·02	·03					8
9	·12	·03		·21				·11			·16	·39	9
10	·12		·04	·02						·03			10
11				·21	·02						·78	·01	11
12	·07	·05		·31	·40			·01		·03	·54	·07	12
13	·02	·85			·61				·01				13
14							·02	1·17	·03	·01		·55	14
15					·09		·01	·02		·03	·04	·18	15
16		1·05			·22		·75	·14				·04	16
17		·34			1·17			·08					17
18		·25	·08		·08								18
19		·02					·12						19
20	·32			·11								·22	20
21	·15	·11					·10			·08		·12	21
22	·11	·12	·24	·12			·23					·22	22
23		·04	·48			·03	·10		·02	·63		·32	23
24			·03				·14		·32	·46		·16	24
25				·03		·90	·05			·01		·40	25
26		·07					·14					·57	26
27		·03					·04			·48		·02	27
28		·05				·01	·42	·01	·35				28
29							·25	·08			·08	·03	29
30	·09	✕				·26	·04			·19	·33	·24	30
31	·03	✕		✕		✕		·08	✕	1·00	✕	·21	31
Total	3·56	5·44	1·11	1·27	2·76	1·69	4·26	4·71	·82	3·34	1·93	5·42	YEAR'S TOTAL 36·31
Rain Days.	16	20	8	9	9	6	21	17	6	13	6	24	155

W. 8,000. X. 15.

Exd CFE

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
13. JAN 1917

Kept at Dowdeswell Reservoir near Cheltenham

in the County of Gloucestershire

by The Cheltenham Corporation.

Lat. 51°·53' Long. 1°·59'

Time of Observation 9 A.M.

Nearest Railway Station Andoversford.

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground one ft. three in.

" " " " Sea Level 357. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16		·03		·05	·03	·25			·04	·23		1
2	·28	·05	·20		·40				·01	·62	·03		2
3		·95			·03				·06	·52	·15		3
4	·41	·07			·43	·16			·13	·02	·76		4
5	·01	·01	·05		·19		·06			·03	·38		5
6	·02	·25	·02		·36	·12	·50			·18	·90		6
7	·03		·28		·06	·06	·08			·10	·38	·16	7
8	·02		·02		·18							·24	8
9			·01		·06	·41					·01		9
10		·50	·03	·08	·01	·25			·03	·08		·01	10
11		·07	·03	·06	·08	·45						·65	11
12	·02	·01		·25	·33		·29			·13			12
13		·33	·02	·02			·02	·15		·01			13
14		·40	·05		·02			·08		·05			14
15		·18	·23	·01	·06		·01	·43					15
16		·01	·01	·13			·13	·40					16
17	·15	·17		·15			·01	·03	·40	·45			17
18			·03					·02	·21	·08	·60	·26	18
19	·07		·16	·28					·02		·26		19
20	·13		·56								·01	·40	20
21	·02		·41				·04					·58	21
22				·03	·24	·01				·13	·01	·68	22
23	·02	·29						·12		·02	·03	·21	23
24		·15			·16	·15		·01		·47		·18	24
25		·43	·26					·47			·21	·07	25
26		·05	·06		·02	·11				·46			26
27	·02	·15	1·00			·18		·26	·16	·53			27
28		·50	15			·02			·20	·10		·17	28
29		·15				·21		1·55		50		·17	29
30		✕				·04				·23		·07	30
31		✕		✕		✕			✕	[illegible]	✕		31
Total	1·36	4·72	3·[illegible]	1·09	2·68.	2·20	1·39	3·52	[illegible]	5·08	3·96	3·79	YEAR'S TOTAL [illegible]·53
Rain Days.	14	20	21	9	17	14	10	11	9	[illegible]	14	14.	175

W. 8,000, VIII. 16

2103

FORM A.
BRITISH RAINFALL.

26 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dowdeswell Reservoir near Cheltenham
in the County of Gloucestershire
by The Cheltenham Corporation

Lat. 51° 53' Long. 1° 59'
Time of Observation 9 am
Nearest Railway Station Andoversford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. three in.
" " " " Sea Level 357. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·18	·12		·12	·01	·96	·22		·10		1
2			·02	·02		·25		·02		·03	·02		2
3	·04			·13				·31		·54	·02		3
4	·50	·18	·25					[illegible]		·56			4
5								·30	·02	·22	·05		5
6			·23	·18		·13				·05	·10		6
7	·20		·01				·15			·47			7
8	·43		·01	·18		·26	·60	·42	·01	·39	·10		8
9			·11	·01	·21			·06		·03	·01	·43	9
10	·25		·28	·31	·10								10
11	·10		·18	·30	·02			·52	·58	·13			11
12	·01		·02	·02	·06			·10		·12	·02		12
13	·02		·08	·01		·01		·11	·05	·05			13
14			·08	·14				·02					14
15	·02							·26		·05		·25	15
16	·05	·05		·13			·09			·04		·38	16
17	·01			·08	·53		·30	·08	·10	·09			17
18	·02					·01	·20		1·29	·01			18
19	·01	·34	·35			·03	·19		·01				19
20		·07	·15		·63	·07			·01		·04		20
21		·04	·20								·15		21
22			·18		·12	·15		·07		·07			22
23		·23				·01		·27		·01		·03	23
24		·03	·01			·07		·18		·15			24
25		·20	·08								·03		25
26					·02			·33			·12		26
27			·02		1·53			1·17					27
28			·03			·53		·10				·01	28
29					·29	·85	·10			·53	·26	·26	29
30	·02	X	·04				·50	·33		·05			30
31		X	·04	X		X		·07	X		X	·02	31
Total	1·68	1·14	2·55	1·63	3·57	2·49	2·14	6·08	2·29	3·62	1·02	1·38.	YEAR'S TOTAL 29·[illegible]3.
Rain Days.	14	8	22	13	10	13.	9	21	9	20	13.	7	159

W. 8,000, IX. 17.

47

FORM A.
BRITISH RAINFALL.

11. 1 19

REGISTER OF RAINFALL IN 1918

Kept at Dowdeswell Reservoir near Cheltenham
in the County of Gloucestershire
by The Cheltenham Corporation.

Lat. 51°.53' Long. 1°.59'
Time of Observation 9 am
Nearest Railway Station Andoversford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. three in.
" " " " Sea Level 357. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·04				·03		·02	·52		1
2		·12						·28			·05	·02	2
3		·10	·01	·01	·12			·18	·30		·03	·01	3
4		·10		·01				·08	·10	·02	1·00	·15	4
5					·20			·08	·18	·03	·11		5
6	·02	·12		·08		·01				·01		·06	6
7	·02	·10		·10	·40				·05	·06		·02	7
8		·11							·01	·03	·30	·05	8
9	·02	·21		·15		·40	·04		·61	·29		·15	9
10	·05			·10			·38		·41	·23		·15	10
11	·01				·01		·01		·15	·05		·10	11
12		·04	·10		·20		·11		·02				12
13		·07			·03		·02		·26	·03		·18	13
14	·36		·10			·09	·31		·51	·12		·10	14
15	·74			·60			·31					·32	15
16	·23			·80			·01		·20	·03		·03	16
17	·16		·01	·10			·18		·02	·05		·07	17
18	·52					·48	·23		·58	·06		·41	18
19	·05		·15	·08			·13		·02	·05		·01	19
20	·02			·35		·05			·26	·03		·05	20
21	·07			·13	·11				·50	·01		·05	21
22	·03	·07			·53		·06		·10	·08		·28	22
23	·02						·18						23
24		·23					·11		·01		·08		24
25						·01	·15	·25		·01			25
26							·53			·03	·03	·10	26
27		·02				·01		·22	·11		·12	·03	27
28		·20	·30								·26		28
29			·01						1·80			·03	29
30		X	·37							·01	·10	·03	30
31		X	·27	X		X			X	·02	X		31
Total	2·32	1·49	1·33	2·55	1·60	1·05	2·76	1·12	6·20	1·27	2·60	2·40	YEAR'S TOTAL 26·69
Rain Days	15	13	10	13	8	7	16	7	21	22	11	23	166

W. 6,500, VII. 18. W W C

1971

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

29 JAN 20

Kept at Dowdeswell Reservoir near Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 53' Long. 1° 59'
Time of Observation 9 am
Nearest Railway Station Andoversford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. three in.
" " " " Sea Level 359. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·02	·04	·02	·01		·30	·01				·64	1
2	·15	·03	·01		·02		·25		·08		·19	·11	2
3	1·02		·10		·01		·02		·21		·14	·30	3
4	·02		·40		·01	·22	·09	·10	·37			·10	4
5	·03	·41	·53		·04				·37			·15	5
6	·05				·40							·02	6
7	·06		·26	·05	·01						·06	·02	7
8	·38		·01	·35									8
9	·36		·03	·16							·02		9
10	·18		·40	·05								·22	10
11			·40	·01	·04		·31						11
12	·02		·20			·54				·40		·10	12
13	·05			·22						·02		·10	13
14	·50			·15			·09			·02		·02	14
15	·18	·02	·02	·17	·09							·39	15
16	·18	·68									·15		16
17	·10	·35									·12		17
18			·53		·16			·22			·02	·04	18
19	·20	·22	1·10			·05	1·21	·38	·18		·01	·02	19
20	·50	·03	·25			·04		·28	·01		·08		20
21	·30	·60	·02				·11					·07	21
22		·30				·01	·10		·12			·15	22
23								·13		·46	·06		23
24				·02		·03				·85	·10	·01	24
25	·10							·30				·07	25
26	·03		·11	·10		·01	·70	·02	·01			·30	26
27	·08			·77				·35				·28	27
28	·03		·20	·01				·70			·24		28
29	·02			·05						·17	·02	·28	29
30		✕				·31	·01	·29		·03	·24	·50	30
31		✕		✕		✕			✕	·02	✕		31
TOTAL	4·90	2·66	4·61	2·13	·79	1·21	3·17	2·78	1·35	1·97	1·45	3·89	YEAR'S TOTAL 30·91
Days with ·01 in. or more	24	10	18	14	10	8	11	11	8	8	14	22	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible]

Stn No 2172

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dowdeswell Reservoir Cheltenham
in the County of Gloucestershire
by The Corporation of Cheltenham

Lat. 51° 53' Long. 1° 50'
Time of Observation 9 a.m.
Nearest Railway Station Andoversford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. [illegible] in.
" " " " Sea Level 351 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·30	·50		·08			·50		·32	1
2	·07		·09	·04			·12	·05	·06	·25		·13	2
3	·34	·09		·24	·02		1·00		·04	·10		·03	3
4			·01	·10				·01		·26			4
5			·20	·18	·07		·25			·56			5
6			·38		·07		·10			·33			6
7				·11			·09						7
8	·04	·16		·34	·01		·25						8
9	·19			·40			·01					·11	9
10	·45	·05	·05	·10		·06	·10				·02		10
11	·35	·04	·10	·20	·33	·18	·05						11
12	[illegible]	·01		·33	·03	·92		·20			·04		12
13	·05	·04	·36	·05									13
14		·01	·85	·33		·10			·01	·03	·04		14
15		·04	·05	·48		·50			·15	·15	·30		15
16				·02	·01	·01	·23		·50				16
17					·15	·10	·04		·18				17
18	·36			·03	·05		·09	·23	·10			·01	18
19	·03	·06		·22		·10		·06				·01	19
20	·03	·44		·21		·30							20
21				·02			·01	·01				·05	21
22				·15				·08				·25	22
23							·60	·01				·25	23
24			·31	·01								·12	24
25		·09	·31				·60	·06					25
26	·25	[illegible]	·44			·10	·26					·12	26
27	·53	·05	·01	·15		·40	·07				·10	·13	27
28	·75		·21	·01	·29		·02						28
29	·23		·08	·06	·01	·08	·01				·10		29
30	·01	✕	·13	·02		·05	·30				·23	·20	30
31	·77	✕		✕		✕			✕	·42	✕	·15	31
TOTAL	3·89	1·08	3·60	4·75	1·54	2·90	5·15	1·20	1·92	2·59	·85	2·50	YEAR'S TOTAL 31·86
Days with ·01 in. or more	14	12	16	25	12	13	21	9	9	9	9	14	162
Days with ·04 in. or more	14	10	14	19	9	12	16	8	6	8	6	11	131

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.
— CLIFTON
DURDHAM DOWN.
"HAMPTON LODGE"
1911-1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

REG 1911

Kept at Hampton Lodge D owdon

top 6 in.

in the County of Bristol above Ground 1 ft. 6 in.

„ Sea Level 310 ft.

by M. H. Dix 9 a.m.

ion { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
no rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·02	·08	·03			·08			·06		1
2				·13	·24			·40		·07	·30	·20	2
3			·04		·44			·01			·16	·14	3
4			·20	·03					·02	·03	·36	·40	4
5	·04		·04					·35		·02	·29		5
6	·21		·11					·08			·12	·33	6
7	·02		·01								·51		7
8	·14		·13								·04	·33	8
9	·13		·01								·13	·27	9
10	·06	·06	·21		·07						·01	·25	10
11	·37				·02						·95	·23	11
12			·72						·03		·57	·17	12
13			·04		·29				·64	·32	·01	·44	13
14		·04								·01		·95	14
15	·01	·05				·03				·01	·29	·16	15
16		·06				·16					·32	·23	16
17	·01	·04				·02					·15	·27	17
18		·57	·06	·21		·32				·03	·01	·31	18
19		·07		·06		·04			·31	·15	·02	·33	19
20	·02	·04	·15	·13					·12	·08		·37	20
21	·01	·18	·15	·01				·03	·01	·37		·27	21
22		·02	·23	·03		·96				·24		·47	22
23	·02	·24	·26	·01		·10			·07	·13	·02	·23	23
24	·01	·10	·01			·42		·13		·42		·14	24
25	·01	·05		·15		·09		·04	·02	·01		·13	25
26		·07		·40	·05	·03	·08	·07		·33	·11	·24	26
27		·48	·12	·04				·31	·18		·07	·13	27
28		·43		·54		·01		·32			·05	·02	28
29				·06		·50	·01		·10	·30	·02		29
30			·01	·03		·03		·01		·26	·01	·02	30
31							·01			·25			31
Total	1·08	2·50	2·52	1·91	1·14	2·71	·10	1·83	1·50	3·03	4·58	7·03	TOTAL for year 29.93
No. of Rain Days	15	16	19	15	7	13	3	12	10	18	24	26	178

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

REG 1911

Kept at Hampton Lodge Durdham Down

in the County of Bristol 5

by M. H. Dix

RAIN GAUGE
Pattern Snowdon
Diameter of top 6 in.
Height of top above Ground 1 ft. 6 in.
„ „ „ Sea Level 310 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
no rain

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·02	·08	·03			·08			·06		1
2				·13	·24			·40		·07	·30	·20	2
3			·04		·44			·01			·16	·14	3
4			·20	·03					·02	·03	·36	·40	4
5	·04		·04					·35		·02	·29		5
6	·21		·11					·08			·12	·33	6
7	·02		·01								·51		7
8	·14		·13								·04	·33	8
9	·13		·01								·13	·27	9
10	·06	·06	·21		·07						·01	·25	10
11	·37				·02						·95	·23	11
12			·72						·03		·57	·17	12
13			·04		·29				·64	·32	·01	·44	13
14		·04								·01		·95	14
15	·01	·05				·03				·01	·29	·16	15
16		·06				·16					·32	·23	16
17	·01	·04				·02					·15	·27	17
18		·57	·06	·21		·32				·03	·01	·31	18
19		·07		·06		·04			·31	·15	·02	·33	19
20	·02	·04	·15	·13					·12	·08		·37	20
21	·01	·18	·15	·01				·03	·01	·37		·27	21
22		·02	·23	·03		·96				·24		·47	22
23	·02	·24	·26	·01		·10			·07	·13	·02	·23	23
24	·01	·10	·01			·42		·13		·42		·14	24
25	·01	·05		·15		·09		·04	·02	·01		·13	25
26		·07		·40	·05	·03	·08	·07		·33	·11	·24	26
27		·48	·12	·04				·31	·18		·07	·13	27
28		·43		·54		·01		·32			·05	·02	28
29				·06		·50	·01		·10	·30	·02		29
30			·01	·03		·03		·01		·26	·01	·02	30
31							·01			·25			31
Total	1·08	2·50	2·52	1·91	1·14	2·71	·10	1·83	1·50	3·03	4·58	7·03	TOTAL for year 29.93
No. of Rain Days	15	16	19	15	7	13	3	12	10	18	24	26	178

9,000, IX. '10.

✓ cord by new stats [illegible] 28-11-13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at Hampton Lodge Durdham Down

in the County of Bristol 5

by M. H. Dix

Lat. 51½ Long. 2½ W.

Time of Observation 9 a.m.

Nearest Railway Station Clifton Down

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 312 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·20			·43	·21	·01	·01	·78		·24	1
2			·12	·02		·33	·35			·01			2
3	·02		·13			·19	·01	·56	·09		·04	·02	3
4	·19		·60		·10	·38		·06			·19		4
5	·41	·11	·16		·19	·02		·72				·09	5
6	·27	·10	·03		·05		·10	·62			·02	·06	6
7	·03	·19	·07		·10	·40		·19			·01	·03	7
8	·39	·18	·16			·10	·15	·01				·24	8
9	·02	·04	·21	·13		·15	·02	·08 ·08			·04	·36	9
10	·05	·07	·02	·01		·10		·02			·07	·06	10
11	·09	·03	·01								·01	·55	11
12	·02	·46	·06	·08	·04	·04	·03	·01				·10	12
13			·03					·05			·01	·44	13
14	·08 ·08		·65		·23	·01		·03		·01		·07	14
15	·10	·20	·03	·01	·30	·68		·04				·46	15
16	·66		·25		·02	·04		·23		·13	·04	·05	16
17	·76		·30		·05	·12		·76			·04	·41	17
18	·14	·02	·34		·01			·07		·04	·02	·10	18
19	·05	·09	·03			·18	·23	1·16		·12		·02	19
20	·02	·02	·26		·28		·11	·20		·56			20
21	·02	·05	·13		·73		·03	·25		·15			21
22	·53	·41	·14		·17	·04	·23	·21		·03	·03	·12	22
23	·33	·38	·44			·04	·04	·76		·19	·05	·35	23
24	·05	·02	·25			·17	·03	·05		·02	·01	·20	24
25	·01		·01			·68		·85		·10	·49	·53	25
26		·05					·15	·35		·52	·78	·25	26
27		·01				·25	1·15			·79	·01	·64	27
28		·10				·20	·70	·70	·04	·42	·35	·85	28
29		·12	·02			·04	·50	·03	·34	·43		·15	29
30						·08	·17		·07	·21		·02	30
31			·20		·02		·47	·02		·01		·24	31
Total	4·24 ✓	2·59	4·85	·25	2·29	4·67	4·68	8·04 ✓	·55	4·52	2·21	6·65	YEAR'S TOTAL 45·54 ✓
Rain Days.	22	20	27	5	14	23	19	27	5	18	18	27	225

W. 7,500, XI. ·12

DL

GLOUCESTER.
~~CLIFTON~~
STOKE BISHOP

1911 – 1920

REG 1911

357

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Stoke B

in the County of W. Glo

by H. L. P. Low

of top .... in.

op above Ground .... ft. .... in.

„ Sea Level .... ft.

ation { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·005		·015	·080	·025			·100			·050		1
2				·210	·230			·340		·050	·290	·210	2
3			·050		·410			·020	·015		·150	·130	3
4	·005		·185		·010					·025	·355	·350	4
5	·120		·040	·025				·290		·020	·345		5
6	·150		·070					·090			·140	·340	6
7	·010										·445		7
8	·160		·155								·035	·350	8
9	·110										·125	·320	9
10	·070	·060	·220		·055							·210	10
11	·320	·045			·010						1·040	·260	11
12			·690						·030		·560	·120 ·210	12
13			·035		·390				·655	·220		·490	13
14		·035										·940	14
15	·010	·050				·040				·015	·290	·160	15
16		·060				·160					·310	·260	16
17		·050	·005			·020					·145	·290	17
18	·010	·570	·065	·210		·345				·040	·010	·270	18
19		·040		·065		·020			·285	·100	·010	·380	19
20	·020	·035	·150	·140					·140	·105		·260	20
21		·170	·140					·035	·015	·330		·250	21
22		·060	·260	·030		·810				·235		·440	22
23		·200	·255			·100			·070	·150	·030	·250	23
24	·015	·105				·380		·180		·400		·140	24
25		·045		·150		·100		·020	·010	·055		·120	25
26		·080		·400	·060	·010	·080	·065		·255	·150	·240	26
27		·520	·130	·015				·360	·180		·035	·120	27
28		·350		·525		·020		·270			·050	·020	28
29				·055		·480			·095	·290			29
30			·010	·010		·020				·270		·015	30
31										·170			31
Total	1·005	2·475	2·475	1·915	1·190	2·505	·080	1·770	1·495	2·730	4·565	6·935	TOTAL for year 29·14
No. of Rain Days	12 ~~11~~	17	17 ~~16~~	13	8	13	1	11	10	17	20	26	163

9,000, IX. '10.

DL ✓

REC 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

357

Kept at Stoke Bishop

in the County of W. Gloucestershire 5

by H. L. P. Lowe

RAIN GAUGE { Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station { Name .....
Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.005		.015	.080	.025			.100			.050		1
2				.210	.230			.340		.050	.290	.210	2
3			.050		.410			.020	.015		.150	.130	3
4	.005		.185		.010					.025	.355	.350	4
5	.120		.040	.025				.290		.020	.345		5
6	.150		.070					.090			.140	.340	6
7	.010										.445		7
8	.160		.155								.035	.350	8
9	.110										.125	.320	9
10	.070	.060	.220		.055							.210	10
11	.320	.045			.010						1.040	.260	11
12			.690						.030		.560	.120 .210	12
13			.035		.390				.655	.220		.490	13
14		.035										.940	14
15	.010	.050				.040				.015	.290	.160	15
16		.060				.160					.310	.260	16
17		.050	.005			.020					.145	.290	17
18	.010	.570	.065	.210		.345				.040	.010	.270	18
19		.040		.065		.020			.285	.100	.010	.380	19
20	.020	.035	.150	.140					.140	.105		.260	20
21		.170	.140					.035	.015	.330		.250	21
22		.060	.260	.030		.810				.235		.440	22
23		.200	.255			.100			.070	.150	.030	.250	23
24	.015	.105				.380		.180		.400		.140	24
25		.045		.150		.100		.020	.010	.055		.120	25
26		.080		.400	.060	.010	.080	.065		.255	.150	.240	26
27		.520	.130	.015				.360	.180		.035	.120	27
28		.350		.525		.020		.270			.050	.020	28
29				.055		.480			.095	.290			29
30			.010	.010		.020				.270		.015	30
31										.170			31
Total	1.005	2.475	2.475	1.915	1.190	2.505	.080	1.770	1.495	2.730	4.565	6.935	TOTAL for year 29.14
No. of Rain Days	12 ~~11~~	17	17 ~~16~~	13	8	13	1	11	10	17	20	26	163

9,000, IX. '10.

82

356

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Stoke Bishop

in the County of Gloucestershire 5

by H. L. P. Lowe

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·010	·160			·400	·220		·010	·790		·250	1
2			·115			·290	·340				·035	·005	2
3	·010		·140	·010		·190	·005	·530	·090	·005	·170		3
4	·195		·580		·145	·335		·040			·020		4
5	·520	·100	·180		·035			·700			·020	·090	5
6	·180	·090	·025		·060		·170	·530				·030	6
7	·025	·180	·100		·100	·450		·130				·230	7
8	·400	·150	·190			·060	·140	·010		·005		·070	8
9	·030	·045	·200	·145		·090		·090			·030	·350	9
10	·110	·050	·010			·200		·025			·070	·040	10
11	·035	·030										·530	11
12	·015	·350	·065	·085	·040	·050	·030	·010				·090	12
13			·020					·070		·010		·450	13
14	·070	·020	·690		·260	·010		·035		·010		·050	14
15	·100	·170	·020	·010	·220	·700		·030				·470	15
16	·730		·290		·010	·050		·250		·130	·025	·050	16
17	·760		·270		·035	·100		·740			·030	·490	17
18	·120	·025	·310					·085		·050	·010	·050	18
19	·035	·075	·015			·160	·230	1·250		·110		·020	19
20	·010	·010	·310		·320		·115	·070		·550			20
21	·015	·130	·080		·700		·020	·255		·130			21
22	·460	·310	·170		·200	·025	·290	·250		·020	·020	·120	22
23	·320	·370	·400			·035		·770		·170	·050	·380	23
24	·060	·010	·230			·160	·040			·030	·010	·290	24
25						·650		·770		·200	·490	·480	25
26		·050					·150	·340		·460	·780	·280	26
27						·250	1·170			·800		·610	27
28		·095				·210	·650	·700	·050	·430	·430	·940	28
29		·100					·480	·030	·300	·460		·090	29
30			·015			·060	·180		·065	·160		·020	30
31	·025		·190		·020		·490	·015		·010		·220	31
Total	4·225	2·370	4·775	·250	2·145	4·475	4·720	7·725	·515	4·530	2·190	6·695	TOTAL for year 44·615
No. of Rain Days.	22	21	25	4	13	21	17	25	5	~~18~~ 19	15	26	213

W. 8,000, X. '11.

DL
referred 6.4.14

Cor. by obsr. 15.IV.14.

REGISTER OF RAINFALL IN 1913

366

FORM A.
BRITISH RAINFALL.

28 JAN 1914

AW DM

Kept at Stoke Bishop

in the County of Gloucestershire

by H. L. P. Lowe

5

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·100	·250	·030	·120				·370		·060	·030	1
2	·020	·200	·020	·030	·300		·010		·030	·100	·160	·040	2
3	·120	·020	·190		·520					·060	·030	·260	3
4	1·250	·010	·180		·140	·015	·010		1·300	·430	·030	·120	4
5	·015	·060	·050		·370	·200	·120		·300		·180	·120	5
6	·010	·070	·200		·060	·110	·070			·640	·080	·630	6
7		·160			·260	·190	·040			·120	·270	·010	7
8		·120	·005		·210	·030	·010	·010		·200	·005	·020	8
9		·130	·005		·030	·240	·010	·820	·090		·050		9
10	·280	·010	·020		·020	·020	·020	·160		·130	·130		10
11	·800	·010			·130			·020		·130	·850	·060	11
12		·010			·110		·020	·005	·030	·010	·340		12
13	·090	·005	·100				·030	·050	·960	·005	·250	·005	13
14	·080	·015	·410	·015				·010	·020	·230	·040	·030	14
15	·190	·040	·450	·830				·030	·010		·070	·020	15
16	·320		·490	·010			·010		·080	·005	·010		16
17	·120	·020	·010	·100			·030		·040		·060		17
18	·150		·100	·230	·010	·020					·050	·005	18
19	·290		·025		·010	·040	030		·270		·010	·030	19
20	·440		·100	·050						·070	·200		20
21		·005	·050	·050	·240		·150	·020			·250		21
22	·530		·690		·030	·080		·060	·250	·020	·020		22
23	·050					·030		·270	·020		·090	·190	23
24	·120	·010		·030		·010		·010		·005	·010		24
25		·100		·210					·010	·005	·020	·160	25
26		·020		·290				·140	·010		·005	·200	26
27	·090		·110	·370	·010					·070	·010	·020	27
28	·300		·050	·160						·130	·005	·090	28
29			·510	·450				·110		·120	·005	·020	29
30	·470				—					·360	·050	—	30
31	·150		·040		·280			·050			~~·005~~		31
Total	5·885	1·115	4·055	2·855	2·850 ~~2·780~~	·985	·560	1·765	3·790	2·840	3·340	2·060	YEAR'S TOTAL 32·100
Rain Days.	22	19 18	22 24	15	18	12	14	15 14	16	18 16	28 26	19 18	218

218

W. 7,500, XI. '12

DL

351

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Stoke Bishop

in the County of Gloucestershire 5

by H. L. P. Lowe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·010			·090		·030	1·270	·830			·030	·020	1
2				·005	·010	·005	·850	·010			·520	·450	2
3	·005		·030	·150	·350		·010	·080			·030	·150	3
4	·260		·030	·350	·470		·240	·070			·610	·910	4
5	·030		·070	·450	·080		·120	·020			·040	·140	5
6	·020	·110	·090	·170	·100	·010	·080	·060			·020	·240	6
7	·020	·510	·550	·280	·350	·110	·450	·130			·010	·140	7
8	·110		·880	·020	·030	·470	·200	·050	·050			·050	8
9	·220	·010	·390	·080	·020	·830		·110	·130			·010	9
10	·005	·130	·020	·080	·060				·290		·005	·020	10
11		·090	·250	·005	·110	·280	·360				·050	·440	11
12		·160	·120				·005		·180		·070	·300	12
13	·005	·510	·480				·030		·280	·160	·030	·350	13
14		·350	·420					·130	·010	·150	·250	·010	14
15	·010		·170				·010	·660	·400	·050	·260		15
16		·005					·110		·120			·005	16
17		·390	·160				·040		·030			·700	17
18	·005	·030	·080				·160		·050			·320	18
19		·150	·210				·460		·010			·080	19
20		·390	·140			·140						·180	20
21		·460	·010			·120				·100	·060	·020	21
22		·010	·010		·280	·150		·040	·005	·110			22
23		·080	·200		·060				·005	·280		·020	23
24			·070				·080	·030		·100	·070	·040	24
25	·090	·010	·110					·400		·330	·010	·380	25
26	·010	·020					·100	·060		·060	·280	·420	26
27	·060									·050	·380	·300	27
28	·030	·170	·100		·040					·005	·520	·920	28
29	·370		·310		·070		·050			·100	·220	·010	29
30	·030		·030		·010	·070				·250	·580	·520	30
31	·010				·010		·350			·240		·140	31
Total	1·300	3·585	4·930	1·680	2·050	2·215	4·975	2·680	1·560	1·985	4·045	7·285	YEAR'S TOTAL 38·290
Rain Days.	17 15	19 18	25	10 9	16	10	20 ~~19~~	15	12 11	13	21	28	~~208~~ 206

W.7,000, XI. 13

2290 343

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Stoke Bishop
in the County of Gloucestershire
by H. L. P. Lowe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·290	·130	·180		·140			·250	·060	·420		·250	1
2	·250	·270	·040	·240				·610		·020		·110	2
3	·180	·050		·060	·140		·300	·080				·300	3
4	·020	·030			·080		1·000					·800	4
5	·110	·610		·060				·060				·300	5
6	·370	·030		·250			·300	·050				·410	6
7	·410	·350		·050	·400		·430					·200	7
8	·430	·260		·060			·020	·110			·150	·050	8
9	·020	·080						·120			·150	·930	9
10	·280	·005		·050				·050		·010	·020	·060	10
11	·020		·060	·005			·050	·030			·970	·030	11
12	·170	·280		·255	·140			·050		·170	·270		12
13	·030	·450			1·010		·015	·050	·250			·030	13
14	·190						·125	·210	·030	·020		·670	14
15	·360	·020		·020	·070		·260	·120	·050		·120	·010	15
16		·735			·600		·650	·070				·090	16
17		·230	·005		·290					·010		·010	17
18		·270	·015										18
19		·010			·090		·250						19
20	·200	·010		·110						·060		·100	20
21	·010	·050								·070		·060	21
22	·070	·240	·550	·040		·030	·960		·030			·260	22
23		·005	·225				·020		·050	1·580		·570	23
24			·020	·040			·570		·440	·680		·420	24
25						·400	·570			·020		·145	25
26	·010	·150				·050	·320		·010			·460	26
27		·040				·100	·260		·010	·350			27
28		·100	·005					·030	·540	·080			28
29		×				·370		·010		·030	·070	·040	29
30	·180	×				·170				·360	·180	·240	30
31		×		×		×	·070	·100	×	·900	×	·380	31
Total	3·600	4·405	1·100	1·240	2·960	1·120	6·170	2·00	1·470	4·780	1·930	6·925	YEAR'S TOTAL 37·700
Rain Days.	20	22	8	12	10	6	18	17	10	16	8	26	17[illegible]

W. 8,000. X. 14.

DL ✓

REGISTER OF RAINFALL IN 1916

Kept at Stoke Bishop
in the County of Gloucestershire
by H. L. P. Lowe

Lat. ………… Long. …………
Time of Observation …………
Nearest Railway Station …………
Diameter of Funnel of Rain Gauge ………… in.
Height of top of Gauge above Ground ………… ft. ………… in.
" " " " Sea Level ………… ft.

FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·240				·150	·160	·340		·020	·710	·070		1
2	·920	·040	·020		·060				·030	1·100	·070		2
3		·890	—		·290	·020			·070	·410	·110		3
4	·540	·120			·180	·840			·200	·240	·420		4
5	·010		·015		·220	·110				·020	·080		5
6	·105	·280	·040		·360	·160	·670			·240	·590		6
7	·015	·250	·130		·060					·050	·360	·220	7
8		·170			·220							·170	8
9					·120	·470	·350			·020	·020	·080	9
10		·510	·010	·070	·030	—		—		·120	—	·060	10
11	·010		·065	·170	·060	·420				·015			11
12	·020	·160	·040	·015	·450		·230			·270			12
13	—	·590	·200					·280		·030			13
14		·340	·090		·100			·720		·070			14
15	·010	·210	·090	·100				·330		·010			15
16	·050	·020		·330	·020		·060	·200		·050	—		16
17	·095	·120		·030				·090	·300	·470	·080		17
18		·010	·160						·010	·020	·310		18
19	·270		·380	·190							·090	·060	19
20	·275	·080	·670								·070	·970	20
21	·380	·070	·555	·010	·110								21
22				·010		·180				·250	·110	·670	22
23	·025	·390		·160		·040		·230		·070	·140	·020	23
24				·040	1·350	·040		·130		·370	·020	·220	24
25		·420	·360					·780		·110	·270		25
26	·050	·140	·060			·310		·030	·690	·310		·030	26
27	·120	·030	1·090		·150	·240	·015	·160	·210	·570		·020	27
28		·210				·130			·060	·580		1·030	28
29		·360	·010			·410		1·810	·020	·440		·670	29
30		×								·590		·020	30
31		×		×		×		·035	×	·220	×	·020	31
Total	3·135	5·410	3·985	1·125	3·930	3·530	1·665	4·795	1·610	7·355	2·810	4·260	YEAR'S TOTAL 43·610
Rain Days.	17	22	18	11	17	14	6	12	10	27	16	15	185

W. 8,000. X. 15.

8L

2127
2/26

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Stoke Bishop, Clifton
in the County of Gloucestershire
by H. L. P. Lowe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·01	·25	·48		·100		·830	·090		·04		1
2			·02			·180		·090			·03		2
3	·03						·12	·020		1·76			3
4		·25	·11				·06	·020	·020	·14			4
5	·27		·17	·38		·240			·490	·31	·16		5
6			·53			·020				·08	·34	·01	6
7	·15						·19	·340		·09	·01	·08	7
8	·17		·22	·12		·070	·44	·700	·030	·63	·12	·07	8
9			·04		·100			·610	·080	·12	·17		9
10	·21		·24	·20				·230	·010	·02		·01	10
11	·05		·42	·29	·040			·070	·460	·10			11
12			·02		·300	·100		·170	·010	·72	·01	·01	12
13			·16	·10		·040		·190	·120	·11			13
14			·20	·02			·01	·130		·10			14
15				·03			·12	·080	·010	·10		·17	15
16	·02	·10		·14	·040					·09		·07	16
17				·14	·250		·32	·070	·290	·26	·02		17
18	·01	·04			·0057	·020	·52	·050	·890				18
19		·63	·05			·060			·020				19
20		·10	·02		·340	·110			·030				20
21		·02	·32							·02			21
22			·07			·120		·070		·15			22
23		·11			·090			·640			·01	·04	23
24		·01	·01			·190	·04	·160		·25			24
25		·04	·03					·020		·18			25
26					·120			·730	·250	·06	·04		26
27					·950	·100		·910					27
28			·11			1·280		·650				·02	28
29			·07			·150	·03	·030		·44	·01	·18	29
30		X	·04				·11	·300		·13	·02		30
31		X	·12	X		X		·190	X	·06	X	·02	31
Total	·91	1·31	3·22	1·90	2·235	2·780	1·96	7·30	2·800	5·92	·98	·68	YEAR'S TOTAL 31·995
Rain Days.	8	10	22	10	9 10	15	11	25	15	23	13	11	173 172

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

23·1·19

REGISTER OF RAINFALL IN 1918

Kept at Stoke Bishop

in the County of Gloucestershire

by H. L. P. Lowe

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·060		·06	·050			·320		·050	·480		1
2		·040		·07				·400		·010	·020	·380	2
3	·020	·030		·26	·250			·300	·190	·070	·030		3
4		·060		·05				·020	·020	·070	·690	·120	4
5				·06	·23			·270	·250	·370	·020	·020	5
6	·140	·800		·20					·130	·230		·110	6
7		·240			·67				·350	·400	·280		7
8		·070					·020		·480	·160		·050	8
9		·170		·49		·320	·430		·580	·080	·020	·270	9
10	·010	·120		·13			·570		1·150	·050		·380	10
11	·040	·120	·020				·100		2·020		·100	·260	11
12		·160	·20		·33		·070		·020			·030	12
13	·150					·020	·040		·420	·060		·760	13
14	·400		·06			·040	1·020		·250	·040		·120	14
15	1·320			·24	·05	·060	·290		·020			·430	15
16	·240		·06	·54		·010		·180	·160	·010		·020	16
17	·350			·09			·250	·040	·030	·030		·170	17
18	·780		·03			·720	·130	·020	·980	·080		·180	18
19	·040		·15				·040		·070	·020		·060	19
20		·120		·13		·040	·490		1·060	·020			20
21	·050	·060					·100		·750	·070		·110	21
22					·22		·580		·070	·030		·320	22
23	·090				·18		·110						23
24		·180					·280	·140	·110		·050		24
25					·10		·410	·600		·060	·040		25
26				·06			·610	·020	·150	·040	·080	·240	26
27			·06					·250	·340		·080	·070	27
28		·090	·34						·020		·060	·110	28
29			·18						·970	·010		·110	29
30		✕	·36						·020	·070	·100	·070	30
31		✕	·33	✕		✕		·010	✕	·010	✕		31
Total	3·630	2·320	1·79	2·38	2·08	1·21	5·540	2·570	10·610	2·040	2·050	4·390	YEAR'S TOTAL 40·61
Rain Days.	13	15	11	13	~~11~~ 9	7	18	13	26	24	14	23	186

W. 8,000, VIII. 16

8h 1994

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Stoke Bishop

in the County of Gloucestershire

by H. L. P. Lowe

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40		·03		·10		·40		·03	·10		·79	1
2	·22		·05		·04		·13		·07		·09	·44	2
3	·64		·28		·02	·01			·07		·06	·49	3
4	·25	·08	·57			·06	·25	·07	·20			·22	4
5		·42	·66		·08				·42		·03	·27	5
6	·23	·05	·27									·09	6
7	·11		·39	·07								·06	7
8	·17		·15	·10		·02							8
9	·15		·03	·06							·13		9
10			·55							·08	·01	·18	10
11	·05		·35	·18	·08	·01	·23			·02		·02	11
12	·02		·13	·03		·36				·04	·03	·05	12
13	·18			·31			·02		·03			·07	13
14	·64	·10		·76			·13					·12	14
15	·31	·02								·03		·20	15
16	·18	·90									·16		16
17		·37		·01	·02	·06					·09	·02	17
18	·05		·64				·08	·53			·13	·07	18
19	·54	·22	·89			·26	1·41	·60	·07		·07	·07	19
20	·14	·17	·26			·11		·05	·04			·12	20
21		·84					·11		·02		·02	·02	21
22		·10				·02	·04		·51			·22	22
23										1·35	·10		23
24				·12		·16			·05	1·18	·23	·52	24
25	·22			·01				·40	·02		·04	·10	25
26	·11		·10	·13		·04		·05	·08			·38	26
27	·07		·04	·15				·87				·03	27
28	·02		·28								·54	·48	28
29	·03			·11				·02		·04	·04	·42	29
30		X		·18		·35		·27		·02	·22	·44	30
31	·01	X	·03	X		X	·04		X	·02	X	·10	31
Total	~~4·75~~ 4·74	3·27	5·70	~~2·21~~ 2·22	·34	1·46	2·84	2·86	1·61	2·88	1·99	5·99	YEAR'S TOTAL 35·90
Rain Days.	23	11	19	14	6	12	11	9	13	10	17	27	172

W. 8,000, IX. 17.

2/319

Entd

1906

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Stoke Bishop
in the County of Gloucestershire
by H. L. P. Lowe

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·44	·42		·36	·11	·12	·06	·20	·57	1
2	·05		·04	·13			·06	·28	·04	·21		·20	2
3		·08		·10			·68		·01	·28		·04	3
4			·02	·05				·57		·48			4
5			·13	·02	·13		·58	·02		·23			5
6			·14		·29		·03			·02			6
7	·13		·04	·03	·10		·16				·02		7
8	·53	·04		·61	·07		·73	·24		·01			8
9	1·28	·57	·02	·65		·10	·04	·21	·01				9
10	·10	·30	·06	·05		·24	·24						10
11	·18		·12	·38	·37		·08						11
12	·09	·09		·09		·90	·03				·08		12
13	·02	·07	·33	·19								·03	13
14	·04	·03	·46	·34		·03	·02		·15	·375	·70		14
15		·12	·01	·17	·11	·08			·04	·45	·28		15
16				·06		·22	·26	·01	·65	·17	·28		16
17	·15			·05	·26	·44	·01	·12	·54	·05		·01	17
18	·20			·28	·06			·25	·32			·02	18
19		·38		·24		·12					·01		19
20	·02	·04		·17		·24	·03		·03			·21	20
21				·03			·04			·01		·02	21
22	·02			·08			·08	·14				·33	22
23							·68	·02				·56	23
24		·01	·24				·01				·08	·12	24
25	·03	·12	·15				·45	·01					25
26	·30	·01	·35				·06				·06	·04	26
27	·35		·04	·08		·63	·01					·22	27
28	·85		·08	·06	·04	·07	·01					·02	28
29	·09		·15	·03	·04	·02	·38				·12	·42	29
30	·05	✕	·10	·07		·34	·13		·60		·36	·43	30
31	·24	✕	·29	✕	·02	✕			✕	·66	✕	·23	31
TOTAL	4·72	1·86	2·77	4·40	1·91	3·43	5·16	1·98	2·51	~~3·00~~ 3·005	2·19	3·47	YEAR'S TOTAL 37·405 950
Days with ·01 in. or more	20	13	19	25	12	13	25	12	11	13	11	17	191
	16	10	16	21	11	11	17	8	8	10	9	12	149

(44238). Wt. 11,958—218. 7500. 10/19. Gp.132. A.&E.W.

22

FORM A.
BRITISH RAINFALL.

6. 1. 19

2146

DURSLEY, THE MANOR
1918 - 1919

REGI

Kept at Durs

am

in the County of Glo

ursley

ge 5 in.

by E. Fryer-Smith Esq.

Height of top of Gauge above Ground 1 ft. ' in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·09			·06			·12		·05	·43		1
2	~~·06~~	·19	—	·08				·35		·03	·02	·24	2
3	—	·08	·02	·22	·09			·40	·27	·10	·05		3
4	—	·07						·04	·07	·33	·88	·14	4
5	·11							·10	·53		·07	·04	5
6		·34		·18	·70				·07	·15		·14	6
7		·09							·27	·25	·30		7
8		·07					·14		·15	·15		·19	8
9	·04	·20		·20		·20	·05		·73	·12	·03	·23	9
10				·29			·47		·27		·10	·25	10
11							·11	—	·27			·13	11
12			·45		·18		·04		·07				12
13	·07						·03		·31	·12		·33	13
14	·47					·10	·61		·49	·06		·13	14
15				·44			·23		·02	·04		·31	15
16	·20		·04	·46			~~·41~~	·17	·13			·02	16
17	·95			·28			·41 ~~·09~~		·02	·05		·12	17
18	·84	·17	·02			·55	·09		·97			·33	18
19	·07	·11	·12	·06			·08		·02	·05		·04	19
20				·16		·08	·16		·33	·03			20
21				·04		·03			·63	·02			21
22	·05				·13		·22		·10	·04		·34	22
23	·08				·13		·23		·05				23
24		·17					·60	·03	·07		·08		24
25							·36	·45		·05			25
26							·49		·10	·03	·15	·16	26
27		·05	·23					·27	·23		·11	·03	27
28		·21		·03							·15	·04	28
29			·14						1·46			·03	29
30		X	·38							·08	·07	·07	30
31		X	·28	X		X			X		X		31
Total	2·92	1·84	1·68	2·44	1·29	·96	4·32	1·93	7·63	1·7~~7~~5	2·44	3·31	YEAR'S TOTAL 32·53
Rain Days.	11	13	9	12	6	5	17	9	25	19	13	21	160

1·75

32·51

W. 8,000, IX. 17.

B. Made

22

FORM A.
BRITISH RAINFALL.

8 . 1 .

REGI

Kept at Dursley

in the County of Gloucester

by E. Fryer-Smith Esqr.

Time of Observation 9-30 AM
Nearest Railway Station Dursley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ' in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·09			·06			·12		·05	·43		1
2	~~[illegible]6~~	·19		·08				·35		·03	·02	·24	2
3		·08	·02	·22	·09			·40	·27	·10	·05		3
4		·07						·04	·07	·33	·88	·14	4
5	·11							·10	·53		·07	·04	5
6		·34		·18	·70				·07	·15		·14	6
7		·09							·27	·25	·30		7
8		·07					·14		·15	·15		·19	8
9	·04	·20		·20		·20	·05		·73	·12	·03	·23	9
10				·29			·47		·27		·10	·25	10
11							·11		·27			·13	11
12			·45		·18		·04		·07				12
13	·07						·03		·31	·12		·33	13
14	·47					·10	·61		·49	·06		·13	14
15				·44			·23		·02	·04		·31	15
16	·20		·04	·46			~~·41~~	·17	·13			·02	16
17	·95			·28			·41 ~~·09~~		·02	·05		·12	17
18	·84	·17	·02			·55	·09		·97			·33	18
19	·07	·11	·12	·06			·08		·02	·05		·04	19
20				·16		·08	·16		·33	·03			20
21				·04		·03			·63	·02			21
22	·05				·13		·22		·10	·04		·34	22
23	·08				·13		·23		·05				23
24		·17					·60	·03	·07		·08		24
25							·36	·45		·05			25
26							·49		·10	·03	·15	·16	26
27		·05	·23					·27	·23		·11	·03	27
28		·21		·03							·15	·04	28
29			·14						1·46			·03	29
30		×	·38							·08	·07	·07	30
31		×	·28	×		×			×		×		31
Total	2·92	1·84	1·68	2·44	1·29	·96	4·32	1·93	7·63	1·7~~7~~5	2·44	3·31	YEAR'S TOTAL 32·5~~3~~1
Rain Days.	11	13	9	12	6	5	17	9	25	19	13	21	160

1·75

32·51

W. 8,000, IX. 17.

cordf'd auth [illegible]

1947

29 MAR 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dursley
in the County of Gloucestershire
by E. Fryer Smith

Lat. Long.
Time of Observation 9.30 A.M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36		·03		·03		·25		·03	·11		·60	1
2	·19		·03				·20		·19			·18	2
3	·32		·29		·02	·05	·07		·10		·23	·30	3
4	·16	·12	·54			·13		·08	·33			·21	4
5	·35	·24	·60		·05		·10		·43		·05	·18	5
6	·36	·03	·15		·03						·03	·07	6
7	·21		·20			·06						·07	7
8	·15		·10	·16									8
9	·02		·05	·27									9
10	·03		·40	·03						·06		·13	10
11			·45	·08	·06		·47					·03	11
12	·18		·21	·07		·53			·02			·02	12
13	·54			·36					·03			·13	13
14	·33			·25			·07		·02			·04	14
15	·10	·07		·03						·02			15
16		·81									·28		16
17	·02	·28				·03					·19	·02	17
18	·22	·57	·57					·57	·02		·07	·07	18
19	·33	·35	·95			·22	1·91	·48	·09			·04	19
20		·15	·81			·06		·15			·07	·04	20
21		·82				·03	·19	·05	·03		·03	·08	21
22						·02			·21		·18	·09	22
23						·07	·02	·02		1·01			23
24	·15			·04				·02	·03	·82	·18	·25	24
25					·04			·26					25
26		·02	·12	·02				·10	·25			·37	26
27				·54				·43				·04	27
28	·16		·32					·23				·30	28
29				·16						·16		·47	29
30								·43		·03	·76	·39	30
31			·02	~~·18~~		~~·23~~	·04					·03	31
TOTAL	4·18	3·46	5·84	2·19 ~~2·21~~	·23	1·43	3·32 ~~3·55~~	2·82 ~~2·92~~	1·78	2·21 ~~1·31~~	2·07	4·15	YEAR'S TOTAL 33·68 ~~33·13~~
Days with ·01 in. or more	19	11	18	13	6	11	10	12	14	7	11	25	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FAIRFORD
DUNFIELD

GLOUCESTER
1911 - 1920

∫

REC

Kept at Dunfield

in the County of Glou

by A T Iles

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

in.

round 1 ft. in.

ea Level ft.

me

Name Fairford

Distance 3½ Direction NE

IMPORTANT NOTE … he result entered to the previous day. If an Obs… rsal rule, he is earnestly requested to add the readi… r in the space provided for it at the end of this … ent of rain, the selection and placing … ish Rainfall Organization are given in … pplication to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05			20				01			02	02	1
2	02		02	05	27			05		05	16	11	2
3	01			01	20			13			05	03	3
4	01	01	11	03		06			02	06	13	30	4
5	01			01				54			03		5
6	30		06	01						07		48	6
7										06	41		7
8	13		10									33	8
9	13		03								02	10	9
10		09	14								6	27	10
11	25		04		07						63	01	11
12			55						02		62		12
13			05		11				33	05	02	47	13
14		03									01	36	14
15		01	02								15	01	15
16			01			10					47	14	16
17		01	01			06					03	35	17
18		31	02		08	05					03	30	18
19				03		52			26	05	03	05	19
20				03		02			10	25		40	20
21		18	10							11		06	21
22						05		09		27		56	22
23		13	30			18			06			15	23
24		07	01			35		05		53		14	24
25		07	03	03	04	04			04			02	25
26		02		15		13				37	06	19	26
27		30	12	08				05	25		16	13	27
28		38		46	01			26			04		28
29		×		02		30			13	20			29
30		×	01	03	25	01		06		17		01	30
31		×		×		×			×	02	×		31
Total	91	161	173	114	103	187	0	124	121	226	313	4·98	TOTAL for year 21,11
No. of Rain Days.	9	10	19	14	8	13	0	9	9	14	20	25	

W. 8,000, X. '11.

RE

Kept at Dunfield

in the County of Gloucester

by A T Iles

7

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground 1 ft. in.
" " " Sea Level ft.

Time of Observation 6 a m

Nearest Railway Station
Name Fairford
Distance 3½ Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	05			20				01			02	02	1
2	02		02	05	27			05		05	16	11	2
3	01			01	20			13			05	03	3
4	01	01	11	03		06			02	06	13	30	4
5	01			01				54			03		5
6	30		04	01						07		48	6
7										06	41		7
8	13		10									33	8
9	13		03								02	10	9
10		09	14								6	27	10
11	25		04		07						63	01	11
12			55						02		62		12
13			05		11				33	05	02	47	13
14		03									01	36	14
15		01	02								15	01	15
16			01			10					47	14	16
17		01	01			06					03	35	17
18		31	02		08	05					03	30	18
19				03		52			26	05	03	05	19
20				03		02			10	25		40	20
21		18	10							11		06	21
22						05		09		27		56	22
23		13	30			18			06			15	23
24		07	01			35		05		53		14	24
25		07	03	03	04	04			04			02	25
26		02		15		13				37	06	19	26
27		30	12	08				05	25		~~96~~ 16	13	27
28		38		46	01			26			04		28
29				02		30			13	20			29
30			01	03	25	01		06		17		01	30
31										02			31
Total	91	161	173	114	103	187	0	124	121	226	313	4·98 [illegible]	TOTAL for year
No. of Rain Days.	9	10	19	14	8	13	0	9	9	14	21	25	21.11

W. 8,000, X. '11.

153

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Dunfield

in the County of Gloucester 7

by A T Iles

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
" " " Sea Level 260 ft.

Time of Observation 6 a m

Nearest Railway Station
Name Fairford
Distance 3½ m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12			36	21	03	01	51		15	1
2		02	22	04		27	25	01	02	03			2
3			06			11	18	50	03		02	04	3
4	~~9~~23		95		16	65	01	05			21		4
5	07		13		06	06		52	02		03	05	5
6	70	22			02		05	83	02			15	6
7		20	01		09	39		05				08	7
8	35	12	17			04	15	07	03			06	8
9	08	05	27	06		13						23	9
10		04	02	02		06		07			07	07	10
11	16	04	07			01		01			05	33	11
12	05	30	15			02					04		12
13	01	06	01				08	01			02	03	13
14	06		25		08			03				04	14
15	08	11	15		43	32		03				33	15
16	20	01	10		04			06		09	04		16
17	110		27			03		33				10	17
18	37		38		03			03		03		17	18
19	06	05	13				15	27				03	19
20	04	03	13		02		02	35		30	11		20
21		04	40		53		01	15		23			21
22	40	17	05		73	13	07	06		06		13	22
23	15	6~~7~~8	46			04	17	32		09	07	35	23
24	15	03	04				14	27				10	24
25			02			20		26		10	25	17	25
26		05	01				35	71		46	53	35	26
27			02			05	15			57		33	27
28		05				04	01	44	05	45	30	95	28
29		05				11	54	02	42	34	07	03	29
30		×				03		02	35	42			30
31		×	05	×	40	×	70	08	×	02	×		31
Total	426	232	464	122	259	305	324	558	95	370	181	427	TOTAL for Year 36·53
No. of Rain Days.	18	20	27	3	12	20	18	28	9	15	14	23	207

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

6- JAN 1914

Kept at Dunfield Kempsford

in the County of Gloucester 7

by Austin T Iles

Lat. Long.

Time of Observation 6 a m

Nearest Railway Station Fairford

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	20	13	15	13	04			101		10	03	1
2	02	14	02	11			02		26	25	05	02	2
3	01	01	15		23					04		11	3
4	56	02	06		41	01	03		03	36	02	10	4
5	01	02				05	03		04	07	02	04	5
6	03	05	27		23	15	41			17		37	6
7		30			10	05	30			40	06	02	7
8		07			15	11				25	15	01	8
9		17	01		01	02	15	30	18		04	02	9
10			02	10	01	03	05	05		01	40		10
11	86		01	55	03			02	03	12	35		11
12		03			24						30	03	12
13	19	02			05	01		01	15		08		13
14	04	01	20	03			33	08		07	07		14
15	06	07	35	43			46	01	10		01		15
16	11	01	45	34					01	01	01		16
17	04		10	13		19	05		02		01		17
18	10		05	20	01						01	01	18
19	47		10	04		03	07		26			03	19
20	27		15	05		01				16	01		20
21	01		16	11	38						44		21
22	47		37	30	03			01	20				22
23	02		02			06		05	02		02	10	23
24	04			10									24
25		11		17				02		03	01	03	25
26				24				21		15		15	26
27		01		29						13			27
28	35		18	33						25			28
29	02		33	75				01		07		02	29
30	26				10					20			30
31	01		04		06			03		01			31
Total	401	124	317	442	216	76	190	80	231	275	216	109	YEAR'S TOTAL 26.77
Rain Days.	23	16	21	19	16	13	11	12	13	19	20	16	199

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Dunfield near Fairford
in the County of Gloucester 7
by A. J. Ilee

Lat. .... Long. ....
Time of Observation 6 a m
Nearest Railway Station Fairford
Diameter of Rain Gauge 5 inches in.
Height of top of Gauge above Ground one ft. ...... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				01			06	35			07	01	1
2				06			07	27			1.00	35	2
3	01		05	05	20		43	06			07	15	3
4	11		01	37	06			43			33	57	4
5	07		09	25	05		30	21			22	16	5
6		06	01	04	05	01		03			11	16	6
7		25	24	16	24	04	20				01	15	7
8	05	11	60	02	10	55	05	15	03			05	8
9	07	01	40	10		82		03	13				9
10	06	09	01	12	12	01		04	13			01	10
11		13	33	06	03	43			17		16	37	11
12		08	10				31		21		01	23	12
13		37	40						23	02	08	24	13
14	02	20	37				18		04	51	15	04	14
15	01	13	07				07	18	17	03	25	02	15
16			01				03		01				16
17		27	07						06			20	17
18		02	02				30					80	18
19		05	06				58				05	03	19
20		17	46			08	02	01				25	20
21		47	06							05		06	21
22			03		06	07	02	03		15		02	22
23		03	05		03		05			06		06	23
24		03	10		02		01			25	10		24
25	06		17				06	10		23	02	03	25
26			06				10	14		05	13	47	26
27	05		02								04	34	27
28		06	03		15						43	63	28
29	05	×	10		03					20	25		29
30	02	×	16		01					06	80	40	30
31	01	×		×	01	×	15		×	14	×	04	31
Total	.59	2.33	4.08	1.24	1.16	2.01	2.99	2.03	1.18	1.75	4.28	5.84	YEAR'S TOTAL 29.68
Rain Days.	13	15	28	11	15	8	19	14	10	12	20	27	195

W. 8,000. X. 14.

Cx 914

2305

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
1 JAN 1916

Kept at Dunfield Fairford

in the County of Gloucester

by A J Hee

Lat. Long.

Time of Observation 6 am

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	33	07	05		14		10		12	05	17	25	1
2	20	30	24	01	01	02		63	03	45			2
3	130	01	03	24			02	43		10		24	3
4	05	01			09		54	01				76	4
5	02	30			01			03				22	5
6	11	05		14			45	04				20	6
7	15	37		11	03		23	07			01	12	7
8	34	25		02			10	01			01		8
9	16	02		22		01		07			20	75	9
10	17							48				03	10
11	05		08	04	02			02			69	03	11
12	03			17	17			41		02	57	03	12
13	05	35			90				02				13
14	13	05					11	02	07			49	14
15	17			01	03			21		17	04	25	15
16	02	27		01	20		74	18	01	01		02	16
17		68			141							02	17
18		50	04		34							01	18
19		01	03		09		21				02		19
20	20			04	02							10	20
21	05	01					01			16		07	21
22	07	35	45	06	06		58					17	22
23	07	07	04			26	24		27	54	01	39	23
24	01		11	08		03	15		45	61		29	24
25			02	01		91	03			05		25	25
26		05					15			01		22	26
27		05				30	20			29		28	27
28		03				01	02		67	11		01	28
29		X	01				04	09			03	03	29
30	03	X		01		36	02				08	06	30
31	05	X		X		X		02	X	95	X	30	31
Total	375	380	110	117	352	190	394	272	144	352	183	559	YEAR'S TOTAL
Rain Days.	23	21	11	15	15	8	19	16	8	14	11	27	34.48

188

W.-8,000. X. 15.

2241

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1916

Kept at Dunfield Fairford

in the County of Gloucestershire

by A J Iles

Lat. Long.

Time of Observation 6 a.m.

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	15		01		04	07	18		02	01	53		1
2	81	02	09		51	04			02	82	05		2
3		65	02			01	01		06	29	10		3
4	27	18			13	25			10	65	15		4
5	02	02	02		15	06	01			08	43		5
6	01	07	02		08	01	32			07	22		6
7	14	13	11		02	02	15			06	53	18	7
8			09		20	03					01	26	8
9	01				25	03	02					12	9
10	02	23	03	08	02	08	01			02	01		10
11	02	28	09	02	05	11						59	11
12	01	05	02	18	22	02	06			02			12
13		42	15	11	02		01	08		08			13
14		4-3	03	01	06			31		03			14
15		09	30		01			70		08			15
16		07	12	16	02		25	02		03			16
17	16	09		06				32	31	47		01	17
18		15	03	06				07	11	32	49		18
19	16		06	35					08	02	49	15	19
20	19		45	10							02	27	20
21	20	02	85	02			01					95	21
22	02		03	02	14	03				11	02	46	22
23	01	11		08				05		06	10	25	23
24	02	41		02	05	28				03	03	16	24
25		46	18		07	02		40		15	15	06	25
26	01	11	01			10		03	04	07	02		26
27	08	11	26			08	01	15	09	35			27
28		65	97			10			12	11		14	28
29		22				18		1.40		19		62	29
30		X			03	05		13		45		02	30
31		X		X		X		01	X	10	X		31
Total	2.31	4.97	3.94	1.27	207	1.57	1.04	3.67	.95	4.67	3.35	424	YEAR'S TOTAL 34.05
Rain Days.	19	23	23	14	19	20	12	13	10	26	17	15	211

W. 8,000, VIII. 16

2136

FORM A.
BRITISH RAINFALL.

5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dunfield Fairford

in the County of Gloucester

by A S Hee

Lat. Long.

Time of Observation 6 am

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		01	07	08	2	02		70	20		05	01	1
2	02		02	20	F	12		02			02		2
3	03.			02				20		12			3
4		07	09				08	06		95			4
5	35		07	14					05	24	14	02	5
6			07			10			01	05	17		6
7	19									34	01		7
8	53			21			147	42		34	01	32	8
9	03		14	03			07	13	32	02	02		9
10	15		26	10	10			07		03			10
11	11		32	45	16			37	83	15	01		11
12	07	01	03	04	02			03		29	01		12
13			20			02.		12	04	03	02		13
14			03.	08				21				01	14
15								13		03			15
16	03.	08		08			03			27		56	16
17		03		10	42		20	03	30	12			17
18	01	08		02.			32		55	02			18
19	02	25	05						21		02		19
20		32	37		35				02		08		20
21		01	11			23		01		01	04		21
22	01		14			02		01	01	11			22
23		13.			07	01		26		04			23
24		11	02			30		26		21	02	03	24
25		09	03				07		02	06	02		25
26			07					26	11	01	20		26
27					125	01		81			01		27
28		01	07			62		48				02	28
29		X	02			97	09	07		32	02	20	29
30	01	X	02				27	15		02		02	30
31		X	07.	X		X	02.	01	X	03	X	03	31
Total	156.	120	227	155	237	242	262	481	267	381	87	122	YEAR'S TOTAL 27·37
Rain Days.	14	13.	22	13.	7	11	10	23.	13	24	18	10	178

W. 8,000, IX. 17.

Exd M.S.

78

FORM A.
BRITISH RAINFALL.

3.1.19

REGISTER OF RAINFALL IN 1918

Kept at Dunfield Fairford

in the County of Gloucester

by N J Iles

Lat. Long.

Time of Observation 6 a.m.

Nearest Railway Station Fairford G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				01	04			05			29	07	1
2		12		10				42	02	03	05	09	2
3			03	11	20			34	14	03	06	11	3
4		10	01	11				03	08		71	06	4
5		11			30			12	05	22	01		5
6	12	10		20				01	01			08	6
7		08			51	02			12	22	06	03	7
8		03							25		13	03	8
9	02	20		13		18	31		48	36	02	20	9
10	02			23		03	35		07	10		30	10
11	09			05			08		28	16	11	22	11
12		10	07		16		12		12	12		05	12
13	02	01	01		22				10			05	13
14	39		07			12	90		50	14		03	14
15	93			20			21		07			27	15
16	12			106		03	02		15	01		03	16
17	26		03	21	26		37	05	01	05		07	17
18	63					41	23		22	02		21	18
19	02		16	10			03		04	06		06	19
20		14		41		04	17		30	02		07	20
21	05			03		02			64	02		08	21
22	13				02		06		10	18		25	22
23	07				23		22	03			05	02	23
24	01	08				01	03		04	02	10		24
25							34	49		02			25
26							47		04	05	11	16	26
27								20	18		11	04	27
28		07	10	03		04					19	10	28
29		×							105	02		01	29
30		×	30						02		05	05	30
31		×	07	×		×		11	×	02	×	01	31
Total	2.88	114	85	298	194	90	391	185	508	187	205	275	YEAR'S TOTAL 28.20
Rain Days.	15	12	10	15	9	10	16	11	26	21	15	28	188

W. 8 000, IX. 17.

Ex. ... 2002

20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dunfield Fairford
in the County of Gloucester
by Austin Thomas Ilee

Lat. Long.
Time of Observation 6 a.m.
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	35	01	03		03		10			11		46	1
2	07		02		06		17	01	40	01	03	60	2
3	96		02				18		34		03	51	3
4	11		40		01	21		03	21			16	4
5		02	70		01		14		47		03	17	5
6	05	35	03		75						04	06	6
7	08		33	02							07	02	7
8	16		03	15									8
9	07		05	10							06		9
10	02		35	17							02	10	10
11	02		14	04	09		31					02	11
12			31	02		63	25			10	02	05	12
13	10			05					02	02		02	13
14	51	03		43			04		06			03	14
15	18	12	04	04	03					04	01	44	15
16	11	75									13	02	16
17		26		02							08	01	17
18		04	31					19	04		02	04	18
19	04	22	70			03	1.13	20	01		06	02	19
20	45	11	59			18		30	08		02	01	20
21	11	40	02			03					01	11	21
22		26					10	02	14		01	07	22
23							16	03	02	20	08	04	23
24									01	72	06	20	24
25	07				01	01		22				10	25
26	09	02	02	07					10			31	26
27	05		05	78		02	55	03				03	27
28	02		24					88				21	28
29	03	×								07	20	21	29
30		×		17		12		29		04	21	27	30
31		×	05	×		×			×	01	×		31
TOTAL	3.65	2.39	4.43	2.06	.99	1.23	3.13	2.20	1.90	1.32	1.19	4.29	YEAR'S TOTAL
Days with ·01 in. or more	22	13	21	13	18	8	11	11	13	10	20	28	178

28.98

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

·914

Stn. No 2198

10 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dunfield Fairford

in the County of Gloucester

by Andw Thomas Iles

Lat. Long.

Time of Observation 6 a m

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				26	.38		30			61	02	21	1
2			02	05	01	01	07	15	04	29		05	2
3		04		14			61		03	19		14	3
4	01		05	02		01	03	42		15			4
5			09	09	02		48	02		29		01	5
6			21		12		32			37		02	6
7	02		01	05	04		39						7
8		04		40	06		40			01		04	8
9	13			1.93			01	09					9
10	34	05	04	03		04	35				04		10
11	58		08	25	35	20	07						11
12	10	04	05	06	01	61	04	05			01	02	12
13	06	05	31	13					02		03	02	13
14	01	03	21	19		14	04		05	30	33		14
15	01	12	31	25	02	08	02		16	12	11		15
16			01	04	07	15			36	06	05		16
17	03			09	25	20	03	01	26			01	17
18	03			02	06	02	01	19	24				18
19	05	01		31	07	02		05	03			02	19
20	04	30		19		35			02			02	20
21				02			03		05			16	21
22	01			12					03			25	22
23		01					51	05				26	23
24	07		13	02				02			02	15	24
25	02	08	07	01			25					01	25
26	25		15		04	15	10					04	26
27	26	02	15	18		41	02				01	17	27
28	45		04		65	01	03						28
29	16	01	04	01	11	09					07	25	29
30	01	×	02	03		06	326		.28		12	09	30
31	11	×	07	×	01	×	02		×	35	×	37	31
TOTAL	2.75	80 [illegible]	206	4.89	2.27	2.55	4.49	1.05	1.62 [illegible]	274	.81	2.31	YEAR'S TOTAL 28.28
Days with ·01 in. or more	22	13	20	26	17	17	24	10	13	11	11	21	205
Days with ·04 in. or more	13	8	16	18	12	12	15	7	8	10	6	13	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

81

REGIST 1

GLOUCESTER.

FAIRFORD,

"THE CLOSE"

1911 - 1915

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at The Close, F

in the County of E. Glouces

by W. C. Arkell

in.

e Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·22			·02				·06		1
2	·04			·03	·24			·12		·03	·16	·15	2
3			·02		·26						·05	·05	3
4	·02		·12							·08	·15	·43	4
5	·03		·01	·03				·57		·05			5
6	·28		·04								·03	·47	6
7	·01									·05	·28	·08	7
8	·15		·12									·20	8
9	·09		·03								·07	·18	9
10		·10	·19									·15	10
11	·21										·72		11
12			·55								·54	·11	12
13			·03		·12				·39		·01	·35	13
14												·38	14
15		·01									·17	·04	15
16						·12					·41	·17	16
17					·11	·05					·03	·27	17
18		·30	·04			·09				·02		·28	18
19						·54			·25	·19	·05	·06	19
20	·01	·07	·10	·065						·11		·37	20
21		·14	·02					·11	·03	·36		·05	21
22		·14	·22			·06		·02		·09		·60	22
23		·08	·05			·23			·07	·05		·16	23
24						·32				·48		·14	24
25		·05		·06	·05	·05		·10	·04	·16		·04	25
26		·15		·175		·02				·34	·08	·20	26
27		·34	18	·03				·18	·26		·10	·15	27
28		·24		·515				·20			·16		28
29				·015		·33			·13	·25	·01		29
30				·10	·22			·04		·15			30
31					·05					·04			31
Total	·89	1·62	1·72	1·24	1·05	1·81	·02	1·34	1·17	2·45	3·08	5·08	TOTAL for year 21·47
No. of Rain Days	10	11	15	10	7	10	1	8	7	16	18	24	137

9,000, IX. '10.

78

REGIST

1

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

357

Kept at The Close, Fairford

in the County of E. Gloucestershire 7

by W. C. Arkell

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·22			·02				·06		1
2	·04			·03	·24			·12		·03	·16	·15	2
3			·02		·26						·05	·05	3
4	·02		·12							·08	·15	·43	4
5	·03		·01	·03				·57		·05			5
6	·28		·04								·03	·47	6
7	·01									·05	·28	·08	7
8	·15		·12									·20	8
9	·09		·03								·07	·18	9
10		·10	·19									·15	10
11	·21										·72		11
12			·55								·54	·11	12
13			·03		·12				·39		·01	·35	13
14												·38	14
15		·01									·17	·04	15
16						·12					·41	·17	16
17					·11	·05					·03	·27	17
18		·30	·04			·09				·02		·28	18
19						·54			·25	·19	·05	·06	19
20	·01	·07	·10	·065						·11		·37	20
21		·14	·02					·11	·03	·36		·05	21
22		·14	·22			·06		·02		·09		·60	22
23		·08	·05			·23			·07	·05		·16	23
24						·32				·48		·14	24
25		·05		·06	·05	·05		·10	·04	·16		·04	25
26		·15		·175		·02				·34	·08	·20	26
27		·34	·18	·03				·18	·26		·10	·15	27
28		·24		·515				·20			·16		28
29				·015		·33			·13	·25	·01		29
30				·10	·22			·04		·15			30
31					·05					·04			31
Total	·89	1·62	1·72	1·24	1·05	1·81	·02	1·34	1·17	2·45	3·08	5·08	TOTAL for year 21·47
No. of Rain Days	10	11	15	10	7	10	1	8	7	16	18	24	137

9,000, IX. '10.

8L

357

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at The Close, Fairford

in the County of Gloucestershire 7

by W. Cobbett Arkell

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09			·53	·18		·03	·46		·17	1
2			·23			·27	·33						2
3	·03		·07	·04	·04	·11	·10	·61			·01	·06	3
4	·18		·93		·13	·78		·12	·03		·21		4
5	·28	·05	·10		·03	·04		·46				·06	5
6	·62	·19			·04		·10	·96	·03			·23	6
7		·20	·01		·03	·43		·07				·06	7
8	·43	·11	·19				·11	·10	·05			·09	8
9	·09	·04		·13		·17	·01					·25	9
10	·02	·08				·09		·33			·08	·05	10
11	·16	·04	·01					·02			·09	·32	11
12	·06	·41	·13				·02				·02	·01	12
13		·05					·05	·05			·02		13
14	·13		·40		·33			·14		·02		·03	14
15	·09	·13	·03		·25	·34		·03				·42	15
16	·57		·13		·09	·03		·10		·12	·03		16
17	1·30		·17			·05		·33				·23	17
18	·16		·48					·05		·03		·03	18
19	·09	·05					·15	·24		·05			19
20	·03		·25				·05	·35		·26	·08		20
21		·10	·26		·61			·19		·34			21
22	·62	·12	·03		·55	·19	·19	·13		·02	·03	·19	22
23	·21	·68	·42				x }	·36		·04	·04	·36	23
24	·03	·02	·04			·25	x ·22)	·13				·20	24
25						·13		·41			·33	·42	25
26		·03					·37	·42		·49	·47	·12	26
27						·11	·18			·61		·27	27
28		·07					·05	·52	·09	·34	·35	1·00	28
29		·04				·28	·58		·64	·41		·02	29
30						·15	·21		·11	·33			30
31			·06		·27		·44	·19		·02		·06	31
Total	5·10	2·41	4·03	·17	2·37	3·95	3·34	6·31	·98	3·64	1·76	4·65	TOTAL for year 38·61
No. of Rain Days.	19	18	20	2	11	17	19 ~~18~~	24	7	15	13	23	188 187

W. 8,000, X. '11

82 ✓ 367

FORM A. BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

[illegible]

Kept at The Close, Fairford

in the County of Gloucestershire

by W. Cobbett Arkell

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·21	·14	·17	·155				1·25		·12	·05	1
2		·10		·11					·16	·30	·05		2
3			·17		·36					·03		·17	3
4	·63	·02	·04		·28					·38	·02	·19	4
5						·11	·06			·03		·06	5
6	·03	·10	·22		·28	·13	·70			·38		·41	6
7		·34			·13	·12				·29	·27		7
8		·12			·145	·13				·42			8
9		·19	·03		·005	·05	·19	·29	·22		·02		9
10	·16		·02	·09				·09			·44		10
11	·94			·48	·115					·13	·33	·03	11
12				·005	·23			·01	·05		·23		12
13	·23								·18		·02		13
14	·05	·03	·24		·025		·27	·10		·13			14
15	·06	·09	·31	·69			·67		·30				15
16	·09		·43	·09									16
17	·01		·12	·155		·06	·10		·02				17
18	·08		·07	·26			·04				·03		18
19	·50		·11		·01		·03		·37			·04	19
20	·23		·27	·04						·18	·12		20
21			·16	·135	·30		·01				·35		21
22	·45		·37	·21	·02			·04	·26				22
23						·08		·01			·01	·10	23
24	·05			·10									24
25		·07		·135									25
26		·06		·20				·18		·20		·21	26
27		·03		·22						·14			27
28	·38		·19	·32						·24		·03	28
29			·36	·78	·03			·01		·05			29
30	·24		·01							·17			30
31					·045			·06		·02			31
Total	4·13	1·36	3·26	4·19	2·13	·68	2·07	·79	2·81	3·09	2·01	1·29	YEAR'S TOTAL 27·81
Rain Days.	16	12	18	18	14 15	7	9	9	9	16	13	10	15~~2~~

151

W. 7,500, XI. 12

352

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Close, Fairford
in the County of Gloucestershire 7
by W. C. Arkell

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05			·16	·44			·06		1
2				·04			·41	·13			1·12	·39	2
3	·01		·07	·12	·28		·15	·03			·04	·11	3
4	·17			·25	·13		·04	·51			·30	·49	4
5			·10	·22	·02		·31	·06			·15	·04	5
6		·07	·05			·04	·22				·13	·18	6
7		·32	·20	·26	·05	·06		·10				·16	7
8	·02	·05	·60	·03	·13	·65	·11	·05				·01	8
9	·10		·34	·06	·06	·79		·05	·10				9
10	·05	·17		·15	·04				·24				10
11		·09	·33	·03	·09	·58			·01		·18	·43	11
12		·05	·17		·10				·27		·08	·31	12
13		·43	·28		·01				·30	·05	·04	·25	13
14		·18	·42						·02	·74	·20	·02	14
15			·06					·17	·24	·02	·19		15
16									·06				16
17		·25	·12						·02			·40	17
18							·61					·62	18
19		·10	1·03				·78					·03	19
20		·19	·03			·13	·01					·23	20
21		·42								·11		·09	21
22			·10		·08	·05	·005	·05		·14			22
23			·08		·02		·10			·13		·08	23
24			·12		·05		·04				·11		24
25	·08		·23					·27		·26	·02	·20	25
26			·03				·11			·08	·15	·37	26
27	·05										·03	·22	27
28		·11	·08		·05						·43	·87	28
29	·04		·10		·03					·20	·40		29
30			·15			·04				·16	·68	·40	30
31							·24			·05			31
Total	·52	2·43	4·69	1·21	1·14	2·34	3·295	1·86	1·26	1·94	4·31	5·90	YEAR'S TOTAL 30·895
Rain Days.	8	13	23	10	15	8	15	11	9	11	18	22	163

W.7,000, XI. 13

82

and for auth 22.III.16

2306
~~344~~

FORM A.
BRITISH RAINFALL.
11 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at The Close, Fairford

in the County of Gloucestershire

by W. Cobbett Arkell

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·14	·11		·13		·06	·12	·15	·25	·02	·11	1
2	·25	·28	·09	·11		·03		·98		·45		·14	2
3	1·18	·02	·20	·13	·05		·01	·15				·20	3
4	·01				·02		·66					·70	4
5	·02	·30						·08			·01	·28	5
6	·23			·15			·42	·02				·15	6
7	·13	·45		·03			·08	·07				·09	7
8	·35	·24					·01	·06			·01	·01	8
9	·05			·21		·02					·17	·77	9
10	·25		·02	·02				·06					10
11	·03			·05	·03						1·02	·03	11
12	·07	·05	·01	·16	·39			·23			·22	·02	12
13	·02	·34			·76								13
14	·14	·06					·15	·05	·09			·70	14
15	·19				·05		·03	·36		·20		·03	15
16		·51			·25		·63	·20				·01	16
17		·49			1·67						·05		17
18		·28	·07										18
19					·12		·22						19
20	·20			·06								·13	20
21	·08	·03					·03			·15		·03	21
22	·17	·27	·46	·03	·15		·71		·04				22
23	·01		·20			·20	·21		·31	1·02		·64	23
24			·02	·07		·01	·16		·49	·27			24
25						·75	·12					·45	25
26		·12				·20	·10						26
27						·35	·10			·47		·43	27
28		·08					·28		·67				28
29						·01	·80	·09			·05		29
30	·09	✕				·09				·07	·20	·22	30
31		✕		✕		✕	·02	·03	✕	1·10	✕	·20	31
Total	3·87	3·66	1·18	1·02	3·62	1·66	4·80	2·50	1·75	3·98	1·75	5·34	YEAR'S TOTAL 35·13
Rain Days.	20	16	9	11	11	9	20	14	6	9	1·75 9	21	155

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

REG… 911

GLOUCESTER
— FAIRFORD
DRAYCOTT.
1911 – 1920

Kept at Draycott, … top five in. –
… above Ground 2 ft. – in.
in the County of Glou… …t,, Sea Level 200 ft.
… nine A. M.
by Charles Willia… …tion { Name Fairford
Distance 1½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		0.02	0.22			0.01				0.07	0.03	1
2	0.05		~~0.03~~	0.03	0.25			0.18		0.04	0.17	0.16	2
3			0.01		0.26						0.06	0.05	3
4	0.01		0.11						0.03	0.08	0.18	0.46	4
5	0.02		0.01	0.02				0.61		0.05			5
6	0.32		0.05	0.02							0.03	0.49	6
7	0.01									0.04	0.30	0.02	7
8	0.16		0.12									0.22	8
9	0.10		0.03								0.07	0.18	9
10	0.04	0.08	0.21								0.01	0.20	10
11	0.21				0.01						0.73		11
12			0.57						0.02		0.61	0.09	12
13			0.03		0.21				0.39	0.01	0.01	0.39	13
14		0.01		0.01								0.39	14
15		0.01	0.03								0.18	0.03	15
16						0.14					0.42	0.16	16
17					0.04	0.06					0.04	0.33	17
18		0.38	0.04	0.02		0.13				0.02		0.33	18
19						0.55			0.26	0.19	0.06	0.06	19
20	0.02	0.07	0.12	0.04		~~0.07~~		0.02	0.12	0.12	~~0.41~~	0.41	20
21		0.17	0.03			~~0.24~~		0.18	0.06	0.34		0.06	21
22		0.01	0.24	0.02		0.07		0.02		0.13		0.62	22
23		0.17	0.05			0.24	0.01		0.08	0.05		0.18	23
24	0.01	0.09				0.32				0.49		0.14	24
25		0.08	0.03	0.05	0.02	0.07		0.05	0.05	0.15		0.05	25
26		0.14		0.20		0.02				0.34	0.16	0.21	26
27		0.35	0.18	0.06				0.19	0.28		0.09	0.16	27
28		0.28		0.55				0.17			0.12	0.01	28
29		x		0.01		0.34			0.13	0.27	0.01		29
30		x	0.02	0.11	0.23	0.01		0.07		0.15			30
31		x		x		x				0.04	x		31
Total	0.98	1.84	1.90	1.36	1.02	1.95	0.02	1.49	1.42	2.51	3.32	5.43	TOTAL for year 23.24 ✓
No. of Rain Days.	12	13	19	14	7	11	2	9	10	17	19	26	159 ✓

W. 8,000, X. '11.

✓

REG 911

FORM A2. BRITISH RAINFALL.

2 - JAN 1912

Kept at Draycott, Fairford,

in the County of Gloucester. 7

by Charles William Edmonds.

RAIN GAUGE
Diameter of top five in. —
Height of top above Ground 2 ft. — in.
About „ Sea Level 200 ft.

Time of Observation nine A. M.

Nearest Railway Station
Name Fairford
Distance 1½ miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.03		0.02	0.22			0.01				0.07	0.03	1
2	0.05		~~0.03~~	0.03	0.25			0.18		0.04	0.17	0.16	2
3			0.01		0.26						0.06	0.05	3
4	0.01		0.11						0.03	0.08	0.18	0.46	4
5	0.02		0.01	0.02				0.61		0.05			5
6	0.32		0.05	0.02							0.03	0.49	6
7	0.01									0.04	0.30	0.02	7
8	0.16		0.12									0.22	8
9	0.10		0.03								0.07	0.18	9
10	0.04	0.08	0.21								0.01	0.20	10
11	0.21				0.01						0.73		11
12			0.57						0.02		0.61	0.09	12
13			0.03		0.21				0.39	0.01	0.01	0.39	13
14		0.01		0.01								0.39	14
15		0.01	0.03								0.18	0.03	15
16						0.14					0.42	0.16	16
17					0.04	0.06					0.04	0.33	17
18		0.38	0.04	0.02		0.13				0.02		0.33	18
19						0.56			0.26	0.19	0.06	0.06	19
20	0.02	0.07	0.12	0.04		~~0.07~~		0.02	0.12	0.12	~~0.41~~	0.41	20
21		0.17	0.03			~~0.24~~		0.18	0.06	0.34		0.06	21
22		0.01	0.24	0.02		0.07		0.02		0.13		0.62	22
23		0.17	0.05			0.24	0.01		0.08	0.05		0.18	23
24	0.01	0.09				0.32				0.49		0.14	24
25		0.08	0.03	0.05	0.02	0.07		0.05	0.05	0.15		0.05	25
26		0.14		0.20		0.02				0.34	0.16	0.21	26
27		0.35	0.18	0.06				0.19	0.28		0.09	0.16	27
28		0.28		0.55				0.17			0.12	0.01	28
29		x		0.01		0.34			0.13	0.27	0.01		29
30		x	0.02	0.11	0.23	0.01		0.07		0.15			30
31		x		x		x				0.04	x		31
Total	0.98	1.84	1.90	1.36	1.02	1.95	0.02	1.49	1.42	2.51	3.32	5.43	TOTAL for year 23.24 ✓
No. of Rain Days.	12	13	19	14	7	11	2	9	10	17	19	26	159 ✓

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at Draycott, Fairford
in the County of Gloucester. 7
by C. W. Edmonds.

Lat. Long.
Time of Observation 9 A. M
Nearest Railway Station Fairford,
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground Two ft. — in.
" " About " Sea Level 200 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			0.11			0.55	0.21		0.02	0.48		0.18	1
2			0.20	0.05		0.40	0.32						2
3	0.03		0.09		0.05	0.11	0.11	0.65	0.03		0.02	0.07	3
4	0.22		0.91		0.14	0.79		0.09			0.20		4
5	0.23		0.11		0.04	0.04		0.47				0.06	5
6	0.73	0.23			0.04		0.07	0.76	0.03			0.26	6
7		0.21	0.01		0.05	0.44		0.09				0.15	7
8	0.47	0.12	0.21			0.01	0.13	0.10	0.05			0.04	8
9	0.09	0.06	0.33	0.13		0.15	0.01					0.25	9
10	0.01	0.08				0.11		0.37			0.10	0.06	10
11	0.17	0.03	0.02			0.01		0.02			0.10	0.32	11
12	0.06	0.42	0.14	0.01	0.01	~~0.0~~	0.03					0.02	12
13		0.08	0.01			0.03	0.05	0.05			0.02	0.01	13
14	0.14		0.45		0.32			0.15		0.02		0.05	14
15	0.10	0.14	0.02		0.26	0.33		0.02				0.42	15
16	0.61		0.15		0.07	0.02		0.11		0.12	0.03	0.02	16
17	1.40		0.15			0.06		0.34				0.25	17
18	0.21		0.52		0.01			0.06		0.04		0.04	18
19	0.06	0.06	0.01				0.15	0.23		0.04		0.01	19
20	0.03		0.25				0.06	0.35		0.28	0.08		20
21	0.01	0.11	0.29		0.58			0.19		0.33			21
22	0.62	0.13	0.04		0.62	0.16	0.21	0.10		0.03	0.03	0.20	22
23	0.22	0.67	0.43			0.06	0.09	0.39		0.05	0.05	0.37	23
24	0.04	0.02	0.06			0.19	0.10	0.15				0.22	24
25						0.14		0.45		0.03	0.33	0.41	25
26		0.03	0.01				0.36	0.43		0.50	0.49	0.13	26
27						0.12	0.17			0.61		0.28	27
28		0.07					0.07	0.53	0.11	0.36	0.33	1.01	28
29		0.05				0.19	0.60		0.65	0.40		0.03	29
30						0.10	0.23		0.10	0.32			30
31			0.06		0.30		0.47	0.18		0.02		0.07	31
Total	5.45	2.57	4.58	0.19	2.49	4.01	3.44	6.28	0.99	3.63	1.78	4.93	YEAR'S TOTAL 40.28
Rain Days.	20	17	24	3	13	21	19	24	7	16	12	26	202

W. 7,500, XI. 12

✓ Ex 7C

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 JAN 1914

Kept at Draycott, Fairford,
in the County of Gloucester,
by C. W. Edmonds.

7

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Fairford G.W.R.
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground 2 ft. — in.
" "About" " Sea Level 200 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.20	0.16	0.13	0.22				1.24		0.11	0.04	1
2	0.01	0.11	0.02	0.13					0.15	0.31	0.05		2
3		0.01	0.19		0.32					0.04		0.18	3
4	0.63	0.02	0.05		0.32					0.38	0.03	0.19	4
5						0.13	0.06		0.02	0.04	0.02	0.08	5
6	0.03	0.12	0.24		0.29	0.14	0.60			0.39		0.42	6
7		0.29			0.18	0.11	0.01			0.26	0.27		7
8		0.13			0.16	013				0.46		0.02	8
9		0.20				0.07	0.18	0.30	0.21		0.05	0.01	9
10	0.17		0.01	0.09				0.09			0.44		10
11	1.02		0.01	0.52	0.11					0.14	0.36	0.02	11
12		0.01			0.28			0.01	0.06		026		12
13	0.22	0.01	0.01		0.05				0.17		0.22		13
14	0.06	0.01	0.26				0.27	0.11		0.13			14
15	0.07	0.09	0.39	0.59			0.49		026		0.01		15
16	0.09		0.45	0.18					0.01		0.01		16
17		0.02	0.15	0.16			0.11		0.03				17
18	0.07		0.09	0.35		0.07	0.05				0.04		18
19	0.54		0.12				0.04		0.30			0.04	19
20	0.25		0.26	0.04			0.01			0.19	0.13		20
21			0.23	0.17	0.29					0.04	0.33		21
22	0.52		0.39	0.24	0.04			0.05	0.26				22
23						0.08		0.01				0.10	23
24	0.07			0.11									24
25		0.09		0.14						0.03		0.02	25
26		0.04		024	0.01			0.21		0.18		0.21	26
27				0.23						0.09			27
28	0.41		0.21	0.40						0.26			28
29			0.37	0.81	0.03			0.01		0.05		0.03	29
30	0.25									0.18	0.03		30
31	0.01		0.06		0.04			0.06		0.03			31
Total	4.44	1.35	3.67	4.53	2.32	0.73	1.82	0.85	2.71	3.17	2.36	1.36	YEAR'S TOTAL 29.31
Rain Days.	18	15	20	17	14	7	10	9	11	18	16	13	168 ✓

W. 7,500, XI. '12

ExLMcE

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

6 JAN 1915

Kept at Draycott, Fairford

in the County of Gloucester 7

by Charles William Edmonds.

Lat. — Long. —

Time of Observation 9 A.M.

Nearest Railway Station Fairford

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 2 ft. — in.

" " About " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				0.06			0.13	0.46			0.06	0.02	1
2				0.04			0.41	0.12			1.10	0.39	2
3			0.08	0.14	0.30		0.18	0.03			0.04	0.14	3
4	0.20			0.26	0.14		0.05	0.49			0.32	0.55	4
5			0.11	0.24	0.03		0.23	0.09			0.18	0.04	5
6		0.07	0.04	0.03	0.06			0.01			0.11	0.16	6
7	0.03	0.34	0.33	0.21	0.07	0.10	0.31	0.09				0.19	7
8	0.04	0.05	0.59	0.03	0.13	0.66	0.10	0.11	0.01				8
9	0.09		0.32	0.07	0.06	0.83		0.06	0.09				9
10	0.06	0.18	0.04	0.14	0.07				0.24				10
11		0.11	0.32	0.03	0.10	0.58					0.20	0.46	11
12		0.07	0.18				0.28		0.27		0.10	0.33	12
13		0.46	0.27						0.30	0.15	0.06	0.26	13
14		0.19	0.40				0.19		0.10	0.62	0.22	0.03	14
15	0.03	0.05	0.09				0.05	0.18	0.22	0.03	0.21		15
16									0.06				16
17		0.23	0.14						0.02			0.38	17
18			0.01				0.31					0.55	18
19		0.10	0.18				0.78				0.05	0.05	19
20		0.20	0.36			0.14		0.01				0.27	20
21		0.45	0.05							0.12		0.09	21
22			0.08		0.08	0.05				0.17			22
23		0.02	0.09		0.02		0.08			0.14	0.11	0.08	23
24			0.14		0.06		0.04			0.27	0.03		24
25	0.07		0.24				0.01	0.28		0.27		0.27	25
26			0.04				0.15	0.01		0.08	0.15	0.37	26
27	0.11										0.03	0.24	27
28		0.11	0.10		0.06						0.48	0.87	28
29	0.05		0.10		0.03					0.21	0.34		29
30	0.01	X	0.16			0.04				0.18	0.68	0.41	30
31		X		X		X	0.25		X	0.06	X	0.01	31
Total	0.69	2.63	4.46	1.25	1.21	2.40	3.55	1.94	1.31	2.30	4.47	6.11	YEAR'S TOTAL 32.32
Rain Days.	10	15	25	11	14	7	17	13	9	12	19	23	175

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
1. JAN 1916

Kept at Draycott, Fairford
in the County of Gloucester.
by C. W. Edmonds.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground two ft. — in.
" About " Sea Level 200 — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.42	0.12	0.12		0.13		0.08	0.14	0.16	0.25	0.04	0.11	1
2	0.30	0.31	0.28	0.12		0.03		0.99		0.49		0.12	2
3	1.27	0.02	0.04	0.13	0.05		0.01	0.17		0.01		0.16	3
4					0.05		0.63					0.79	4
5	0.01	0.33						0.09				0.31	5
6	0.24	0.01		0.16			0.43	0.01				0.16	6
7	0.13	0.44		0.03			0.06	0.09				0.10	7
8	0.37	0.25						0.08					8
9	0.09			0.22							0.19	0.79	9
10	0.25		0.02	0.02				0.05					10
11	0.04		0.11	0.05	0.02						0.81		11
12	0.07	0.05		0.16	0.45			0.23		0.02	0.49		12
13	0.04	0.40			0.79				0.03				13
14	0.17	0.04					0.16	0.06	0.07			0.73	14
15	0.19			0.01	0.06		0.02	0.43		0.18	0.05	0.06	15
16		0.58			0.26		0.65	0.26				0.02	16
17		0.45			1.74			0.06					17
18		0.30	0.05		0.03						0.01		18
19		0.01			0.11		0.23						19
20	0.22			0.06								0.12	20
21	0.13	0.03					0.03			0.16		0.05	21
22	0.12	0.24	0.47	0.06	0.11		0.65		0.04			0.16	22
23		0.10	0.23			0.20	0.26		0.32	0.75		0.46	23
24			0.02	0.07			0.18		0.53	0.58		0.27	24
25						0.89	0.13			0.02		0.27	25
26		0.13				0.09	0.11					0.44	26
27		0.03				0.34	0.11			0.46		0.01	27
28		0.05					0.28		0.67				28
29						~~0~~	0.76	0.09			0.05	0.04	29
30	0.11	✕				0.08				0.06	0.26	0.09	30
31	0.04	✕		✕		✕	0.03	0.04	✕	1.15	✕	0.30	31
Total	4.21	3.89	1.34	1.09	3.80	1.63	4.81	2.79	1.82	4.13	1.89	5.56	YEAR'S TOTAL 36.96
Rain Days.	19	20	9	12	12	6	19	15	7	12	8	22	161

W. 8,000. X. 15.

2243

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Draycott, Fairford,
in the County of Gloucester,
by C. W. Edmonds.

Lat. —— Long. ——
Time of Observation 9 A.M.
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. — in.
" " " About Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.10				0.17	0.03	0.30		0.02	0.09	0.36		1
2	0.65	0.02	0.10		0.41	0.02			0.04	0.83	0.04		2
3		0.67			0.02				0.05	0.33	0.11		3
4	0.31	0.18			0.14	0.25			0.09	0.58	0.42		4
5	0.02	0.05	0.02		0.20	0.05	0.11			0.11	0.19		5
6	0.05	0.21			0.08	0.10	0.47			0.14	0.38		6
7	0.05		0.17		0.06	0.09	0.02			0.16	0.35	0.19	7
8			0.04		0.24	0.04						0.29	8
9					0.23	0.07	0.03				0.01	0.02	9
10	0.02	0.50	0.04	0.08		0.22			0.01	0.05			10
11	0.02		0.08	0.14	0.05	0.16						0.56	11
12	0.02	0.05		0.10	0.25		0.07			0.11			12
13		0.37	0.22	0.05				0.16		0.08			13
14		0.57	0.06				0.01	0.07		0.05			14
15		0.21	0.31	0.04				054		0.04			15
16	0.07	0.03	0.13	0.17			0.28	0.18		0.02			16
17	0.14	0.23		0.07				0.22	0.34	0.62			17
18		0.10	0.04	0.07				0.04	0.13	0.34	0.65		18
19	0.22		0.07	0.30					0.04		0.24	0.06	19
20	0.19		0.45	0.03								0.66	20
21	0.26		0.77		0.08							0.70	21
22				0.04	0.11	0.03				0.16	0.01	0.61	22
23	0.04	0.42		0.03				0.06		0.04	0.12	0.14	23
24		0.15			0.14	0.17		0.04		0.17	0.02	0.21	24
25		0.47	0.23			0.03		0.32			0.18		25
26	0.02	0.09	0.01			0.14		0.04	0.07	0.16			26
27	0.10	0.10	1.38			0.08		0.48	0.09	0.31			27
28		0.81	0.26			0.13			0.08	0.08		0.19	28
29		0.18				0.19		1.59		0.27		0.[illegible]3	29
30		×			0.09	0.20				0.35		0.01	30
31		×		×		×		0.02	×	0.14	×	0.01	31
Total	2.28	5.41	4.38	1.12	2.27	2.01	1.29	3.76	0.96	5.23	3.08	4.28	YEAR'S TOTAL 36.07
Rain Days.	17	20	18	12	15	18	8	13	11	24	14	14	184

W. 8,000, VIII. 16

2137

FORM A. BRITISH RAINFALL.

19. JAN

REGISTER OF RAINFALL IN 1917

Kept at Draycott, Fairford,

in the County of Gloucester.

by C. W. Edmonds

Lat. —— Long. ——

Time of Observation 9 A.M.

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge five in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level About 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.08	0.09		0.03		0.62	0.15		0.05		1
2				0.17		0.30		0.03					2
3	0.05			0.02			0.01	0.20		0.64			3
4		0.10	0.18				0.05	0.04		0.31		0.03	4
5	0.33		0.08	0.16					0.08	0.25	0.13		5
6			0.11	~~0.05~~		0.17				0.11	0.16		6
7	0.19			~~0.22~~			0.34	0.14		0.22	0.02	0.02	7
8	0.68			0.16			0.99	0.45	0.10	0.35	0.08	0.29	8
9			0.23	0.05	0.16		0.05	0.15	0.18		0.03		9
10	0.26		0.28	0.22	0.21			0.16		0.02			10
11	0.07		0.31	0.36				0.31	0.21	0.17			11
12	0.04		0.04					0.03		0.36			12
13			0.21	0.05		0.05		0.14	0.05			0.01	13
14			0.04	0.06				0.17					14
15								0.14		0.05		0.07	15
16		0.09		0.11			0.11			0.27		0.57	16
17				0.11	0.45		0.31	0.06	0.26	0.07			17
18	0.05	0.07				0.01	0.38		0.70	0.02			18
19		0.44							0.05		0.04		19
20	0.04	0.13	0.39		0.42	0.01			0.01		0.07		20
21		0.02	0.15		0.01	0.23				0.01	0.04		21
22			0.12			0.08		0.04		0.11			22
23		0.16			0.07	0.01		0.36		0.04		0.05	23
24		0.15	0.02			0.32	0.02			0.29			24
25		0.09	0.08					0.02	0.03				25
26			0.04		0.18			0.35	.10 0.18		0.23		26
27					1.25	0.01		0.81					27
28			0.08			1.13		0.47					28
29			0.06		0.06	0.40	0.06	0.06		0.37	0.01	0.18	29
30		X	0.06				0.27	0.18					30
31		X	0.04	X		X	0.01	0.04	X	0.05	X	0.04	31
Total	1.71	1.25	2.60	1.56	2.81	2.75	2.60	4.97	1.92	3.71	0.86	1.26	YEAR'S TOTAL 28.00 in
Rain Days.	9	9	20	12	9	13	12	23	12	19	11	9	158

W. 8 000, IX. 17.

119

E+d. E.F.E.

FORM A. BRITISH RAINFALL

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Draycott, Fairford,
in the County of Gloucester.
by C. W. Edmonds.

Lat. ——— Long. A. M.
Time of Observation 9. A. M.
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge give in.
Height of top of Gauge above Ground two ft. — in.
" " About Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		~~0.04~~											
1		0.04		0.05	0.06			0.08			0.30		1
2		0.12		0.11				0.33	0.02	0.02	0.06	0.21	2
3		0.04		0.12	0.18			0.32	0.18	0.02	0.04	-	3
4		0.09		0.05				0.04	0.10	0.01	0.81	0.04	4
5		0.14			0.33			0.07	0.04	0.17	0.03		5
6	0.10	0.12		0.23					0.06	0.05		0.09	6
7		0.15		0.09	0.41	0.02			0.11	0.23	0.23	0.03	7
8		0.07							0.13	0.13		0.06	8
9	0.05	0.20		0.15		0.20	0.32		0.66	0.27	0.01	0.12	9
10	0.09			0.24			0.48		0.05	0.15		0.28	10
11	0.02			0.05			0.03		0.38	0.13	0.09	0.15	11
12		0.10	0.10		0.36		0.12		0.05				12
13					0.04		0.28		0.42	0.03		0.29	13
14	0.37		0.09			0.17	0.66		0.44	0.14		0.13	14
15				0.43			0.26					0.19	15
16	1.42			0.57		0.06	0.03		0.15				16
17	0.16			0.14	0.25	0.01	0.36	0.06		0.07		0.14	17
18	0.59					0.49	0.20		0.36			0.26	18
19	0.02	0.03	0.16	0.08			0.02		0.05	0.04		0.05	19
20		0.18		0.43		0.03	0.34		0.29	0.01		0.05	20
21	0.07			0.04		0.01			0.84	0.12		0.06	21
22	0.16				0.07		0.09		0.09	0.07		0.35	22
23	0.10				0.26		0.24	0.01			0.04		23
24		0.14					0.09		0.04		0.10		24
25							0.18	0.43		0.03			25
26							0.46		0.06	0.10	0.18	0.17	26
27		0.02				0.05			0.22		0.13	0.05	27
28		0.07	0.21								0.19	0.11	28
29			0.10						1.99			0.02	29
30		X	0.29								0.14	0.05	30
31		X	0.09	X		X		0.10	X	0.03	X		31
Total	3.15	1.51	1.04	2.78	1.96	1.04	4.16	1.44	5.83	1.82	2.35	2.90	YEAR'S TOTAL 29.98
Rain Days.	13	15	7	15	9	9	17	9	23	20	14	22	173

Janry 15th/16 1.42 in 48 hours.

Gox. H'b

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Draycott, Fairford
in the County of Gloucester
by C. W. Edmonds.

Lat. — Long. —
Time of Observation 9 A.M
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. — in.
" " About Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.34		0.04		0.03		0.19			0.10		1.09	1
2			0.01		0.06		0.15	0.04	0.61	0.02	0.08	0.15	2
3	1.08		0.12			0.07	0.18		0.26		0.03	0.44	3
4	0.10		0.47			0.14		0.10	0.33		0.02	0.19	4
5		0.42	0.54				0.07		0 39			0.21	5
6	0.08		0.09		0.64							0.09	6
7	0.08		0.22	0.05							0.13	0.03	7
8	0.12		0.04	0.15	0.02								8
9	0.10		0.03	0.19							0.08		9
10	0.01		0.47	0.10								0.12	10
11	0.03		0.15	0.08	0.10		0.50					0.02	11
12			038			0.85				0.12		0.15	12
13	0.08			0.30						0.07		0.02	13
14	0.40	0.04		0.36			0.08		0.11				14
15	0.32	0.11	0.04	0.17	0.06					021		0.56	15
16	0.16	0.83									0.17		16
17		0.33									0.19	0.03	17
18			0.45					0.21	0.02		0.07	0.05	18
19	0.21	0.36	1.11			0.08	1.13	0.20	0.07			0.01	19
20	0.43	0.14	0.21			0.14	0.03	0.30			0.02	0.03	20
21	0.04	0.50	0.02			0.03	0.25		0.03		0.01	0.11	21
22		0.18					0.06		0.24			0.15	22
23						0.04		0.02		0.31	0.11		23
24						0.03			0.01	0.66	0.07	0.21	24
25	0.09							0.19				0.03	25
26	0.08		0.11	0.12			0.34		0.13			0.38	26
27				0.83				0.48				0.03	27
28			0.30					0.48			0.27	0.25	28
29	0.08							0.01		0.09	0.01	0.20	29
30		✕		0.20		0.14		0.24		0.04	0.23	0.30	30
31		✕	0.02	✕		✕			✕	0.03	✕	0.01	31
TOTAL	3.83	2.91	4.82	2.55	0.91	1.52	2.98	2.27	2.20	1.65	1.49	4.86	YEAR'S TOTAL 31.99
Days with ·01 in. or more	19	9	20	11	6	9	11	11	11	10	15	26	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Recd. AJB

1916

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Draycott, Fairford
in the County of Gloucester.
by C. W. Edmonds.

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Fairford
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground two ft. — in.
" " About Sea Level ~~400~~ 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.20	0.44		0.11			0.47	0.02	0.28	1
2					0.01		0.08	0.19	0.05	0.16		0.20	2
3		0.04		0.16		0.08	0.65		0.04	0.23			3
4			0.07	0.02			0.03	0.44		0.15			4
5			0.11		0.03		0.61	0.02		0.67			5
6			0.24	0.05	0.10		0.20			0.11		0.05	6
7	0.03		0.02	0.07			0.38						7
8	0.04	0.06		0.47	0.05		0.36	0.01				0.05	8
9	0.29	0.03		1.65									9
10	0.55	0.09	0.05	0.04		0.09	0.20	0.05			0.04		10
11	0.27	0.02	0.11	0.31	0.36	0.10	0.06						11
12	0.14	0.08		0.13		0.65	0.04	0.06			0.03		12
13	0.05	0.06	0.34	0.04							0.01		13
14	0.02		0.70	0.21		0.09	0.06		0.06	0.35	0.39		14
15	0.03	0.11	0.06	0.25		0.11			0.14	0.09	0.06		15
16				0.05	0.09	0.07	0.04		0.34	0.06	0.05		16
17	0.03			0.05	0.22	0.04			0.30	0.01		0.07	17
18	0.10			0.03	0.14	0.02		0.20	0.30				18
19	0.03	0.11		0.31	0.03	0.12			0.12				19
20	0.03	0.17		0.20		0.29			0.03			0.20	20
21	0.02			0.03			0.01		0.03				21
22				0.17			0.05		0.01			0.30	22
23							0.49	0.06				0.41	23
24	0.04		0.17	0.01							0.04	0.11	24
25	0.01	0.12	0.06				0.44					0.01	25
26	0.21		0.21		0.02	0.05	0.10					0.10	26
27	0.29	0.03	0.04	0.24		0.34	0.02					0.19	27
28	0.50		0.03		0.55	0.02	0.04					0.01	28
29	0.13		0.05			0.11	0.02				0.10	0.32	29
30	0.05	✕	0.06	0.03		0.13	0.24		0.30		0.18	0.32	30
31	0.17	✕	0.07	✕	0.01	✕	0.02		✕	0.40	✕	0.19	31
													YEAR'S TOTAL
TOTAL	3.03	0.92	2.39	4.72	2.05	2.24	4.25	1.03	1.72	2.70	0.92	2.81	28.78
Days with ·01 in. or more	22	12	17	23	13	16	23	8	12	11	10	16	183
Days with ·04 in. or more	14	9	15	18	8	13	18	6	9	10	7	15 4	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Simode

GLOUCESTER

— FAIRFORD

HATHEROP CASTLE GDNS.

1913-1914

REC 1913

FORM A.
BRITISH RAINFALL.

30 APR 1914

Kept at Hatherop

in the County of Glou

by Mr. A. W. Maa

Long. 1·46 W.

Station Fairford

ion 9. a-m.

Gauge 5 in.

Gauge above Ground 1 ft. 0 in.

" Sea Level 410 ft.

NOTE.—Rain should be measu us day. Full instructions for the measurement of rain and particulars as to the B nfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·21	·08	·06	·18	—			1·59		·10	·04	1
2		·11	·03	·18					·23	·29	·07		2
3	·02	·02	·13		·28					·05		·13	3
4	·68		·04		·33				·06	·43	·04	·20	4
5	·02		·02			·20	·07			·07	·03	·05	5
6	·02	·10	·13		·29	·10	·73			·32	·13	·43	6
7		·35			·16	·10	·02			·30	·30	·01	7
8		·12			·16	·10				·85		·03	8
9		·22				·07	·08	·28	·25		·05	·02	9
10	·17			·08				·28			·43		10
11	1·24			·51	·08					·16	·36	·03	11
12					·30	·02		·02	·12		·29		12
13	·16 s		·03		·06				·19		·23		13
14	·08 s		·26	·04			·45	·09		·15		·01	14
15	·09	·11	·40	·60			·55		·07		·06		15
16	·06		·41	·11							·01		16
17	·01		·10	·07		·07	·13		·02		·01		17
18	·06		·10	·18	·05		·06				·04		18
19	·49		·12	·01		·02	·02		·30			·05	19
20	·28		·24	·06						·20	·13		20
21			·18	·26	·27						·39		21
22	·54		·40	·22	·03			·12	·31				22
23	·01					·08		~~12~~			·01	·09	23
24	·06			·13									24
25		·09		·15						·05		·03	25
26		·06		·20				·18		·18		·21	26
27		·03	·06	·21	·01					·06			27
28	·39		·15	·39						·27			28
29	·02		·41	·63	·05			·01		·04		[S] 0·2	29
30	·21									·23	·02		30
31	·02		·06		·11			·09		·02			31
Total	4·66	1·42	3·35	4·09	2·36	·76	2·11	1·07	3·14	3·67	2·70	1·35	TOTAL for Year 3068
No. of Rain Days.	22	11	20	19	15	9	9	8	10	17	19	15	174

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Smode

RE 1913

Kept at Hatherop

in the County of Gloucester 7

by Mr. A. W. Maulden 1913.

Lat. [illegible] N. Long. 1·46 W.

Nearest Railway Station Fairford

Time of Observation 9. a. m.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 410 ft.

FORM A.
BRITISH RAINFALL.
30 APR 1914

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	·21	·08	·06	·18				1·59		·10	·04	1
2		·11	·03	·18					·23	·29	·07		2
3	·02	·02	·13		·28					·05		·13	3
4	·68		·04		·33				·06	·43	·04	·20	4
5	·02		·02			·20	·07			·07	·03	·05	5
6	·02	·10	·13		·29	·10	·73			·32	·13	·43	6
7		·35			·16	·10	·02			·30	·30	·01	7
8		·12			·16	·10				·85		·03	8
9		·22				·07	·08	·28	·25		·05	·02	9
10	·17			·08				·28			·43		10
11	1·24			·51	·08					·16	·36	·03	11
12					·30	·02		·02	·12		·29		12
13	·16 s		·03		·06				·19		·23		13
14	·08 s		·26	·04			·45	·09		·15		·01	14
15	·09	·11	·40	·60			·55		·07		·06		15
16	·06		·41	·11							·01		16
17	·01		·10	·07		·07	·13		·02		·01		17
18	·06		·10	·18	·05		·06				·04		18
19	·49		·12	·01		·02	·02		·30			·05	19
20	·28		·24	·06						·20	·13		20
21			·18	·26	·27						·39		21
22	·54		·40	·22	·03			·12	·31				22
23	·01					·08		~~·12~~			·01	·09	23
24	·06			·13									24
25		·09		·15						·05		·03	25
26		·06		·20				·18		·18		·21	26
27		·03	·06	·21	·01					·06			27
28	·39		·15	·39						·27			28
29	·02		·41	·63	·05			·01		·04		[S] 0·2	29
30	·21									·23	·02		30
31	·02		·06		·11			·09		·02			31
Total	4·66	1·42	3·35	4·09	2·36	·76	2·11	1·07	3·14	3·67	2·70	1·35	TOTAL for Year 30·68
No. of Rain Days.	22	11	20	19	15	9	9	8	10	17	19	15	174

1,000, I. '12.

EDWARD STAMFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

cmd fw W.D. 25.III.15 Exd BJJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at Hatherop Castle Gardens
in the County of Gloucestershire 7
by W Maulden

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Fairford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. in.
" " " " Sea Level 411 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·02

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·02	·15	-	-	-	·02	·28	–	–	·05	·66	1
2	–	–	–	·07	-	–	·21	·35	–	–	·04	·02	2
3	–	–	–	–	–	–	·44	·08	–	–	1·01	·40	3
4	–	–	·08	·17	·29	–	·14	·03	–	–	·04	·07	4
5	·21	–	–	·39	·08	–	·06	·44	–	–	·35	·50	5
6	–	–	·12	·19	·02	–	·23	·08	–	–	·26	–	6
7	–	·09	·05	–	·06	–	·01	·03	–	–	·11	·19	7
8	–	·28	·30	·19	·11	·09	·40	·11	–	–	·01	·14	8
9	·06	·05	·53	·07	·12	68	·05	·12	-	–	–	·03	9
10	·09	–	·31	·05	·50	88	–	·06	·16	–	–	–	10
11	·07	·18	·02	·12	·10	–	–	–	·30	–	–	–	11
12	–	·13	·35	–	·15	·71	–	–	–	–	·22	·45	12
13	–	·09	·18	–	–	–	57	–	·40	–	·07	·33	13
14	–	·58	·31	–	–	–	–	–	·33	·11	·08	29	14
15	–	·38	·35	–	–	–	19	–	·03	·61	·26	–	15
16	·05	·05	·13	–	–	–	·03	·06	·22	·05	28	·02	16
17	–	~~·20~~	–	–	–	–	–	–	·10	–	–	·01	17
18	–	·26	·15	–	–	–	·03	–	·04	–	–	·41	18
19	–	–	–	–	–	·02	·27	–	–	–	–	·42	19
20	–	·07	·28	–	–	–	·92	–	·01	–	–	10	20
21	–	·20	·36	–	–	13	–	·37	–	–	–	·24	21
22	–	·41	·30	–	–	–	–	–	–	·14	·06	·09	22
23	–	–	–	–	·10	·06	·01	·05	–	·21	–	–	23
24	–	–	·14	–	·02	–	·13	–	–	·14	–	–	24
25	–	–	·05	–	·09	–	·05	–	–	·15	·11	–	25
26	·08	–	·12	–	–	–	·01	35	–	·29	·03	29	26
27	–	–	·07	–	–	–	·01	·07	–	·07	·19	38	27
28	·07	–	·03	–	–	–	–	–	–	–	·11	24	28
29	–	–	·07	–	·02	–	–	–	–	-	·29	79	29
30	·07	╳	·17	–	·02	–	–	–	–	25	·50	·06	30
31	–	╳	·16	╳	–	╳	–	–	╳	·18	╳	45	31
	·02	·15	–	–	–	·02	·28	–	–	·05	·66	·02	YEAR'S TOTAL
Total	~~·70~~	~~2·79~~	~~4·78~~	1·25	1·68	~~2·57~~	~~3·78~~	~~2·48~~	1·59	~~2·20~~	~~4·07~~	~~6·58~~	~~34·47~~
	·72	2·92	4·63			2·59	4·04	2·20		2·25	4·68	5·94	34·49
Rain Days.	~~8~~ 9	14	~~25~~ 24	8	14	~~7~~ 8	20	~~13~~ 14	9	~~4~~ 12	20	24	~~175~~ 176

W. 8,000. X. 14.

2200

FAIRFORD VICARAGE

1919 - 20

R 9

FORM A.
BRITISH RAINFALL.

Kept at Fairfo g. 1-47. W

9 am.

in the County of Gl n Fairford

Rain Gauge 5 in.

by Revd Canon

above Ground ft. 9 in.

„ Sea Level 280 ft.

IMPORTANT and the result entered to the previous day. If a universal rule, he is earnestly requested to add the year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Gauge is not always read daily and after rain & therefore sometimes

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34		·02		·02		·18			·11		1·05	1
2	·09				·06		·16	·03	·59		·08	·15	2
3	·62		·18		·01	·10	·15		·27		·05	·37	3
4	·49		·40			·12		·10	·34		·02	·14	4
5	·09	·23	·53				·05		·36			·21	5
6		·15	·05		·63							·09	6.
7			·27	·05	·01						·10	·03	7
8			·03	·13									8
9			·03	·22							·07		9
10	·36		·49	·05							·04	·11	10
11			·10	·08	·08		·52					·02	11
12			·46	·02		·67				·13	·01	·12	12
13	·09			·28						·06		·02	13
14	·38			·32			·06		·10			·05	14
15	·29	·11	·04	·14	·05					·20		·45	15
16	·13	·80									·13	·02	16
17		·33									·13		17
18			·38				·02	·19	·02		·05	·05	18
19	·21	·32	·75			·11	1·08	·27	·07		·09	·01	19
20	·37		·60			·11	·02	·22	·03			·03	20
21	·03	·61	·02			·02	·27					·10	21
22		·16	·09				·01		·23			·12	22
23						·03		·01		·30	·10		23
24						·02			·01	·63	·06	·16	24
25	·11							·18	·10			Rain	25
26	·09			·11			·33					·37	26
27			—	·85				·53					27
28			·14					·42			·05	·25	28
29		✕	·02					·01		·04	S	·18	29
30	·08	✕		·19		·13		·22		·01	·39	·28	30
31	[illegible]	✕	·02	✕		✕			✕	·02	✕	·01	31
Total	3·77	2·71	4·62	2·44	·86	1·31	2·85	2·15	2·12	1·58	1·37	4·41	YEAR'S TOTAL 30·19 ~~26·43~~
Rain Days.	16	4	20	12	7	9	12	11	11	9	15	26	156

W. 8,000, IX. 17.

Max Daily fall 1·08 in on July 19

FORM A.
BRITISH RAINFALL.

R[redacted] 9

Kept at Fairford

in the County of Gloucester

by Revd Canon R.C.S. Jones

Lat. ~~51·42 N~~ Long. 1-47 W

Time of Observation 9 am.

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Gauge is not always read daily and [illegible]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34		·02		·02		·18			·11		1·05	1
2	·09				·06		·16	·03	·39	[illegible]	·08	·15	2
3	·62		·18		·01	·10	·15		·27		·05	·37	3
4	·49		·40			·12		·10	·34		·02	·14	4
5	·09	·23	·53				·05		·36			·21	5
6		·15	·05		·63							·09	6
7			·27	·05	·01						·10	·03	7
8			·03	·13									8
9			·03	·22							·07		9
10	·36		·49	·05							·04	·11	10
11			·10	·08	·03		·52					·02	11
12			·46	·02		·67				·13	·01	·12	12
13	·09			·26						·06		·02	13
14	·38			·32			·06		·10			·05	14
15	·29	·11	·04	·14	·05					·20		·46	15
16	·13	·80									·13	·02	16
17		·33									·13		17
18			·38				·02	·19	·02		·05	·05	18
19	·21	·31	·75			·11	1·08	·27	·07		·09	·01	19
20	·37		·60			·11	·02	·22	·03			·03	20
21	·03	·61	·02			·02	·27					·10	21
22		·16	·09				·01		·23			·12	22
23						·03		·01		·30	·10		23
24						·02			·01	·63	·06	·18	24
25	·11							·18	·10			[illegible]	25
26	·09			·11			·33					·37	26
27			—	·85				·50					27
28			·14					·42			·05	·25	28
29		~~X~~	·02					·01		·04	5	·18	29
30	·08	X		·19		·13		·22		·04	·39	·28	30
31	[illegible]	X	·02	X		X			X	·02	X	·01	31
Total	3·77	2·71	4·62	2·44	·88	1·31	2·85	2·15	2·12	1·58	1·37	4·41	YEAR'S TOTAL 30·19
Rain Days.	16	8	20	12	7	9	12	11	11	9	15	26	156

W. 8,000, IX. 17.

Max Daily fall 1·08 in on July 19

WO [illegible]

7 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fairford Vicarage

in the County of Gloucester.

by Canon R. C. S. Jones

Lat. 51·42 N Long. 1·47 W

Time of Observation 9 am

Nearest Railway Station Fairford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft 9 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·	—		·18	~~·42~~		·28	·01		·48	·01	·25	1
2	·	—		·05			·10	·17	·04	·17		·16	2
3		·04		·15			·82		·04	·21		·03	3
4			·07	·02			·02	·42		·14		·	4
5			·10	·06	·03		·67	·01		·72		R	5
6	·01		·21		·08		·14			·07		4	6
7	·05		·03	·08			·26						7
8		·06		·92	·05		·41	·01				·09	8
9	·24	·01		1·23				·06					9
10	·52	·07	·03	·09		·11	·19				·03		10
11	·26	·03	·12	·24	·37	·17	·06						11
12	·14	·03	·01	·13		·62	·02	~~·05~~			·02		12
13	—	·04	·32	·05				~~·34~~	·04		·01		13
14	·02	·02	·37	·15		·08	·07	~~·06~~	·05	·35	·27		14
15	·01	·11	·23	·24	~~·07~~	·12			·15	·09	·07		15
16	—			·04	·07	·06	·03		·31	·07	·05		16
17	·02			·05	·21	·03		—	·29			·07	17
18	·07			·03	·12	·03		·20	·28			·01	18
19	·03	·09		·30	·02			·01	·14		·01		19
20	·03	·26		·16		·10			·02			·14	20
21				·02			·01	·01	·04				21
22	·01			·14			·05	·02				·26	22
23							·48	·03				·38	23
24	·04		·14					·01				·09	24
25	·01	·11					·46				·04		25
26	·19		·16		·02	·05	·07				—	·10	26
27	·23	·03	·04	·19		·33	·01					·15	27
28	·50		·03		·50		·03					·01	28
29	·10		·04	·03		·12	·20				·10	·29	29
30	·04	☒	·06	·42		·12	·05		·29		·13	·29	30
31	·14	☒	·08	☒	·01	☒	·02		☒	·38	☒	·17	31
TOTAL	2·66	·84	2·04	4·97	1·48	1·94	4.45 ~~[illegible]~~	1·01	1·69	2·68	·74	2·47	26.97 YEAR'S TOTAL ~~26·87~~
Days with ·01 in. or more	21	13	17	24	11	13	23	13	12	10	11	17	185
	[illegible]	[illegible]	13	20	7	11	6	5	11	10	6	13	13[illegible]

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FILTON

GLOUCESTER

1911-1920

REC

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

Kept at Filton

in the County of Gl

by F. W. Gayne

in.

round 2 ft. - in.

ea Level 200 ft.

m.

Name Filton

Distance ½ m. Direction S.

IMPORTANT NOTE the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the readi ar in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·01	·05	—	—	—	·06	—	—	·02	·01	1
2	—	—	—	·03	·15	—	—	·28	—	·07	·25	·20	2
3	—	—	·01	—	·32	—	—	·05	—	—	·10	·12	3
4	—	—	·17	·02	—	—	—	—	·01	·03	·27	·29	4
5	—	—	·04	—	—	—	—	·26	—	·01	·18	—	5
6	·17	—	·08	—	—	—	—	·06	—	—	·07	·22	6
7	·01	—	—	—	—	—	—	—	—	—	·40	—	7
8	·13	—	·13	—	—	—	—	—	—	—	·07	·31	8
9	·10	—	—	—	—	—	—	—	—	—	·11	·10	9
10	·03	·06	·13	—	·16 ·26	—	—	—	—	—	·02	·30	10
11	·24	—	—	—	·03	—	—	—	—	—	·83	·18	11
12	—	—	·63	—	—	—	—	—	·01	—	·59	—	12
13	—	—	·01	—	·11	—	—	—	·60	·27	—	·51	13
14	—	·03	—	—	—	—	—	—	—	—	—	·71	14
15	—	·01	—	—	—	·01	—	—	—	—	·21	·21	15
16	—	·01	—	—	—	·14	—	—	—	—	·35	·13	16
17	—	·01	—	—	—	·02	—	—	—	—	·08	·20	17
18	—	·42	·05	·12	—	·20	—	—	—	·05	—	·22	18
19	—	—	—	·04	—	·04	—	—	25 ~~·05~~	·10	—	·08	19
20	·02	·02	·08	·04	—	—	—	—	·16	·08	—	·48	20
21	—	·18	·15	·01	—	—	—	·02	— ~~·08~~	·30	—	·23	21
22	—	—	·31	—	—	·58	—	—	— ~~·30~~	·24	—	·39	22
23	—	·15	·21	·01	—	·09	—	—	09 ~~·24~~	·08	—	·15	23
24	·01	·06	—	—	—	·44	—	·13	— ~~·08~~	·44	—	·15	24
25	—	—	—	·11	—	·08	—	·03	— ~~·44~~	·05	—	·09	25
26	—	·14	—	·21	·03	·02	·03	·03	— ~~·05~~	·24	·12	·20	26
27	—	·27	·13	·05	—	—	—	·32	19 ~~·24~~	—	·11	·12	27
28	—	·35	—	·45	—	—	—	·20	—	—	·03	·01	28
29	—		—	·04	—	·52	—	·01	·14	·24	—	—	29
30	—		—	·03	—	·03	—	·01	—	·17	—	—	30
31	—		—		—		—	—		·19		·01	31
Total	0·73	1·71	2·14	1·21	0·80	2·17	0·03	1·46	1·45	2·56	3·81	5·62	TOTAL for year 23·69
No. of Rain Days.	9	13	15	14	6	12	1	13	8	16	18	26	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
27 JAN 1912

REC

Kept at Filton

in the County of Glo' 5

by F. W. Gayner

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. - in.
" " " Sea Level 200 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Filton
Distance ½ m. Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·01	·05	—	—	—	·06	—	—	·02	·01	1
2	—	—	—	·03	·15	—	—	·28	—	·07	·25	·20	2
3	—	—	·01	—	·32	—	—	·05	—	—	·10	·12	3
4	—	—	·17	·02	—	—	—	—	·01	·03	·27	·29	4
5	—	—	·04	—	—	—	—	·26	—	·01	·18	—	5
6	·17	—	·08	—	—	—	—	·06	—	—	·07	·22	6
7	·01	—	—	—	—	—	—	—	—	—	·40	—	7
8	·13	—	·13	—	—	—	—	—	—	—	·07	·31	8
9	·10	—	—	—	—	—	—	—	—	—	·11	·10	9
10	·03	·06	·13	—	·16 ·26	—	—	—	—	—	·02	·30	10
11	·24	—	—	—	·03	—	—	—	—	—	·83	·18	11
12	—	—	·63	—	—	—	—	—	·01	—	·59	—	12
13	—	—	·01	—	·11	—	—	—	·60	·27	—	·51	13
14	—	·03	—	—	—	—	—	—	—	—	—	·71	14
15	—	·01	—	—	—	·01	—	—	—	—	·21	·21	15
16	—	·01	—	—	—	·14	—	—	—	—	·35	·13	16
17	—	·01	—	—	—	·02	—	—	—	—	·08	·20	17
18	—	·42	·05	·12	—	·20	—	—	—	·05	—	·22	18
19	—	—	—	·04	—	·04	—	—	25 ~~·05~~	·10	—	·08	19
20	·02	·02	·08	·04	—	—	—	—	·16	·08	—	·48	20
21	—	·18	·15	·01	—	—	—	·02	— ~~·08~~	·30	—	·23	21
22	—	—	·31	—	—	·58	—	—	— ~~·30~~	·24	—	·39	22
23	—	·15	·21	·01	—	·09	—	—	09 ~~·24~~	·08	—	·15	23
24	·01	·06	—	—	—	·44	—	·13	— ~~·08~~	·44	—	·15	24
25	—	—	—	·11	—	·08	—	·03	— ~~·44~~	·05	—	·09	25
26	—	·14	—	·21	·03	·02	·03	·03	— ~~·05~~	·24	·12	·20	26
27	—	·27	·13	·05	—	—	—	·32	19 ~~·24~~	—	·11	·12	27
28	—	·35	—	·45	—	—	—	·20	—	—	·03	·01	28
29	—		—	·04	—	·52	—	·01	·14	·24	—	—	29
30	—		—	·03	—	·03	—	·01	—	·17	—	—	30
31	—		—		—		—	—		·19		·01	31
Total	0·73	1·71	2·14	1·21	0·80	2·17	0·03	1·46	1·45	2·56	3·81	5·62	TOTAL for year 23·69
No. of Rain Days.	9	13	15	14	6	12	1	13	8	16	18	26	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
22 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Filton

in the County of Glo' 5

by F. W. Gayner

Rain Gauge: Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. - in.
" " " Sea Level 200 ft.

Time of Observation 8. a.m

Nearest Railway Station: Name Filton
Distance ½ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·09	–	–	·55	·33	–	–	·66	–	·24	1
2	–	–	·05	–	–	·58	·33	–	–	·04	–	–	2
3	–	–	·11	–	–	·19	·02	·37	·07	–	·04	–	3
4	·15	–	·60	–	·04	·28	–	·06	–	–	·19	–	4
5	·32	·10	·08	–	·04	·01	–	·64	–	–	–	·06	5
6	·41	·13	·02	–	·03	–	·18	·62	–	–	·01	·04	6
7	–	·14	·03	–	·07	·43	–	·03	–	–	–	·01	7
8	·50	·11	·28	–	–	·15	·07	·03	–	–	–	·24	8
9	·01	·02	·23	·03	–	·02	·01	·14	–	–	–	·20	9
10	–	·04	·01	–	–	·17	–	·08	–	–	·08	·05	10
11	·15	·06	–	–	·05	–	–	–	–	–	–	·42	11
12	·01	·35	·04	·07	–	–	·02	–	–	–	–	·05	12
13	–	–	·01	–	–	–	–	–	–	–	–	·20	13
14	·12	–	·57	–	·09	–	–	·04	–	·03	–	·04	14
15	·08	·18	·01	–	·43	·65	–	·01	–	–	–	·39	15
16	·51	–	·18	–	–	–	–	·16	–	·09	·03	·03	16
17	·68	–	·31	–	·03	·15	–	·68	–	–	·02	·35	17
18	·14	·01	·25	–	–	–	–	·07	–	·02	–	·15	18
19	·03	·07	·02	–	–	·12	·21	·61	–	·21	–	–	19
20	·01	–	·30	–	·28	–	·11	·02	–	·47	–	–	20
21	·01	·03	·16	–	·60	–	·04	·09	–	·19	–	–	21
22	·50	·38	·08	–	·09	·02	·07	·16	–	·01	–	·08	22
23	·27	·37	·45	–	–	·13	·02	·50	–	·15	·04	·34	23
24	·05	·01	·23	–	–	·13	·01	·09	–	–	–	·05	24
25	–	–	·01	–	–	·69	–	·70	–	·04	·44	·47	25
26	–	·05	–	–	–	–	·20	·40	–	·48	·64	·17	26
27	–	–	–	–	–	·26	1·15	–	–	·61	·01	·58	27
28	–	·07	–	–	–	·18	·63	·70	·08	·41	·39	·85	28
29	–	·07	–	–	–	·43	·53	·03	·30	·34	–	·17	29
30	–		–	–	–	·04	·15	–	·07	·20	–	·01	30
31	–		·20		·04		·49	·01		–		·17	31
Total	3·95	2·19	4·32	0·10	1·79	5·18	4·57	6·24	0·52	3·95	1·89	5·36	TOTAL for year 40·06
No. of Rain Days.	18	18	25	2	12	20	19	24	4	16	11	25	194

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 FEB 1914

Ex Dl

REGISTER OF RAINFALL IN 1913

5

Kept at Filton.

in the County of Glo.

by F. W. Gayner

Lat. 51. 30½ N Long. 2. 32½ W

Time of Observation 8. a.m

Nearest Railway Station Filton. G. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·08	·20	·02	·06	—	—	—	·40	—	·10	·03	1
2	·01	·16	·03	·05	—	—	·01	—	·04	·63	·11	·03	2
3	·14	—	·11	—	·58	—	—	—	—	·04	·01	·34	3
4	1·20	—	·15	—	·20	—	—	—	1·44	·17	·01	·05	4
5	·01	·05	—	—	·13	·17	·07	—	·33	—	·11	·08	5
6	·01	·04	·20	—	·34	·09	·10	—	—	·44	·10	·52	6
7	—	·12	—	—	·13	—	·05	—	—	·17	·24	—	7
8	—	·07	—	—	·19	·14	·02	—	—	·09	—	·01	8
9	—	·11	—	—	—	·15	—	·19	·06	—	·04	—	9
10	·10	—	·03	·01	·01	—	—	·08	—	—	·14	—	10
11	·76	—	—	·14	·09	—	—	—	—	·13	·64	·02	11
12	·02	—	—	—	·05	—	·01	—	·01	—	·33	—	12
13	·05	—	·05	—	—	—	·02	·05	·51	—	·15	—	13
14	·09	—	·27	·01	—	—	—	·01	—	·25	·02	—	14
15	·20	·06	·33	·47	—	—	—	·04	·01	—	·13	·04	15
16	·25	—	·43	·11	—	—	—	—	·06	—	—	—	16
17	·02	·01	—	·04	—	—	·03	—	·05	—	·02	—	17
18	·20	—	·08	·13	—	—	—	—	—	—	—	—	18
19	·21	—	·05	—	—	·07	·09	—	·29	—	—	—	19
20	·36	—	·10	·03	—	—	—	—	—	·03	·13	—	20
21	—	—	·04	·03	·20	—	·07	·01	—	—	·30	—	21
22	·40	—	·65	·07	·03	—	—	·03	·22	—	—	—	22
23	·04	—	—	—	—	·07	—	·30	·01	—	·11	·18	23
24	·12	—	—	·03	—	—	—	—	—	—	—	—	24
25	—	·01	—	·16	—	—	—	—	·01	—	—	·07	25
26	—	·10	—	·30	—	—	—	·19	—	—	—	·17	26
27	·02	—	—	·33	—	—	—	—	—	·08	—	—	27
28	·02	—	·24	·17	—	—	—	—	—	·03	—	·07	28
29	·31		·44	·41	—	—	—	·10	—	·06	—	—	29
30	·27		·01	—	—	—	—	—	—	·32	·04	—	30
31	·13		·07		·42		—	·04		—		—	31
Total	4·95	0.81	3.48	2·51	2·43	0·69	0·47	1·04	3·44	2·44	2·73	1·61	YEAR'S TOTAL 26·60
Rain Days.	25	11	19	18	13	6	10	11	14	13	19	13	172

W. 7,500, XI. ·12

Exd JJS

FORM A.
BRITISH RAINFALL.

11 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Filton

in the County of Glos. 5

by F. W. Gayner

Lat. 51.30½ N Long. 2.32½ W

Time of Observation 8 a.m

Nearest Railway Station Filton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	·06	—	·01	1·00	·50	—	—	·07	—	1
2	—	—	—	·01	—	—	·75	·25	—	—	·53	·32	2
3	—	—	·02	·18	·33	—	·04	·01	—	—	·03	·12	3
4	·30	—	·01	·22	·17	—	·25	·08	—	—	·47	·67	4
5	·03	—	·05	·26	·03	—	·10	·01	—	—	·04	·08	5
6	—	·07	·04	·09	·06	—	·16	·05	—	—	·01	·15	6
7	·01	·30	·35	·24	·32	·02	·27	·06	—	—	—	·10	7
8	·07	—	·70	·04	·01	·46	·26	·11	·09	—	·01	—	8
9	·16	—	·34	·04	—	·81	—	·10	·03	—	—	—	9
10	—	·05	—	·11	·02	—	—	—	·46	—	—	—	10
11	—	·07	·14	·01	·04	·26	·30	—	—	—	·04	·33	11
12	—	·07	·10	—	—	—	·03	—	·14	—	·04	·26	12
13	—	·32	·20	—	—	—	·02	—	·22	·12	·02	·47	13
14	—	·35	·37	—	—	—	—	·11	·01	·15	·21	·01	14
15	—	·04	·11	—	—	—	—	·58	·57	·02	·31	—	15
16	—	—	—	—	—	—	·05	—	·14	—	—	—	16
17	—	·25	·10	—	—	—	·02	—	·01	—	—	·47	17
18	—	·02	·06	—	—	—	·14	—	·06	—	—	·29	18
19	—	·12	·14	—	—	—	·40	—	—	—	·04	·11	19
20	—	·27	·12	—	—	·03	—	—	—	—	—	·17	20
21	—	·36	—	—	—	·08	—	—	—	·09	—	—	21
22	—	—	—	—	·35	·10	—	·02	—	·09	—	—	22
23	—	·07	·23	—	·03	—	—	—	—	·20	—	—	23
24	—	—	·08	—	—	—	·10	·03	—	·17	·07	—	24
25	·07	—	·20	—	—	—	—	·49	—	·26	—	·33	25
26	—	—	·01	—	—	—	·12	·02	—	·04	·18	·41	26
27	·04	—	—	—	—	—	—	—	—	—	·12	·21	27
28	·01	·15	·12	—	·08	—	—	—	—	·04	·64	·98	28
29	·19		·22	—	·07	—	·01	—	—	·12	·19	—	29
30	·04	X	·03	—	—	—	—	—	—	·17	·49	·38	30
31	—	X	—	X	·01	X	·37	—	X	·13	X	·05	31
Total	0·92	2·51	3·74	1·26	1·52	1·77	4·39	2·42	1·73	1·60	3·51	5·91	YEAR'S TOTAL 31·28
Rain Days.	10	15	23	11	13	8	19	15	10	13	19	20	176

W. 8,000. X. 14.

CT ML

2244

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

19 JAN 1916

Kept at Filton

in the County of Gloucester

by F. W. Gayner

Lat. 51.30 N Long. 2.32½ W

Time of Observation 8 a.m.

Nearest Railway Station Filton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·33

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·07	—	—	·13	—	—	·02	·03	·26	·06	·17	1
2	·20	·21	·11	·17	—	—	—	·65	·12	·08	—	·10	2
3	·30	·01	·05	·06	·11	—	·29	·21	—	—	—	·15	3
4	—	—	—	—	·07	—	·75	—	—	—	—	·76	4
5	·19	·39	—	—	—	—	—	·05	—	—	—	·22	5
6	·28	—	—	·13	—	—	·31	·03	—	—	—	·30	6
7	·34	·22	—	·02	·28	—	·46	·03	—	—	—	·16	7
8	·32	·20	—	·02	—	—	·02	·06	—	—	·03	—	8
9	·01	·05	—	—	—	—	—	·19	—	—	·18	·85	9
10	·18	—	·08	·05	—	—	—	·04	—	—	—	·02	10
11	·03	—	·04	·01	—	—	·01	·01	—	—	·79	·02	11
12	·13	·04	—	·27	·40	—	—	·02	—	·21	·37	·01	12
13	·03	·53	—	—	·99	—	—	·06	·21	—	·02	—	13
14	·08	—	—	—	—	—	·08	·32	·03	·03	—	·47	14
15	·27	—	—	—	·04	—	·12	·01	·03	·09	·05	·02	15
16	—	·51	—	—	·30	—	·63	—	—	—	—	·06	16
17	—	·24	—	—	·42	—	—	—	—	—	—	·01	17
18	—	·15	·03	—	·01	—	—	—	—	—	—	—	18
19	—	—	—	—	·06	—	·21	—	—	—	—	—	19
20	·11	—	—	·18	—	—	—	—	—	—	—	·09	20
21	·02	·04	—	—	—	—	—	—	—	·10	—	·10	21
22	·07	·03	·48	·01	—	·01	·71	—	—	—	—	·15	22
23	—	—	·13	—	—	—	·13	—	·08	1·14	—	·41	23
24	—	—	—	·03	—	—	·21	—	·29	·68	—	·33	24
25	—	—	—	—	—	·21	·31	—	—	·07	—	·29	25
26	—	·08	—	—	—	·04	·21	—	·01	—	—	·36	26
27	—	·03	—	—	—	—	·15	—	—	·37	—	—	27
28	—	·03	—	—	—	—	·07	—	·48	—	—	—	28
29	—	—	—	—	—	·24	—	·04	—	—	·04	·02	29
30	·17	×	—	—	—	·25	—	—	—	·38	·15	·07	30
31	·01	×	—	×	—	×	·08	·03	×	·55	×	·33	31
Total	3·01	2·83	0·92	0·95	2·81	0·75	4·75	1·77	1·28	3·96	1·69	5·47	YEAR'S TOTAL 30·19
Rain Days.	19	17	7	11	11	5	18	16	9	12	9	25	159

W. 8,000. X. 15.

Exd C.F.

2231

FORM A.
BRITISH RAINFALL.

13 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Filton

in the County of Glos.

by F. W. Clayner

Lat. 51.30½ N Long. 2·32½ W

Time of Observation 8 a.m.

Nearest Railway Station Filton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	—	—	·16	·12	·38	—	—	·15	·16	—	1
2	·97	·03	·04	—	·05	·03	—	—	—	1·52	·04	—	2
3	·08	·67	—	—	—	—	—	—	·08	·33	·07	—	3
4	·35	—	—	—	·40	·60	—	—	·15	·28	·27	—	4
5	·01	—	·02	—	·14	·22	—	—	—	·02	·09	—	5
6	·10	·18	·01	—	·30	·02	·58	—	—	·10	·42	—	6
7	·05	·10	·12	—	·06	—	—	—	—	·05	·24	·25	7
8	—	·09	·07	—	·20	—	—	—	—	—	·01	·20	8
9	—	—	—	—	·17	·11	·25	—	—	·01	·01	·06	9
10	—	·42	·04	·10	·03	·05	—	—	—	·10	—	·03	10
11	·01	·07	·03	·11	·07	—	—	—	—	—	—	—	11
12	·01	·42	·04	·01	·54	—	·15	·01	—	·23	—	—	12
13	—	·31	·19	—	—	—	—	·25	—	·03	—	—	13
14	—	·15	·15	—	·11	—	—	·25	—	·06	—	—	14
15	—	·07	·04	—	—	—	—	·15	—	—	—	—	15
16	·02	·05	—	·26	·01	—	·14	·13	—	—	—	—	16
17	·06	·09	—	·09	—	—	—	·11	·36	·41	·06	—	17
18	—	·01	·08	·01	—	—	—	—	·01	—	·21	·07	18
19	·11	—	·35	·33	—	—	—	—	—	—	·19	—	19
20	·20	—	·57	·01	—	—	—	—	—	—	·04	·38	20
21	·23	·15	·66	—	·12	—	—	—	—	—	·01	·57	21
22	·02	—	·01	·01	—	·17	—	—	—	·23	·05	·43	22
23	—	·25	—	—	—	·01	—	·16	—	—	·08	·25	23
24	—	·07	—	·12	·77	·06	—	·06	—	·21	·01	·19	24
25	—	·20	·31	—	—	—	—	1·04	—	·03	—	—	25
26	·04	·33	·11	—	—	·18	—	·10	·37	·20	·21	—	26
27	·14	·08	1·21	—	·06	·28	·01	·19	·24	·41	—	—	27
28	—	·25	·06	—	—	·02	—	—	·01	·33	—	·84	28
29	—	·33	—	—	—	·44	—	1·72	—	·48	—	·67	29
30	—	✕	—	—	—	—	—	—	—	·49	—	·01	30
31	—	✕	—	✕	—	✕	—	·03	✕	·10	✕	·01	31
Total	2·42	4·32	4·11	1·05	3·19	2·31	1·57	4·20	1·22	5·77	2·17	3.96	YEAR'S TOTAL 36·23
Rain Days.	17	22	20	10	16	14	6	13	7	22	18	14	179

W. 8,000, VIII. 16

2128

FORM A.
BRITISH RAINFALL.

31 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Filton

in the County of Glos.

by F. W. Gayner

Lat. 51·30½ N Long. 2.32½ W

Time of Observation 8 a.m.

Nearest Railway Station Filton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·03	·21	·28	—	·15	—	·65	·21	—	·03	—	1
2	—	—	·01	—	—	·12	—	·18	—	—	·04	—	2
3	—	—	—	·02	—	—	·11	·02	—	1·14	·04	—	3
4	—	·28	·02	—	—	—	·21	·05	—	·20	—	—	4
5	·25	—	·17	·21	—	·16	—	—	·38	—	·10	—	5
6	—	—	·34	—	—	—	—	—	—	·37	·36	—	6
7	·15	—	—	—	—	·01	—	·37	—	·10	—	·04	7
8	·25	—	—	·09	—	·07	·50	·78	—	·40	·09	·08	8
9	—	—	·13	—	·15	—	—	·58	·07	·09	—	—	9
10	·18	—	·22	·18	—	—	—	·24	—	·02	—	—	10
11	·03	—	·36	·21	·03	—	—	·03	·47	·07	—	—	11
12	·07	—	·02	—	·60	—	—	·09	—	·64	—	—	12
13	—	—	·15	·03	—	·04	—	·17	·09	·17	—	—	13
14	—	—	·28	·04	—	—	—	·10	·04	—	—	—	14
15	—	—	—	—	—	—	·05	·14	·01	·07	—	—	15
16	·01	·06	—	·07	—	—	—	—	—	·08	·03	·22	16
17	—	—	—	·13	·33	—	·30	·07	·24	·25	·01	—	17
18	—	·07	—	—	·01	·01	·45	·05	·86	—	—	—	18
19	—	·47	—	—	—	·06	—	—	·06	—	—	—	19
20	—	·13	·09	—	·26	·13	—	—	·02	—	—	—	20
21	—	—	·33	—	—	·01	—	·02	—	·02	—	—	21
22	—	—	·05	—	—	·56	—	·04	—	·10	—	—	22
23	—	·07	—	—	·06	·03	—	·58	—	·02	—	·04	23
24	—	·01	—	—	—	·24	·01	·23	—	·08	—	—	24
25	—	—	·03	—	—	—	—	·01	—	·08	—	—	25
26	—	—	—	—	·04	—	—	·60	·20	·03	·02	—	26
27	—	—	—	—	·78	·08	·01	·77	—	—	—	—	27
28	—	—	·09	—	·08	·95	—	·60	—	—	·01	—	28
29	—		·05	—	—	·48	·05	·01	—	·35	—	·17	29
30	—	✕	—	—	—	—	·09	·30	—	·07	—	—	30
31	—	✕	·14	✕	—	✕	—	·05	✕	·03	✕	·02	31
Total	0·94	1·12	2·69	1·26	2·34	3·10	1·78	6·73	2·65	4·38	0·73	0·57	YEAR'S TOTAL 28·29
Rain Days	7	8	18	10	10	16	10	26	12	22	10	6	155

W. 8,000, IX. 17.

71

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

5 · 3 · 19

Kept at Filton

in the County of Glos.

by F. W. Gayner

Lat. 51·30½ N Long. 2·32½ W

Time of Observation 8 a.m

Nearest Railway Station Filton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·25

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·05	—	·01	·04	—	—	·17	—	—	·37	·03	1
2	—	·02	—	·04	—	—	—	·56	—	·05	·01	·12	2
3	—	·01	—	·16	·19	—	—	·13	·13	—	—	—	3
4	—	·06	—	·04	—	—	—	·02	·07	—	·49	·09	4
5	—	—	—	—	·28	—	—	·14	·32	·35	·26	—	5
6	·13	·46	—	·17	—	—	—	·05	·22	—	—	·10	6
7	—	·15	—	·01	·64	—	—	—	·34	·40	·25	—	7
8	·02	·09	—	—	—	·01	·04	—	·22	·09	—	·07	8
9	—	·15	—	·30	—	·10	·29	—	·49	·09	·01	·11	9
10	—	—	—	·11	—	—	·45	—	·56	·04	—	·34	10
11	—	·08	—	—	—	—	·04	—	1·33	—	·07	·22	11
12	—	·16	·25	—	·15	—	·01	—	—	—	—	·01	12
13	·16	·02	—	—	·06	—	·04	—	·43	—	—	·51	13
14	·43	—	·03	—	—	·04	1·10	—	·23	·11	—	·15	14
15	1·31	—	—	·15	·05	·07	·27	—	—	·03	—	·30	15
16	·32	—	—	·67	—	—	—	—	·13	—	—	·04	16
17	·16	—	·03	·11	—	—	·14	·09	—	—	—	·10	17
18	·57	—	—	—	—	·63	·11	—	1·06	·06	—	·09	18
19	·03	—	·14	—	—	—	·04	—	·11	·02	—	·05	19
20	·01	·08	—	·24	—	·03	·53	—	·55	—	—	—	20
21	—	·02	—	—	—	—	·04	—	·82	·04	—	·06	21
22	·01	—	—	—	·02	—	·23	—	·07	·02	—	·24	22
23	·03	—	—	—	·20	—	·50	—	—	—	—	—	23
24	—	·16	—	—	—	—	·22	·03	·08	—	·04	—	24
25	—	—	—	—	—	—	·47	·69	—	—	—	—	25
26	—	—	—	·06	—	—	·33	—	·07	·04	·09	·12	26
27	—	·03	—	—	—	—	—	·25	·52	—	·08	·03	27
28	—	·12	·25	—	—	—	—	—	—	—	·05	·06	28
29	—		—	—	—	—	—	—	·82	—	—	·04	29
30	—	X	·39	—	—	—	—	—	·01	·06	·06	·05	30
31	—	X	·20	X	—	X	—	—	X	—	X	—	31
Total	3·18	1·66	1·29	2·07	1·63	·88	4·85	2·13	8·58	1·40	1·78	2·93	YEAR'S TOTAL 32·38
Rain Days.	12	16	7	13	9	6	18	10	22	14	12	23	162

W. 8,000, IX. 17.

1995

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

12 FEB 20

Kept at Filton
in the County of Glos
by F. W. Gayner

Lat 51.30½ N Long 2.32½ W
Time of Observation 9 a.m.
Nearest Railway Station Filton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	—	·02	—	·04	—	·38	—	·01	·07	—	·66	1
2	·25	—	·01	—	·02	—	·14	—	·09	·01	·08	·26	2
3	·67	—	·16	—	·03	—	—	—	·07	—	—	·49	3
4	·19	—	·51	—	—	·07	·09	·05	·07	—	·09	·18	4
5	—	·44	·75	—	·05	—	—	—	·46	—	·06	·24	5
6	·11	·02	·17	—	—	—	—	—	—	—	·01	·02	6
7	·08	—	·24	·09	—	—	—	—	—	—	—	—	7
8	·17	—	·10	·08	—	·01	—	—	—	—	—	—	8
9	·13	—	·05	·10	—	—	—	—	—	—	·11	—	9
10	—	—	·34	·04	—	—	—	—	—	·06	—	·13	10
11	—	—	·41	·05	·05	—	·26	—	—	—	—	·01	11
12	—	—	·23	·03	—	·27	—	—	—	·09	—	·01	12
13	·11	—	—	·19	—	—	·02	—	—	·01	—	·04	13
14	·51	·06	—	·46	—	—	·13	—	·02	—	—	·03	14
15	·21	—	—	·02	—	—	—	—	—	—	—	·18	15
16	·19	·81	—	—	—	—	—	—	—	—	·17	—	16
17	—	·43	—	—	—	·08	—	—	—	—	·06	—	17
18	—	—	·49	—	—	—	—	·43	—	—	·02	·02	18
19	·20	·16	1·11	—	—	·17	2·20	·34	·06	—	·10	—	19
20	·38	·13	·43	—	—	·15	—	·25	—	—	·02	·10	20
21	—	·68	·01	—	—	—	—	—	—	—	—	·03	21
22	—	·16	—	—	—	·02	·11	—	·25	—	—	·11	22
23	—	—	—	—	—	—	—	—	·08	·88	·06	—	23
24	—	—	—	·11	—	·03	—	—	—	1·15	·19	·44	24
25	·08	—	—	—	·01	·04	—	·29	—	—	·06	·03	25
26	·06	—	·09	—	—	·02	—	·03	·16	—	—	·29	26
27	·25	—	·01	·29	—	—	—	·43	—	—	—	·01	27
28	·02	—	·22	—	—	—	—	·32	—	—	·38	·41	28
29	—		—	·09	—	—	—	—	—	·06	—	·42	29
30	—		—	·19	—	·30	—	·21	—	—	·19	·33	30
31	—		·06		·02		—	—		—		·06	31
TOTAL	3·86	2·89	5·41	1·74	0·22	1·16	3·33	2·35	1·27	2·33	1·60	4·50	YEAR'S TOTAL 30·66
Days with ·01 in. or more	18	9	20	13	7	11	8	9	10	8	15	24	152

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1957

21 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Filton

in the County of Glos. moved

by F. W. Gayner

Lat. 51·30½ N Long. 2·32½ W

Time of Observation 9 a.m

Nearest Railway Station Filton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. - in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·49	·46	—	·26	·10	·07	·13	·15	·40	1
2	—	—	—	·11	—	—	·04	·21	·07	·31	—	·16	2
3	·06	·08	—	·10	—	—	·67	—	·02	·20	—	·01	3
4	—	—	·05	·06	—	—	·01	·43	—	·23	—	—	4
5	—	—	·10	·03	·08	—	·49	—	—	·17	—	—	5
6	—	—	·13	—	·25	—	·08	—	—	·11	—	—	6
7	·07	—	—	·03	·12	—	·07	—	—	—	·02	—	7
8	—	·03	—	·51	·09	—	·58	·06	—	—	—	—	8
9	·36	·21	—	·71	—	·11	·03	·04	·07	—	—	—	9
10	·71	·24	·06	·06	—	·28	·19	—	—	—	—	—	10
11	·32	—	·11	·20	·40	—	·07	—	—	—	—	—	11
12	·14	·03	·01	·06	—	·95	·03	—	—	—	·04	—	12
13	·06	·05	·30	·20	—	—	—	—	—	—	—	·03	13
14	—	·01	·48	·34	—	·01	—	—	·07	·30	·64	—	14
15	·01	·10	·01	·09	·06	·20	·01	—	—	·35	·19	—	15
16	—	—	—	·06	·05	·37	·22	·01	·53	·21	·25	—	16
17	·08	—	—	·03	·18	·31	·01	·01	·50	·05	—	—	17
18	·20	—	—	·12	·13	—	—	·26	·39	—	—	—	18
19	·02	·32	—	·39	—	·04	—	—	—	—	—	—	19
20	—	·10	—	·10	—	·26	·01	—	—	—	—	·15	20
21	—	—	—	—	—	—	·02	—	—	·02	—	·01	21
22	—	—	—	·10	—	—	·03	·11	·01	—	—	·28	22
23	—	—	—	—	—	—	·56	·01	—	—	—	·51	23
24	·04	—	·17	—	—	—	—	—	—	—	·08	·11	24
25	·01	·11	·05	—	—	—	·49	—	—	—	—	—	25
26	·20	—	·23	—	—	—	—	—	—	—	·02	·03	26
27	·24	·01	·01	·06	·01	·58	—	—	—	—	—	·15	27
28	·94	—	·05	·10	·11	·04	—	—	—	—	—	·01	28
29	·04	—	·15	·02	·01	·03	·11	—	—	—	·06	·38	29
30	·02	✕	·04	·05	—	—	·22	—	·38	—	·32	·38	30
31	·21	✕	·20	✕	·03	✕	—	—	✕	·45	✕	·20	31
TOTAL	3·73	1·29	2·15	4·02	1·98	3·18	4·20	1·24	2·11	2·53	1·77	2·81	YEAR'S TOTAL ~~31·01~~ (31·01)
Days with ·01 in. or more	19	12	17	24	14	12	22	10	10	12	10	15	(177)
Days with ·04 in. or more	15	~~3~~ 8	~~8~~ 14	~~10~~ 20	~~8~~ 11	~~7~~ 10	~~11~~ 14	~~3~~ 7	~~6~~ 8	~~4~~ 11	~~7~~ 8	10 ~~6~~	(136)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

2124

FOREST OF DEAN, MAILSCOT LODGE

1914-15, 19 -1920

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REG

-37-40

Kept at Mailscot L

in the County of Glou

by Frank Jo

8 in.

Ground 1 ft. 1 in.

" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2	=	.08	.	.01	1.39	.22			.18	.24	1
2		=	=	. —	.01	.	.65	.06			.38	.45	2
3		=	=	.20	.39	.	.04	.03			.04	.07	3
4		=	.02	.23	.06	.	.23	.			.39	.71	4
5		=	.06	.12	.18	.	.05	.02			.10	. —	5
6		18	.03	.01	.06	.	.40	.			.02	.27	6
7		55	.20	.09	.40	.03	.05	.09			.01	.11	7
8		=	.16	.02	.04	.80	.02	.11	.05			.08	8
9		4	.27	.37	.04	1.45	.	.25	.08			. —	9
10		50	. .	.45	.01	.07	.	.	.46			. —	10
11		17	.17	07	.07	.36	.	.			.06	.15	11
12		27	.12				.61	.	.23		.07	.43	12
13		40	.47		.		.03	.	.27	.25	.15	.43	13
14		43	.41		.		.07	.01	.	.41	.20	. —	14
15		=	.11		.		.02	.23	.21	.03	.13	. —	15
16		=	.01		.		.09	.	.27		.01	. —	16
17		21	.23		.		.03	.	.02			.42	17
18		=	.06		.		.13	.				.34	18
19		5	.09		.		.75	.	.04		.04	.20	19
20		38	.04		.		.	.		.27		.21	20
21		41	. =		.	.16	.16	.	.	.17		.03	21
22		11	.02		.23	.09	.	.11	.	.21		. —	22
23		1	.13		.08		.01	.		.13		. —	23
24		=	.22		.		.	.10		.24	.12	. —	24
25		=	.28		.		.03	.25	.	.10	.02	.16	25
26		=	. .		.		.06	.09	.		.23	.68	26
27		=	. =		.		.02	.			.32	.24	27
28		13	.28		.		.	.			.20	.61	28
29			.24		.10		.	.		.33	.35	. —	29
30			.19		.03	.03	.	.		.20	.58	.88	30
31			.		.		.37	.		.30	.	.5	31
Total		3·96	3·81	1·64	1·70	3·	5·21	1·57	1·63	2·64	3·60	7·36	YEAR'S TOTAL ~~36·12~~
Rain Days.		16	23	9	14	9	22	13	9	12	21	21	~~169~~

W.7,000, XI. 13

/

REG

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at *Mailscot Lodge.*

in the County of *Gloucester.* Imp 24 12L

by *Frank Johnson.*

Lat. -37-40

Time of Observation 8 o'clock a.m

Nearest Railway Station Symonds Yat

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	=	.08	.	.01	1.39	.22			.18	.24	1
2		.	=	. —	.01	.	.65	.06			.38	.45	2
3		-	=	.20	.39	.	.04	.03			.04	.07	3
4		=	.02	.23	.06	.	.23	.			.39	.71	4
5		=	.06	.12	.18	.	.05	.02			.10	. —	5
6		18	.03	.01	.06	.	.40	.			.02	.27	6
7		55	.20	.09	.40	.03	.05	.09			.01	.11	7
8		=	.16	.02	.04	.80	.02	.11	.05			.08	8
9		4	.27	.37	.04	1.45	.	.25	.08			. —	9
10		50	. .	.45	.01	.07	.	.	.46			. —	10
11		17	.17	07	.07	.36	.	.			.06	.75	11
12		27	.12				.61	.	.23		.07	.43	12
13		40	.47		. .		.03	.	.27	.25	.15	.43	13
14		43	.41		.		.07	.01	—	.41	.20	. —	14
15		=	.11		.		.02	.23	.21	.03	.13	. —	15
16		=	.01		.		.09	.	.27		.01	. —	16
17		21	.23		.		.03	.	.02			.42	17
18		=	.06		.		.13	.				.34	18
19		5	.09		.		.75	.	.04		.04	.20	19
20		.38	.04		.		.	.		.27		.21	20
21		41	. =		.	.16	.16	.	.	.17		.03	21
22		11	.02		.23	.09	.	.11	.	.21			22
23		1	.13		.08		.01	.		.13		. —	23
24		=	.22		.		.	.10		.24	.12	. —	24
25		-	.28		.		.03	.25	.	.10	.02	.16	25
26		=	. .		.		.06	.09	.		.23	.68	26
27		=	. =		.		.02	.			.32	.24	27
28		13	.28		.		.	.			.20	.61	28
29			.24		.10		.	.		.33	.35	. —	29
30			.19		.03	.03	.	.		.20	.58	.88	30
31			. .		.		.37	.		.30	.	. 5	31
Total		3·96 ✓	3·81 ✓	1·64 ✓	1·70 ✓	3·0 ✓	5·21 ✓	1·57 ✓	1·63 ✓	2·64 ✓	3·60 ✓	7·36 ✓	YEAR'S TOTAL ~~36·12~~
Rain Days.		16	23	9	14	9	22	13	9	12	21	21	~~169~~

W.7,000, XI. 13

2221

REGISTER OF RAINFALL IN 1915

METEOROLOGICAL OFFICE 2 FEB 1916

FORM A. BRITISH RAINFALL. 4 FEB 1916

Kept at Mailscot Lodge

in the County of Glos

by

Lat. 51-49-30 Long. 2-17-40

Time of Observation 8. am

Nearest Railway Station Symonds Yat

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 630 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.42	.15	.0		.23			.03	.75	.23	.05	.03	1
2	.27	.21	.11			.03		1.02	.07	.10		.06	2
3	.60	.23	.02	.07	.07		.21	.13				.18	3
4	.02	.05		.03	.20		.36	.18				.53	4
5	.0	.90						.10				.75	5
6	.16	.03		.34			.43	.03				.40	6
7	.13	.52		.01	.07		.05	.08		.01	.02	.30	7
8	.26	.46		.03			.06	.04			.06		8
9	.07	.05		.01							.29	.70	9
10	.11	.03	.02	.06						.06	.06	.03	10
11	.05	0	16	.03						.04	1.01	.03	11
12	.09	.12		.09	.46			.01	.01	.10	.51	.03	12
13	.03	.67			1.01				.07		.02		13
14	.15	.03						.33	.06			.40	14
15	.32				.08			.04			.05	.32	15
16		1.08		.03	.38		.83			.05		.01	16
17		.27	.03		1.10			05		.01		.02	17
18		.45	.01		.02							.01	18
19		.03			.13		.36					.08	19
20	.17			.13			.02					.06	20
21	.05	.04					.06			.20		.46	21
22	.03	.16	.27			.01	.44					.45	22
23			.17			.04	.02		.01	.90		.19	23
24				.04			.18		.28	.94		.22	24
25		.22	.02			.25	.25					.60	25
26		. 3					.88		.03			.07	26
27		.10				.10	.20		.02	.57		.04	27
28						.08	.01	.07	.30	.08		.09	28
29							.03	.06			.15	.12	29
30						.20	.11			.37	.14	.47	30
31	.16						.05	.03		1.46			31
Total	3.09	5.83	.81	.87	3.75	.71	4.55	2.20	1.60	5.12	2.36	6.65	YEAR'S TOTAL 37.54
Rain Days.	18	22	9	.12	11	7	19	15	10	15	11	28	177

W. 8,000. X. 14.

B made ✓ W. 1186 cndly mm stats 1930

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 JAN 20

Kept at Mailscot Lodge

in the County of Gloucester

by Wm Humphries

Lat. Long.

Time of Observation 8. A. M.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·29	·03	·05		·07		·10		·04	·09	·04	·60	1
2	·18		·04		·05		·28	·10	·59			·12	2
3	·16		·10		·02		·07		·10		(·23)	·23	3
4	·02	·09	·56			·12	·17	·02	·28			·10	4
5	·20	·27	·34		·04				·42			·31	5
6	·29	·16	·11									·15	6
7	·26		·33	·75								·03	7
8	·30		·05	·13		·01							8
9	·52		·05	·14							·18		9
10	·01		·54	·03						·05	·02	·42	10
11			·81		·08		·38					·13	11
12			·04	·03		·32			·03	·10		·01	12
13	·07	·03		·30			·10		·09			·08	13
14	·39	·02		·23						·07		·12	14
15	·29									·03		·40	15
16	·23	1·03									·07		16
17		·63									·18		17
18		·30	·62				·03	·21	·14		·09	·07	18
19	·12	·63	·54			·13	1·62	·30				·02	19
20	·51	·03	·57			·04		·31			·07	·03	20
21	·05	·52	·18			·07	·05					·10	21
22		·04					·06		·24			·08	22
23										·70	·12	·64	23
24						·04				1·24	·30		24
25	·05			·07	·08			·34				·12	25
26			·09			·04		·07				·24	26
27			·03	·45				·32					27
28	·06		·30	·09				·69			·50	·25	28
29	·05		·05	·05						·10		·32	29
30		×		·16		·24		·24			·30	·59	30
31		×	·02	×		×			×		×	·03	31
TOTAL	4·05	3·78	5·42	1·83	·34	1·01	2·86	2·60	1·93	2·38	2·10	4·59	YEAR'S TOTAL 32·89
Days with ·01 in. or more	20	13	21	12	7	9	10	10	9	8	12	25	156

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

5 JAN 1921

Kept at Mailscot Lodge

in the County of Glos

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·20	·37		·39	·10	·05	·30		·72	1
2	·07			·22			·20	·07	·07	·42		·20	2
3	·28	·09		·14	·03	·02	1·05	·01	·03	·88			3
4				·05			·02	·53		·32			4
5			·20	·03	·03		·25	·03		·23			5
6			·28		·11		·16					·06	6
7	·01			·10			·25						7
8	·03	·06		·50			·50 ~~·56~~	·01					8
9	·30			·40	·05		·04 ~~·54~~						9
10	·74	·07	·05	·05		·41	·14						10
11	·22	·03	·20	·68	·39	·03	·05						11
12	·19	·07		·28	·02	·68	·04				·11		12
13		·03	·52	·11								·02	13
14		·07	·40	·50		·36	·02		·24	·18	·38	·03	14
15		(·04)	·25	·98	·02	·05			·05	·38	·05		15
16			·02	·02	·06	1·01	·29		·42	·47			16
17	·05				·24	·11			1·13	·28		·05	17
18	·13				·16	·03		·31	·34				18
19	·03	·18		·44			·07						19
20	·05	·16		·30			·17					·23	20
21	·01					·03				·09			21
22	·03			·18		·07		·13				·32	22
23	·01					·35						·30	23
24			·50			·01					·07		24
25		·07	·14			·90						·05	25
26	·23		·40				·06				·15	·04	26
27	·41	·03	·20	·11	·04	·02	·33					·79	27
28	·96		·09	·04	·19		·05					·02	28
29	·09		·22		·04	·09					·12	·54	29
30	·36	✕	·20	·04		·03	·17		·40		·29	·37	30
31	·26	✕	·17	✕		✕			✕	·70	✕	·10	31
TOTAL	4·46	·90	3·87	5·37	1·75	4·20 ~~4·90~~	4·25 ~~3·55~~	1·19	2·73	4·25	1·17	3·84	YEAR'S TOTAL 37·98
Days with ·01 in. or more	21	12	17	21	14	17	20	8	9	11	7	16	173
Days with ·04 in. or more	15	9	15	19	10	10	18	5	8	11	7	13	140

√

REGIS

FOREST OF DEAN

RUARDEN HILL LODGE

GLOUCESTER

1911 - 15, 19 - 1920.

FORM A2.
BRITISH RAINFALL
17 JAN 1912

Kept at Ruardean

in the County of Glos

by J. Morris

h.

d 1 ft. 0 in.

evel 900 ft.

Drybrook Road

ce 1¼ m Direction S

IMPORTANT NOTE.—R result entered to the previous day. If an Observe rule, he is earnestly requested to add the reading the space provided for it at the end of this pa of rain, the selection and placing of Rainfall Organization are given in "Ru ation to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	02	08	.	.	02	33	.	.	08	08	1
2	.	.	.	13	29	.	.	27	.	06	28	05	2
3	.	.	.	02	61	.	.	06	.	.	11	31	3
4	15	.	18	01	.	.	.	04	05	05	46	91	4
5	09	.	04	21	.	.	.	10	.	.	03	09	5
6	30	.	07	03	.	.	.	.	.	.	10	1.30	6
7	02	.	20	.	.	.	.	.	.	.	55	.	7
8	15	.	02	.	.	.	.	.	.	.	10	50	8
9	16	.	15	.	.	.	.	.	.	.	35	30	9
10	05	.	32	.	.	.	.	.	.	.	08	69	10
11	30	.	.	.	10	.	.	.	.	.	50	.	11
12	.	.	60	.	.	.	.	.	13	.	35	05	12
13	.	.	02	.	03	.	.	.	41	11	03	39	13
14	.	.	.	.	.	.	.	.	.	02	.	1.44	14
15	.	10	03	.	.	01	.	.	.	.	32	22	15
16	.	.	.	.	.	20	.	.	.	.	27	55	16
17	.	05	.	.	.	21	.	.	.	.	27	44	17
18	.	10	07	23	.	11	.	.	.	.	.	83	18
19	02	04	.	03	.	16	.	.	25	50	.	15	19
20	01	06	02	09	.	.	.	.	10	05	.	95	20
21	.	28	20	03	.	04	.	10	.	51	.	11	21
22	.	04	18	04	.	13	.	48	.	13	.	62	22
23	.	32	19	.	.	06	.	.	10	19	.	25	23
24	.	15	.	06	.	52	.	.	03	10	.	25	24
25	.	04	02	05	.	07	.	.	04	05	.	05	25
26	.	21	.	18	80	03	03	09	.	34	26	10	26
27	.	31	22	08	.	.	.	80	18	.	08	13	27
28	.	32	.	18	02	.	.	03	.	.	20	.	28
29	.	.	.	02	.	20	29	.	07	40	.	.	29
30	.		.	.	05	04	26	14	.	39	05	.	30
31	.				.		.	.		.	.		31
Total	1.25	2.02	2.55	1.47	1.90	1.78	60	2.44	1.36	2.90	4.47	10.76	TOTAL for year 33.50
No. of Rain Days	10	13	18	17	07	13	4	11	10	14	20	25	1.62

9,000, IX. '10.

REGIS

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Ruardean Hill

in the County of Glos

by J. Morris

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 900 ft.

Time of Observation 8. a.m.

Nearest Railway Station
Name Drybrook Road.
Distance 1¼ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at **9 a.m.**, and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	02	08	.	.	02	33	.	.	08	08	1
2	.	.	.	13	29	.	.	27	.	06	28	05	2
3	.	.	.	02	61	.	.	06	.	.	11	31	3
4	15	.	18	01	.	.	.	04	05	05	46	91	4
5	09	.	84	21	.	.	.	10	.	.	03	09	5
6	30	.	07	03	.	.	.	.	.	.	10	1.30	6
7	02	.	20	.	.	.	.	.	.	.	55	.	7
8	15	.	02	.	.	.	.	.	.	.	10	50	8
9	16	.	15	.	.	.	.	.	.	.	35	30	9
10	05	.	32	.	.	.	.	.	.	.	08	69	10
11	30	.	.	.	10	.	.	.	.	.	50	.	11
12	.	.	60	.	.	.	.	.	13	.	35	05	12
13	.	.	02	.	03	.	.	.	41	11	03	39	13
14	.	.	.	.	.	.	.	.	.	02	.	1.44	14
15	.	10	03	.	.	01	.	.	.	.	32	22	15
16	.	.	.	.	.	20	.	.	.	.	27	55	16
17	.	05	.	.	.	21	.	.	.	.	27	44	17
18	.	10	07	23	.	11	.	.	.	.	.	83	18
19	02	04	.	03	.	16	.	.	25	50	.	15	19
20	01	06	02	09	.	.	.	.	10	05	.	95	20
21	.	28	20	03	.	04	.	10	.	51	.	11	21
22	.	04	18	04	.	13	.	48	.	13	.	62	22
23	.	32	19	.	.	06	.	.	10	19	.	25	23
24	.	15	.	06	.	52	.	.	03	10	.	25	24
25	.	04	02	05	.	07	.	.	04	05	.	05	25
26	.	21	.	18	80	03	03	09	.	34	26	10	26
27	.	31	22	08	.	.	.	80	18	.	08	13	27
28	.	32	.	18	02	.	.	03	.	.	20	.	28
29	.	.	.	02	.	20	29	.	07	40	.	.	29
30	.		.	.	05	04	26	14	.	39	05	.	30
31	.				.		.	.		.			31
Total	1.25	2.02	2.55	1.47	1.90	1.78	60	2.44	1.36	2.90	4.47	10.76	TOTAL for year 33.50
No. of Rain Days	10	13	18	17	07	13	4	11	10	14	20	25	162

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Ruardean Hill

in the County of Glos

by J. Morris.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ~~900~~ 932 ft.

Time of Observation 8. a.m.

Nearest Railway Station
Name Drybrook Road
Distance 1¼ Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	..	..	40	..	..	45	22	..	..	40	..	15	1
2	..	..	35	04	..	35	27	02	..	..	..	..	2
3	..	..	18	..	02	30	10	78	02	..	08	..	3
4	22	..	1.30	..	20	45	02	07	..	..	18	..	4
5	25	10	13	..	14	07	..	36	02	..	02	08	5
6	40	30	02	..	..	09	..	77	..	..	..	03	6
7	..	42	20	..	..	50	02	..	..	..	01	..	7
8	44	21	45	..	..	21	10	05	05	..	..	14	8
9	10	10	42	04	..	13	02	06	..	..	..	20	9
10	11	12	..	..	..	07	..	05	..	..	11	..	10
11	08	05	..	..	..	..	..	06	..	..	04	54	11
12	..	50	..	07	09	18	03	..	..	..	..	07	12
13	..	05	..	03	..	..	..	20	..	03	..	05	13
14	15	..	80	..	06	..	..	06	..	02	..	25	14
15	52	12	..	..	45	33	..	04	..	..	..	25	15
16	1.20	..	50	..	..	..	..	02	..	04	..	..	16
17	90	..	15	..	..	07	..	64	..	..	15	45	17
18	15	..	20	..	..	..	..	60	..	02	..	06	18
19	09	05	02	..	..	..	21	62	..	..	..	06	19
20	05	..	64	..	..	..	40	14	..	36	05	..	20
21	..	05	37	..	55	..	25	20	..	31	1.0	..	21
22	44	22	03	..	92	09	63	14	..	03	..	02	22
23	30	50	35	..	..	20	25	22	..	23	60	48	23
24	21	05	..	..	..	21	05	39	..	..	..	04	24
25	..	..	..	..	..	1.10	..	54	06	..	29	54	25
26	..	05	..	..	..	..	..	87	..	83	47	30	26
27	..	15	..	..	..	45	95	..	..	1.15	..	..	27
28	..	15	..	..	..	04	57	93	16	55	44	51	28
29	..	26	03	..	..	55	26	12	45	44	..	25	29
30	..		1.0	..	..	11	05	..	..	55	..	..	30
31			33		11	..	48	07	..	05	..	12	31
Total	5.61	3.45	6.97	·18	2-54	5.95	4.88	8.02	·76	5.01	2.54	4.59	TOTAL for year 50.50
No. of Rain Days	17	19	21	4	9	21	19	26	6	15	13	21	191

9,000, IX. '10.

referred 2.4.14

W DL

Cor. by obs. 6.10.14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

7 - JAN 1914

Kept at Ruardean Hill

in the County of Glos

by T. Morris

Lat. 51-51 Long. 2-32

Time of Observation 8 am.

Nearest Railway Station Drybrook Rd

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 932 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	02	13	27	04	05				58	07	10		1
2	13	19	13	22			04		08	1.12	22	04	2
3	40		05		55					13		70	3
4	1.03	05	06		40		05		96	72	08	17	4
5	06	04	05		06	21	06		05	30	16		5
6	05	20	20		30	10	07			37	46	50	6
7	04	55			52		09			23	21	03	7
8	03				22					13			8
9		34			10	11	06	06	21	03	21		9
10	45			04	26			21		06	11		10
11	1.56			15	11					04	1.03	04	11
12					65				02		70		12
13	02		22		02				26		29		13
14	24		42	07				04	09	11	04		14
15	04	05	73	1.05				10	14				15
16	40		74	12					05				16
17	06		08	20			07		07		03	03	17
18	04		42	10			10		05		06		18
19	07		05		04	18	24		18		04		19
20	45		44	09						04	31		20
21			11	16	11		21			02	44		21
22	54		72	07		04		30	33				22
23			04			15			01		07	12	23
24	04			05									24
25		02		32						03			25
26		03		1.26				29		30		35	26
27				54						09	02		27
28	42		25	38	05					11	03		28
29			63	73				10		31		02	29
30	34									93	15		30
31			15		24					02			31
Total	6.43	1.60	5.76	~~5.39~~ 5.59	3.68	·79	·99	1.10	3.08	5.16	4.76	2.00	YEAR'S TOTAL 40.94
Rain Days.	22	10	20	18	16	6	10	7	15	21	21	10	176

W. 7,500, XI. 12

40.94

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL
15 JAN 1915

Kept at Ruardean Hill
in the County of Glos'
by John Morris.

Lat. 51-51 Long. 2-32
Time of Observation 8am
Nearest Railway Station Drybrook Rd
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 932 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.	05	.	11	.	.	Thunder 82	04	.	.	08	20	1
2	.	.	.	02	.	.	62	05	.	.	73	55	2
3	.	.	.	24	40	.	.	06	12	.	03	02	3
4	.	.	.	18	08	.	28	.	.	.	53	75	4
5	.	.	06	20	21	.	18	03	04	.	13	32	5
6	.	20	.	06	08	.	.	06	02	.	09	.	6
7	.	35	22	08	39	12	45	65	03	.	.	12	7
8	04	.	15	04	07	82	.	15	04	.	.	09	8
9	.	05	Snow 28	48	05	1.55	.	30	06	.	.	.	9
10	.	56	.	45	03	04	.	.	22	.	.	.	10
11	.	19	24	16	14	38	.	.	.	.	11	70	11
12	.	16	11	.	.	.	Thunder 28	.	16	.	.	40	12
13	.	44	65	.	.	.	03	.	10	4.0	05	54	13
14	.	41	44	.	.	.	04	.	.	05	3.0	.	14
15	Snow 06	02	16	.	.	.	.	21	10	.	13	.	15
16	.	.	03	.	.	.	09	.	28	.	.	.	16
17	.	23	20	.	.	.	04	.	19	.	.	50	17
18	.	.	05	.	.	.	05	.	02	.	.	30	18
19	.	05	05	.	.	.	40	.	.	.	.	15	19
20	.	62	09	.	.	.	.	.	.	.	.	16	20
21	.	35	.	.	.	.	17	.	.	28	.	.	21
22	.	10	.	.	Thunder 23	09	04	08	.	18	.	.	22
23	.	.	12	.	05	.	.	1.2	.	21	.	.	23
24	.	.	20	03		.	06	.	.	13	06	.	24
25	15	.	40	.	.	.	05	.	.	28	03	20	25
26	.	.	15	.	.	.	.	.	.	.	30	75	26
27	06	.	.	.	.	.	.	.	.	.	30	28	27
28	.	21	40	.	.	.	.	.	.	02	27	Snow 70	28
29	07	.	17	.	12	.	.	.	.	26	43	.	29
30	05	.	25	.	04	.	.	.	.	25	82	1.12	30
31	26	.	.	.	.	.	38	.	.	15	.	03	31
Total	69	4.19	4.42	2.05	1.89	3.00	3.98	1.75	1.38	2.21	4.39	7.88	YEAR'S TOTAL 37.83 37.83
Rain Days.	7	16	21	12	13	6	17	11	13	11	17	20	164

W.7,000, XI. 13

2222

FORM A.
BRITISH RAINFALL.

4-FEB 1916

METEOROLOGICAL OFFICE
2-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Ruardean Hill Lodge

in the County of Glos'

by

Lat. 51-51 Long. 2-32

Time of Observation 8 am

Nearest Railway Station Drybrook Rd

Diameter of Rain Gauge ~~12~~ 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 932 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·25	—	—	·16	—	·02	·02	·53	·15	·05	·03	1
2	·07	·25	·13	·06	—	·05	—	1·14	·05	·21	—	·06	2
3	·99	·21	·04	·08	—	—	·25	·17	—	—	—	·16	3
4	·07	·06	—	—	·21	—	·32	·06	—	—	—	·59	4
5	—	·98	—	—	—	—	·01	·13	—	·01	—	·79	5
6	·20	·10	—	·40	—	—	·38	—	—	—	—	·35	6
7	—	·64	—	·03	—	—	·09	·10	—	—	—	·28	7
8	·10	·52	—	—	—	—	—	·04	—	—	·08	—	8
9	·05	·03	—	·06	—	—	—	·03	—	—	·30	·63	9
10	·35	—	·05	·10	—	—	—	—	—	·11	—	·02	10
11	·06	—	·18	·08	—	—	—	·01	—	—	1·05	—	11
12	·11	—	—	·14	·42	—	—	—	—	·11	·54	·09	12
13	·03	—	—	—	1·08	—	—	·04	·03	—	·02	—	13
14	—	—	—	—	—	—	·05	·47	·10	—	—	·63	14
15	—	—	—	—	·11	—	—	·23	—	·05	—	·31	15
16	·45	1·40	—	·04	·36	—	·80	—	—	·04	—	·03	16
17	·04	·34	—	—	1·28	—	—	·06	—	—	—	—	17
18	—	·45	·06	—	·03	—	—	—	—	—	·04	—	18
19	—	·05	—	·01	·17	—	·39	—	—	—	—	—	19
20	—	—	—	·14	—	—	·03	—	—	—	—	·13	20
21	·07	—	—	—	—	—	·04	·02	—	·13	—	·10	21
22	—	·15	·25	·05	—	—	·33	—	—	—	—	·49	22
23	—	·16	·23	—	—	·18	·08	—	·02	·87	—	·47	23
24	—	—	·04	·03	—	·01	·67	—	·29	·86	—	·24	24
25	—	—	·02	·06	—	·23	·12	—	—	·03	—	·18	25
26	—	·07	—	~~·06~~	—	—	·48	—	·03	—	—	·65	26
27	—	·16	—	·04	—	·02	·27	—	—	·52	—	·03	27
28	—	·04	—	~~·04~~	—	·08	—	—	·31	·05	—	—	28
29	—		—	—	—	—	·02	·12	—	—	·14	·10	29
30	—	✕	—	—	—	—	·07	—	—	·27	·15	·30	30
31	—	✕	—	✕	—	✕	·10	·02	✕	1·37	✕	·54	31
Total	2·96	5·86	1·00	1·32	3·82	·57	4·52	2·66	1·36	4·78	2·37	7·20	YEAR'S TOTAL 38·42
Rain Days.	14	18	9	15	9	6	20	16	8	15	9	24	163

W. 8,000. X. 14.

B. made

1931

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 JA 20

Kept at Ruardean Hill
in the County of Gloucester
by Mrs Chivers

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level 932 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34	·04	·07		·09		·16		·10	·13		·59	1
2	·18		·03				·26		·56		S & R ·10	·09	2
3	·09		·13		·06	·08	·19		·09		S & R ·16	T & L ·26	3
4	·16		·62				·45		·46			·13	4
5	·30	·28	·24		·05				·46		·05	·20	5
6	·33	·21	·13									·07	6
7	·24		·36	·20								·01	7
8	·31		·06			·04							8
9	·41		·01	·12							·16		9
10	·05		·61							·06	S ·05	·44	10
11	·01		·57	·01	·12		·33				S ·01	·12	11
12			·03	·06		·53	·03			·12	·01 S	·06	12
13	·10			·27					·17	·01	·01 S	·11	13
14	·32			·21			·03		·04	·02 H		22	14
15	·30											·35	15
16	·23	·08									S & R ·08		16
17		·91									·10		17
18		·63	·38				·04	33	·07		·10	·06	18
19	·25	·65	1·06			·16	1·68	·19	·09		·03	·03	19
20	·45	·06	·54			·06		·14	·01		Hail ·02	·04	20
21		·59					·11		·04		·02		21
22		·08							·25				22
23								·04		·73	Gale ·12	16	23
24						·07	·06			·97	·23	·05	24
25	·11			·05	·06			·30			·02 H	S ·05	25
26			·22			·02		·08	·09		01	·24	26
27	·08			·63				·61					27
28								·58				·24	28
29	·05									·19	·42	·34	29
30						·26		·32		·03	35	64	30
31							·03			03		02	31
TOTAL	4·31	3·53	5·06	1·55	·38	1·22	3·37	2·59	2·43	2·29	2·05	4·52	YEAR'S TOTAL 33·30
Days with ·01 in. or more	20	10	16	8	5	8	12	9	13	10	20	24	155

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1845

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

15 JUN 1921

Kept at Ruardean Hill Lodge
in the County of Glos
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·04	·26	·35		·19		·09	·15		·66	1
2	·02·26			·22	·01		·28			·40		·26	2
3	·05	·10		·16	·05	·03	·93	·06	·09	·46		·03	3
4			·20	·07			·03	·31		·33			4
5				·02	·02		·26			·24			5
6			·55	·14	·08		·27			·08		·02	6
7			·01				·20	·27					7
8	·02	·07		·36			·58	·24					8
9	·16	·02		·46		·02	·11		·01				9
10	·72	·13	·07	·11		·34	·13				·06		10
11	·37		·16	·09	·47	·05	·06						11
12	·20	·10	·02	·70		·56	·08				·05		12
13	·07	·03	·35	·86		·04							13
14	·02	·06	·33	·02		·30	·05		·31	·24	·02		14
15	·01	·07	·32	(75)		·04			·01	·17	·33		15
16				·02	·02	·16	·37		·39	·35	·03		16
17	·08				·31	·08			1·16				17
18	·20	·14		·05	·24	·03		·34	·43			·08	18
19	·03	·14		·55	·02	·12	·04		·03				19
20				·24		·14						·25	20
21				·02			·03			·08		·05	21
22	·02			·21				·16				·24	22
23				·01			·35	·03				·30	23
24	·08	·11	·39								·08	·22	24
25			·24				·81	·02				·02	25
26	·25	·05	·39			·09					·09	·07	26
27	·52		·29	·07	·06	·40	·03					·45	27
28	·74		·10		·23	·05	·11					·04	28
29	·90		·26	·03	·03	·04	·03				·13	·60	29
30	·09	✕	·14	·10		·32			·44		·27	·37	30
31	·08	✕	·22	✕		✕			✕	(·36)	✕	·11	31
TOTAL	4·76	1·02	4·08	5·52	1·89	2·81	4·94	1·43	2·96	2·86	1·06	4·07	YEAR'S TOTAL 37·40
Days with ·01 in. or more	22	12	18	24	13	18	21	8	10	18	9	17	183
Days with ·04 in. or more	14	10	16	18	8	15	17	6	7	11	7	14	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FOREST OF DEAN
WHITEMEAD PK

GLOUCESTER

1911-15, 19-1920

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

R 11

Kept at Whitem 8 in.

ve Ground 1 ft. 0 in.

in the County of G Sea Level 200 ft.

30 a.m.

by Wm M Name Parkend

Distance ¼ m Direction E

IMPORTANT NOT l the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Cam

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				10				22.			04	06.	1
2				02.	41			39.	02	02.	23	53.	2
3	03.				39.			01	01		13	03	3
4			16					02.	01	05	36	75	4
5	12		01					08.			12	03	5
6	33		06	03							10	1·12	6
7	01										48		7
8	18		14								03	32	8
9	12		01								26	38	9
10		08	42								05	41	10
11	20				24						55	03	11
12			63						08		38	01	12
13			04		08				32	08	02	02.	13
14										01	01	1·76	14
15			01								38	15	15
16						26					28	74.	16
17						20					23	28	17
18		20.	06	22.		17				03		76.	18
19				08		34			18	26	01	25.	19
20		10	02	03					14	09		70.	20
21		25	21	04		10		32.		51		14	21
22			14	06		07				09		69	22
23			06			01			06	22		39	23
24		13				38				25.		16.	24
25		04				05			01	02		02.	25
26		12		23.	40.	04	03.			32	17	14	26
27		38	31	03				56.	21		06	11	27
28		12.		15.							20		28
29						21.	26		03.	41		01	29
30					05.	02.	20.	35.		35.	12.		30
31							02.			03			31
Total	99.	1·42.	2·28.	99	1·57.	1·85.	·51	1·95.	1·07	2·74.	4·21.	9·99 9·99	Total for year 20·57 29·57
No. of Rain Days	7.	9	15	11	6.	12.	4.	8.	11.	16.	22.	27.	148

9,000, IX. '10.

R 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Whitemead

in the County of Glos. 2

by Wm Morris.

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 200 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Parkend
Distance ¼ m Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				10				22			04	06	1
2				02	41			39	02	02	23	53	2
3	03				39			01	01		13	03	3
4			16					02	01	05	36	75	4
5	12		01					08			12	03	5
6	33		06	03							10	1·12	6
7	01										48		7
8	18		14								03	32	8
9	12		01								26	38	9
10		08	42								05	41	10
11	20				24						55	03	11
12			63						08		38	01	12
13			04		08				32	08	02	02	13
14										01	01	1·76	14
15			01								38	15	15
16						26					28	74	16
17						20					23	28	17
18		20	06	22		17				03		76	18
19				08		34			18	26	01	25	19
20		10	02	03					14	09		70	20
21		25	21	04		10		32		51		14	21
22			14	06		07				09		69	22
23			06			01			06	22		39	23
24		13				38				25		16	24
25		04				05			01	02		02	25
26		12		23	40	04	03			32	17	14	26
27		38	31	03				56	21		06	11	27
28		12		15							20		28
29						21	26		03	41		01	29
30					05	02	20	35		35	12		30
31							02			03			31
Total	99	1·42	2·28	99	1·57	1·85	·51	1·95	1·07	2·74	4·21	9·99 10·99	Total for year 29·57 29·57
No. of Rain Days	7	9	15	11	6	12	4	8	11	16	22	27	148

ex Jc.

REGISTER ~~OF~~ RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Whitemead

in the County of Glos.

2

by R. Hill.

RAIN GAUGE	Pattern	
	Diameter of top	8. in.
	Height of top above Ground	1 ft. 0. in.
	" " " Sea Level	200. ft.

Time of Observation 9. 30. am.

Nearest Railway Station { Name Parkend. Distance ¼ m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			16			46	23	08	01	43		26	1
2			37	06		68	35						2
3	02		38		06	31	13	63			05.	01	3
4	06		1·33		18	31		02			10.		4
5	56	10.	05		13	06		50				13	5
6	60	24.	03		09	07		71					6
7	01	35	11		03	59						07	7
8	44	19	36			04	06	09	05			09	8
9	06.	07	35	05		14	03	05			20.	21	9
10	10	08	-			08					08		10
11	02	03	.				01				02	62	11
12		38	10	05	07	26	01					04	12
13	09	01								01		02	13
14	12		75		21			10				01	14
15	34	11	01	03	31	31		03				32	15
16	1·45.	04	58		04	04				07	07	01	16
17	31		26			06		96			05	56	17
18	08	04	21					1·05.				04	18
19	51	07						59		02		04	19
20	01	02	60				26	22		40	01		20
21	01	10	70		90			27		30			21
22	30	28	07		23	02	43	25		03		10	22
23	40	52	36		04	31	17	21		15	05	40	23
24	06		02			67	04		01			21	24
25						77		1·23		04.	44	31	25
26		14	01				27	54		93.	61	30	26
27		06				58	1·03			1·36.		38	27
28		18				05	1·41	1·19	07	31	48	40	28
29		45	05			05	40	21	43	46.		13	29
30			06			02	10			30			30
31			32		03		65	15		03.		14	31
Total	5·55.	3·46	7·24	·19	2·32	5.88.	5·58.	9·08.	·57	4·84.	2·16	4.80	TOTAL for year 51·67
No. of Rain Days	21.	21	24.	4.	13.	22.	17.	21	5.	15.	12.	24	199

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Whitemead

in the County of Glos.

by R. H. M.

2

Lat. 51-46 Long. 2-33-40

Time of Observation 9.30

Nearest Railway Station Parkend

Diameter of Rain Gauge 8" ~~10~~ in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		08.	·48	07					43.		23		1
2	·02	23	·13	·16	·07				01	58.	19.	01	2
3	·35	01	·04.		·32					07.		11	3
4	1·30	02	·06		·41	03			1·46.	38.	13	13	4
5	·01	05.	·02		·28	23	02		12.		23	05	5
6	·08	10	·26		·19	13				48.	37	54	6
7	·02	79			·61	09	08			24.	31	01	7
8	·06	18			·14	01	01			25.	-		8
9		17			·07		05	09.	13		18		9
10	·35				·08			03		07.	21		10
11	1·20			·20	·26					01	84		11
12					·23						54.		12
13			·21		·18						38		13
14	·13		·35	·06					47.	16.			14
15	·26	04	·67	1·32				06	07.				15
16	·21		·80	·10									16
17	·03		·09	·33			03		07		04		17
18	·09		·44	·15			06		01		04		18
19	·15		·16			08			35.	01	01		19
20	·55		·23	·11			07			08	33		20
21			·15	·14	·22		07.	01		02	31		21
22	·55		·50	·10		17		37	34				22
23			·02			04.					05.	10	23
24				·07				05					24
25		07							03	02.			25
26				·48				19		01		21	26
27			·10	·35						05			27
28	·52		·11	·44	·01					08			28
29			·49	·54				11		18			29
30	·51							05		73.	06.		30
31	·04		·20		·14			03					31
Total	6·43	1·74	5·51.	4·62	3·21	·78.	39.	·99	3·49	3·42	4·45	1.16	YEAR'S TOTAL 36.19
Rain Days.	20	11.	21.	16.	15.	8.	8	10.	12	18.	18.	8	165

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

15 JAN 1915

Kept at Whitemead

in the County of Glos. 2 G4 R

by R. Hill

Lat. 51-46 Long. 2-33-40

Time of Observation 9·30

Nearest Railway Station Parkend

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				07.		03	96	43			21	·11	1
2					04		65				59	·43	2
3			02	26	63			13,			03	·04	3
4	·28			34	11		26				46	·58	4
5	·10		13	33	11		10				06.		5
6		24	08	01	11						15	·46	6
7	·02	39	25	12	26	10	18	18				·06	7
8	·02		25	09		60		10	·06			·09	8
9	·01	05	19	27	04	1·48.			·12				9
10		41		43	04		30		·62				10
11		12	33		11	52.	35				08	·75	11
12		09	13				05		·23		08	·29	12
13		60	62				03		·31	27.	04	·44	13
14		72	42				02			22.	45		14
15	·09	05	16				09	35	·08		17.		15
16									·39				16
17		26	24				15		·01			74	17
18			05				43					·22	18
19		06	07.						·03		04	·06	19
20		39	04.			03	13					·25	20
21		21								23			21
22		06	06		25	01				20.			22
23		04	26		07			09		22		·22	23
24			10					08		18.	11	·68	24
25	·06		30				02	49		45	02		25
26							06	01.		07	33	·45	26
27	·14										38	·95	27
28		18.	50								21		28
29	·11		24		08.					33	64	·55	29
30	·01		28.							24	78.		30
31	·32						55			12.			31
Total	1·16	3·87	4·72	1·92	1·85	2·77	4·33	1·86	1·85	2·53	4·83	7·37	YEAR'S TOTAL 39·06
Rain Days.	11	16.	22.	9	12.	7.	17	9	9	11.	19.	19	161

W.7,000, XI. 13

lc° 78

2226

METEOROLOGICAL OFFICE
2-FEB.1916

FORM A.
BRITISH RAINFALL
4-FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Whitemead

in the County of Glos

by

Lat. 51-46 Long. 2-33-40

Time of Observation 9.30

Nearest Railway Station Parkend

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·24			·19.			05	47.	·29		06.	1
2	·31	·23	·11	13			·04	37.		·16		13.	2
3	·77	·24	·04		·18			04				16.	3
4	·05	·06			·15.			77.				61	4
5	·03	·20		14				15.				87	5
6	·17			46				12.				35	6
7	·19	1·03						01				26	7
8	·30	·43						05.			·18		8
9	·08	·10									·20	80.	9
10	·19		·05	03						·09		03	10
11	·03		·10	08							1·03	01	11
12	·12	·13		16·	·46·			03.		·17	·74	04.	12
13	·01	·54			·79·				10.			03.	13
14							·03	09	05.	·01		94	14
15	·32				·10		·06	10			·08	23	15
16		1·37		03·	·60		·72	02		·08.			16
17		·29			1·19·			18·				07.	17
18		·45									·01		18
19		·05			30·		·28						19
20				13·			·01			·12.		15	20
21	·16						·09			·05		06	21
22	·14	·26	·30	04		01	·43					56.	22
23		·08	·20			01	·08		03.	·95		51	23
24	·01		·04	03			·10		26.	·78		44	24
25						25	·6			·01		26	25
26		·28					·18		01			60.	26
27		·06				01	·26			·66		14	27
28		·11						03·	29.	·10		01	28
29						05	·08	06.			·15	05	29
30	·10	X				12.	·08			·13.	·18	33	30
31		X		X		X	·30	04	X	1·08.	X	50.	31
Total	3·23	6·15	·84	1·23.	3·96.	·45	2·80	2·11.	1·21	4·68.	2·57	8·20	YEAR'S TOTAL 37·43
Rain Days.	18	19	7.	10.	9	6	16.	16	7.	15	8.	27	158

W. 8,000. X. 14.

Ex. HEb

1934

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 JAN 20

Kept at Whitemead Park
in the County of Gloucester
by E Hill

Lat.......... Long..........
Time of Observation 9-30
Nearest Railway Station Parkend
Diameter of Funnel of Rain Gauge..........in.
Height of top of Gauge above Ground..........ft..........in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38		·08		·08	·09	·14		·16	·08	·02	·76	1
2	·28		·02			·02	·20	·07	·58		·11	·15	2
3	·38		·13		·06		·10		·10		·11	·36	3
4	·04	·03	·35				·05	·04	·47			·21	4
5	·21	·21	·25		·08				·41		·04	·47	5
6	·19	·04	·07									·06	6
7	·03		·40	·20								·14	7
8	·23		·03			·03							8
9	·20		·02	·12							·23		9
10	·01		·57									·58	10
11			·41	·01	·15		·42					·15	11
12			·03	·01		·52	·02		·02	·06		·01	12
13	·19			·26					·05			·14	13
14	·43	·01		·07						·01		·25	14
15	·74	·04										·37	15
16	·23	·89									·11		16
17		·32				·01					·08		17
18		·14	·48		·09	·12	·05	·21	·09		·23	·10	18
19	·20	·81	·69			·08	1·54	·18			·08		19
20	·59	·14	·49			·06		·25	·01		·01		20
21	·01	·58	·21				·04						21
22		·09					·07		·18			·13	22
23										·95	·16	·06	23
24						·07	·07			·98	·15		24
25	·04			·02	·10			·28				·06	25
26	·01		·12			·01		·06	·01		·01	·12	26
27				·65				·51					27
28			·33	·01				·59				·28	28
29	·01			·11						75		·24	29
30				·12		·28		·38			·57	·90	30
31			·04							·03		·09	31
Total	4·40	3·30	4·72	1·58	·56	1·29	2·70	2·57	2·08	2·26	1·91	5·63	Year's Total 33·00
Days with ·01 in. or more	20	12	19	11	6	11	11	10	11	7	14	22	154

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1848

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Whitemead Park

in the County of Glos

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·25	·11		·20	·05	·14	·15	·	·87	1
2			·01	·18	·16		·21	·02	·05	·41		·40	2
3	·06		·02	·14	·04	·01.	·61	·01	·01	·38			3
4				·18		·01	·01	·50		·49			4
5			·23	·01	·02		·27	·03		·36			5
6		·06	·50		·03		·19			·18		·02	6
7	·03	·	·10	·07			·14						7
8	·08			·39			·60	·01					8
9	·11	·06		·52		·04	·08						9
10	1·04	·01	·03	·34		·29	·09				·08		10
11	·16	·09	·25	·20	·41	·03	·04						11
12	·14	·11	·05	·17		·58	·15				·03		12
13	·10	·02	·50	·23		·05	-				·39		13
14	·03	·06	·37	·18		·31	·05		·12	·20	·04		14
15	·01	·04	·29	·76		·06			·08	·51			15
16			·03	·91	·03	1·27	·30		·28	·38			16
17	·04				·29	·14			1·28				17
18	·21			·06	·21	·08.	·04	·25	·51			·07	18
19	·01	·23		·44	·01	·13			·04				19
20		·03		·23								·14	20
21				·03			·02						21
22	·01			·33				·18				·28	22
23							·31					·31	23
24	·02		·61				-				·08		24
25	·06	·09.	·27				·82					·04	25
26	·30		·41		·01	·05					·07	·05	26
27	·68		·21		·01	·48	·01					·83	27
28	1·39		·06	·11	·25	·05						·03	28
29	·45		·19	·07	·04	·06	·03				·19	·54	29
30	·26	╳	·09	·04		·33.			·52		·14.	·36	30
31	·13	╳	·11.	╳		╳	·04		╳		╳	·11.	31
TOTAL	5·32	·80	433	5·84	1·61	3·96	421	1·05	~~2·03~~ 3·03	3·06	1·02	405	YEAR'S TOTAL 38·28
Days with ·01 in. or more	22	11	20	23	13	17	21	8	10	9	8	14	176
Days with ·04 in. or more	16	9	16	21	8	15	17	4	9	9	7	12	142

FORM A2.
BRITISH RAINFALL
17 JAN 1912

RE

Kept at Blakene

in the County of G

by Jo

8 in.

Ground 1 ft. 0 in.

Sea Level 500 ft.

m.

ame Soudley

istance 1m Direction N

IMPORTANT NOTE … the result entered to the previous day. If an Obs … ersal rule, he is earnestly requested to add the readi … in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

FOREST OF DEAN

BLAKENEY HILL

GLOUCESTER

1911 —15. 19-1920

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.11				.03			.02	.10	1
2				.07	.40			.40	.01	.02	.18	.39	2
3					.52			.01			.12	.04	3
4			.11					.03		.02	.29	.50	4
5	.09		.04					.10			.02	.06	5
6	.49		.04								.09	85	6
7	.01										.37		7
8	.08		.12								.11	.27	8
9											.15	.12	9
10	.07	.07	.41								.04	.31	10
11	.13				.32						.65	.02	11
12			.54						.07		.28	.03	12
13					.08				.32		.02	.41	13
14											.01	.79	14
15		.02	.02							.01	.36	.16	15
16						.26					.27	.64	16
17						.24					.18	.42	17
18		.20	.03	.10		.15						.47	18
19				.02		.33			.15	.26		.04	19
20	.01		.03	.02					.09	.10		.89	20
21			.07			.03			.02	.29		.11	21
22		.04	.28	.01		.12		.21		.13		.71	22
23		.31	.15					.02	.13	.29		.43	23
24		.07				.32		.07		.32		.17	24
25		.05		.01	.41	.03		.06	.01	.04			25
26		.14		.20				.08		.38	.18	.13	26
27		.26	.11	.02				.53	.13		.08	.12	27
28		.20		.30				.10			.13		28
29						.16	.28		.07	.38		.01	29
30						.01		.45		.39	.09		30
31					.02					.03			31
Total	.91	1.36	1.95	.86	1.75	1.65	0.28	2.09	1.00	2.66	3.64	8.19	TOTAL for year 26.34
No. of Rain Days	8	10	13	10	6	10	1	13	10	14	21	26	142

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Blakeney Hill

in the County of Glos. 2

by John Tyler

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 500 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Soudley
Distance 1m Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03			.11				.03			.02	.10	1
2				.07	.40			.40	.01	.02	.18	.39	2
3					.52			.01			.12	.04	3
4			.11					.03		.02	.29	.50	4
5	.09		.04					.10			.02	.06	5
6	.49		.04								.09	85	6
7	.01										.37		7
8	.08		.12								.11	.27	8
9											.15	.12	9
10	.07	.07	.41								.04	.31	10
11	.13				.32						.65	.02	11
12			.54						.07		.28	.03	12
13					.08				.32		.02	.41	13
14											.01	.79	14
15		.02	.02							.01	.36	.16	15
16						.26					.27	.64	16
17						.24					.18	.42	17
18		.20	.03	.10		.15						.47	18
19				.02		.33			.15	.26		.04	19
20	.01		.03	.02					.09	.10		.89	20
21			.07			.03			.02	.29		.11	21
22		.04	.28	.01		.12		.21		.13		.71	22
23		.31	.15					.02	.13	.29		.43	23
24		.07				.32		.07		.32		.17	24
25		.05		.01	.41	.03		.06	.01	.04			25
26		.14		.20				.08		.38	.18	.13	26
27		.26	.11	.02				.53	.13		.08	.12	27
28		.20		.30				.10			.13		28
29						.16	.28		.07	.38		.01	29
30						.01		.45		.39	.09		30
31					.02					.03			31
Total	.91	1.36	1.95	.86	1.75	1.65	0.28	2.09	1.00	2.66	3.64	8.19	TOTAL for year 26.34
No. of Rain Days	8	10	13	10	6	10	1	13	10	14	21	26	142

9,000, IX. '10.

only own stats 28.11.13

REGISTER OF RAINFALL IN 1912.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1913

Kept at Blakeney Hill
in the County of Glos. 2
by John Tyler

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0. in.
" " " Sea Level 500 ft.

Time of Observation 8. a. m.

Nearest Railway Station
Name Soudley
Distance 1 m. Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·16			·73	·15	·16		·42		·21	1
2			·22	·02		·47	·18	·01					2
3			·14			·24	·15	·51			·04		3
4	·12		1·02		·16	·49		·13			·23	·01	4
5	·24	·11	·03		·10	·04		·15				·10	5
6	·70	·25	·01		·04	·01		·50				·02	6
7		·27			·09	·73	·15					·04	7
8	·36	·05 ·85	·33					·19	·01			·09	8
9	·04	·07	·31	·05		·11	·07	·22				·21	9
10	·01					·15	·02	·08			·07		10
11		·02					·02				·01	·64	11
12	·01	·29	·11	·05	·05	·04	·01					·03	12
13	·05	·01		·02						·01		·04	13
14	·15		·73		·10			·11				·28	14
15	·23	·10			·40	·37							15
16	1·11	·04	·41			·01		·12		·07	·09		16
17	·86		·31			·07		·89			·02	·45	17
18	·13	·03	·12					·38				·04	18
19	·06	·05					·14	·49		·01		·02	19
20	·01		·41		·08		·08	·21		·31	·01		20
21		·08	·44		·82		·03	·24		·30			21
22	·39	·29	·37		·22	·04	·61	·19		·02		·10	22
23	·24	·44				·29		·26		·13	·05	·38	23
24	·05	·03	·01			·47	·05	·05	·03			·12	24
25						·92		1·12			·34	·37	25
26		·10	·01				·21	·72		1·00	·57	·19	26
27		·13				·54	1·03	1·04		1·38		·36	27
28		·09				·09	1·82	·12	·08	·33	·33	·45	28
29		·27				·11	·67		·40	·53		·11	29
30			·04			·04	·07			·22			30
31			·33		·11		·94	·20		·03		·14	31
Total	4·76	2·72	5·51	0·14	2·17	5·96	6·40	8·09	·52	4·76	1·76	4·40	TOTAL for year 47·19
No. of Rain Days	18	29	20	4	11	21	19	24	4	14	11	23	189

9,000, IX. '10.

✓ Register of Rainfall Eg DL In 1913. Lat 51° 46′ 30″ Long 2°29′30″

JAN 1914

Kept at Blakeney Hill Lodge
Gloucestershire
by John Tyler

12

Observation 8 am
Rain Gage Diameter 8 in
1 ft Above Ground Top R. Gauge
Above Sea Level 500 ft

Date	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec
1		·07	·36	·03					·50		·21	
2	·08	·16	·10	·09	·39		·02		·01	·69	·17	·01
3	·25		·03									·09
4	1·23	·02	·02		·26				1·61	1·07	·07	·11
5		·02	·03		·03	·17	·01		·12	·08	·20	·07
6	·10	·07	·20		·36	·10				·24	·31	·53
7	·01	·56			·62	·07	·09			·17	·26	·01
8		·15			·13		·01			·10		
9		·17			·06	·03	·04	·14	·18	·02	·12	
10	·24			·01	·09			·08			·15	
11	·82			·19	·13					·03	·55	·01
12					·20						·61	
13	·01		·13		·39				·28		·33	
14	·11		·31					·01	·06	·16	·03	
15	·24	·03	·46	1·15				·13	·06			
16	·17		·77	·05								
17	·01		·06	·30			·03		·02		·02	
18	·08		·30	·13					·02		·05	
19	·12		·03			·07	·18		·27	·02	·20	
20	·48		·17	·11						·17		
21			·07	·11	·14		·19	·02		·04	·33	
22	·47		·51	·05		·02		·16	·35		·03	
23			·01			·16						·08
24	·01			·05								
25		·04		·28				·28	·02			·03
26		·02		·38								·24
27	·48			·35						·05		
28			·12	·42						·09		
29	·01		·38	·64				·07		·10		
30	·40									·45	·05	
31	·01		·20		·22			·01				
	5·33	1·31	4·26	4·34	3·02	·62	·57	·90	3·50	3·48	3·69	1·18
R. Days	21	11	20	17	13	7	8	9	13	16	18	10
		163. ✓									32·20 ✓	

endly own stats 23.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

15 JAN 1915

Kept at Blakeney Hill

in the County of Glos

by John Tyler

Lat. 51-46-30 Long. 2-29-30

Time of Observation 8 am

Nearest Railway Station Soudley Halt

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.05		.08		.02	1.47	.42			.16	.10	1
2						.02	.57	.15			.62	.37	2
3			.01	.21	.70			.02			.01	.02	3
4	.19			.33	.10			.03			.45	.27	4
5	.04			.27	.09			.01			.09	.35	5
6		.19	.03		.13			.05			.10	.05	6
7		.34	.21		.19	.03	.18	.07			.01		7
8	.02		.14	.13	.05	.79	.03	.20	.03			.06	8
9	.03	.05	.24	.14	.02	1.62		.20	.10				9
10		.21		.38	.06	.02			.42				10
11		.13	.30	.02	.13	.53	.24		.01		.06	.44	11
12			.12			~~.01~~			.22		.05	.12	12
13		.63	.41			~~.32~~	.05		.27	.18	.06	.51	13
14		.60	.35			~~.24~~	.06	.03		.15	.57	.	14
15	.03	.05	.11				.01	.17		.01	.13		15
16	.02	.24	.02				.07		.06				16
17			.14				.02		.45			.53	17
18			.02				.11		.07			.49	18
19		.04	.02				.51		.07			.10	19
20		.26	.02									.15	20
21		.23				.02	.10			.18			21
22		.03	.03		.10	.01		.11					22
23		.06	.21		.07			.06					23
24			.17					.03		.18	.08		24
25	.07		.21				.06	.52		.20	.03	.30	25
26			.03					.03		.12	.17	.39	26
27	.04						.02			.46	.12	.42	27
28		.22	.36							.06	.15	.93	28
29	.12		.27		.11					.20	.53		29
30	.05		.29							.16	.73	.44	30
31	.28						.58			.10		.01	31
Total	.89	3.33	3.71	1.56	1.75	3.06	4.00	2.10	1.70	2.00	4.12	6.05	YEAR'S TOTAL 34.27
Rain Days.	11	16	23	8	12	9	16	16	10	12	19	20	172

W.7,000, XI. 13

cnd for auth 12.IV.16. (MO agrees)

2227

FORM A. BRITISH RAINFALL.
4-FEB 1916

METEOROLOGICAL OFFICE
2-FEB.1916

REGISTER OF RAINFALL IN 1915

Kept at Blakeney Hill Lodge

in the County of Glos

by John Syker

Lat. 51-46-30 Long. 2-29-30

Time of Observation 8 am

Nearest Railway Station Soudley Halt

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.18	.17			.19			.04	.52	.24	.02	.10	1
2	.23	.19	.07	.08		.02		.69		.25		.08	2
3	.61	.16	.04	.09	.15		.82	.06				.16	3
4	.03	.04			.10		.21	.14				.58	4
5	.01	.20					.21	.10				.69	5
6	.15			.44			.36	.02				.21	6
7	.10	.85					.26	.10				.20	7
8	.21	.32		.01				.04			.07		8
9	.04	.10		.06				.01			.14	.70	9
10	.13		.07	.03						.10		.02	10
11	.02		.13	.04							.77	.07	11
12	.13	.05		.08	.44			.04			.76	.01	12
13	.02	.50			.79				.05				13
14	.01	.01					.02	.06	.08			.80	14
15	.25				.06		.02	.13		.07		.14	15
16		.99		.03	.61		.80			.01		.10	16
17		.23			1.55			.23				.01	17
18		.35	.01		.01					.05			18
19		.03			.30		.21						19
20	.09			.10								.07	20
21		.08					.09			.17		.13	21
22	.12	.06	.35	.04			.37					.50	22
23	.01	.02	.27			.08	.01		.04	1.19		.42	23
24			.08	.04			.29		.26	.67		.35	24
25						.21				.02		.19	25
26		.25					.15					.70	26
27		.02				.02	.13			.60		.01	27
28		.07	.02			.05	.01		.34	.04			28
29						.01	.06	.09			.11	.04	29
30	.10	X								.06	.13	.10	30
31		X		X		X	.14	.03	X	.80	X	.46	31
Total	2.44	4.69	1.04	1.04	4.20	.39	4.16	1.78	1.29	4.21	2.00	6.84	YEAR'S TOTAL 34.08 34.08
Rain Days.	19	21	9	12	10	6	18	15	6	12	7	26	161

W. 8,000. X. 14.

Brede

cond franth W. H8b

1935

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Blakeney Hill Lodge

in the County of of Gloucester

by Frank Johnson

Lat. 51 Long. 46 - 3

23 JAN 20

Time of Observation 9 am

Nearest Railway Station Newnham

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·01	·11		·07		·16		·22	·11	·02	·65	1
2	·15		·06		·04		·26	·12	·45		·10	·15	2
3	·19		·05		·03	·08	·19		·28		·19	·27	3
4	·01	·08	·45				·45	·04	·73		·01	· 9	4
5	·25	·42	·44		·03				·47		·05	·34	5
6	·31	·05	·08								·02	·12	6
7	·04		·30	·15							·04	·02	7
8	·44		·06	·06		·04							8
9	·41		·03	·21							·10		9
10	·02		·58							·06	·05	·45	10
11			·47	·01	·09		·33					·16	11
12			·08	·08		·53	·03			·07		·03	12
13	·04			·31					·06			·10	13
14	·30	·04					·03		·05	·04		·11	14
15	·51	·05								·2	·04	·32	15
16	·11	·84									·09		16
17		·35									·02		17
18	·06	·20	·46				·04	·24	·09		·11	·04	18
19	·54	·53	·88			·16	1·68	·45			·01	·06	19
20		·62	·50			·06		·26			·03	·01	20
21		·23	·04				·11	·04	·03			·11	21
22	·22	·08							·18			·06	22
23								·01		·65	·12	·05	23
24						·04	·06	·55		·01	·24	·14	24
25	·06			·04	·09			·05			·03	·04	25
26			·07			·02		·45	·10			·46	26
27			·01	·49				·05				·08	27
28	·04		·34	·10				·70			[illegible]	·24	28
29	·01		·02	·04						·14	·04	·20	29
30		╳		·13		·26					·25	·64	30
31		╳	·01	╳		╳	·03	·33	╳	·05	╳	[illegible]	31
TOTAL	4·08	~~3·51~~ 3·50	5·04	1·62	·35	1·22	3·37	3·29	2·66	~~2·25~~ 2·15	1·91	4·96	YEAR'S TOTAL 34·15
Days with ·01 in. or more	20	13	21	11	6	8	12	13	11	9	21	27	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

18129

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

15 JUN 1921

Kept at Blakeney Hill Lodge

in the County of Glo

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	·03		·20	·35	·53		·04	·05			·60	1
2	·20			·22	·01	·04		·06	·08	·20		·16	2
3		·05		·14	·03		·03	·03	·04	·18			3
4				·01		·04		·28		·19			4
5			·24	·06	·12	·16		·01		·12			5
6			·36		·11							·05	6
7	·04			·10						·03			7
8	·03	·04		·47	·04								8
9	·30			·48		·03							9
10	·74	·04	·20	·04			·14				·04		10
11	·22		·17	·08	·38		·20						11
12	·19	·08	·03	·52	·01		·49				·07		12
13		·02	·39	·10						·02	·03	·02	13
14		·02	·43	·02			·11	·03	·23	·20	·44	·04	14
15			·13	·87	·01	·03	·16		·07	·23	·06		15
16			·01	·01	·04	·03	·57		·43	·20	·02		16
17	·05		·01		·24	·34	·18		·11	·45		·06	17
18	·13				·03	·17	·01	·30	·32				18
19	·03	·24		·48			·14	·01					19
20	·05	·06		·28			·11					·20	20
21	·01												21
22	·03			·17				·11				·31	22
23	·01				·01							·28	23
24		·01	·52		·08								24
25		·09	·24		·89						·07	·06	25
26	·23		·01			·02	·07					·05	26
27	·41		·06	·05	·29	·04	·40					·75	27
28	·96		·09	·74	·20	·34	·06				·05	·02	28
29	·09	·02	·31	·02	·03	·01	·15					·53	29
30	·36		·10	·03			·10		·38		·37	·35	30
31	·26		·20									·11	31
TOTAL	4·35	·70	3·50	4·49	2·87	1·78	2·92	·87	1·41	1·82	1·15	3·59	YEAR'S TOTAL 29·757
Days with ·01 in. or more	21	12	18	22	18	13	16	9	9	10	9	16	173
Days with ·04 in. or more	15	7	14	17	11	8	14	5	9	8	7	14	129

√

REGI

FORM A2.

BRITISH RAINFALL 17 JAN 1912

FOREST OF DEAN

WORCESTER LODGE

GLOUCESTER

1911 - 15, 19 - 1920

Kept at Worcester L in.

nd 1 ft. 0 in.

in the County of Glos Level 700 ft.

by Speech House Rd

nce 1m Direction E.

IMPORTANT NOTE.— result entered to the previous day. If an Obser al rule, he is earnestly requested to add the reading in the space provided for it at the end of this p of rain, the selection and placing Rainfall Organization are given in "R ication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				08				38			04	06.	1
2				02	35.			16	08	02.	26	45.	2
3	02				42.			05	01		08	05	3
4			17					01.		08.	25	1·02	4
5	06		01					06.			07	01.	5
6	36		01								06	1·27.	6
7			05								42		7
8	08		08								08	48	8
9	16		01								25	46	9
10		10	32								10	42	10
11	20.				20						52	02	11
12			51						12		28		12
13			05		06				34	06	02	03.	13
14			01							02	01	1·75	14
15											33	19.	15
16						26					43	78	16
17						18					25.	31	17
18		18	08	22		13						81	18
19				05		41			22.	25	01	15	19
20		08	02	03					14	07		76	20
21		29	20	01		04		56.		49		14	21
22		03	24	04		06				09		70	22
23		25	10			03			08	20		26	23
24						44.		12		21		30	24
25		03				06			02	02		01	25
26		10		21	14.	03	01	11		35.	19	16	26
27		35	22	02				56	22		06	14.	27
28		21		17.				01			21		28
29						23	28		29.	31			29
30					04	01	25.	33.		35	10.		30
31										02			31
Total	88	1·62.	2·08	85	1·21.	1·88.	·54	2·35	1·52.	2·54	4·02	10·73	TOTAL for year √ 3022
No. of Rain Days	6.	10.	16	10.	6.	12.	3	11	10.	15	22.	25.	146 √

9,000, IX. '10.

FORM A2.

BRITISH RAINFALL
17 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Worcester Lodge

in the County of Glos 2

by

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 700 ft.

Time of Observation 8 a.m.

Nearest Railway Station
Name Speech House Rd
Distance 1m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				08				38			04	06.	1
2				02	35.			16	08	02.	26	45.	2
3	02				42.			05.	01		08	05	3
4			17					01.		08.	25	1·02	4
5	06		01					06.			07	01.	5
6	36		01								06	1·27	6
7			05								42		7
8	08		08								08	48	8
9	16		01								25	46	9
10		10	32								10	42	10
11	20				20						52	02	11
12			51						12		28		12
13			05		06				34	06	02	03.	13
14			01							02	01	1·75	14
15											33	19.	15
16						26					43	78	16
17						18					25.	31	17
18		18	08	22		13						81	18
19				05		41			22.	25	01	15	19
20		08	02	03					14	07		76	20
21		29	20	01		04		56.		49		14	21
22		03	24	04		06				09		70	22
23		25	10			03			08	20		26	23
24						44.		12		21		30	24
25		03				06			02	02		01	25
26		10		21	14.	03	01	11		35	19	16	26
27		35	22	02				56	22		06	14.	27
28		21		17.				01			21		28
29						23	28		29.	31			29
30					04	01	25	33.		35	10.		30
31										02			31
Total	88	1·62.	2·08	85	1·21.	1·88.	·54	2·35	1·52.	2·54	4·02	10·73	TOTAL for year 3022
No. of Rain Days	6.	10.	16	10.	6.	12.	3	11	10.	15	22	25.	146

9,000, IX. '10.

W. J. C.

REGISTER OF RAINFALL IN 1912.

FORM A2. BRITISH RAINFALL.

8 - JAN 1913

Kept at Worcester Lodge.

in the County of Glos. 2

by W. Morris.

Rain Gauge { Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ~~700~~ 712 ft.

Time of Observation 8 a.m.

Nearest Railway Station { Name Speech House Road
Distance 1m Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			29			42	25	09	01	45		15	1
2			33	04		52	45						2
3	02		10		25	25	06	68			05		3
4	05		1·33		23	31		03			20		4
5	50	08	09		10	07		57					5
6	66	26	01		04	03		69				01	6
7	01	48	07		06	52						07	7
8	43	28	53			15	04	10	09			06	8
9	06	08	36	03		16	03	05			12	20	9
10	12	12				02	03	08			08		10
11	01	03									01	55	11
12		48	08	08	08	23	03					06	12
13	07	02							01	01		06	13
14	14		62		02			15				30	14
15	36	10		02	43	41		02					15
16	1·50	03	43			04		10	01	08	20		16
17	31		21			10		60			03	51	17
18	06	06	18					65				12	18
19	50	04				01	20	49		02		08	19
20	01		75				23	19		44			20
21	02	06	41		90		01	30		20			21
22	32	24	08		22		78	15				04	22
23	41	55	18		02	28	09	24		18	02	35	23
24	05	03	02			43	05	08				30	24
25						83		1·02			32	32	25
26		06	02				20	98		95	52	30	26
27		18				53	90			1·11		42	27
28		10				04	61	1·00	11	55	41	24	28
29		26	02			15	31	13	45	48		01	29
30			08			02				31			30
31			39		04		48	·11				12	31
Total	5·61	3·53	6·58	·17	2·39	5·52	4·74	8·50	·68	4·78	1·96	4·27	TOTAL for year 48·73
No. of Rain Days	21	21	23	4	12	22	18	24	6	12	11	21	195

9,000, IX. '10.

PLEASE fill in spaces.

RAINFALL at Worcester Lodge in the Month of March 1913

DATE	Inches	REMARKS ON THE DAYS.
1	·38	Copy
2	·18	
3	·01	
4	·01	
5	-	
6	·21	
7	-	
8	-	
9	-	
10	-	
11	-	
12	-	
13	·15	
14	·45	
15	·40	
16	·50	
17	·16	
18	·41	
19	·02	
20	·40	
21	·12	
22	·62	Details correct.
23	-	Total should be 5.00
24	-	Days 18.
25	-	
26	-	
27	-	
28	·25	
29	·61	
30	-	
31	·12	adds to 5·00
TOTAL	5·40	No. of Days with Rain 19

1st of following month. ?·18

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the *day preceding* that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

FORM C.
BRITISH RAINFALL.
W., 10,000. XI. 18.

4 APR 1914

POST CARD.

ADDITIONAL REMARKS.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade	° on the	
Min. ,, ,, ,,	° on the	
Temp. in shade, at or below	32° on	days.
,, on grass, ,, ,,	32° on	days.

SIGNED________________________

No writing on this side of the line.

POSTAGE
ONE
HALFPENNY.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

Referred 2.4.14

Cor. by obsr. 6.IV.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Worcester Lodge

in the County of Glos

by W. Morris.

2

Lat. 51-48-8 Long. 2-35-10

Time of Observation 8 . am

Nearest Railway Station Speech House Rd

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 712 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		10	·38	·08					50	01	16		1
2	·02	21	·18	·05			01		04	94	18	01	2
3	·29		·01		·53					25		06	3
4	1·15	04	·01		·31				1·28	35	08	04	4
5	·04				·08	47			20		10	05	5
6	·04	10	·21		·22	12				47	51	51	6
7	·01	70			·63	06	03			55	18	01	7
8	·02	15			·23		04			24			8
9		19			·06	02	02		12		25		9
10	·23			·02	·03						10		10
11	1·60			·12	·20					20	1·03		11
12					·58						80		12
13			·15		·04				55		25		13
14	·15		·45	·06					03	15			14
15	·24	05	·40	1·19				08					15
16	·26		·50	·09									16
17			·16	·16			02		08		10		17
18	·11		·41	·06									18
19	·21		·02			08	12		22	01			19
20	·54		·40	·06			15			13	35		20
21			·12	·15	·10			01			25		21
22	·57		·62					28	35				22
23						18					03	08	23
24	·03			·05									24
25		·01		·31									25
26				1·08				18				20	26
27				·40						12			27
28	·43		·25	·45	·03					05			28
29	·01		·61	·75				12		18			29
30	·38							10		95	06		30
31	·01		·12		·15			01					31
Total	6·34	1.55	5.00 ~~5·40~~	5·08	3·19	·93	39	78	3·37	4·60	4·43	·96	YEAR'S TOTAL ~~37.02~~ 36·62
Rain Days.	21	9	18, ~~19~~	17	14	6	7	7	10	15	16	8	~~149~~ 148

W. 7,500, XI. ·12

entd in auth 23.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Worcester Lodge

in the County of Glos'. 2

by W. Morris.

Lat. 51-48-8 Long. 2-35-10

Time of Observation 8. am

Nearest Railway Station Speech House Rd

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 712 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				05			1.18	.35	~~10~~		10.	.10	1
2					03		.68				56.	.40	2
3				22	48			12			01	·02	3
4	·12			26	10		·30				43.		4
5	·01		06.	21	12		·12				04		5
6		21		03	06						02.	.41	6
7	·02	54		04	27	08.	.32	12				.06	7
8	·01		12	02	02	95·		18	·01			·05	8
9	·02	02	18	38	03	1·60.		12	·10				9
10		62		50	01				·48				10
11		10	17		10.	35	.20		·01			·78	11
12		10	12				.25		·16		10.	·43	12
13		49	·72						·20	30.	04	·38	13
14		53	52				·03			37	35.		14
15	·04		10					16	·20	02	10.		15
16			30				·05		·25				16
17		20					·01					·66	17
18			05				·20				01	.22	18
19		02	04				·56					·06	19
20			03.			02						·25	20
21		33					·10			30			21
22		04			15	01		05		20			22
23			12		08					24			23
24			10							19	08.	.22	24
25	·08.		22					41		20	01	·68	25
26							.08	04		03	21		26
27	·05									01	31	.22	27
28		20	48								32.	·74	28
29	·10		20		06					30.	38.		29
30	·01		21.				·44			25·	50.	·78	30
31	·34									20.		·01	31
Total	·80	3·40.	3·74	1·71	1·51	3·01 3·01	4.52	1·55	1·41	2·61	3.57	6·47	YEAR'S TOTAL 34·30 34·30
Rain Days.	11	13.	18.	9.	13	6.	15	9	8	13	18.	19	152

2228

FORM A.
BRITISH RAINFALL.

4-FEB 1916

REGISTER OF RAINFALL IN 1915

METEOROLOGICAL OFFICE
2 FEB.1916

Kept at Worcester Lodge

in the County of Glos

by

Lat. 51-48-8 Long. 2-35-10

Time of Observation 8. am

Nearest Railway Station Speech House Road

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 712 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·20			·21		·02	01	66.	·20		01	1
2	·20	·24	·05	10				85.		.15		04	2
3	·78	·25	·04	02.	·12			03				10.	3
4	·02	·02			·22			12				60	4
5		·66		04				25				95·	5
6	·10	·02		30.				06.				21	6
7	·20	·68						01				35	7
8	·23							03			·06		8
9	·06	·02		02.							.30	76	9
10	·17		·03	04						·05		01	10
11	·01		·08	01							·79	02	11
12	·08	·10		10.	·52					·10	·86	04.	12
13	·01	·58			·94				07			01	13
14							·03	20.	05	·01		52.	14
15	·30				·06		·03	02·				35	15
16		1·68			·45		·88.						16
17		·20			1·08			17.				01	17
18		·3											18
19		·03		02·	·14		·44						19
20	·10			06.			·02			·12		08	20
21							·10					03	21
22	·15	·15	·30			·01	·25					50.	22
23	·02	·05	·21			·01	·14		02	·90		76	23
24			·05	08·			·09		20	·88.		31	24
25						·22	·06					24.	25
26		·30				·01	·30		01			55	26
27		·03					·10			·25		09.	27
28		·05.						14	34.	·08.		01	28
29						·04	·09	02·			·15	08	29
30	·12	×				·08	·10			·25	·10	32.	30
31		×		×		×	·06	02.	×	1·18	×	51.	31
Total	2·55	5·56	·76	·79	3·74	·37	2·71	1·93	1·35.	4·17	2·26	7·46	YEAR'S TOTAL 33·65
Rain Days.	16	19	7	11	9	6	16	14.	7	~~15~~ 12	6	27	150 ~~15.3~~

W. 8,000. X. 14.

B. made

Ex. H&

1936

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

23 JAN 20

Kept at Worcester Lodge

in the County of Gloucester

by Miss Kay Morris

Lat. Long.

Time of Observation 8. A. M

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·01	·07		·18		·10		·15			·64	1
2	·19	·01	·04				·21	·07	·57			·11	2
3	·09				·06		·09	·01	·11			·25	3
4	·16	·11	·64			·03	·22	·02	·47			·16	4
5	·35	·10	·37		·07							·39	5
6	·39	·25	·15									·17	6
7	·07		·43	·20									7
8	·30		·06			·03							8
9	·44		·01	·17									9
10	·03		·61									·57	10
11			·77		·14		·39			·03		·17	11
12			·23			·44	·07		·61	·10			12
13	·10			·52					·03	·03		·17	13
14	·49	·06		·20								·49	14
15	·36	·05		·01							·03	·24	15
16	·20	·47									·05		16
17		·27				·03					·21	·07	17
18			~~·58~~		·13	·19	·15	·20	·08		·11		18
19	·25	·93	·78				1·64	·29			·03		19
20	·66	·05	·49			·08			·04				20
21	·02	·79	·22				·03					·15	21
22		·10	·02			·05	·08		·68		·02	·09	22
23										·97	·15	·08	23
24						·03	·09			·96	·30	·23	24
25	·09			·05	·06			·32					25
26	·04		·13					·07				·03	26
27	·01			·66				·30					27
28			·32	·03				·68				·31	28
29	·02			·10								·26	29
30				·13		·23		·24			·59	·41	30
31			·02									·02	31
TOTAL	4·65	3·70.	5·94	2·07	·64.	1·11.	3·07.	2·23.	2·74	2·09	1·49	5·31	YEAR'S TOTAL 35·04
Days with ·01 in. or more	21	13	19	10	6	9	11	10	9	5	9	21	143

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

B. made

W8r

1920

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

15 JUN 192

Kept at Worcester Lodge

in the County of Glos

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·29	·13		·44			·19		·45	1
2				·13			·26	·06		·30		·30	2
3	·22	·08		·21	·02		·66		·16	·53			3
4							·01	·61	·04	·49			4
5			·20	·05			·30	·05		·36			5
6			·52		·14		·15			·15			6
7	·02			·11			·11						7
8	·02	·07		·43	·05		·50						8
9	·17												9
10	1·02	·05	·03	·34		·37	·35				·03		10
11	·19		·21	·60	·46								11
12	·17	·11	·04	·34	·02						·05		12
13	·10	·02	·46	·13		·73					·02		13
14	·03	·08	·36	·78	·02	·37			·24	·31	·41		14
15		·07	·26	·92			·29		·03	·42	·03		15
16			·02	·03	·01	1·39			·38	·31			16
17	·03				·30	·25			1·28				17
18	·26			·04	·25	·04		·21	·53			·07	18
19	·03	·19		·47		·15							19
20		·09		·30		·14						·18	20
21							·04			·04			21
22	·02			·27					·03				22
23												·34	23
24	·06		·44								·03		24
25		·10	·25				·96					·06	25
26	·40					·05					·12	·04	26
27	·94	·03		·11	·06	·37 ~~·05~~						·68	27
28	1·09				·20	·04						·05	28
29	·46	·01		·07	·15	·07	·07				·21	·48	29
30	·14			·08	·03	·29			·50	·38	·34	·66	30
31	·17						·16					·05	31
Total	5·54.	·90	2·81	5·70	1·84 ~~1·86.~~	4·26	4·30 ~~4·35.~~	·93.	3·19.	3·48 ~~3·80.~~	1·24.	3·66.	Year's Total 37·85
Days with ·01 in. or more	20	12	12	20	14	13	14	4	9	11	9	12	150
Days with ·04 in. or more	14	9	9	19	9	13	13	4	7	11	5	12	125

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FOREST OF DEAN

EDGE HILLS

GLOUCESTER

1911-15, 19-1920

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

RE

Kept at Edge Hi ... in.

Ground 1 ft. 0 in.

in the County of Glo

Sea Level 700 ft.

by Campbell C

m.

ame Cinderford

istance 1½m Direction S.W.

IMPORTANT NOTE the result entered to the previous day. If an Obs ersal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this nt of rain, the selection and placing sh Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	.	.	11	.	.	.	24	.	.	.	07	1
2	04	.	.	04	31	.	.	23	02	03	37	36	2
3	.	.	.	02	51	.	.	.	.	06	13	03	3
4	.	.	19	.	.	.	.	.	03	.	47	88	4
5	04	.	02	.	.	.	.	16	.	.	03	.	5
6	26	.	07	.	.	.	.	.	.	.	11	121	6
7	0.1	.	.	.	.	.	.	.	.	.	34	.	7
8	18	.	09	.	.	.	.	.	.	.	08	34	8
9	18	.	0·9	.	.	.	.	.	.	.	27	23	9
10	03	08	34	.	.	.	.	.	.	.	08	45	10
11	28	.	.	.	02	.	.	.	.	.	61	01	11
12	.	.	58	.	.	.	.	.	0.7	.	28	.	12
13	.	.	01	.	07	.	.	.	35	48	02	37	13
14	.	.	.	.	.	.	.	.	.	.	.	132	14
15	.	04	02	.	.	.	.	.	.	.	29	17	15
16	.	.	.	.	.	23	.	.	.	03	42	49	16
17	.	.	.	.	.	22	.	.	.	.	26	57	17
18	.	24	03	15	.	09	.	.	.	03	.	78	18
19	02	.	.	07	.	21	.	.	22	50	.	16	19
20	.	04	07	03	.	.	.	.	06	02	.	86	20
21	.	11	14	02	.	01	.	44	.	42	.	13	21
22	.	03	18	03	.	07	.	.	.	16	.	66	22
23	.	31	15	.	.	03	.	.	12	20	.	21	23
24	.	.	.	.	.	41	.	08	.	14	.	32	24
25	.	28	.	04	.	06	.	.	08	04	.	04	25
26	.	29	.	17	18	01	.	11	.	30	04	13	26
27	.	22	17	10	.	.	.	62	21	.	06	12	27
28	.	21	.	20	.	.	.	01	.	.	11	.	28
29	.	.	.	.	01	.18	25	.	06	35	.	.	29
30	.	.	02	05	04	02	16	12	.	34	06	.	30
31	.						01		.	01	.	.	31
Total	110	185	217	103	114	154	42	201	122	311	403	991	TOTAL for year 29.53
No. of Rain Days	10	11	16	13	7	12	3	9	10	16	19	24	150

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Edge Hills

in the County of Glos 2

by Campbell Anderson

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 700 ft.

Time of Observation 8 am.

Nearest Railway Station
Name Cinderford
Distance 1½ m Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	.	.	11	.	.	.	24	.	.	.	04	1
2	04	.	.	04	31	.	.	23	02	03	37	36	2
3	.	.	.	02	51	.	.	.	.	06	13	03	3
4	.	.	19	.	.	.	.	.	03	.	47	88	4
5	04	.	02	.	.	.	.	16	.	.	03	.	5
6	26	.	07	.	.	.	.	.	.	.	11	121	6
7	0.1	.	.	.	.	.	.	.	.	.	34	.	7
8	18	.	09	.	.	.	.	.	.	.	08	34	8
9	18	.	0·9	.	.	.	.	.	.	.	27	23	9
10	03	08	34	.	.	.	.	.	.	.	08	45	10
11	28	.	.	.	02	.	.	.	.	.	61	01	11
12	.	.	58	.	.	.	.	.	0.7	.	28	.	12
13	.	.	01	.	07	.	.	.	35	48	02	37	13
14	.	.	.	.	.	.	.	.	.	.	.	132	14
15	.	04	02	.	.	.	.	.	.	.	29	17	15
16	.	.	.	.	.	23	.	.	.	03	42	49	16
17	.	.	.	.	.	22	.	.	.	.	26	57	17
18	.	24	03	15	.	09	.	.	.	03	.	78	18
19	02	.	.	07	.	21	.	.	22	50	.	16	19
20	.	04	07	03	.	.	.	.	06	02	.	86	20
21	.	11	14	02	.	01	.	44	.	42	.	13	21
22	.	03	18	03	.	07	.	.	.	16	.	66	22
23	.	31	15	.	.	03	.	.	12	20	.	21	23
24	.	.	.	.	.	41	.	08	.	14	.	32	24
25	.	28	.	04	.	06	.	.	08	04	.	04	25
26	.	29	.	17	18	01	.	11	.	30	04	13	26
27	.	22	17	10	.	.	.	62	21	.	06	12	27
28	.	21	.	20	.	.	.	01	.	.	11	.	28
29	.	.	.	.	01	.18	25	.	06	35	.	.	29
30	.	.	02	05	04	02	16	12	.	34	06	.	30
31	.						01		.	01	.	.	31
Total	110	185	217	103	114	154	42	201	122	311	403	991	TOTAL for year 29.53
No. of Rain Days	10	11	16	13	7	12	3	9	10	16	19	24	150

9,000, IX. '10.

Ex J.C.

REGISTER ~~OF~~ RAINFALL IN 19 12.

FORM A2.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Edge Hills
in the County of Glos 2
by Campbell Anderson

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level ~~700~~ 914 ft.
Time of Observation 8. a.m.
Nearest Railway Station
Name Cinderford
Distance 1½ m Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			37				11		02	35		15	1
2			31	04		49	46						2
3	08		34			25	10	75	01		06		3
4	16		1.04			65		25			16		4
5	23		11		31	06		36			04	10	5
6	52		06		03			72				03	6
7		41	08		06	56						12	7
8	38	17	55			10	08	17	06			04	8
9	08	10	38	05			01	04				10	9
10	11	11				27		06	02		30		10
11		02									06	52	11
12	10	47	16	06	10	09						12	12
13		04						11				06	13
14	10		65					10					14
15	39	11	04		45	38		03				27	15
16	1.30	01	34					02		06	12		16
17	87		29			05		62			03	49	17
18	14		19					1.00				05	18
19	15	06	02				25	49				04	19
20			65		05		28	18		41	05		20
21		04	50		72		05	22		39			21
22	53	21			50	07	49	18				06	22
23	23	56	36			29	08	19		13	09	41	23
24		03				27	06	03				21	24
25						1.08		91			52	39	25
26		09					37	90		84	31	26	26
27		08				37	89			1.18		30	27
28		09				05	95	92	18	34	42	42	28
29		31				36	40	11	63	44		03	29
30			10		09	09				47			30
31			19		41		69	09		03			31
Total	5.37	2.91	6.68	.15	2.72	5.48	5.27	8.45	.92	4.64	2.16	4.17	TOTAL for year 48.92
No. of Rain Days	16	18	21	3	10	18	16	24	6	11	12	21	176

9,000, IX. '10.

referred 2.4.14

FORM A. BRITISH RAINFALL.

7 JAN 1914

W DL Cor. w obsr. 6.IV.14

REGISTER OF RAINFALL IN 1913

Kept at Edgehills

in the County of Glos

by Campbell Anderson

Lat. 51-50-30 Long. 2-29

Time of Observation 8. am.

Nearest Railway Station Cinderford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 914 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	09	24	14					62		13		1
2	11	17	14				03		07	1.23	15	02	2
3	38		05		62					20		11	3
4	1.02		08		25				1.15	83	08	15	4
5	03		03		07	23	08		02	15	13	07	5
6	04	30	20		27	07	04			24	27	48	6
7	02	56			59	09	06			28	24		7
8		11			15					18			8
9		19			14	09	06	04	20	02	20		9
10	25			03	18			18			15		10
11	1.43			32	12					07	76	03	11
12	02				56						70		12
13			23					01	26	13	26		13
14	16		40	05				05	01		05		14
15	15	05	60	93				17			01		15
16	11		70	09							02		16
17	06		11	18			07		13			04	17
18	04		39	11									18
19	16					13	17		25				19
20	56		37	08						10	27		20
21			17	16	12		19			03	42		21
22	55		63	03				20	20				22
23			03			13						07	23
24	03			04									24
25		02		22					05				25
26				1.05				30				35	26
27				47									27
28	44		21	40						12	03		28
29			50	80				07		15			29
30	34				11				05	73	11		30
31			13										31
Total	5.92	1.49	5.21	5.10	3.18	.74	.70	1.02	3.01	4.46	3.98 3.98	1.32	YEAR'S TOTAL 35.93 36.13
Rain Days.	21	8	19	17	12	6	8	8	12	15	18	9	153

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
15 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Edgehills Lodge
in the County of Glos 2 Ex Bl
by Campbell Anderson

Lat. 51-50-30 Long. 2.29
Time of Observation 8 a m
Nearest Railway Station Cinderford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 914 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	65	.	10	.	.	1.19	28	.	.	.	.	1
2	.	.	.	01	.	.	60	04	.	.	86	.	2
3	.	.	02	16	39	.	.	02	.	.	.	57	3
4	.	.	.	15	07	.	28	.	.	.	50	61	4
5	.	.	06	19	21	.	23	01	.	.	08	.	5
6	.	17	.	02	08	.	.	10	.	.	05	31	6
7	.	47	22	05	38	.	45	11	.	.	.	09	7
8	.	.	13	02	06	80	.	16	03	.	.	08	8
9	.	03	24	36	05	1.40	.	14	07	.	.	.	9
10	.	50	.	38	03	03	.	.	35	.	.	.	10
11	.	17	20	10	04	31	.	.	.	.	09	60	11
12	.	12	12	.	.	.	27	.	21	.	04	26	12
13	.	37	62	.	.	.	03	.	24	24	10	54	13
14	05	38	40	.	.	.	02	.	.	29	26	.	14
15	.	.	13	.	.	.	03	13	17	03	18	.	15
16	.	.	.	.	.	.	02	.	27	.	.	.	16
17	.	19	13	.	.	.	03	.	05	.	.	43	17
18	.		03	.	.	.	02	.	.	.	.	34	18
19	.	04	03	.	.	.	80	.	.	.	04	08	19
20	.	46	07	.	.	.	.	.	.	.	.	19	20
21	.	21	.	.	.	.	12	12	.	28	.	.	21
22	.	.	.	.	13	12	.	09	.	19	.	.	22
23	.	08	23	.	04	.	03	.	.	25	.	.	23
24		.	39	.	.	.	05	09	.	14	.	.	24
25	14	.	10	.	.	.	.	20		28	09	12	25
26	.	.	08	.	.	.	07	04		08	20	62	26
27	06	.	.	.	.	.				.	.	28	27
28	08	18	37	.	03	.				.	44	83	28
29	.	.	29	.	.	.				26	34	.	29
30	06	.	20	.	17	.				19	75	80	30
31	21	.								07		02	31
Total	60	342	406	154	168	266	424	153	139	230	402	6.77	YEAR'S TOTAL 34.21
Rain Days.	6	15	21	11	13	5	17	14	8	12	15	18	155

W. 7,500, XI. 12

2229

REGISTER OF RAINFALL IN 1915

METEOROLOGICAL OFFICE
2 FEB. 1916

FORM A.
BRITISH RAINFALL.
4-FEB 1916

Kept at Edgehills Lodge
in the County of Glos
by C. Anderson

Lat. 51-50-30 Long. -2·29
Time of Observation 8 am
Nearest Railway Station Cinderford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 914 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	21	20	.	.	16	.	01	02	49	15	05	05	1
2	06	24	19	07	.	05	43	1·39	02	07	.	66	2
3	91	19	03	08	.	.	11	15	.	.	.	13	3
4	.	05	.	.	21	.	.	05	.	.	.	52	4
5	07	44	.	02	.	.	.	16	.		.	70	5
6	18	07	.	33	.	.	41	03	.	.	.	22	6
7	.	57	.	03	.	.	05	07	.	.	.	31	7
8	22	48	.	.		.	02	05	.	.	08	.	8
9	16	03	.	06		.	.	03	.	.	28	63	9
10	10	.	06	01		.	.	.	.	14	01	02	10
11	07	.	.	07		.	.	02	.	.	84	.	11
12	10	.	.	13	52	.	.	.	.	14	.	07	12
13	03	65	.	.	95	.	04	06	02	.	.	.	13
14	01	01	.	03		.	.	64	07	.	.	52	14
15	32	.	.	.	07	.	.	07	.	07	03	29	15
16	02	1,24	.	.	35	.	77	03	.	04	.	03	16
17	04	33	.	.	1.32	.	.	02	.	.	.	.	17
18	.	36	06	.	04	.	.	.	.	.	.	.	18
19	.	04	.	01	18	.	39	.	.	.	.	.	19
20	08	.	.	12	.	.	05	.	.	.	.	11	20
21	11	06	.	.	.	.	06	.	.	14	.	10	21
22	08	17	21	05	.	01	41	.	.	.	.	44	22
23	07	05	04	.	.	16	11	.	02	104	.	42	23
24	.	.	.	03	.	01	84	.	27	56	21	20	24
25	.	.	.	05	.	24	14	.	03	01	.	16	25
26	.	20	.	.	.	.	16	.	.	.	.	62	26
27	.	03	.	04	.	02	12	.	.	42	.	04	27
28	.	.	.	.	.	11	.	.	24	03	.	.	28
29	.	.	.	.	.	.	01	.	01	.	11	11	29
30	.	X		.	.	03	02	12		30	12	28	30
31	.	X		X		X	12	02	X	1.19	X	50	31
Total	284	541	59	113	380	63	427	293	117	430	173	653	YEAR'S TOTAL
Rain Days.	19	20	6	16	9	8	20	17	9	14	9	24	35.33 171

W. 8,000. X. 15.

B. made

[illegible]

1937

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

23 JAN 20

Kept at Edgehills
in the County of Gloucester
by C. Anderson

Lat. Long.
Time of Observation 8. A. M.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 914 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·34		·04		·09		·16		·10	·10	·01	·74	1
2	·18		·03				·17	·05	·38		·08	·09	2
3	·09		·08		·04	·07	·11		·09		·15	·26	3
4	·16	·02	·54			·04	·05	·02	·51			·15	4
5	·30	·50	·26		·05				·42		·06	·16	5
6	·33		·13		·04						·03	·12	6
7	·19		·42	·17								·01	7
8	·15		·05	·05		·01							8
9	·36		·02	·09							·11		9
10	·06		·51	·02						·04	·03	·32	10
11			·55	·03	·13		·23					·10	11
12			·04			·42			·01	·10		·04	12
13	·06			·37					·07			·12	13
14	·35	·02		·18					·02	·02		·14	14
15	·34	·04		·02	·03					·01		·60	15
16	·18	·08									·06	·01	16
17	·02	·90				·01					·08		17
18		·64	·53				·03	·08	·04		·09	·04	18
19	·16	·66	·64			·04	1·41	·35			·03		19
20	·63	·05	·57			·10	·05	·22	·03		·04	·02	20
21	·01	·58	·15			·05	·07		·36				21
22		·09										·08	22
23										·60	·13		23
24			·02	·02		·04	·05	·01		·94	·18		24
25	·09			·03	·07			·42	~~·06~~		·02	·10	25
26	·02		·14			·01		·08	·06			·24	26
27	·04		·02	·48				·42				·04	27
28	·02		·16					·61			·29	·22	28
29				·07				·02		·15	·03	·36	29
30				·10		·12		·36			·20	·55	30
31			·01				·02			·03		·01	31
TOTAL	4·07	3·58	4·91	1·63	·45	·91	2·35	2·64	2·09	1·99	1·62	4·52	YEAR'S TOTAL 30·76
Days with ·01 in. or more	22	11	21	13	7	11	11	12	13	9	18	24	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1851

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192 0.

15 JUN 1921

Kept at Edgehills

in the County of Glo

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·27	·22		·17	·05		·21		·23	1
2	·02		·04	·15	·22		·25	·04	·15	·33		·20	2
3	·05	·08		·17	·02	·04	·95	·02	·06	·35			3
4				·06			·02	·26		·31			4
5			·13	·02	·01		·25			·40			5
6			·45	·11	·05		·28			·10			6
7	·02		·05				·21						7
8	·08	·08		·31			·57					·04	8
9	·10	·03		·55		·03	·12						9
10	1·03	·11	·05	·05		·33	·11						10
11	(·18)	·08		·41	·41	·04	·07				·06		11
12	·14	·04	·09	·29		·55	·08			·03	·05		12
13	·09	·02	·27	·11		·05					·02		13
14	·02	·06	·33	·27		·29	·02	·02	·14	·26	·25		14
15	·01		·36	·93		·03			·03	·14	·04		15
16				·03	·02	·17	·37		·34	·36			16
17	·03				·28	·06			1·30				17
18	·20			·02	·23	·15	·03	·27	·54				18
19	·01	(·15)		·39	·02	·12			·01				19
20		·13		·23								·27	20
21				·02			·04					·07	21
22	·02			·21				·12				·15	22
23							·41					(·25)	23
24	·03		·39								·07	·23	24
25	·04	·07	·25				·80					·04	25
26	·26		·37		·02	·07					·07	·07	26
27	·79	·04	·20	·03	(·02)	·41	·04					·59	27
28	1·29		·11	~~·02~~	·24	·06	·16					·03	28
29	·40	·01	·16	·02	·02	·05	·04				·16	·37	29
30	·18	×	·17	·04		(·35)			·31		·20	·30	30
31	·11	×	·26	×		×	·02		×	·19	×	·16	31
													YEAR'S TOTAL
TOTAL	5·10 ✓	·91 ✓	3·70	4·69	1·98 ✓	2·80 ✓	5·01	·78	2·88	2·68	·92	3·02 ✓	34·47
Days with ·01 in. or more	23	13	18	23	14	17	22	7	9	11	9	15	181
Days with ·04 in. or more	15	10	17	17	7	15	8	5	7	10	8	14	142

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLOUCESTER.

FOREST OF DEAN

BRACELAND.

1911-1912

cod for

REGIST 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Braceland 8 in.

ve Ground 1 ft. 0 in.

in the County of Glos , Sea Level 500 ft.

.am.

by C. B. Popert

Name Symonds Yat.
Distance 2m Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				09				37			06	16	1
2				02	28			18	01	06	28	47	2
3					62			06	01		13	06	3
4			22					02	02	08	42	86	4
5	08		03					08			04	04	5
6	27		17	03							15	1.07	6
7	03										48		7
8	06		08								12	77	8
9	18		11								32	37	9
10		05	27								07	74	10
11	22				78						48	03	11
12			57						11		46		12
13			04		05				40		03	48	13
14											02	1.23	14
15			02							02	41	26	15
16						18					34	38	16
17						17					28	72	17
18		23	10	30		06				05		93	18
19				18		30			32	33	02	31	19
20		06		03					16	11		92	20
21		26	28	04		04		87		47		18	21
22		03	27	08		11				23		67	22
23		43	18						09	15		18	23
24						46		17		18		28	24
25		12				04			07	01		02	25
26		09		22	67	01	.02	11		34	14	27	26
27		32	31	06				58	21		17	21	27
28		26		17				07			28		28
29						27	.49		08	34			29
30					08		03	37		43	13		30
31							02			02			31
Total	.84	1.85	2.65	1.22	2.48	1.64	.56	2.88	1.48	2.82	4.83	11.63 11.61	TOTAL for year 34.88 3486
No. of Rain Days	6	10	14	11	6	10	4	11	11.	15	22	25	145

9,000, IX. '10.

cor^d for

REGIS 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Braceland

in the County of Glos

by E. B. Popert.

RAIN GAUGE	Pattern
	Diameter of top 8 in.
	Height of top above Ground 1 ft. 0 in.
	" " " Sea Level 500 ft.
Time of Observation	8 am.
Nearest Railway Station	Name Symonds Yat.
	Distance 2 m Direction NE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				09				37			06	16	1
2				02	28			18	01	0.6	28	47	2
3					62			06	01		13	06	3
4			22					02	02	08	42	86	4
5	08		03					08			04	04	5
6	27		17	03							15	1.07	6
7	03										48		7
8	06		08								12	77	8
9	18		11								32	37	9
10		05	27								07	74	10
11	22				78						48	03	11
12			57						11		46		12
13			04		05				40		03	48	13
14											02	1.23	14
15			02							02	41	26	15
16						18					34	38	16
17						17					28	72	17
18		23	10	30		06				05		93	18
19				18		30			32	33	02	31	19
20		06		03					16	11		92	20
21		26	28	04		04		87		47		18	21
22		03	27	08		11				23		67	22
23		43	18						09	15		18	23
24						46		17		18		28	24
25		12				04			07	01		02	25
26		09		22	67	01	.02	11		34	14	27	26
27		32	31	06				58	21		17	21	27
28		26		17				07			28		28
29						27	.49		08	34			29
30					08		03	37		43	13		30
31							02			02			31
Total	.84	1.85	2.65	1.22	2.48	1.64	.56	2.88	1.48	2.82	4.83	11.61 11·61	TOTAL for year 34.86 3486
No. of Rain Days	6	10	14	11	6	10	4	11	11.	15.	22	25	145

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGI

FRAMPTON
COTTERELL PK HSE

GLOUCESTER
1911 - 1920

Kept at Park House, Fr
in the County of Glouce
by H. H. Hardwi

in.
nd 1 ft. — in.
Level 158. ft.
e Winterbourne
ance 1½ mi Direction SW.

IMPORTANT NOTE.— result entered to the previous day. If an Observ l rule, he is earnestly requested to add the reading in the space provided for it at the end of this pa , of rain, the selection and placing o Rainfall Organization are given in "~~Rules for Rainfall Observers,~~" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.05	—	—	—	0.04	—	—	0.01	—	1
2	0.01	—	—	0.04	0.23	—	—	0.23	—	0.11	0.25	0.15	2
3	—	—	0.01	—	0.35	—	—	0.01	—	—	0.10	0.10	3
4	0.01	—	0.15	—	—	—	—	—	0.01	0.04	0.30	0.32	4
5	0.02	—	0.03	0.02	—	—	—	0.26	—	0.02	0.15	0.01	5
6	0.15	—	0.05	0.01	—	—	—	0.06	—	—	0.08	0.26	6
7	0.01	—	—	—	—	—	—	—	—	—	0.42	—	7
8	0.14	—	0.15	—	—	—	—	—	—	—	0.04	0.25	8
9	0.12	—	0.06	—	—	—	—	—	—	—	0.13	0.21	9
10	0.02	0.07	0.17	—	0.08	—	—	—	—	—	0.01	0.26	10
11	0.29	—	—	—	0.03	—	—	—	—	—	0.72	0.14	11
12	—	—	0.69	—	—	—	—	—	0.01	—	0.68	0.09	12
13	—	—	0.01	—	0.15	—	—	—	0.57	0.08	—	0.47	13
14	—	0.05	—	—	—	—	—	—	—	—	—	0.70	14
15	—	0.01	—	—	—	0.02	—	—	—	—	0.18	0.24	15
16	—	0.01	—	—	—	0.17	—	—	—	—	0.44	0.19	16
17	—	0.01	—	—	—	0.03	—	—	—	—	0.10	0.17	17
18	—	0.53	0.06	0.06	—	0.21	—	—	—	0.03	—	0.17	18
19	—	—	—	0.07	—	0.13	—	—	0.26	0.10	0.01	0.28	19
20	0.01	0.02	0.15	0.04	—	—	—	—	0.07	0.09	—	0.33	20
21	—	0.17	0.07	—	—	—	—	0.04	0.97	0.41	—	0.27	21
22	—	—	0.48	0.01	—	0.84	—	—	—	0.14	—	0.40	22
23	—	0.20	0.18	—	—	0.19	—	—	0.04	0.14	—	0.22	23
24	—	0.08	—	—	—	0.41	—	0.13	—	0.47	—	0.10	24
25	—	0.04	0.01	0.09	—	0.11	—	—	—	—	—	0.08	25
26	—	0.11	—	0.25	0.04	—	0.02	0.03	—	0.28	0.12	0.15	26
27	—	0.24	0.21	0.04	—	—	—	0.28	0.22	—	0.18	0.12	27
28	—	0.32	—	0.42	—	—	—	0.25	—	—	0.02	0.01	28
29	—		—	0.02	—	0.45	—	—	0.17	0.29	—	—	29
30	—		—	—	—	0.02	—	0.02	—	0.19	—	0.07	30
31	—		—		—		—	—		0.12		—	31
Total	0.78	1.86	2.48	1.12	0.88	2.58	0.02	1.35	1.42	2.51	3.94	5.71	TOTAL for year 24.65
No. of Rain Days.	10	14	16	13	6	11	1	11	9	15	19	27	152

24.65

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 - JAN 1912

REGI

Kept at Park House, Frampton Cotterell

in the County of Gloucestershire. 5

by H. H. Harding

RAIN GAUGE	Diameter of top 5 in.
	Height of top above Ground 1 ft. — in.
	" " " Sea Level 158. ft.

Time of Observation 9am

Nearest Railway Station: Name Winterbourne
Distance 1½ mile Direction SW.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	0·05	—	—	—	0·04	—	—	0·01	—	1
2	0·01	—	—	0·04	0·23	—	—	0·23	—	0·11	0·25	0·15	2
3	—	—	0·01	—	0·35	—	—	0·01	—	—	0·10	0·10	3
4	0·01	—	0·15	—	—	—	—	—	0·01	0·04	0·30	0·32	4
5	0·02	—	0·03	0·02	—	—	—	0·26	—	0·02	0·15	0·01	5
6	0·15	—	0·05	0·01	—	—	—	0·06	—	—	0·08	0·26	6
7	0·01	—	—	—	—	—	—	—	—	—	0·42	—	7
8	0·14	—	0·15	—	—	—	—	—	—	—	0·04	0·25	8
9	0·12	—	0·06	—	—	—	—	—	—	—	0·13	0·21	9
10	0·02	0·07	0·17	—	0·08	—	—	—	—	—	0·01	0·26	10
11	0·29	—	—	—	0·03	—	—	—	—	—	0·72	0·14	11
12	—	—	0·69	—	—	—	—	—	0·01	—	0·68	0·09	12
13	—	—	0·01	—	0·15	—	—	—	0·57	0·08	—	0·47	13
14	—	0·05	—	—	—	—	—	—	—	—	—	0·70	14
15	—	0·01	—	—	—	0·02	—	—	—	—	0·18	0·24	15
16	—	0·01	—	—	—	0·17	—	—	—	—	0·44	0·19	16
17	—	0·01	—	—	—	0·03	—	—	—	—	0·10	0·17	17
18	—	0·53	0·06	0·06	—	0·21	—	—	—	0·03	—	0·17	18
19	—	—	—	0·07	—	0·13	—	—	0·26	0·10	0·01	0·28	19
20	0·01	0·02	0·15	0·04	—	—	—	—	0·07	0·09	—	0·33	20
21	—	0·17	0·07	—	—	—	—	0·04	0·07	0·41	—	0·27	21
22	—	—	0·48	0·01	—	0·84	—	—	—	0·14	—	0·40	22
23	—	0·20	0·18	—	—	0·19	—	—	0·04	0·14	—	0·22	23
24	—	0·08	—	—	—	0·41	—	0·13	—	0·47	—	0·10	24
25	—	0·04	0·01	0·09	—	0·11	—	—	—	—	—	0·08	25
26	—	0·11	—	0·25	0·04	—	0·02	0·03	—	0·28	0·12	0·15	26
27	—	0·24	0·21	0·04	—	—	—	0·28	0·22	—	0·18	0·12	27
28	—	0·32	—	0·42	—	—	—	0·25	—	—	0·02	0·01	28
29	—		—	0·02	—	0·45	—	—	0·17	0·29	—	—	29
30	—		—	—	—	0·02	—	0·02	—	0·19	—	0·07	30
31	—		—		—		—	—		0·12		—	31
Total	0·78	1·86	2·48	1·12	0·88	2·58	0·02	1·35	1·42	2·51	3·94	5·71	TOTAL for year 24·65
No. of Rain Days.	10	14	16	13	6	11	1	11	9	15	19	27	152

24·65

W. 8,000, X. '11.

Ex DL

FORM A2. BRITISH RAINFALL.

4 - JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Park House, Frampton Cotterell

in the County of Gloucestershire 5

by H. H. Hardy

RAIN GAUGE
Pattern Snowdon
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 158 ft.

Time of Observation 9 am

Nearest Railway Station
Name Winterbourne G.W.R. Iron Acton M.R.
Distance 1½ mile Direction S.W. S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.12	—	—	0.57	0.17	—	—	0.71	—	0.20	1
2	—	—	0.18	0.05	—	0.32	0.36	—	—	0.01	—	—	2
3	0.01	—	0.21	—	—	0.15	0.02	1.78	0.04	—	0.04	—	3
4	0.15	—	0.61	—	0.02	0.28	—		—	—	0.19	—	4
5	0.44	0.06	0.11	—	0.06	0.01	—		—	—	—	0.20	5
6	0.24	0.10	0.05	—	0.05	—	0.25		—	—	—	0.05	6
7	0.01	0.12	0.05	—	0.07	0.56	—		—	—	—	0.03	7
8	0.42	0.11	0.24	—	—	0.08	—	0.03	—	—	—	0.10	8
9	0.05	0.03	0.25	0.03	—	0.13	0.09	0.09	—	—	—	0.20	9
10	0.07	0.06	—	—	—	0.20	—	0.13	—	—	0.03	0.02	10
11	0.07	0.01	—	—	—	0.06	—	—	—	—	—	0.42	11
12	—	0.40	0.05	0.07	0.04	0.01	0.01	—	—	—	—	0.03	12
13	—	—	0.01	—	—	—	—	0.04	—	—	—	0.25	13
14	0.12	—	0.60	—	0.23	0.01	—	0.02	—	0.01	—	0.09	14
15	0.06	0.14	0.02	—	0.31	0.64	—	0.01	—	—	—	0.37	15
16	0.59	—	0.15	—	0.01	0.01	—	0.16	—	0.10	0.02	0.03	16
17	0.87	—	0.20	—	0.06	0.10	—	0.73	—	—	0.01	0.39	17
18	0.19	0.01	0.28	—	—	—	—	0.20	—	—	—	0.06	18
19	0.03	0.11	0.01	—	—	0.13	0.19	0.43	—	0.19	—	—	19
20	Dep. from fog 0.01	—	0.28	—	0.29	—	0.09	0.03	—	0.44	—	—	20
21	Dep. from fog 0.01	0.01	0.20	—	0.88	—	0.02	0.12	—	0.21	—	—	21
22	0.53	0.44	0.05	—	0.05	→	0.09	0.24	—	0.01	—	0.09	22
23	0.22	0.41	0.41	—	—	0.07	0.14	0.40	—	0.08	0.04	0.35	23
24	0.04	—	0.27	—	—	0.13	0.03	0.06	—	—	—	0.75	24
25	—	—	—	—	—	0.71	—	0.78	—	0.05	0.39		25
26	—	0.06	—	—	—	—	0.28	0.50	—	0.44	0.73		26
27	—	—	—	—	—	0.20	1.16	—	—	0.58	—	0.53	27
28	—	0.08	—	—	—	0.33	0.48	0.72	0.07	0.43	0.26	0.77	28
29	—	0.03	0.01	—	—	0.52	0.39	0.03	0.42	0.35	—	0.08	29
30	—		—	—	—	0.03	0.16	—	0.07	0.24	—	0.01	30
31	—		0.14		0.19		0.45	0.02		—		0.22	31
Total	4.13	2.18	4.50	0.15	2.26	5.25	4.38	6.52	0.60	3.85	1.71	5.24	TOTAL for year 40.77
No. of Rain Days.	~~18~~ 20	17	24	3	13	23	18	25	4	15	9	25	194 196

W. 8,000, X. '11.

Ex FC.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN. 1914

Kept at Park House, Frampton Cotterell
in the County of Gloucestershire
by W. H. Harding

5

Lat. 51° 31′ 57.5″ Long. 2° 29′ 6″ W.
Time of Observation 9 a.m.
Nearest Railway Station Winterbourne G.W.R. & Iron Acton M.R. each about [illegible]
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.12	0.22	0.10	0.11	—	—	—	0.43	—	0.04	0.01	1
2	—	0.18	0.01	0.09	0.01	—	0.03	—	0.05	0.04	0.12	0.03	2
3	0.22	—	0.13	—	0.64	—	—	—	—	0.01	—	0.39	3
4	1.06	—	0.17	—	0.27	—	—	—	0.92	0.26	0.03	0.04	4
5	0.01	0.03	0.03	—	0.18	0.17	—	—	0.18	—	0.14	0.06	5
6	0.01	0.03	0.18	—	0.21	0.08	—	—	—	0.49	0.10	0.53	6
7	—	0.20	—	—	0.17	0.12	0.18	—	—	0.27	0.27	—	7
8	—	0.10	—	—	0.16	0.03	0.01	—	—	0.06	—	0.01	8
9	—	0.12	—	—	0.02	0.14	0.04	0.04	0.05	—	0.04	0.01	9
10	0.17	—	0.02	—	0.02	—	—	0.07	—	0.08	0.12	—	10
11	0.66	—	—	0.20	0.10	—	—	—	—	0.22	0.60	0.02	11
12	—	—	—	—	0.08	—	—	—	—	—	0.24	—	12
13	0.04	[illegible] Fog 0.01	0.05	—	—	—	0.02	0.05	0.19	—	0.15	—	13
14	0.07	0.01	0.25	0.03	—	—	—	0.02	0.04	0.23	—	0.01	14
15	0.17	0.04	0.43	0.62	—	—	—	0.03	—	—	0.16	0.02	15
16	0.25	—	0.36	0.04	—	—	—	0.01	0.04	—	0.01	—	16
17	0.02	—	0.01	0.14	—	—	0.01	—	0.07	—	0.03	—	17
18	0.14	—	0.10	0.16	—	0.02	—	—	—	—	0.02	0.01	18
19	0.23	—	0.03	—	—	0.12	0.16	—	0.22	—	—	—	19
20	0.29	—	0.11	0.02	—	—	—	—	—	0.04	0.14	—	20
21	—	—	0.07	0.05	0.20	—	0.02	0.01	—	—	0.24	—	21
22	0.40	—	0.61	0.10	0.04	0.06	0.01	0.03	0.25	—	—	—	22
23	0.05	—	—	—	—	0.06	—	0.20	—	—	0.07	0.16	23
24	0.12	—	—	0.06	—	—	—	0.01	—	—	—	—	24
25	—	0.03	—	0.16	—	—	—	—	0.01	—	—	0.07	25
26	—	0.01	—	0.16	—	—	—	0.22	—	—	—	0.22	26
27	0.01	—	0.06	0.27	—	—	—	—	—	0.08	—	—	27
28	0.32	—	0.09	0.25	—	—	—	—	—	0.04	—	0.03	28
29	0.02		0.42	0.49	—	—	—	0.13	—	0.07	—	0.01	29
30	0.32		—	—	—	—	—	0.27	—	0.35	0.02	—	30
31	0.12		0.09		0.18		—	0.03		—		—	31
Total	4.70	0.88	3.44	2.94	2.39	0.80	0.48	1.12	2.45	2.24	2.54	1.63	YEAR'S TOTAL 25.61
Rain Days.	22	~~11~~ 12	21	17	15	9	9	14	12	14	19	17	~~180~~ 181

W.7,000, XI. 13

ex UMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
5 JAN 1915

Kept at Park House, Frampton Cotterell

in the County of Gloucestershire 5

by H. H. Harding

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Winterbourne G.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	0.01	0.06	—	0.01	0.68	0.46	—	—	0.20	—	1
2	—	—	—	0.01	—	—	0.66	0.10	—	—	0.60	0.29	2
3	—	—	0.01	0.17	0.31	—	0.01	—	—	—	0.01	0.15	3
4	0.30	—	0.01	0.26	0.22	—	0.23	0.25	—	—	0.31	0.75	4
5	0.01	—	0.04	0.34	0.01	—	0.27	0.05	—	—	0.09	0.08	5
6	—	0.06	0.08	0.09	0.11	—	0.10	0.04	—	—	0.01	0.18	6
7	0.01	0.33	0.40	0.20	0.34	—	0.31	0.09	—	—	—	0.11	7
8	0.11	—	0.76	0.01	0.02	0.50	0.20	0.08	0.05	—	—	0.08	8
9	0.15	—	0.32	0.05	0.02	0.81	—	0.07	0.03	—	—	—	9
10	—	0.09	0.01	0.05	—	—	—	—	0.42	—	—	—	10
11	—	0.03	0.20	—	0.02	0.28	0.75	—	0.01	—	0.05	0.31	11
12	—	0.08	0.11	—	—	0.01	—	—	0.14	—	0.05	0.16	12
13	—	0.43	0.26	—	—	—	—	—	0.26	0.14	0.02	0.46	13
14	—	0.40	0.40	—	—	—	0.01	0.03	0.02	0.26	0.19	—	14
15	0.01	0.01	0.13	—	—	—	0.01	0.64	0.65	0.03	0.20	—	15
16	—	—	~~0.14~~	—	—	—	0.01	—	0.14	—	—	—	16
17	—	0.33	0.~~05~~14	—	—	—	0.03	—	0.01	—	—	0.59	17
18	—	0.01	0.05	—	—	—	0.24	—	0.02	—	—	0.34	18
19	—	0.14	0.16	—	—	—	0.60	—	—	—	0.04	0.08	19
20	—	0.40	0.11	—	—	0.02	—	—	—	—	—	0.12	20
21	—	0.39	—	—	—	0.09	—	—	—	0.14	0.01	0.01	21
22	—	0.02	—	0.01	0.19	0.07	—	0.03	—	0.08	—	—	22
23	—	—	0.29	—	0.03	—	—	0.02	—	0.10	—	—	23
24	—	—	0.07	—	—	—	0.01	0.01	—	0.11	0.06	—	24
25	0.06	—	0.13	—	—	—	0.02	0.50	—	0.31	0.01	0.30	25
26	—	—	0.05	—	—	—	0.14	—	—	0.05	0.17	0.45	26
27	0.05	—	—	—	—	—	—	—	—	0.01	0.16	0.23	27
28	0.01	—	0.16	—	0.03	—	—	—	—	0.01	0.55	0.89	28
29	0.23	0.15	0.09	—	0.11	—	0.02	—	—	0.15	0.22	—	29
30	0.03	✕	0.05	—	—	0.04	—	—	—	0.17	0.49	0.50	30
31	0.01	✕	—	✕	0.02	✕	0.40	—	✕	0.28	✕	0.02	31
Total	0.98	2.87	4.04	1.25	1.43	1.83	4.70	2.37	1.75	1.84	3.44	6.10	YEAR'S TOTAL 32.60
Rain Days.	12	15	25	11	13	9	20	14	11	14	20	21	185

W. 8,000. X. 14.

Exc D.S

2297

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
10 JAN 1916

Kept at Park House, Frampton Cotterell

in the County of Gloucestershire.

by W. H. Harding.

Lat. 51° 31′ 57.5″ Long. 2° 29′ 6″ W.

Time of Observation 9 a.m.

Nearest Railway Station Winterbourne GWR Iron Acton M.R. about equal distance

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.28	0.10	—	—	0.14	—	—	0.06	0.18	0.26	0.03	0.18	1
2	0.25	0.26	0.17	0.19	—	—	—	0.91	0.10	0.04	—	0.09	2
3	0.59	0.02	0.03	0.03	0.14	—	0.13	0.12	—	—	—	0.14	3
4	0.02	—	—	—	0.15	—	0.96	—	—	—	—	0.79	4
5	0.08	0.40	—	0.01	—	—	—	0.06	—	—	—	0.23	5
6	0.26	0.01	—	0.15	—	—	0.42	0.04	—	—	—	0.32	6
7	0.37	0.32	—	0.04	0.03	—	0.34	0.02	—	—	—	0.17	7
8	0.31	0.22	—	0.01	—	—	0.01	0.08	—	—	0.07	—	8
9	0.01	0.04	—	0.02	—	—	—	0.05	—	—	0.15	0.75	9
10	0.22	—	0.09	0.02	—	—	—	0.06	—	0.01	—	0.02	10
11	0.02	—	0.09	0.01	0.01	—	—	0.02	—	—	0.82	0.01	11
12	0.13	0.22	—	0.22	0.39	—	—	0.02	—	0.22	0.28	0.01	12
13	0.01	0.47	—	—	1.00	—	—	0.02	0.19	—	—	—	13
14	0.12	0.01	—	—	—	—	0.10	0.28	0.03	—	—	0.61	14
15	0.30	—	—	0.01	0.03	—	0.09	0.05	0.03	0.01	0.04	0.02	15
16	—	0.64	—	0.01	0.39	—	0.54	0.04	—	—	—	0.05	16
17	—	0.16	0.03	—	0.46	—	—	0.04	—	—	—	—	17
18	—	0.19	0.01	—	—	—	—	—	—	—	—	—	18
19	—	0.02	—	—	0.08	—	0.20	—	—	—	—	—	19
20	0.11	—	—	0.23	—	—	—	—	—	0.02	—	0.11	20
21	0.06	0.02	—	—	—	—	0.01	—	—	0.05	—	0.12	21
22	0.10	0.29	0.42	0.01	—	0.01	0.78	—	0.01	—	—	0.23	22
23	—	0.08	0.18	—	—	—	0.11	—	0.10	1.02	—	0.53	23
24	—	—	0.02	0.03	—	—	0.44	—	0.31	0.56	—	0.31	24
25	—	—	—	—	—	0.37	0.24	—	—	0.05	—	0.16	25
26	—	0.10	—	—	—	—	0.56	—	—	—	—	0.38	26
27	—	0.08	—	—	—	0.01	0.45	—	—	0.36	—	0.01	27
28	—	0.10	0.01	—	—	—	0.19	—	0.50	0.03	—	—	28
29	—	X	—	—	—	0.16	0.12	0.05	0.05	—	0.04	0.01	29
30	0.16	X	—	—	—	0.54	—	—	—	0.25	0.27	0.07	30
31	—	X	—	X	—	X	0.16	0.02	X	0.58	X	0.34	31
Total	3.40	3.75.	1.05.	0.99.	2.82.	1.09	5.85.	1.94.	1.50.	3.46	1.70.	5.66	YEAR'S TOTAL 33.21.
Rain Days.	19.	21.	10.	15.	11.	5.	19.	18.	10.	14	8.	25.	175.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JAN 1917

Kept at Park House, Frampton Cotterell.

in the County of Gloucestershire.

by H. H. Harding

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Winterbourne G.W.R. Iron Acton M.R.

Diameter of Funnel of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 158. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.11	—	0.01	—	0.14	0.14	0.37	—	—	0.16	0.09	—	1
2	1.10	0.03	0.02	—	0.05	0.05	0.01	—	0.01	1.25	0.07	—	2
3	—	0.73	0.02	—	0.13	0.01	0.14	—	0.01	0.37	0.11	—	3
4	0.35	0.16	—	—	0.17	0.56	—	—	0.11	0.21	0.30	—	4
5	0.01	—	0.04	—	0.09	0.12	—	—	—	0.03	0.09	—	5
6	0.11	0.15	0.01	—	0.33	0.26	0.39	—	—	0.13	0.38	—	6
7	0.01	0.12	0.07	—	0.07	0.08	—	—	—	0.07	0.28	0.26	7
8	0.01	0.04	0.12	—	0.16	0.01	—	—	—	—	0.01	0.15	8
9	—	—	—	—	0.15	0.02	0.24	—	—	0.01	0.01	0.06	9
10	—	0.45	0.02	0.13	0.02	0.10	—	—	—	0.01	—	0.01	10
11	0.01	0.02	0.03	0.11	0.04	0.03	—	—	—	0.11	—	—	11
12	0.01	0.08	0.05	0.01	0.51	—	0.15	0.03	—	0.18	—	—	12
13	—	0.38	0.13	—	—	—	—	0.28	—	0.04	—	—	13
14	—	0.37	0.25	—	0.10	—	—	0.27	—	0.07	—	—	14
15	0.01	0.16	0.02	0.05	0.02	—	0.01	0.20	—	—	—	—	15
16	0.02	0.08	—	0.29	0.01	—	0.14	0.25	—	0.01	—	—	16
17	0.11	0.10	0.07	0.12	—	—	—	0.29	0.48	0.35	0.20	—	17
18	—	0.01	0.26	—	—	—	—	—	0.03	0.01	0.19	0.04	18
19	0.15	—	0.61	0.23	—	—	—	—	—	—	0.20	—	19
20	0.26	0.04	0.70	0.03	—	—	—	—	—	—	0.03	0.52	20
21	0.25	0.10	—	—	0.18	—	—	—	—	—	—	0.43	21
22	0.01	—	—	0.04	—	0.12	—	—	—	0.18	0.05	0.48	22
23	—	0.26	—	0.03	—	0.01	—	0.15	—	0.16	0.10	0.25	23
24	—	0.06	0.31	0.12	0.83	0.14	—	0.05	—	0.30	0.01	0.18	24
25	—	0.37	0.07	—	—	—	—	0.74	—	0.04	0.13	—	25
26	0.02	0.10	0.90	—	0.15	0.16	—	0.01	0.22	0.23	0.01	—	26
27	0.12	0.09	0.15	—	0.02	0.04	0.02	0.06	0.25	0.33	—	—	27
28	0.01	0.20	—	—	—	0.01	—	—	0.04	0.34	—	0.86	28
29	—	0.34	—	—	—	0.45	—	1.72	—	0.38	—	0.72	29
30	—	✗	—	0.01	—	—	—	—	—	0.53	—	0.01	30
31	—	✗		✗	—	✗	—	0.02	✗	0.18	✗	0.04	31
Total	2.68	4.44	3.86	1.17	3.17	2.31	1.47	4.07	1.15	5.68	2.26	4.01	YEAR'S TOTAL 36.27
Rain Days.	19	24	21	12	19	18	9	13	8	26	18	14	201

W. 8,000, VIII. 16

2131

E.&O.P.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

10 JAN 1918

Kept at Park Home Frampton Cotterell

in the County of Gloucestershire

by W. H. Harding

Lat. 51°31'57.5"N Long. 2°29'6"W.
Time of Observation 9 a.m.
Nearest Railway Station Winterbourne G.W.R. & Iron Acton M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 158. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.01.	0.19	0.13	—	0.13	—	0.64	0.08	—	0.02	—	1
2	—	—	0.01	0.07	—	0.18	—	0.06	—	—	0.04	—	2
3	0.03	0.02	—	0.01	—	—	0.19	0.05	—	1.03	0.01	—	3
4	—	0.21.	0.04	—	—	—	0.10	0.09	—	0.19	—	—	4
5	0.29	—	0.07.	0.18	—	0.12	—	—	0.29.	0.37.	0.10.	—	5
6	—	—	0.32	—	—	0.06	—	—	—	0.11.	0.36.	—	6
7	0.16	—	—	—	—	—	0.03.	0.29.	—	0.05	—	0.02	7
8	0.29.	—	0.07	0.12.	—	—	0.60	0.55	0.01.	0.38.	0.07.	0.04	8
9	—	—	0.05	0.03.	0.15	—	—	0.50	0.10	0.14	0.18.	—	9
10	0.15.	—	0.24	0.17.	—	—	—	0.18.	0.03	0.01.	—	—	10
11	0.06.	0.01.	0.30.	0.20	0.02.	—	—	0.08.	0.47.	0.07.	—	—	11
12	0.05	—	0.02.	0.01.	0.59.	—	—	0.14.	0.02	0.60.	Wet Fog 0.01.	—	12
13	—	—	0.13.	0.08.	—	0.06	—	0.15	0.05.	0.09.	—	—	13
14	—	—	0.04	0.01.	—	—	—	0.04	0.01.	0.04.	—	—	14
15	0.01	—	—	—	—	—	0.09.	0.40.	0.01.	0.04	—	0.14	15
16	0.01	0.01	—	0.06.	0.03	—	—	0.01.	—	0.10	—	0.10.	16
17	—	0.06.	—	0.21.	0.30.	0.08.	0.26	0.07.	0.25	0.24.	—	—	17
18	—	0.03.	—	—	—	—	0.52	0.03.	0.87.	—	—	—	18
19	0.01	0.38	0.05.	—	—	0.05.	—	—	0.03.	—	—	—	19
20	0.01	0.12.	0.04.	—	0.30.	0.10.	—	—	0.01	—	—	—	20
21	—	0.04.	0.33	—	—	0.02.	—	—	—	0.01	—	—	21
22	—	—	0.01.	—	—	0.01.	—	0.09.	—	0.08	—	—	22
23	—	0.12	—	—	0.06.	0.12.	—	0.49.	—	—	—	0.03	23
24	—	—	—	—	—	0.15.	0.01.	0.37	—	0.12.	—	—	24
25	—	0.03.	0.02	—	—	—	—	0.01.	—	0.09.	—	—	25
26	—	—	—	—	0.13.	—	—	0.46.	—	0.04	0.02.	—	26
27	—	—	—	—	0.81.	0.06	0.01.	0.87.	0.17	—	—	—	27
28	—	—	0.10.	—	—	1.16.	—	0.34	—	—	—	0.01	28
29	—		0.03.	—	—	0.26.	0.09.	0.28	—	0.36	—	0.16	29
30	—	X	0.02.	—	—	—	0.09.	0.01.	—	0.08	—	—	30
31	—	X	0.11.	X	—	X	—	0.12.	X	0.01	X	0.01.	31
Total	1.07.	1.04.	2.19.	1.28.	2.39.	2.56.	1.99.	6.32.	2.40.	4.25	0.81	0.51.	YEAR'S TOTAL 26.81
Rain Days.	11.	12.	21.	13	9	15.	11.	26.	15.	23.	9.	8.	17.3

W. 8,000, IX. 17.

93

74

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Frampton Cotterell
Park Ho
in the County of Glos
by H H Harding

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0·03	—	0·04	0·03	—	—	0·22	—	0·02	0·37	0·01	1
2	0·01	0·03	—	0·01	—	—	—	0·35	—	0·02	0·01	0·14	2
3	—	0·01	—	0·09	0·26	—	—	0·19	0·16	0·04	—	—	3
4	—	0·09	—	0·02	—	—	—	0·02	0·01	0·01	0·67	0·10	4
5	—	—	—	0·04	0·30	—	—	0·18	0·64	0·28	—	0·02	5
6	0·12	0·46	—	0·16	—	0·01	—	—	0·21	0·16	—	0·09	6
7	0·01	0·15	—	0·03	0·67	0·01	—	—	0·45	0·25	0·29	—	7
8	0·01	0·07	—	—	—	—	0·08	—	0·20	0·17	—	0·08	8
9	—	0·15	—	0·19	—	0·18	0·20	—	0·50	0·11	—	0·10	9
10	0·01	0·03	—	0·12	—	—	0·40	—	0·66	0·04	—	0·31	10
11	0·02	0·05	0·03	—	—	—	0·06	—	0·94	—	0·05	0·28	11
12	—	0·14	0·29	—	0·26	—	—	—	0·01	—	—	0·01	12
13	0·08	—	—	—	—	0·02	0·02	—	0·52	0·04	—	0·55	13
14	0·54	—	0·02	—	0·01	0·03	1·25	—	0·22	0·05	—	0·13	14
15	1·28	—	—	0·25	0·09	0·09	0·32	—	—	0·01	—	0·33	15
16	0·30	—	0·02	0·53	—	0·01	—	0·09	0·15	—	—	0·01	16
17	0·05	—	0·03	0·09	—	—	0·47	0·04	0·05	0·01	—	0·10	17
18	0·71	—	—	—	—	0·74	0·19	—	0·96	0·02	—	0·10	18
19	0·04	—	0·12	—	—	—	0·05	0·01	0·02	0·02	—	0·04	19
20	0·01	0·16	—	0·29	—	0·01	0·11	—	0·44	0·01	—	—	20
21	0·01	0·01	—	—	—	—	0·03	—	0·91	0·02	—	0·01	21
22	0·01	—	—	—	0·05	—	0·30	—	0·09	0·01	—	0·23	22
23	0·05	—	—	—	0·18	0·03	0·38	—	—	—	0·01	0·02	23
24	—	0·17	—	—	—	—	0·46	0·10	—	—	0·02	0·01	24
25	—	—	—	—	—	—	0·10	0·65	0·08	0·03	0·01	—	25
26	—	—	—	0·14	—	—	0·37	0·01	0·08	0·01	0·06	0·14	26
27	—	—	0·07	—	—	—	0·01	0·24	0·37	—	0·07	0·04	27
28	—	0·15	0·25	—	—	—	—	—	0·01	—	0·05	0·06	28
29	—		0·13	—	—	—	—	—	0·82	—	—	0·06	29
30	—		0·37	—	—	—	—	—	0·05	0·03	0·07	0·06	30
31	—		0·17		—		—	—		—		—	31
Total	3·26	1·79	1·50	2·00	1·95	1·13	4·80	2·10	8·55	1·36	1·68	3·03	YEAR'S TOTAL 33·06
Rain Days.	17	15	11	14	9	10	18	12	25	22	12	26	191

W. 8 000, IX. 17.

Exd

15 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Park House Frampton Cotterell
in the County of Gloucestershire
by H H Harding

Lat. 51° 31' 57.5" N. Long. 2° 29' 6" W.
Time of Observation 9 a.m.
Nearest Railway Station Iron Acton & Winterbourne
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ „ „ „ Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
0-23 1	~~0.23~~	—	—	—	0.06	—	0.24	—	0.02	0.06	—	0.64	1
0.14 2	~~0.14~~	—	0.01	—	0.01	—	0.05	—	0.16	—	0.12	0.26	2
0· 3	~~0.80~~	—	0.19	—	0.04	0.02	—	—	0.11	—	0.08	0.57	3
4	0.15	0.07	0.50	—	—	0.08	0.10	0.04	0.22	—	—	0.16	4
5	—	0.26	0.60	—	0.04	—	—	—	0.48	—	0.07	0.23	5
6	0.10	0.01	0.18	—	—	—	—	—	—	—	0.03	0.01	6
7	0.12	—	0.26	0.06	—	—	—	—	—	—	—	—	7
8	0.09	—	0.11	0.04	—	0.01	—	—	—	—	—	—	8
9	0.13	—	0.06	0.15	—	—	—	—	—	—	0.08	—	9
10	0.07	—	0.35	0.03	—	—	—	—	—	0.04	0.01	0.06	10
11	0.07	—	0.35	0.11	0.07	—	0.32	—	—	—	—	0.01	11
12	0.07	—	0.09	0.01	—	0.26	—	—	—	0.06	0.01	0.03	12
13	0.09	—	—	0.28	—	—	—	—	—	0.01	—	0.04	13
14	0.56	0.02	—	0.49	—	—	0.13	—	—	0.01	—	0.01	14
15	0.37	—	—	0.07	0.01	—	—	—	—	0.05	—	0.22 (wet fog)	15
16	0.19	0.71	—	—	—	—	—	—	—	—	0.18	0.01	16
17	—	0.29	—	—	—	0.06	—	—	—	—	0.07	—	17
18	—	—	0.43	—	—	—	0.09	0.31	—	—	0.04	0.02	18
19	0.18	0.15	1.08	—	—	0.21	2.12	0.47	0.07	—	0.05	0.05	19
20	0.28	0.14	0.38	—	—	0.08	—	0.16	—	—	—	0.04	20
21	—	0.62	0.07	—	—	0.09	0.09	—	0.01	—	0.01	0.01	21
22	—	0.16	—	—	—	0.03	0.03	—	0.30	—	—	0.08	22
23	—	—	—	—	—	0.01	—	—	—	0.97	0.07	0.01	23
24	—	—	—	0.04	—	0.06	—	—	0.02	0.94	0.15	0.48	24
25	0.08	—	—	0.07	0.01	—	—	0.32	0.01	—	0.05	0.01	25
26	0.17	—	0.11	0.05	—	0.01	0.03	0.02	0.17	—	—	0.30	26
27	0.07	—	0.01	0.30	—	—	—	0.35	—	—	—	0.01	27
28	0.01	—	0.18	—	—	—	—	0.25	—	—	0.34	0.41	28
29	0.01	✕	—	0.11	—	—	—	0.01	—	0.09	0.02	0.52	29
30	—	✕	—	0.18	—	0.22	—	0.25	—	—	0.18	0.39	30
31	0.01	✕	—	✕	0.10	✕	0.02	—	✕	0.02	✕	0.05	31
TOTAL	3.81	2.43	4.90	1.87	0.34	1.14	3.22	2.18	1.57	2.25	1.56	4.63	YEAR'S TOTAL 29.90
Days with ·01 in. or more	23	10	18	15	8	13	11	10	11	10	18	27	174

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1910

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 19

Kept at Park House Frampton Cotterell
in the County of Gloucestershire
by H. H. Harding

Lat. 51° 31′ 57.3″ N. Long. 2° 29′ 6″ W.
Time of Observation 9 a.m.
Nearest Railway Station Winterbourne GWR / Iron Acton MR 1½ mile each
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 158 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	0.42	0.46	—	0.26	0.16	0.01	0.17	0.10	0.43	1
2	0.02	—	0.03	0.06	0.01	—	0.05	0.17	0.01	0.18	—	0.15	2
3	0.01	0.07	—	0.13	—	—	0.67	—	—	0.18	—	—	3
4	—	—	—	0.04	—	—	—	0.50	—	0.17	—	—	4
5	—	—	0.12	0.01	0.07	—	0.55	—	—	0.27	—	—	5
6	—	—	0.18	—	0.28	—	0.04	—	—	0.05	—	—	6
7	0.08	—	0.01	0.04	0.40	—	0.08	—	—	—	—	—	7
8	0.03	0.04	—	0.50	0.05	—	0.39	0.09	—	—	—	—	8
9	0.35	0.16	—	0.70	—	0.09	0.03	0.01	0.07	—	—	—	9
10	0.88	0.21	0.04	0.05	—	0.18	0.24	—	—	—	0.01	—	10
11	0.23	—	0.12	0.31	0.40	0.02	0.09	—	—	—	—	—	11
12	0.15	0.03	0.01	0.05	—	1.10	0.06	—	—	—	0.04	—	12
13	0.09	0.07	0.28	0.16	—	—	—	—	—	—	—	0.03	13
14	0.01	—	0.51	0.35	—	0.17	0.01	—	0.11	0.38	0.51	—	14
15	0.01	0.10	—	0.18	0.03	0.08	—	—	0.06	0.38	0.16	—	15
16	—	—	—	0.05	0.14	0.16	0.20	—	0.50	0.16	0.28	—	16
17	0.07	—	—	0.04	0.19	0.18	—	0.03	0.41	0.04	—	0.01	17
18	0.20	—	—	0.18	0.13	—	—	0.25	0.27	—	—	0.02	18
19	0.02	0.32	—	0.29	—	0.09	—	—	—	—	—	0.01	19
20	0.01	0.09	—	0.15	—	0.22	—	—	—	—	—	0.15	20
21	—	—	—	0.01	—	—	0.01	0.09	—	—	—	0.01	21
22	0.01	—	—	0.07	—	0.01	0.05	—	—	—	—	0.25	22
23	—	—	—	—	—	—	0.55	—	—	—	—	0.50	23
24	0.05	—	0.20	—	—	—	0.01	—	—	—	0.06	0.13	24
25	0.01	0.09	0.11	—	—	—	0.52	—	—	—	—	—	25
26	0.21	—	0.26	—	—	—	0.04	—	—	—	0.01	0.02	26
27	0.25	0.03	0.01	0.07	0.02	0.65	0.01	—	—	—	—	0.14	27
28	0.85	0.01	0.05	—	0.12	0.05	0.01	—	—	—	—	0.01	28
29	0.08	—	0.20	0.01	0.04	0.01	0.23	—	—	—	0.08	0.37	29
30	0.02	✕	0.04	0.03	—	0.25	0.18	—	0.38	—	0.26	0.40	30
31	0.16	✕	0.28	✕	0.03	✕	—	—	✕	0.37	✕	0.18	31
Total	3.80	1.22	2.45	3.90	2.37	3.26	4.28	1.30	1.82	2.35	1.51	2.81	Year's Total 31.07
Days with ·01 in. or more	24	12	17	24	15	15	23	8	9	11	10	17	185
Days with ·04 in. or more	14	9	13	20	11	12	17	6	7	11	8	10	138

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Corr for W D 17.iv.12

REGI ... 911

GLOUCESTER

COUNTY ASYLUM.
WOTTON
1911 - 1915

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at County asylum

in the County of Glouce

by E. F. Hough

...ghetti & Zambra

...o 8 in.

...bove Ground ... ft. 9 in.

" Sea Level 87 ft.—7 in.

9 a.m.

Name Gloucester M.R
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·11	–	·06	tr	–	–	–	tr	tr	·01	1
2	·02	–	·02	·11	–	–	·04	·05	–	–	·01	·06	2
3	·01	–	–	·07	·23	–	–	·12	·01	·07	·18	·09	3
4	–	–	–	–	·40	–	–	–	tr	–	·04	·04	4
5	·03	–	·22	–	–	–	–	tr	·01	·04	·35	·30	5
6	·09	–	·06	–	–	–	–	·13	–	–	–	·03	6
7	·24	–	·09	–	–	–	–	tr	–	–	·12	1·02	7
8	tr	–	–	–	–	–	–	–	–	–	·43	–	8
9	·29	–	·07	–	–	–	–	–	–	–	·07	·18	9
10	·12	–	–	–	–	–	–	–	–	–	·15	·16	10
11	·01	·17	·24	–	–	–	–	·06	–	–	–	·11	11
12	·22	·01	–	–	–	–	–	–	–	–	·56	tr	12
13	–	tr	·58	–	–	–	–	–	·10	–	·19	·17	13
14	–	–	–	–	·04	–	–	–	·33	·04	–	·65	14
15	–	–	–	–	–	–	–	–	–	–	·18	·69	15
16	–	–	·04	–	–	–	–	–	–	–	–	·27	16
17	–	–	–	–	–	·15	–	–	–	–	·18	·04	17
18	–	–	–	–	–	·04	–	–	–	–	·19	·18	18
19	–	·18	·02	·07	–	·10	–	–	–	·01	–	·26	19
20	–	–	–	–	–	·26	–	–	·08	·09	–	·31	20
21	·01	·06	·09	–	–	–	–	–	·08	·04	–	·36	21
22	–	·16	·12	–	–	–	–	·19	–	·31	–	·07	22
23	–	tr	·11	–	–	·20	–	–	–	·10	·01	·49	23
24	–	·18	·09	–	–	·14	–	–	·13	·35	–	·11	24
25	–	·05	–	·01	–	·46	–	·12	–	·19	–	·09	25
26	–	·06	–	·01	·02	·05	–	–	–	·01	–	·10	26
27	–	·15	–	·17	·04	–	–	tr	–	·24	·22	·16	27
28	–	·17	·19	·07	–	–	–	·36	·41	–	·07	·06	28
29	–		–	·20	tr	–	–	tr	–	–	·04	–	29
30	–		–	–	–	·17	–	–	·11	·24	·06	–	30
31	–		–		·07		–	·02		·18		–	31
Total	1·04	·11 ~~1·19~~ 1·30	– ~~2·05~~ 1·94	·06 ~~·71~~ ·77	~~·86~~ ·80	1·57	·04	1·05	1·26	1·91	·01 ~~3·05~~ 3·06	(–) ~~6·01~~ 6·00	TOTAL 20·74
No. of Rain Days.	10	~~10~~ 11	~~15~~ 14	~~8~~ 9	~~7~~ 6	9	1	8	9	14	~~18~~ 19	~~26~~ 25	135

W. 8,000, X. '11.

Cord for WD 17.IV.12

REGIS 911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at County asylum, Wotton, Gloucester

in the County of Gloucester 3

by E. F. Hough

Rain Gauge { Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 87 ft. – 7 in.

Time of Observation 9 a.m.

Nearest Railway Station { Name Gloucester M.R.
Distance 1 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·11	–	·06	tr	–	–	–	tr	tr	·01	1
2	·02	–	·02	·11	–	–	·04	·05	–	–	·01	·06	2
3	·01	–	–	·07	·23	–	–	·12	·01	·07	·18	·09	3
4	–	–	–	–	·40	–	–	–	tr	–	·04	·04	4
5	·03	–	·22	–	–	–	–	tr	·01	·04	·35	·30	5
6	·09	–	·06	–	–	–	–	·13	–	–	–	·03	6
7	·24	–	·09	–	–	–	–	tr	–	–	·12	1·02	7
8	tr	–	–	–	–	–	–	–	–	–	·43	–	8
9	·29	–	·07	–	–	–	–	–	–	–	·07	·18	9
10	·12	–	–	–	–	–	–	–	–	–	·15	·16	10
11	·01	·17	·24	–	–	–	–	·06	–	–	–	·11	11
12	·22	·01	–	–	–	–	–	–	–	–	·56	tr	12
13	–	tr	·58	–	–	–	–	–	·10	–	·19	·17	13
14	–	–	–	–	·04	–	–	–	·33	·04	–	·65	14
15	–	–	–	–	–	–	–	–	–	–	·18	·69	15
16	–	–	·04	–	–	–	–	–	–	–	–	·27	16
17	–	–	–	–	–	·15	–	–	–	–	·18	·04	17
18	–	–	–	–	–	·04	–	–	–	–	·19	·18	18
19	–	·18	·02	·07	–	·10	–	–	–	·01	–	·26	19
20	–	–	–	–	–	·26	–	–	·08	·09	–	·31	20
21	·01	·06	·09	–	–	–	–	–	·08	·04	–	·36	21
22	–	·16	·12	–	–	–	–	·19	–	·31	–	·07	22
23	–	tr	·11	–	–	·20	–	–	–	·10	·01	·49	23
24	–	·18	·09	–	–	·14	–	–	·13	·35	–	·11	24
25	–	·05	–	·01	–	·46	–	·12	–	·19	–	·09	25
26	–	·06	–	·01	·02	·05	–	–	–	·01	–	·10	26
27	–	·15	–	·17	·04	–	–	tr	–	·24	·22	·16	27
28	–	·17	·19	·07	–	–	–	·36	·41	–	·07	·06	28
29	–		–	·20	tr	–	–	tr	–	–	·04	–	29
30	–		–	–	–	·17	–	–	·11	·24	·06	–	30
31	–		–		·07		–	·02		·18		–	31
Total	1·04	·11 ~~1·19~~ 1·30	~~2·05~~ 1·94	~~·06~~ ~~·71~~ ·77	~~·86~~ ·80	1·57	·04	1·05	1·26	1·91	·01 ~~3·05~~ 3·06	(–) 6·01 6·00	TOTAL 2074
No. of Rain Days.	10	~~10~~ 11	~~15~~ 14	~~8~~ 9	~~7~~ 6	9	1	8	9	14	~~18~~ 19	~~26~~ 25	135

W. 8,000, X. '11.

Ex DL Cor. for WD. 9.V.13.

WD

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Wotton Asylum

in the County of Gloucester 3

by G. F. Hough

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 88 ft. 4 in

Time of Observation 10 a.m.

Nearest Railway Station
Name Gloucester M. R.
Distance 1/2 mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(·04)
estd.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·25	·12	—	·41	·06	·45	·06	·03	—	—	1
2	—	·10	·02	—	—	·47	·21	—	·02	·25	—	·08	2
3	—	—	·18	·07	—	·55	·27	·07	—	—	—	—	3
4	·02	—	·11	—	·07	·12	·14	·28	—	—	·02	·02	4
5	·09	—	·83	—	·12	·68	—	·14	—	—	·23	—	5
6	·27	snow ·10	·08	—	·14	·02	—	·32	—	—	·01	·09	6
7	·10	·03	tr	—	·03	tr	—	·50	—	—	—	—	7
8	—	·14	·01	—	·05	1·01	·78	·07	—	—	—	—	8
9	·19	·09	·23	—	—	—	—	·05	—	—	—	·24	9
10	·06	·06	·25	·06	—	·13	—	·19	—	—	—	·12	10
11	·27	·07	—	—	—	·07	·02	·05	tr	—	—	—	11
12	·02	·01	tr	—	—	·05	—	·01	—	—	—	·36	12
13	·02	·60	·08	·02	·03	—	—	—	—	—	—	·01	13
14	—	·04	—	—	—	—	tr	·12	tr	—	—	·01	14
15	·07	—	·53	—	·30	—	—	·02	—	—	—	·13	15
16	·15	·07	—	—	·19	·25	—	·01	—	—	—	—	16
17	·49	—	·18	—	—	—	—	·03	—	·05	·12	—	17
18	snow 1·08	—	·21	—	—	·03	—	·73	—	—	—	·44	18
19	—	·01	·06	—	—	—	—	·22	—	—	—	·02	19
20	·04	·04	·02	—	·01	—	·35	·22	—	·01	—	—	20
21	·02	tr	·33	—	·10	—	·21	·16	—	·33	·08	—	21
22	·01	·01	·32	—	·69	—	—	·26	—	·35	—	—	22
23	snow ·21	·10	·07	—	·14	·24	1·15	·16	—	·03	—	·02	23
24	·27	·49	·27	—	—	·35	—	·14	—	·05	·03	·37	24
25	·07	tr	tr	—	—	·29	—	—	—	—	—	·04	25
26	—	—	—	—	—	·60	—	·88	—	—	·31	·35	26
27	—	·05	tr	—	—	—	·42	·71	—	·49	·50	·15	27
28	—	—	—	—	—	·17	1·09	—	—	1·16	—	·21	28
29	—	·07	—	—	—	·15	1·27	·68	·08	·23	·11	·56	29
30	—		tr	—	—	·19	·34	·17	·45	·31	—	·03	30
31	—		·02		—		·15	—		·11		—	31
Total	— ~~3·45~~	·25 ~~2·08~~	·12 ~~4·05~~	— ~~·27~~	·41 ~~1·87~~	·06 ~~5·78~~	·45 ~~6·40~~	·06 ~~6·64~~	·03 ~~·61~~	— ~~3·40~~	— ~~1·41~~	(·04) ~~3·25~~	TOTAL for year 39·27
No. of Rain Days.	19	~~18~~ 19	20	~~4~~ 3	~~12~~ 13	19	14	26	4	~~13~~ 12	9	19	177
	3·45	2·33	3·92	·15	2·28	5·43	6·85	6·25	·58	3·37	1·41	3·29	39·31

W. 8,000, X. '11.

Cwd for W.D. 26.11.14 Ex JC

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

2 - JAN 1914

Kept at Gloucester Co: Asylum (Wotton)

in the County of Gloucester

by E. F. Hough

Lat. 51·52 N. Long. 2·24 W.

Time of Observation 10 a.m.

Nearest Railway Station Gloucester Mid. Ry

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 88 ft. 4 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·12		·20								·08	1
2		·14	·11						·75				2
3			·03	·15			·05		·10	·87			3
4	·16		·02		·58							·04	4
5	·87				·15				·24	·47			5
6		·02	·01		·11	·16	·13		·03	·11	·08	·02	6
7	·03	·03	·17		·23	·11	·23			·12	·54	·53	7
8		·37			·24	·07				·11	·12		8
9		·06			·12					·15			9
10		·18			·02	·03	·12				·02		10
11	·19				·18						·09		11
12	·91			·29	·06					·07	·58		12
13					·01						·60		13
14	Snow ·03		·15		·21				·19		·32		14
15	·07		·36					·03		·16			15
16	·23	·17	·58	·69					·07				16
17	·13		·88	·01		·15		·42					17
18	·10		·07	·05			·20		·05				18
19	·04		·18	·10			·08						19
20	·18					·13	·03		·15				20
21	·28		·15	·05									21
22			·06	·07	·06		·03			·05	·25		22
23	·36		·44	·01					·38				23
24													24
25				·02									25
26				·24									26
27		·01		·29								·37	27
28			·10	·16									28
29	·43		·08	·28									29
30			·35										30
31	·21 ·12												31
Total	~~4·26~~ 4·34	~~1·10~~ ·98	·20 ~~3·74~~ 3·94	~~2·61~~ 2·41	1·97	·65	·87	·45	1·96	2·11	·08 ~~2·60~~ 2·68	~~1·04~~ ·96	YEAR'S TOTAL 23·36 ✓ 23·32
Rain Days.	17 ✓	~~9~~ 8	~~17~~ 18	~~15~~ 14	12	6	8	2	9	9	~~9~~ 10	~~5~~ 4	~~118~~ 117 ✓

W.7,000, XI. 13

cwd for W.D. 25·III·15 ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at County Asylum, Wotton, Gloucester

in the County of Gloucester 3

by E. F. Kough

Lat. 51·52 N Long. 2·24 W.
Time of Observation 10 a.m.
Nearest Railway Station Gloucester M.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 88 ft. 4 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·06	·15			·01		·26			·06	·61	1
2						·01	·87	·60			·01	·13	2
3				·01			·47	·01		·04	·53	·75	3
4			·02	·19	·32		·07	·02			·05	·01	4
5	·19			·15	·03		·11	·04			·38	·46	5
6	·01		·06	·14	·13		·25				·12		6
7			·03	·01	·02		·02	·06			·04	·17	7
8			·11	·07	·16	·09	·20	·11	·05		·01	·07	8
9	·01		·25	·03	·08	1·20		·01				·10	9
10	·08	·02	·17	·18	·09	1·55		·06	·01				10
11		·23	snow ·03	·27	·06				·26			·02	11
12		·08	·29		·13	·42				·31	·18	·41	12
13		·10	·18				·10		·30		·03	·13	13
14		·25	·41				·01		·19	·23	·04	·78	14
15			·25				·05			·40	·18	·01	15
16		·24	·10				·04	·12	·03	·02	·18		16
17	·04						·05		·12				17
18		·14	·18				·01		·02			·30	18
19							·17					·45	19
20		·03	·05				·61	·08			·09	·05	20
21		·36	·12									·19	21
22		·46					·03	·29		·12		·10	22
23		·01			·21			·04		·13			23
24		·06			·09		·01			·11		·02	24
25			·18				·01	·01		·04	·11		25
26	·07		·10					·25		·20	·03	·02	26
27			·04				·03			·07	·18	·03	27
28	·05									·02	·26	·52	28
29					·03						·08	snow ·90	29
30		X	·23							·32	·34	·01	30
31		X	·08	X		X			X	·10	X	·69	31
	·06	·15	–	–	·01	–	·26	–	–	·06	·61	·05	YEAR'S TOTAL
Total	~~·45~~ ·51	~~2·04~~ 2·13	~~3·03~~ 2·88	~~1·05~~ 1·05	~~1·35~~ 1·36	~~3·28~~ 3·27	~~3·11~~ 3·37	~~1·96~~ 1·70	~~·98~~ ·98	~~2·11~~ 2·17	~~2·90~~ 3·45	~~6·93~~ 6·37	~~29·19~~ 29·24
Rain Days.	~~7~~ 8	13	~~21~~ 20	9	~~14~~ 13	~~6~~ 5	~~19~~ 20	~~15~~ 14	8	~~14~~ 15	20	25	~~169~~ 170

W. 8,000. X. 14.

Cord for WD 30.m.16. 2263

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

JAN '16

Kept at County Asylum (Wotton)
in the County of Glos.
by E. F. Hough

Lat. 51° 51′ 54″ N Long. 2° 13′ 38″ W
Time of Observation 10 a.m.
Nearest Railway Station Gloucester Midland
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 88 ft. 4 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·27

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05		·05				·06	·06			1·02	·19	1
2	·15	·06	·15		·23		·36	·06	·11	·27		·03	2
3	·21	·15	·05	·30		·05		1·20	·01	·03		·09	3
4	1·11	·10		·01	·15		·83	·57				·22	4
5	·03				·01		·18	·23				·51	5
6		·80		·03			·11	·06				·31	6
7	·19	·01		·20			·46	·03				·25	7
8	·10	·60		·02		·01	·18	·04				·25	8
9	·29	·18					·04	·14			·05	·02	9
10	·16	·02		·10				·06			·16	·62	10
11	·17		·06	·04									11
12			·15	·08	·01						·65	Snow ·06	12
13	·16	·22		·35	·51			·02		·04	·41		13
14		·56			·87			·08	·07			·03	14
15							·07	·45	·03	·01		·42	15
16	·27	·01			·05		·07			·11	·02	·02	16
17	·01	·69		·02	·19		·49	·15					17
18		·26	·01		1·18							·06	18
19		·35	·02							·01	·01		19
20				·10	·08		·28						20
21	·24	·10		·05						·09		·21	21
22	·19	·04					·01			·01		·07	22
23	·20	·10	·41	·01			·15		·01	·03		·29	23
24			·45			·04	·10		·01	1·36		·70	24
25			·04	·07			·56		·49	·10		·51	25
26						·70				·03		·04	26
27		·10					·15					·40	27
28		·01					·18			·40			28
29						·02	·03	·13	·40	·01		·01	29
30		X				·13	·35		·04		·03		30
31	·12	X		X		X	·10		X	·17	X	·24	31
	–	·05	–	–	–	·06	·06	–	–	1·02	·19	·27	YEAR'S TOTAL
Total	~~3·65~~ 3·60	~~4·36~~ 4·41	~~1·39~~ 1·34	~~1·38~~ 1·38	~~3·28~~ 3·28	~~·95~~ 1·01	~~4·76~~ 4·96	~~3·28~~ 3·22	~~1·17~~ 1·17	~~2·67~~ 3·69	~~2·35~~ 1·52	~~5·55~~ 5·63	~~34·79~~ 35·01
Rain Days.	~~17~~ 16	~~19~~ 20	~~10~~ 9	14	10	~~6~~ 7	21	~~15~~ 14	9	~~15~~ 16	8	24	168

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

CIRENCESTER

DOLLARWARD HSE

GLOUCESTER

1911 - 1920

REG

Kept at Dollarward Ho.
in the County of Glo
by C. P. N

in.
ound 1 ft. 6 in.
a Level 366 ft.
me Cirencester G W R
stance 200 yd Direction S

IMPORTANT NOTE.– … e result entered to the previous day. If an Observ… al rule, he is earnestly requested to add the reading … in the space provided for it at the end of this p… t of rain, the selection and placing … h Rainfall Organization are given in " … plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·03	·12			·02	·01			·03		1
2	·03			·04	·34			·19		·10	·26	·24	2
3					·27			·04	?13	·02	·12	·09	3
4	·01		·14	·01				·01	·63	·07	·28	·37	4
5	·04		·02	·01				·30		·07	·01	·01	5
6	·40		·08	·01				·01			·04	·60	6
7	·03										·42	·01	7
8	·17		·12								·01	·21	8
9	·11		·01								·06	·20	9
10	·04	·15	·27								·01	·20	10
11	·22	·01			·38				[illegible]		·75	·01	11
12			·54						·02		·57	·07	12
13			·01		·01				·47	·09	·01	·25	13
14		·01	·01		·01							·59	14
15		·02	·10								·20	·06	15
16						·21					·43	·24	16
17						·06					·02	·40	17
18		·39	·05	·10		·12				·02		·34	18
19				·01		·34			·16	·20	·03	·07	19
20	·02	·05	·11	·09				·01	·11	·16		·59	20
21		·18	·02			·44		·16		·66		·08	21
22		·01	·15	·01				·02		·24		·61	22
23		·20	·07			·03	·04		·06	·07		·19	23
24		·09	·01			·26		·05		·48		·12	24
25		·07	·04	·06	·02	·04			·03	·05		·04	25
26		·16		·20	·01	·03		·01		·31	·16 ·10	·18	26
27		·38	·18	·04				·24	·35	·01	·18	·12	27
28		·24		·39				·12			·05		28
29						·32			·14	·34			29
30			·01	·02	·06	·04		·04	·03	·20	·02	·01	30
31					·01					·02			31
Total	1·14	1·96	1·97	1·11	1·11	1·89	·06	1·21	1·40	3·19	3·54	5·90	TOTAL for year 21·48
No. of Rain Days.	11	14	20	14	9	11	2	14	10	18	21	27	171

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN

Kept at Dollarward Ho. Cirencester

in the County of Gloucester 7

by C. P. Hooker

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 366 ft.

Time of Observation 9 am

Nearest Railway Station
Name Cirencester G W R
Distance 200 yd Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·03	·12			·02	·01			·03		1
2	·03			·04	·34			·19		·10	·26	·24	2
3					·27			·04	2·13	·02	·12	·09	3
4	·01		·14	·01				·01	·63	·07	·28	·37	4
5	·04		·02	·01				·30		·07	·01	·01	5
6	·40		·08	·01				·01			·04	·60	6
7	·03										·42	·01	7
8	·17		·12								·01	·21	8
9	·11		·01								·06	·20	9
10	·04	·15	·27								·01	·20	10
11	·22	·01			·38				~~·16~~		·75	·01	11
12			·57						·02		·57	·07	12
13			·01		·01				·47	·09	·01	·25	13
14		·01	·01		·01							·59	14
15		·02	·10								·20	·06	15
16						·21					·43	·24	16
17						·06					·02	·40	17
18		·39	·05	·10		·12				·02		·34	18
19				·01		·34			·16	·28	·03	·07	19
20	·02	·05	·11	·09				·01	·11	·16		·59	20
21		·18	·02			·44		·16		·66		·08	21
22		·01	·15	·01				·02		·24		·61	22
23		·20	·07			·03	·04		·06	·07		·19	23
24		·09	·01			·26		·05		·48		·12	24
25		·07	·04	·06	·02	·04			·03	·05		·04	25
26		·16		·20	·01	·03		·01		·31	16 ·10	·18	26
27		·38	·18	·04				·24	·35	·01	·18	·12	27
28		·24		·39				·12			·05		28
29						·32			·14	·34			29
30			·01	·02	·06	·04		·04	·03	·20	·02	·01	30
31					·01					·02			31
Total	1·14	1·96	1·97	1·11	1·11	1·89	·06	1·21	1·40	3·19	3·54	5·90	TOTAL for year 24·48
No. of Rain Days.	11	14	20	14	9	11	2	14	10	18	21	27	171

W. 8,000, X. '11.

Ex'd DWH

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Dollarward House Cirencester

in the County of Gloucester

by Charles P Hooker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 366 ft.

Time of Observation 9. am

Nearest Railway Station
Name Cirencester GWR
Distance 200 yds Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07		·03	·12			·02	·01			·03		1
2	·03			·04	·34			·19		·10	·27	·25	2
3					·28			·04		·02	·13	·09	3
4	·01		·14	·01				·01	.03 ·03	·07	·31	·38	4
5	·04		·02	·01				·30		·07	·01	·01	5
6	·40		·08	·01				·01			·04	·61	6
7	·03										·43	·01	7
8	·17		·12								·01	·22	8
9	·12		·01								·06	·20	9
10	·04	·16	·28								·01	·21	10
11	·23	·01			·40						·77	·01	11
12			·54						·02		·52	·07	12
13			·01		·01				·48	·09	·01	25	13
14		·01	·01		·01							·59	14
15		·02	·10								·20	·06	15
16						·21					·44	·24	16
17						·06					·02	·40	17
18		·40	·05	·10		·12				·02		·34	18
19				·01		·34			·16	·28	·03	·07	19
20	·02	·05	·11	·09				·01	·12	·16		·59	20
21		·18	·02			·44		·16		·67		·08	21
22		·01	·15	·01				·02		·25		·61	22
23		·20	·07			·03	·04	[illegible]	·06	·07		·19	23
24		·09	·01			·26		·05		·49		·12	24
25		·07	·04	·06	·02	·04			·03	·05		·04	25
26		·16		·20	·01	·03		·01		·31	·10	·18	26
27		·39	·18	·04				·25	·36	·01	·19	·12	27
28		·25		·39				·12			·05		28
29						·33			·15	·36			29
30			·01	·02	·06	·04		·04	03	·20	02	·01	30
31					·01					·02			31
Total	1·16	2·00	1·98	1·11	1·14	1·90	·06	1·22	1·44	3·24	3·65	5·95	TOTAL for year 24·85
No. of Rain Days.	11	14	20	14	9	11	2	14	10	18	21	27	171

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

1 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Dollarward House Cirencester

in the County of Gloucester 7

by Charles P. Hooker

Lat. 51·42·30 N Long. 1·58·10 W
Time of Observation 9 a.m.
Nearest Railway Station 400 yards East
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·11			·35	·03		·02	·44		·19	1
2		·02	·17	·09		·38	·16					·01	2
3	03		·06		·04	·15	·27	·57	·02		·02	·04	3
4	·24		·93		·14	·60		·05			·24	·01	4
5	·24	·10	·12		·18			·20	·01			·16	5
6	·77	·13	·01		·08			·62	·01			·09	6
7		·16	·03		·08	·37		·07				·05	7
8	·62		·33	·01		·02	·05	·11	·03			·07	8
9	·10		·32	·05		·27	·01	·05				·35	9
10	·03	·12	·03			·21		·26			·06	·02	10
11	·12	·03	·02			·01		·03			·04	·39	11
12	·03	·31	·18	·01	·02		·02				·05	·06	12
13		·02	·01			·01	·03	·04			·04	·11	13
14	·15		·48		·28	·34		·17				·06	14
15	·11	·13	·01		·15	·01		·06				49	15
16	1·00		·20					·13		·14	·06	·02	16
17	1·22		·10			·07		·53				·30	17
18	·18		·42					·06		·07		·06	18
19	·05	06	·01		·07		·38	·35		·03		·07	19
20	·02		·49		·10		·10	·17		·33	·05		20
21		·06	·40		·65		·03	·17		·32			21
22	·70	·19	·04		·35	·12	·42	·20		·02	·05	·22	22
23	·24	·34	·42			·17		·48		·05	·05	·40	23
24	·05	·03	·08			·29	·01	·10				·09	24
25			·01			·19		·57		·01	·34	·42	25
26		·10	·02				·45	·57		·71	·48	·17	26
27			·02				·16			·67		·34	27
28		·06			·02	·18	·37	·84	·17	·42	·37	·75	28
29		·06	·01			·11	·31		·48	·24	07	·04	29
30						·25	·17	·01	·11	·32		·01	30
31			·07		·46		·70	·18		·01		·15	31
Total	5·90	1·92	5·10 5·70	·16	2·56	4·10	3·67	6·47	·85	3·78	1·86	5·08	YEAR'S TOTAL 41·45
Rain Days.	19	17	29	4	14	20	18	26	8	15	14	29	213

W. 7,500, XI. ·12

Ex. 83

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
-1 JAN 1913

Kept at Dollarward House Cirencester
in the County of Gloucester
by Charles P. Hooker

Lat. 51 42 30 Long. 1:58.10
Time of Observation 9. a.m.
Nearest Railway Station 400 yards.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·35	·03		·02	·44		·19	1
2		·02	·17	·09		·39	·16					·01	2
3	·03		·06		·04	·15	·28	·58	·02		·02	·04	3
4	·25		·93		·14	·61		·05			·24	·01	4
5	·24	·10	·12		·18			·21	·01			·16	5
6	·79	·13	·01		·08			·61	·01			·09	6
7		·16	·03		·08	·38		·07				·05	7
8	·64		·33	·01		·02	·05	·11	·03			·07	8
9	·10		·32	·05		·38	·01	·05				·35	9
10	·03	·12	·03			·21		·27			·06	·02	10
11	·12	·03	·02			·01		·03			·04	·39	11
12	·03	·31	·19	·01	·02		·02				·05	·06	12
13		·02	·01			·01	·03	·04			·04	·11	13
14	·16		·49		·28	·34		·17				·06	14
15	·11	·13	·01		·15	·01		·06				·50	15
16	1·02		·20					·13		·14	·06	·02	16
17	1·30		·10			·07		·55				·30	17
18	·19		·43					·06		·07		·06	18
19	·05	·06	·01		·01		·39	·35		·03		·01	19
20	·02		·49		·10		·10	·18		·34	·05		20
21		·06	·40		·67		·03	·18		·32			21
22	·71	·19	·04		·35	·12	·42	·20		·02	·05	·23	22
23	·24	·35	·43			·17		·49		·05	·05	·40	23
24	·05	·03	·08			·30	·07	·10				·09	24
25			·01			·19		·53		·01	·35	·43	25
26		·10	·02				·45	·57		·73	·49	·17	26
27			·02				·16			·68		·34	27
28		·06			·02	·18	·37	·85	·17	·42	·38	·76	28
29		·06	·01			·11	·32		·49	·24	·01	·04	29
30						·25	·17	·01	·11	·33	~~·07~~	·01	30
31			·07		·46		·70	·18		·01		·15	31
Total	6·08	1·93	5·14	·16	2·58	4·15	3·90	6·57	·86	3·83	1·89	5·12	YEAR'S TOTAL 42·61
Rain Days.	19	17	29	4	14	20	18	26	8	15	14	29	213

W. 7,500, XI. 12

Pa 7.6

FORM A.
BRITISH RAINFALL.

1 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Dollarward House Cirencester

in the County of Gloucester

by C. P. Hooker

Lat. 57·42·30 Long. 1·58·10 W

Time of Observation 9 am

Nearest Railway Station Cirenr Junct

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·21	·19	·12	·03				·93		·25	·03	1
2		·13	·04	·12					24	·10	·08	·01	2
3	·04	·03	·12		.32				㉑	·24		·18	3
4	·92	·01	·05		36	·02			·40	·57	·05	·18	4
5	·01	·02	·02			·12			·01	·07	·06	·07	5
6	·04	·14	·13		·32	·15	·50			·35	·01	·50	6
7		·36			·17	·16				·37	·30		7
8		·23			·18	·11				·27		·02	8
9		·21			·11	·09		·19	·20	·01	·03	·03	9
10	·18		·02	·10	·02		·13	·10		·06	·44		10
11	1·35			·57	·10					·10	·31	·03	11
12		·01			·24	·02			·04	01	·47		12
13	·10		·06						·12		·32		13
14	·08	·01	·34	·01			·03	·02		·15	·01		14
15	·12	·07	·48	·80			·02		·15				15
16	·08		·44	·11			·05	·48	·03				16
17	·01	·01	·10	·24		·14					·02		17
18	·10		·16	·23			·05				·05	·01	18
19	·32		·14	·02	·01	·01	·09		·21	·01		·03	19
20	·17		·22	·06			·02			·15	·19		20
21	·01		·20	·11	·21			·01		·01	·42		21
22	·52		·41	·14	·03			·19	·32				22
23	·01					·01					·02	·08	23
24	·09			·05		·04							24
25		·08		·19						·01		·02	25
26		·03		·32				·29		·11		·23	26
27	·01		·05	·27	·04					·02			27
28	·46		·16	·36						·22		·02	28
29		╳	·40	·67				·01		·08		·03	29
30	·33	╳								·38	·01		30
31	·01	╳	·05	╳	·10	╳		·08	╳		╳		31
Total	4·97	1·55	3·78	4·43	2·24	·87	·95	1·37	2·62	3·29	3·04	1·47	YEAR'S TOTAL 30·58
Rain Days.	23	15	21	19	15	11	8	9	11	21	18	16	187

W.7,000, XI. 13

W.C.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Dollarward House Cirencester

in the County of Gloucester

by C. P. Stooker

7

Lat. 51·42·30 N Long. 1·58·10 W

Time of Observation 9 am

Nearest Railway Station Ciren ¼ mile

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.21	.20	.12	.03				.94		.26	.03	1
2		.13	.04	.12					.22	.10	.08	.01	2
3	.04	.03	.12		.32					.25		.18	3
4	.94	.01	.05		.38	.02			.41	.58	.05	.18	4
5	.01	.02	.02			.12			.01	.07	.06	07	5
6	.04	.14	.13		.33	.15	.58			.35	.01	.51	6
7		.36			.18	.16				.37	.30		7
8		.24			.19	.11				.27		.02	8
9		.21			.11	.09		.19	.20	.01	.03	.03	9
10	.18		.02	.10	.02		.14	.10		.06	.44		10
11	1.38			.52	.10					.10	.31	.03	11
12		.01			.25	.02			.04	.01	.48		12
13	.10		.06						.12		.32		13
14	.08	.01	.34	.01			.03	.02		.16	.01		14
15	.12	.07	.48	.79			.02		.16				15
16	.08		.45	.11			.06	.49	.03				16
17	.01	.01	.10	.24		.14					.02		17
18	.10		.17	.24			.06				.05	.01	18
19	.33		.14	.02	.01	.01	.09		.21	.01		.03	19
20	.17		.23	.06			.02			.15	.19		20
21	.01 [illegible]		.20	.11	.22			.01		.01	.42		21
22	.51 [illegible]		.43	.14	.03			.19	.33				22
23	.01					.01					.02	.08	23
24	.09		~~.05~~	.05		.05							24
25		.08		.19						.01		.02	25
26		.03		.33				.30		.11		.23	26
27	.01		.05	.27	.04					.02			27
28	.47		.16	.37						.22		.02	28
29			.41	.67				.01		.08		.03	29
30	.33									.38	.01		30
31	.01		.05		.10			.68					31
Total	5.03	1.56	3.85	4.46	2.31	.88	1.00	1.39	2.67	3.32	3.06	1.48	YEAR'S TOTAL 31.01
Rain Days.	~~23~~	~~15~~	~~21~~	~~19~~	~~15~~	~~11~~	~~8~~	~~9~~	~~11~~	~~21~~	~~18~~	~~15~~	~~189~~

W.7,000, XI. 13

Ex CMcE

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

1 JAN 1915

Kept at Dollarward House Cirencester

in the County of Gloucestershire 7

by Chs R Hooker

Lat. 51·42·30 N Long. 1·58·10 W

Time of Observation 9 am

Nearest Railway Station Cirenr. Glost.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07			·37	·34			·15		1
2					·01		·46	·16			1·00	·21	2
3			·04	·15	·44		·08	·01			·02	·06	3
4	·22			·36	·14		·07	·14			·36	·70	4
5	·02		·09	·25	·06		·20	·01			·31	·01	5
6		·07	·03	·02	·11			·03			·04	·25	6
7	·01	·82	·31	·21	·16	·10	·39	·09			·01	·07	7
8	·04	·03	·46	·02	·13	·51	·08	·13				·05	8
9	·08	·01	·28	·08	·07	·92		·04	·09				9
10	·07	·17	·04	·21	·10	·04			·29				10
11		·07	·33	·02	·09	·70	·03				·27	·54	11
12		·08	·16				·24		·26		·10	·37	12
13	·07	·61	·30						·36	·04	·07	·35	13
14		·28	·48				·04	·01	·03	·54	·27	·01	14
15	·63	·02	·19				·05	·13	·41	·02	·17		15
16			·01				·01		·16				16
17		·26	·12						·04			·52	17
18		·01	·01			·13	·20					·43	18
19		·08	·20				·78	·01			·06	·13	19
20		·29	·25			·09						·21	20
21		·46	·05			·06				·18	·01	·05	21
22			·01	·01	·14	·03		·04		·28			22
23		·02	·12		·04		·03	·01		·09			23
24		·11	·07				·10			·17	·09		24
25	·07		·30				·05	·32		·34	·07	·21	25
26			·01				·14			·06	·19	·48	26
27	·07										·07	·32	27
28		16	·11		·04					·01	·25	1·07	28
29	·09		·17		·02					·17	·56		29
30	·62		·17							·17	·65	·54	30
31	·02						·40			·08			31
Total	·75	3·55	4·31	1·40	1·55	2·58	3·72	1·47	1·64	2·15	4·66	6·58	YEAR'S TOTAL 34·36
Rain Days.	13	18	26	11	14	9	19	15	8	13	21	21	188

W. 8,000. X. 14.

Ex LMcE

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 - JAN 1915

Kept at Dollarward House Cirencester
in the County of Gloucester 7
by Charles P. Hooker

Lat. 51·42·30 N Long. 1·58·10 W
Time of Observation 9 am
Nearest Railway Station Cirencester G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·07			·38	·34			·15		1
2					·01		·48	·16			1·02	·21	2
3			·04	·15	·45		·08	·01			·02	·06	3
4	·22			·36	·14		·07	·15			·36	·71	4
5	·02		·09	·25	·06		·20	·01			·32	·01	5
6		·07	·03	·02	·11			·63			·04	·25	6
7	·01	·83	·32	·21	·17	·10	·39	·09			·01	·07	7
8	·04	·03	·48	·02	·14	·50	·08	·14				·05	8
9	·08	·01	·28	·08	·07	·92		·04	·09				9
10	·07	·17	·04	·22	·10	·04			·30				10
11		·07	·33	·02	·09	·70	·03				·28	56	11
12		·08	·16				·24		·27		·10	·38	12
13	·01	·63	·30						·37	·04	·07	·35	13
14		·28	·48				·04	·01	·03	·53	·27	·01	14
15	·03	·02	·19				·05	·13	·41	·02	·18		15
16			·01				·01		·17				16
17		·26	·12						·04			·53	17
18		·01	·01			·14	·20	·01				·43	18
19		·08	·20				·79				·06	·14	19
20		·29	·26			·09						·22	20
21		·47	·05			·06				·18	·01	·05	21
22			·01	·01	·14	·03		·04		·29			22
23		·02	·12		·04		·03	·01		·09			23
24		·11	·07				·10			·18	·09		24
25	·07		·30				·05	·33		·35	·01	·21	25
26			·01				·14			·06	·19	·48	26
27	·07										·07	·33	27
28		·16	·11		·04					·07	·26	1·06	28
29	·09		·17		·02					·18	·56		29
30	·02		·17							·17	·66	·56	30
31	·02						·40			·08			31
Total	·75	3·59	4·35	1·41	1·58	2·58	3·76	1·50	1·68	2·20	4·73	6·67	YEAR'S TOTAL 34·80
Rain Days.	13	18	26	11	14	9	19	15	8	13	21	21	188 ✓

W. 8,000. X. 14.

W 82 cmd 22.111.16 2315

FORM A2. BRITISH RAINFALL

1 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dollarward House Cirencester

in the County of Gloucester

by C. P. Hooker

RAIN GAUGE
Pattern
Diameter of top 8" in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 366 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Cirencester
Distance 400 500 Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36	·14			·11		·08	·07	·18	·22	·03	·75	1
2	·40	·27	·26	·10		·01		1·12		·45		·10	2
3	1·35	·03	·06	·12	·02		·05	·18		·03		·13	3
4	·03				·05		·90					·93	4
5	·01	·63		·01				·05				·42	5
6	·19	·01		·19			·46	·02				·14	6
7	·14	·54		·06		·48	·16	·07				13	7
8	·37	·31		·02			·12	·06			·01	·	8
9	·17	01		·17				·01			·22	·83	9
10	·33		·03	·03				·02				-	10
11	·03		·07	·07	·01						·73	·08	11
12	·10	·03		·13	·42			·10		·03	·54	·02	12
13	·02	·60			·71				·03			·	13
14	·20	·06					·10	·06	·10	·02		·87	14
15	·35			·03	·07		·02	·13		·17	·05	·09	15
16	·02	·79			·39		·66	·06				·05	16
17		·44			1·67							·01 fog	17
18		·46	·09		·02						(·01)	-	18
19		·01			·09		·16					-	19
20	·22			·10	·01							·14	20
21	·18	·07			·01		·05			·15		·14	21
22	·07	·14	·41	·11			·54		·01			·24	22
23		·06	·37				·17		·23	·87		·41	23
24			·02	·09		·16	·64		·32	·54		·24	24
25				·01		·01	·02			·03		·35	25
26		·19				·72	·07		[illegible]			·48	26
27		·04				·05	·35			·50		·02	27
28		·06	·02			·01	·07	·06	·60				28
29						·05	·01				·08	·05	29
30	·10					·57				·13	·42	·15	30
31	·04						·03	·03		1·02		·47	31
Total	4·68	4·89	1·33	1·24	3·58	2·06	4·66	2·04	1·47	4·16	2·09	6·64	TOTAL for year 38·84
No. of Rain Days	21	21	9	15	13	9	20	15	7	13	9	25	177

9,000, IX. '10.

Ex [illegible]

REGISTER OF RAINFALL IN 1915

FORM A2. BRITISH RAINFALL. 1 JAN 1916

Kept at Dollarward House Cirencester

in the County of Gloucester Sh.

by Charles. P. Stooker

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 366 ft.

Time of Observation 9. am

Nearest Railway Station
Name Cirencester. close
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·37	·14			·11		·09	·07	·18	·23	·03	·15	1
2	·41	·28	·26	·10		·01		1·14		·47		·10	2
3	1·45	·03	·06	·12	·02		·05	·18		·03		·13	3
4	·03				·05		·95					·96	4
5	·01	·65		·01				·05				·42	5
6	·19	·01		·19			·48	·02				·14	6
7	·14	·55		·06		·49	[illegible]	·07				·13	7
8	·37	·32		·02			·14 ·13	·06			·01		8
9	·17	·01		·17				·01			·22	·86	9
10	·33		·03	·03				·02				·	10
11	·03		·07	·07	·01						·75	·08	11
12	·10	·03		·13	·43			·10		·03	·56	·02	12
13	·02	·62			·73				·03			·	13
14	·21	·06					·10	·06	·10	·02		·90	14
15	·35			·03	·07		·02	·13		·17	·05	·09	15
16	·02	·81			·39		·68	·06				·05	16
17		·45			1·71							·01	17
18		·47	·09		·02						·01	-	18
19		·01			·09	,	·16					·	19
20	·22			·10	·01							·14	20
21	·18	·07			·01		·05	·		·15		·14	21
22	·07	·14	·42	·11			·53		·01			·25	22
23		·06	·37				·17		·23	·89		·43	23
24			·02	09		·17	·65		·33	·56		·25	24
25				·01		·01	·02			·03		·35	25
26		·19				·74	·07					·48	26
27		04				·05	·35			·51		·02	27
28		·06	·02			·01	·07		·62			-	28
29						·06	·01	·06			·08	·05	29
30	·10					·57				·13	·43	·15	30
31	·04						·03	·03		1·04		·48	31
Total	4·81	5.00	1·34	1·24	3.65	2·11	4·80	2·06	1·50	4·26	2·14	6·78	TOTAL for year 39·69
No. of Rain Days	21	21	9	15	13	9	20	15	7	13	9	25	177

ext 95

2249

REGISTER OF RAINFALL IN 1916

FORM A2.
BRITISH RAINFALL.

1 JAN 1917

Kept at Dollarward House Cirencester

in the County of Gloucestershire

by Ch/P. Hooker

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 366 ft.

Time of Observation 9. am

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	-	.01	.	.14	.14	.46	-	.02	.08	.25	-	1
2	.61	.04	.12	.	.37	.05	-	-	.02	.81	.05	-	2
3	[illegible]	.92	.01	.	.04	-	-	-	.12	.47	.13	-	3
4	.39	.13	trace	-	.23	.48	.	-	.14	.52	.44	-	4
5	.01	.06	.03	-	.30	.08	.20	~~.24~~	-	.14	.19	-	5
6	.02	.25	.03	-	.29	.13	.69	-	-	.25	.39	-	6
7	.09	-	.13	-	.10	.01	.01	-	-	.13	.37	.22	7
8	.01	-	.06	-	.33	.82	-	-	-	-	.01	.24	8
9	.01	-	trace	-	.11	.05	.08	-	-	.03	.01	.06	9
10	.03	.47	.03	.10	.02	.08	-			.10	.01	-	10
11	.03	.06	.07	.14	.08	.24	-	-	-	-	-	.61	11
12	.02	.07	.02	.07	.34	-	.13	.01	-	.16	-	-	12
13	-	.35	.17	.10	-	-	.02	.20	-	.04	-	-	13
14	-	.50	.03	.01	.11	..	-	.14	-	.15	-	-	14
15	-	.24	.28	.04	.01	-	.01	.32	-	.06	-	-	15
16	.03	.08	.02	.21	.03	-	.25	.26	-	.62	-	-	16
17	.16	.19	-	.10	-	-	.	.10	.37	.48	-	-	17
18	-	.10	.02	.07	-	-	-	.06	.18	.31	.50	.17	18
19	.28	-	.12	.45	-	-	-	.	.14	-	.23	-	19
20	.26	-	.47	.01	-	-	-	-	-	-	.01	.68	20
21	.34	.05	.71	-	.15	-	.06	-	-	-	-	.75	21
22	-	.01	-	.04	.06	.05	-	-	-	.23	.02	.68	22
23	.04	.52	-	.01	-	.03	-	-	-	.16	.16	.16	23
24	-	.16	.02	.02	.22	.10	-	.04	-	.31	.03	.24	24
25	-	.42	.32	-	-	.01	-	.56	.02	-	.16	-	25
26	.02	.12	.01	-	-	.28	-	.05	.01	.19	-	-	26
27	.07	.08	1.46	-	-	.04	-	.42	.22	.56	-	-	27
28	-	.55	.22	-	-	.03	-	.02	.09	.10	-	.26	28
29	-	.21	-	-	-	.32	-	1.58	-	.43	-	.57	29
30	-	X	-	-	-	.16	-	-	-	.46	-	.06	30
31	-	X	-	X	-	X	-	.01	X	.27	X	.01	31
Total	2.49	5.58	4.33	1.37	2.93	3.10	1.91	3.77	1.33	6.78	2.96	4.71	TOTAL for year 41.26
No. of Rain Days	19	23	23	14	18	19	10	14	11	25	17	14	204

9,000, IX. '10.

2248

FORM A.
BRITISH RAINFALL.
1 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Dollarward House Cirencester

in the County of Gloucester

by Charles. P. Stocker

Lat. 51. 42. 30 Long. 1.58. 10 W

Time of Observation 9. a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.07	-	.01	.	.14	.14	.47	-	.02	.08	.26	-	1
2	.63	.04	.11	.	.37	.05	-	-	.02	.83	.05	.	2
3	-	.94	.01	.	.04	-	-	-	.12	.47	.13	-	3
4	.40	.13	-	.	.24	.50	-	-	.14	.55	.45	-	4
5	.01	.06	.03	.	.31	.09	.21	-	-	.14	.19	-	5
6	.02	.26	.03	.	.30	.13	.70	-		.25	.40	-	6
7	.09	-	.12	.	.11	.01	.01	-	-	.13	.37	.22	7
8	.01	-	.06	.	.35	.83	-		-	-	.01	.24	8
9	.01	-	-	.	.11	.05	.08	-	-	.03	.01	.06	9
10	.03	.47	.03	.10	.02	.08	-	.	.	.10	.01	.	10
11	.03	.06	.07	.14	.08	.25	-	-	-	-	-	.61	11
12	.02	.07	.02	.07	.34	-	.14	.01	.	.16	.	-	12
13	-	.36	.17	.10	-	-	.02	.20	-	.04	-	-	13
14	-	.55	.03	.01	.11	-	-	.14	-	.15	-	-	14
15	-	.25	.25	.04	.01	-	.01	.32	-	.06	-	-	15
16	.03	.08	.02	.21	.03	-	.25	.27	.	.02	-	-	16
17	.16	.19	-	.10	-	-	-	.40	.37	.79	-	-	17
18	-	.10	.02	.07	-	-	-	.06	.18	.32	.51	.17	18
19	.30	-	.12	.47	-	-	-	-	.15	-	.23	-	19
20	.27	-	.47	.01	-	-	-	-	-	-	.01	.66	20
21	.35	.05	.73	.	.16	-	.06		-	-	-	.45	21
22	-	.01	-	.04	.06	.05	-	-	.	.23	.02	.68	22
23	.04	.53	-	.01	-	.03	-	-	-	.16	.17	.16	23
24	-	.17	.02	.02	.23	.10	-	.04	-	.31	.03	.24	24
25	-	.42	.32	.	-	.01	-	.58	.02	.	.16	-	25
26	.02	.12	.01	.		.29	-	.05	.01	.19	-	-	26
27	.07	.08	1.56	.	-	.03	-	.44	.22	.56	-	-	27
28		.49	.23	.	-	.03	-	.02	.09	.10	-	.27	28
29	.	.21	.	.	-	.32	-	1.62		.43	-	.57	29
30	.	X	.		-	.17	-	-		.46	-	.06	30
31	.	X	.	X	-	X	-	.01	X	.27	X	.01	31
Total	2.56	5.64	4.44	1.39	3.01	3.16	1.95	3.86	1.34	6.83	3.01	4.70	YEAR'S TOTAL 41.89
Rain Days.	19	23	23	14	18	19	10	14	11	25	17	14	207

Partial Drought [illegible] days
July [illegible] – Aug [illegible] (inclusive)

Absolute Drought 21 days
July 22 – Aug 11 (inclusive)

W. 8,000. X. 15.

End 4/6

2143

FORM A.
BRITISH RAINFALL.
2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Dollarward House Cirencester

in the County of Glos.

by C. P. Hooker

Lat. 51 42 30 N Long. 1. 58. 10 W.

Time of Observation 9. am

Nearest Railway Station Ciren GWR.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·11	·14	-	·09	-	·49	·13	-	·06	·01	1
2	-	-	·03	·05	-	·21	-	·02	-	·02	-	-	2
3	·03	·01	-	-	-	-	·03	·17	-	·66	-	-	3
4	-	·12	·21	-	-	-	·07	·18	-	·33	-	·02	4
5	·35	-	·08	·12	-	·05	-	·26	·04	·29	·13	-	5
6	-	-	·20	-	-	·42	-	-	-	·12	·20	-	6
7	·27	-	-	-	-	-	·34	·11	-	·32	·01	·03	7
8	·95	-	·04	·12	-	·04	·83	·38	·02	·38	·08	·21	8
9	·01	-	·20	·03	·17	-	·02	·31	·12	·01	·03	-	9
10	·22	-	·38	·28	·01	-	-	·17	·06	·02	·02	·02	10
11	·07	-	·23	·30	-	-	-	·35	·32	22	·02	-	11
12	·09	-	·03	·02	·05	-	-	·03	-	·28	·01	-	12
13	-	-	·14	·07	-	·08	-	·26	·07	·08	-	·01	13
14	·01	-	·06	·09	-	-	-	·28	-	·01	-	·01	14
15	·03	-	-	·01	-	-	·02	·46	-	·11	-	·07	15
16	·01	·13	-	·15	·05	-	·02	-	-	·18	-	·42	16
17	-	·01	-	·16	·37	-	·28	·06	·18	·11	-	-	17
18	-	·06	-	·02	-	·03	·56	·06	1·14	·01	-	-	18
19	·01	·45	·08	-	-	·02	-	-	·04	-	-	-	19
20	·04	·15	·35	-	·67	·06	·03	-	·08	-	·01	-	20
21	·02	·01	·17	-	-	·32	-	-	-	·02	·09	-	21
22	·01	-	·13	-	-	·04	-	·06	-	·16	-	-	22
23	-	·22	-	-	·05	-	-	·62	-	·06	-	·02	23
24	-	·12	·01	-	-	·24	-	·26	-	·23	·02	-	24
25	-	·09	·07	-	-	-	-	·03	·03	·01	·02	-	25
26	-	-	-	-	·17	-	-	·33	·12	-	·19	-	26
27	-	-	-	-	1·20	·03	-	·87	-	-	-	-	27
28	-	·02	·11	-	-	1·00	-	·32	-	-	-	·01	28
29	-		·10		·40	·33	·14	·05	·01	·43	·01	·19	29
30	·02		·05		-	-	·14	·24	·01	·02	-		30
31	-		·19		-		-	·11		·03		·08	31
Total	2·14	1·39	2·97	1·56	3·14	2·96	2·48	6·48	2·34	4·11	·90	1·10	YEAR'S TOTAL 31·60
Rain Days.	16	12	22	14	10	15	12	26	15	25	15	13	195

2142

FORM A.
BRITISH RAINFALL.

2 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Watermoor House Cirencester

in the County of Glos

by Charles P. Hooker

Lat. 51 42 30 N Long. 1 58 10 W
Time of Observation 9. a.m.
Nearest Railway Station Ciren
Diameter of Funnel of Rain Gauge 5·0 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·11	·14	-	·09	-	·50	·13	-	·06	·01	1
2	-	-	·03	·05	-	·21	-	·02	-	·02	-	-	2
3	·03	·01	-	-		-	·03	·17	-	·67	-	-	3
4	-	·12	·21	-		-	·07	·18	-	·34	-	·02	4
5	·36	-	·08	·12	-	·05	-	·26	·04	·30	·13	-	5
6	-	-	·20	-		·42	-	-	-	·12	·21	-	6
7	·27	-	-	-		-	·35	·11	-	·33	·01	·03	7
8	·99	-	·04	·12	-	·04	·87	·39	·02	·39	·08	·21	8
9	·01	-	·20	·03	·17	-	·02	·32	·12	·01	·03	-	9
10	·22	-	·38	·28	·01	-		·17	·06	·02	·02	·02	10
11	·07	-	·23	·30	-	-	-	·36	·33	·22	·02	-	11
12	·09	-	·03	·02	·05	-	-	·03	-	·29	·01	-	12
13	-	-	·14	·07	-	·08	-	·26	·07	·08	-	·01	13
14	·01	-	·06	·09	-	-	-	·29	-	·01	-	·01	14
15	·03	-	-	·01	-	-	·02	·47	-	·11	-	·07	15
16	·01	·13	-	·16	·05	-	·02	-	-	·19	-	·42	16
17	trace	·01	-	·16	·37	-	·28	·06	·18	·12	-	-	17
18	trace	·06	-	·02	-	·03	·58	·06	1·18	·01	-	-	18
19	·01	·45	·08	-	-	·02	-	-	·04	-	-	-	19
20	·04	·15	·35	-	·68	·06	·03	-	·08	-	·01	-	20
21	02	·01	·17		-	·33	-	-	-	·02	·09	-	21
22	·01	-	·13		-	·04	-	·06	-	·16	-	-	22
23	-	·22	-		·05	-	-	·64	-	·06	-	·02	23
24	-	·12	·01			·24	-	·27	-	·24	·02	-	24
25	-	·09	·07		-	-	-	·03	·03	·01	·02	-	25
26	-	-	-		·17	-	-	·34	·12	-	·20	-	26
27	-	-	-		1·20	·03	-	·89	-	-		-	27
28	-	·02	·11		-	1·02	-	·33	-	-		·01	28
29	-	✕	·10		·39	·35	·14	·05	·01	·45	·01	·19	29
30	·02	✕	·05	-	-	-	·14	·25	·01	·02	-		30
31		✕	·19	✕	-	✕	-	·11	✕	·03	✕	·08	31
Total	2·19	1·39	2·97	1·57	3·14	3·01	2·55	6·62	2·42	4·22	·92	1·10	YEAR'S TOTAL 32·10
Rain Days.	16	12	22	14	10	15	12	26	15	25	15	13	195
Rain Days to date		28	50	64	74	8997	101	127	142	167	182	195	

May 1–8: Absolute drought 20 days

April 19–30: Absolute Drought
Absolute Drought 20 days

Oct. 7–16: 3·23 [illegible]

W. 8,000, VIII. 16

Ex'd 85

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

1. 1. 19

Kept at Woharward House Cirencester

in the County of Glo'ster

by Charles. P. Hooker

Lat. Long.

Time of Observation 9 am

Nearest Railway Station G.W.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·06	·01	·09	·04	-	-	·08	-	·01	·33	·05	1
2	-	·13	-	·17	-	-	-	·33	·05	·01	·03	·24	2
3	-	·05	·01	·27	·14	-	-	·85	·21	·04	·04	·01	3
4	-	·19	-	·04	-	-	-	·05	·06	·02	·99	·08	4
5	-	·02	-	·04	·19	-	-	·05	·06	·20	·04	·02	5
6	·10	·17	-	·20	-	·03	-	-	·08	·14	-	·12	6
7	·04	·09	-	·05	·45	·01	-	-	·05	·18	·30	·02	7
8	-	·15	-	-	-	-	·04	-	·13	·16	·01	·05	8
9	·06	·21	-	·13	-	·18	·23	-	·84	·39	·03	·15	9
10	·07	-	-	·24	-	-	·50	-	·10	·20	-	·19	10
11	·05	-	-	·04	·04	-	·05	-	·25	·02	·08	·16	11
12	·01	·31	·20	·	·21	-	·25	-	·05	-	-	·02	12
13	·01	·01	-	·01	·10	-	·17	-	·58	·07	-	·23	13
14	·48	-	·05	-	-	·13	·39	-	·58	·08	-	·19	14
15	1·06	-	-	·45	·03	-	·26	-	·01	-	-	·22	15
16	·26	-	-	·41	-	·19	·01	·09	·20	·01	-	·06	16
17	·23	-	·05	·18	·35	·01	·27	·02	·02	·04	-	·15	17
18	·67	-	-	-	-	·58	·11	-	·42	·01	-	·42	18
19	·03	·03	·16	·04	-	-	·10	-	·14	·03	-	·08	19
20	·03	·21	-	·31	-	·04	·07	-	·24	·02	-	·08	20
21	·08	-	-	·04	-	·02	·01	-	·87	·14	-	·07	21
22	·13	-	-	-	·07	-	·23	-	·19	·06	-	·41	22
23	·11	-	-	-	·38	·02	·34	-	-	-	·02	·04	23
24	·01	·20	-	-	-	-	·06	·06	·06	-	·15	-	24
25	-	-	-	-	-	-	·14	·48	-	·04	-	-	25
26	-	-	-	-	-	-	·38	·02	·08	·05	·25	·23	26
27	-	·01	·05	-	-	·08	-	·25	·22	-	·17	·04	27
28	-	·13	·30	-	-	-	-	-	-	-	·22	·08	28
29	-	✕	·11	-	-	-	-	-	1·16	-	-	·02	29
30	-	✕	·32	-	-	-	-	-	-	·02	·16	·10	30
31	-	✕	·18	✕	-	✕	-	·09	✕	·05	✕	-	31
Total	3·43	1·97	1·44	2·71	2·00	1·29	3·61	2·37	6·65	1·99	2·82	3·53	YEAR'S TOTAL 35·81
Rain Days.	18	16	11	17	11	11	19	12	25	24	15	28	207

W. 8,000, IX. 17.

84

FORM A.
BRITISH RAINFALL.
1. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Dollarward House Cirencester
in the County of Gloster
by Charles P. Hooker

Lat. 51. 42. 30 N Long. 1. 58. 10 N
Time of Observation 9. am
Nearest Railway Station GWR.
Diameter of Funnel of Rain Gauge 8 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·06	·01	·09	·04	-	-	·08	-	·01	·34	·05	1
2	-	·13	-	·17	-	-	-	·34	·05	·01	·03	·25	2
3	-	·05	·01	·27	·14	-	-	·87	·22	·04	·04	·01	3
4	-	·19	-	·04	-	-	-	·05	·06	·02	1·02	·08	4
5	-	·02	-	·04	·20	-	-	·05	·06	·21	·04	·02	5
6	·10	·17	-	·21	-	·03	-	-	·08	·15	-	·12	6
7	04	·09	-	05	·46	·01	-	-	·05	·19	·31	·02	7
8	-	·15	-	-	-	-	·03	-	·13	·16	·01	·05	8
9	·06	·22	-	·13	-	·18	·24	-	·85	·40	·03	·15	9
10	·07	-	-	·25	-	-	·52	-	·10	·21	-	·20	10
11	·05	-	-	·04	·04	-	·05	-	·26	·02	·08	·17	11
12	·01	·32	·20	-	·22	-	·27	-	·05	-	-	·02	12
13	·01	·01	-	·01	·10	-	·18	-	·59	·07	-	·24	13
14	·50	-	·05	-	-	·13	·41	-	·59	·08	-	·20	14
15	1·09	-	-	·46	·03	-	·27	-	·01	-	-	·23	15
16	·27	-	-	·42	-	·19	·01	·09	·20	·01	-	·06	16
17	·24	-	·05	·18	·35	·01	·28	·02	·02	·04	-	·16	17
18	·69	-	-	-	-	·59	·11	-	·43	·01	-	·44	18
19	·03	·03	·16	·04	-	-	·11	-	·14	03	-	·08	19
20	·03	·22	-	·32	-	·04	·07	-	·24	·02	-	·08	20
21	·08	-	-	·04	-	·02	·01	-	·91	·14	-	·07	21
22	·13	-	-	-	·07	-	·24	-	·20	·06	-	·42	22
23	·11	-	-	-	·39	·02	·36	-	-	-	·02	·04	23
24	·01	·20	-	-	-	-	·06	·06	·06	-	·15	-	24
25	-	-	-	-	-	-	·14	·49	-	·04	-	-	25
26	-	-	-	-	-	-	·40	·02	·08	·05	·25	24	26
27	-	·01	·05	-	-	·08	-	·26	·23	-	·17	·04	27
28	-	·13	·31	-	-	-	-	-	-	-	·22	·08	28
29	-	×	·11	-	-	-	-	-	1·21	-	-	·02	29
30	-	×	·33	-	-	-	-	-	-	·02	·16	·10	30
31	-	×	·18	×	-	×	-	·09	×	·05	×	-	31
Total	3·52	2·00	1·46	2·76	2·04	1·30	3·76	2·42	6·82	2·04	2·87	3·64	YEAR'S TOTAL 54·63
Rain Days.	18	16	11	17	11	11	19	12	25	24	15	28	207

W. 8,000, IX. 17.

Ex. Hob

2009

REGISTER OF RAINFALL ~~IN~~ 1919

FORM A.
BRITISH RAINFALL

Kept at Dollarward House Cirencester

in the County of Glos:

by Charles P. Hooker

Lat. 57 42 30 Long. 1.58.10

Time of Observation 9 am

Nearest Railway Station GWR ¼ mile

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	~~.41~~	~~.01~~	~~.03~~	~~.01~~	~~.02~~		~~.08~~	–	–	~~.10~~	–	~~7~~	
1	.41	.01	.03	.01	.02	–	.08	–	–	.10		.78	1
2	.12	–	.62	·	.03	–	.04	.05	.26	–	.10	.19	2
3	1.23	–	.11	–	.03	.02	.18	–	.11	–	.03	.53	3
4	.08	.03	.42	–	–	.10	–	.06	.41	–	–	.17	4
5	–	.38	.64	–	.07	–	.18	–	.40	–	.03	.14	5
6	.04	.03	.10	–	.47	–	–	–	–	–	.01	.09	6
7	.29	–	.31	.17	–		–	–	–	–	.05	.02	7
8	.11	–	.05	.23	–	.01	–	–	–	–	–	–	8
9	.09	–	.05	.28	–	–	–	–	–	–	.08	–	9
10	.02	–	.43	.03	–	–	–	–	–	~~.19~~	.02	.14	10
11	.02	–	.35	.09	.10	.01	.35	–	–	~~.02~~	–	.03	11
12	–	–	.26	.03	–	.81	–	–	–	.09	.02	.14	12
13	.07	–	–	.40	–	–	–	–	.01	.02	–	.06	13
14	.56	.04	–	.46	–	–	.11	–	.05	–	–	.03	14
15	.38	.04	.05	.05	.08	–	–	–	–	.09	.02	.38	15
16	.13	.74	–	–	–	–	–	–	–	–	.16	–	16
17	–	.48	–	–	–	.01	–	–	–	–	.15	.03	17
18	–	–	.51	–	.68	–	.07	.25	.03	–	.07	.06	18
19	.29	.38	.93	–	–	.13	1.08	.38	.07	–	.08	.02	19
20	.49	.18	.21	–	–	.08	.25	.18	.04	–	.01	.03	20
21	.32	.64	.01	–	·X	.11	–	.02	.03	–	.02	.19	21
22	–	.31	–	–	–	.01	.06	.01	.23	–	–	.20	22
23	–	–	–	–	–	.02	–	.01	–	.33	.14	–	23
24	–	–	–	.01	–	.07	–	.01	.02	.79	.08	.22	24
25	.12	–		.01	.03	.01	–	.22	.01	–	–	.07	25
26	.12	.01	.13	.11	–	–	.16	.02	.12	–	–	.49	26
27	.07	–	.01	.65	–	–	–	.55	–	–	–	.03	27
28	.03	–	.28	.03	–	–	–	.44	–	–	.28	.34	28
29	.03	X	–	.02	–	.02	–	–	–	.21	.05	.30	29
30	.01	X	.04	.20	–	.16	–	.24	–	.03	.28	.47	30
31	.01	X	.03	X	–	X	–	–	X	.01	X	.03	31
Total	5.04	3.27	4.97	2.78	1.51	1.57	2.56	2.44	1.79 ~~2.[illegible]~~	1.67 ~~1.79~~	1.68	5.16	YEAR'S TOTAL 34.44
Rain Days	24	13	22	17	9	15	11	14	14	9	20	27	195

4.97 2.44

W, 6,500, VII. 18. w w c

2008

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Dollarward House Cirencester
in the County of Gloucestershire
by Charles P Hooker

Lat. 51.42.30 Long. 1.58.10
Time of Observation 9 am
Nearest Railway Station Ewen ¾ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.01	.03	.01	.02	-	.09	-	-	.10	-	.78	1
2	.12	-	.02	-	.03	.	.04	.05	.27	-	.10	.20	2
3.	1.57	-	.11	-	.03	.02	.19	-	.11	-	.03	.55	3
4	.08	.03	.43	-	-	.10	.	.06	.42	.	-	.17	4
5	-	.39	.66	.	.07	-	.18	.	.41	.	.03	.14	5
6	.04	.03	.10	.	.49	-	.	-	-	-	.01	.09	6
7	.29	.	.32	.17	-	-	-	-	-	-	.05	.02	7
8	.11	-	.05	.23	-	.01	-	.	-	-	-	-	8
9	.09	.	.05 .	.30	-	-	-	-	-		.08	-	9
10	.02	.	.44	.03	-	-	-	-	-	-	.02	.14	10
11	.02	-	.36	.09	.10	.01	.36	-	-	-	-	.03	11
12	-	-	.27	.03	-	.84	-	-	-	.09	.02	.15	12
13	.07	-	-	.41	-	-	-	-	.01	.02	-	.06	13
14	.58	.04	.	.47	-	-	.11	.	.05	-	-	.03	14
15	.40	.04	.05	.05	.08	-	-	-	-	.09	.02	.40	15
16	.14	.76	-	-	-	-	.	.	-	-	.16	-	16
17	.	.50	-	-	-	.01	-	-	-	-	.16	.03	17
18	-	-	.50	.	.69	-	.07	.25	.03	.	.07	.06	18
19	.30	.38	.96	-	-	.13	1.11	.39	.07	.	.08	.02	19
20	.57 .51	.19	.22	-	-	.08	.25	.18	.04	.	.01	.03	20
21	.33	.66	.01	-	-	.11	-	.02	.03	.	02	.19	21
22	.	.32	-	-	-	.01	.06	.01	.23	-	-	.21	22
23	-	.	.	-	-	.02	-	.01	-	.34	.15	.	23
24	-	-	-	.01	-	.07	.	.01	.02	.80	.08	.22	24
25	.12	-	.	.01	.03	.01	-	.22	.01	-	-	.07	25
26	.12	.01	.13	.11	-	-	.16	.02	.12	-	-	.51	26
27	.06	.	.01	.71	-	-	.	.56	-	-	-	.03	27
28	.03	.	.26	.03	-	-	-	.45	-	-	.29	.35	28
29	.03	X	.	.02	-	.02	-	-	-	.22	.05	.31	29
30	.01	X	.04	.20	-	.17	-	24	.	.03	.29	.49	30
31	.01	X	.03	X	.	X	-	.	X	.01	X	.03	31
Total	5.48	3.36	5.05	2.88	1.54	1.61	2.62	2.47	1.82	1.90	1.72	5.31	YEAR'S TOTAL 35.56
Rain Days.	24	13	22	17	9	15	11	14	14	9	20	27	195

Ese Dh

1921

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Dollarward House Cirencester

in the County of Gloucestershire

by Charles P. Hooker

Lat. 51.42.30, Long. 1.58.10

Time of Observation 9. am

Nearest Railway Station Ciren G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	·23	·49	-	·32	02	·01	·12	·02	·41	1
2	-	-	·03	·07	·01	-	·18	·29	·05	·20	-	23	2
3	·03	·05	-	·25	-	-	·74	-	·03	·27	-	·01	3
4	-	-	·067	·02	-	-	·01	·64	-	·36	-	·01	4
5	-	-	·12	·17	·02	-	·44	·02	.	·57	.	-	5
6	-	-	·32	-	·12	-	·17	-	-	·05	-	·03	6
7	·07	-	·04	·12	·02	-	·31	-	-	-	·01 F	-	7
8	·01	·10	-	·58	·06	.	·43	-	-	-	-	·06	8
9	·26	·07	-	·79	-	·03	·21	·03	..	·01 F	.	-	9
10	·81	·09	·10	·13	.	·16	·05	-	-	-	·05		10
11	·55	·07	·16	·33	·45	·05	·03	-	-	-	-	·02	11
12	·21	·09	·02	·29	-	·47	-	-	-	.	·04	-	12
13	·06	·07	·26	·14	-	-	-	-	-	.	·01	·02	13
14	·04	·01	·74	·44	.	·43	·03	-	·09	22	·65	-	14
15	·02	·10	·08	·31	·02	·04	·06	-	·14	·27	·10	-	15
16	-	-	-	·05	·01	·26	·16	·01	·34	·11	·08	-	16
17	-	-	. -	-	·27	·33	-	-	·42	·08	·01	·01	17
18	·16	-	-	·13	·15	·03	-	·19	·24	-	.	·02	18
19	·03	·16	-	·35	.	·14	.	·03	·10	-	.	·01	19
20	·05	·19	-	·22	-	·31	-	-	·04	-	-	·25	20
21	.	.	-	·04	-	.	-	-	·03	-	..	·10	21
22	·03	.	-	·23	.	.	·04	·03	·04	·01 F	.	·27	22
23	.	.	-	-	-	-	·65	·02	-	-	-	·49	23
24	·02	.	·26	.	-	-	-	-	-	-	·06	·24	24
25	.	·08	·09	·01	-	-	·56	-	-	-	.	·01	25
26	·26	-	·33	.	-	·09	·06	-	-	-	·02	·09	26
27	·52	·03	·08	·24	.	·60	-	.	·01 F	-	-	·31	27
28	·71	·01	·12	-	·32	·03	·05	-	-	-	-	-	28
29	·16	·01	·06	·01	·06	·09	·19	-	-	-	·20	·41	29
30	·08	×	·08	·02	·02	·16	·15	-	·29	-	·23	·53	30
31	·22	×	·18	×	-	×	-	-	×	·32	×	·31	31
TOTAL	4·30	1·13	3·12	5·17	2·02	3·22	4·84	1·28	1·83	2·53	1·48	3·84	YEAR'S TOTAL 34·75
Days with ·01 in. or more	21	15	19	24	14	16	21	10	14	13	13	22	202
≥·04	13	11	17	20	8	13	18	3	10	11	8	13	147

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A.
BRITISH RAINFALL.

8 JAN 1921

REGISTER OF RAINFALL IN 1920

Kept at Dollarward House Cirencester
in the County of Gloucester
by Charles P. Hooker

Lat. 51 42 30 Long. 1·58·10
Time of Observation 9. am
Nearest Railway Station GWR
Diameter of Funnel of Rain Gauge 9 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 366 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		-	·21	·47	-	·31	·02	·01	·12	·02	·39	1
2	·		·03	·07	·01	-	·18	28	·05	·19	·	·22	2
3	·03	·05	-	·24	-	-	·73	-	·03	·26	-	·01	3
4	-	-	·05	·02	·	-	·01	·62	·	·34	-	·01	4
5	-	·	·12	·16	·02	-	·43	·02	·	·49	-	-	5
6	-	-	·31	-	·12	-	·16	-	-	·05	-	·03	6
7	·07		·04	·12	·02	-	·30	-	-	-	·01	-	7
8	·01	·10	-	·56	·06	-	·42	-	-	-	-	·06	8
9	·25	·07	·	·76	·	·03	·20	·03	-	·01	-	-	9
10	·79	·09	·10	·12	·	·16	·05	-	-	-	·05	-	10
11	·53	·07	·15	·32	·44	·05	·03	-	-	-	·	·02	11
12	·20	·09	·02	·28	-	·47	-	-	-	-	·04		12
13	·06	·07	·26	·13	-	-	·	·	-	-	·01	·02	13
14	·04	·01	·74	·42	·	·43	·03	-	·09	·22	·63	-	14
15	·02	·10	·08	·29	·02	·04	·06	-	·14	·26	·10	-	15
16	-	-	-	·05	·01	·25	·15	·01	·33	·11	·08	-	16
17	-	·	-	-	·26	·32	-	-	·41	·08	·01	·01	17
18	·15	-	-	·13	·14	·03	-	·19	·23	-	-	·02	18
19	·03	·16	-	·34	·	·13	·	·03	·10	-	-	·01	19
20	·05	·18	-	·21	·	·30	-	-	·04	-	-	·25	20
21	-	-	-	·04	-	-	-	-	·03	-	·	·11	21
22	·03	-	-	·22	-	-	·04	·03	·04	·01	·	·26	22
23	-	-	-	-	-	-	·62	·02	·	-	-	·51	23
24	·02	-	·25	-	-	-	-	-	-	-	·06	·24	24
25	-	·08	·09	·01	-	-	·54	-	-	-	-	·01	25
26	·25	-	·31	-	-	·09	·06	-	-	·	·02	·09	26
27	·50	·03	·08	·23	-	·59	-	-	·01	-	-	·30	27
28	·69	·01	·12	-	·32	·03	·05	-	-	-	-	·	28
29	·15	·01	·06	·01	·06	·09	·18	-	-	-	·19	·40	29
30	·08	X	·08	·02	·02	·15	·14	-	·28	-	·22	·53	30
31	·21	X	·17	X	-	X	-	-	X	·31	X	·30	31
Total	4·16	1·12	3·06	4·96	1·97	3·16	4·69	1·25	1·79	2·45	1·44	3·80	YEAR'S TOTAL 33·85
Rain Days.	21	15	19	24	14	16	21	10	14	13	13	22	202
	15	11	17	20	8	13	18	3	10	11	8	13	147

·04

W. 8,000, VIII. 16

GLOUCESTER
THE PARK

GLOUCESTER
1911 - 1920

FORM A2.
BRITISH RAINFALL.

-7 MAY 1912

Kept at The Pa

in the County of Gl

by Geo Embre

ucher

8 in.

ove Ground 1 ft. 3 in.

Sea Level 56 ft.

a. m.

Name Gloucester Midland

Distance 1/4 mile Direction N. E.

IMPORTANT NO … d the result entered to the previous day. If an O … iversal rule, he is earnestly requested to add the re … year in the space provided for it at the end of th … ement of rain, the selection and placi … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca… Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·02	·10	—	—	·04	·05	—	—	·01	·03	1
2	·01	—	·01	·10	·23	—	—	·20	·02	·06	·17	·10	2
3	—	—	—	—	·41	—	—	—	·01	—	·03	·04	3
4	·02	—	·15	—	—	—	—	·01	·02	·04	·28	·28	4
5	·07	—	·03	—	—	—	—	·15	—	—	·04	·02	5
6	·24	—	·18	—	—	—	—	—	—	—	·09	·87	6
7	·01	—	—	—	—	—	—	—	—	—	·38	—	7
8	·23	—	·08	—	—	—	—	—	—	—	·08	·19	8
9	·10	—	·01	—	—	—	—	—	—	—	·08	·16	9
10	·01	·12	·23	—	—	—	—	·08	—	—	·02	·17	10
11	·22	·02	—	—	—	—	—	—	—	—	·53	·01	11
12	—	—	·59	—	—	—	—	—	·09	—	·19	·12	12
13	—	—	—	—	·05	—	—	—	·33	·03	—	·61	13
14	—	—	—	—	—	—	—	—	—	—	—	·65	14
15	—	·01	·03	—	—	·01	—	—	—	·01	·20	·09	15
16	—	—	—	—	—	·15	—	—	—	—	·18	·19	16
17	—	—	—	·01	·01	·06	—	—	—	—	·18	·30	17
18	—	·17	·02	·05	—	·10	—	—	—	·02	—	·26	18
19	—	—	—	·01	—	·21	—	—	·10	·09	·02	·10	19
20	—	·06	·06	·01	—	—	—	—	·10	·04	—	·56	20
21	—	·13	·17	—	—	—	—	·24	—	·30	—	·08	21
22	—	·01	·08	—	—	·24	—	·01	—	·09	·01	·51	22
23	—	·17	·12	—	—	·10	—	—	·14	·25	—	·13	23
24	—	·06	—	·02	—	·46	—	·13	—	·25	—	·16	24
25	—	·06	·01	·01	·02	·05	—	—	·01	·01	—	·08	25
26	—	·11	—	·18	·05	·01	—	·01	—	·22	·14	·12	26
27	—	·11	·18	·10	·01	—	—	·38	·37	—	·11	·06	27
28	—	·18	—	·20	—	—	—	·01	—	—	·05	—	28
29	—		—	—	—	·15	—	—	·09	·24	·01	—	29
30	—		—	·04	·05	·01	—	·02	·03	·20	·03	·01	30
31	—		—		·01		—	—		·01		—	31
Total	·93	1·21	~~1·89~~ 1·97	·83	·84	1·55	·04	1·29	1·31	1·86	2·83	5·90	TOTAL for year 20·56
No. of Rain Days.	10	13X	17	12	9	12	1	12	12	16	22	27	163

W. 8,000, X. '11.

1.)

FORM A2.
BRITISH RAINFALL.
7 MAY 1912

Kept at The Park. Gloucester

in the County of Gloucester

by Geo Embrey 3

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 56 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester Midland
Distance 1/4 mile Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	—	·02	·10	—	—	·04	·05	—	—	·01	·03	1
2	·01	—	·01	·10	·23	—	—	·20	·02	·06	·17	·10	2
3	—	—	—	—	·41	—	—	—	·01	—	·03	·04	3
4	·02	—	·15	—	—	—	—	·01	·02	·04	·28	·28	4
5	·07	—	·03	—	—	—	—	·15	—	—	·04	·02	5
6	·24	—	·18	—	—	—	—	—	—	—	·09	·87	6
7	·01	—	—	—	—	—	—	—	—	—	·38	—	7
8	·23	—	·08	—	—	—	—	—	—	—	·08	·19	8
9	·10	—	·01	—	—	—	—	—	—	—	·08	·16	9
10	·01	·12	·23	—	—	—	—	·08	—	—	·02	·17	10
11	·22	·02	—	—	—	—	—	—	—	—	·53	·01	11
12	—	—	·59	—	—	—	—	—	·09	—	·19	·12	12
13	—	—	—	—	·05	—	—	—	·33	·03	—	·61	13
14	—	—	—	—	—	—	—	—	—	—	—	·65	14
15	—	·01	·03	—	—	·01	—	—	—	·01	·20	·09	15
16	—	—	—	—	—	·15	—	—	—	—	·18	·19	16
17	—	—	—	·01	·01	·06	—	—	—	—	·18	·30	17
18	—	·17	·02	·05	—	·10	—	—	—	·02	—	·26	18
19	—	—	—	·01	—	·21	—	—	·10	·09	·02	·10	19
20	—	·06	·06	·01	—	—	—	—	·10	·04	—	·56	20
21	—	·13	·17	—	—	—	—	·24	—	·30	—	·08	21
22	—	·01	·08	—	—	·24	—	·01	—	·09	·01	·51	22
23	—	·17	·12	—	—	·10	—	—	·14	·25	—	·13	23
24	—	·06	—	·02	—	·46	—	·13	—	·25	—	·16	24
25	—	·06	·01	·01	·02	·05	—	—	·01	·01	—	·08	25
26	—	·11	—	·18	·05	·01	—	·01	—	·22	·14	·12	26
27	—	·11	·18	·10	·01	—	—	·38	·37	—	·11	·06	27
28	—	·18	—	·20	—	—	—	·01	—	—	·05	—	28
29	—		—	—	—	·15	—	—	·09	·24	·01	—	29
30	—		—	·04	·05	·01	—	·02	·03	·20	·03	·01	30
31	—		—		·01		—	—		·01		—	31
Total	·93	1·21	~~1·89~~ 1·97	·83	·84	1·55	·04	1·29	1·31	1·86	2·83	5·90	TOTAL for year 20·56
No. of Rain Days.	10	13X	17	12	9	12	1	12	12	16	22	27	163

W. 8,000, X. '11.

Ex ML Cor. for arith. G.V.B.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
5 - FEB 1913

Kept at Gloucester Park

in the County of Gloucester 3

by Geo Embrey

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 56 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Gloucester
Distance ¼ mile Direction N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·06	—	·01	·46	·23	—	·02	·23	—	·09	1
2	—	·01	·16	·07	—	·48	·26	·09	—	—	—	—	2
3	·04	—	·08	—	·08	·12	·18	·27	—	—	·02	·02	3
4	·07	—	·80	—	·16	·63	—	·16	—	—	·21	—	4
5	·22	·08	·07	—	·14	·02	—	·27	·01	—	·01	·07	5
6	·18	·15	·01	—	·06	—	·04	·54	—	—	—	·01	6
7	—	·15	·06	—	·03	·90	·42	·05	—	—	—	·01	7
8	·22	·08	·16	·01	—	—	·02	·07	—	—	—	·19	8
9	·06	·05	·23	·04	—	·18	·01	·21	—	—	—	·16	9
10	·04	·05	·02	—	—	·14	·01	·07	—	—	·05	—	10
11	·05	·03	·01	—	—	·06	—	·03	—	—	·01	·35	11
12	·02	·53	·08	·02	·04	—	·02	—	—	—	·01	·01	12
13	·01	·1	—	—	—	—	—	·15	·01	·01	—	·01	13
14	·07	—	·61	—	·15	—	—	·05	—	—	—	—	14
15	·15	·08	·01	—	·28	·24	—	·01	—	—	—	·13	15
16	·60	—	·19	—	—	—	—	·04	—	·05	·07	—	16
17	·95	—	·20	—	—	·04	—	·56	—	—	·01	·41	17
18	·18	·03	·11	—	—	—	—	·25	—	·01	·01	·01	18
19	·05	·03	·01	—	·03	—	·33	·24	—	·01	—	—	19
20	·01	·01	·34	—	·11	—	·25	·17	—	·30	·03	—	20
21	·02	·01	·33	—	·70	—	—	·19	—	·31	—	—	21
22	·28	·11	·05	—	·17	·16	1·06	·11	—	·01	—	·03	22
23	·13	·45	·31	—	—	·39	—	·18	—	·03	·04	·37	23
24	·08	·01	—	—	—	·30	·01	·02	·01	—	—	·11	24
25	—	—	—	—	—	·83	—	·74	—	·01	·30	·33	25
26	—	·05	—	—	—	—	·49	·86	—	·41	·43	·13	26
27	—	—	—	—	—	·20	·94	—	—	·92	—	·23	27
28	—	·07	—	—	—	·19	1·19	·62	·09	·24	·11	·46	28
29	—	·22	·01	—	—	·19	·46	·15	·38	·28	—	·04	29
30	—		—	—	—	·05	·12	—	·03	·12	—	—	30
31	—		·13		·42		·49	·07		·01		·04	31
Total	3·43	2·30	4·04	·14	2·38	5·58	6·53	6·17	2·55	2·95	1·31	3·21	TOTAL for year 38·59
No. of Rain Days.	21	21	24	4	14	19	19	27	7	16	14	22	208

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Ecd DSS

Kept at Gloucester Park

3

in the County of Gloucester

by Geo Embrey F.I.C

Lat. 50° 30" N Long. 2° 15" W
Time of Observation 9 a. m.
Nearest Railway Station Gloucester (Midland)
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·09	·13	·01	–	–	–	–	·74	–	·10	–	1
2	·01	·12	·04	·16	–	–	·06	–	·11	·81	·09	–	2
3	·17	–	·02	–	·41	–	–	–	–	–	–	·04	3
4	·97	·01	·01	–	·36	–	–	–	·25	·60	·01	·12	4
5	–	·02	·01	–	·02	·18	·13	–	·05	·11	·08	·01	5
6	·03	·02	·16	–	·25	·10	·21	–	–	·10	·40	·44	6
7	–	·37	–	–	·24	·08	·04	–	–	·18	·12	–	7
8	–	·06	–	–	·13	–	–	·01	–	·18	–	–	8
9	–	·17	–	–	·11	·04	·14	·10	·19	–	·03	·01	9
10	·11	–	–	·04	·01	–	–	·17	–	–	·13	–	10
11	1·16	·01	–	·26	·05	–	–	–	–	·07	·61	–	11
12	–	–	–	–	·05	–	–	–	–	–	·57	–	12
13	·03	·01	·11	–	·17	–	–	–	·09	–	·26	–	13
14	·08	–	·46	·01	–	–	–	·03	·01	·10	–	–	14
15	·22	·13	·55	·65	–	–	–	·03	·06	–	·01	–	15
16	·13	–	·78	·03	–	·17	–	·23	·02	–	–	–	16
17	·01	·01	·08	·05	–	·02	·23	–	·05	–	·02	–	17
18	·08	–	·16	·05	–	–	·08	–	·01	–	·03	–	18
19	·11	–	·04	–	–	·13	·08	–	·13	–	–	·01	19
20	·28	–	·11	·07	–	–	–	·01	·01	·03	·10	–	20
21	–	–	·07	·06	·08	–	·05	·10	–	·05	·34	–	21
22	·45	–	·49	·06	–	·05	–	·01	·38	–	–	–	22
23	–	–	·01	–	–	·03	–	–	–	–	·02	·08	23
24	·01	–	–	·03	–	–	–	–	–	–	–	–	24
25	–	–	–	·24	–	–	–	·38	·01	·01	–	·01	25
26	·01	·02	–	·32	–	–	–	–	–	·01	–	·22	26
27	·01	–	·07	·16	·02	–	–	–	–	·06	–	–	27
28	·43	–	·13	·28	·01	–	–	·06	–	·38	·01	·01	28
29	·01		·39	·40	–	–	–	–	–	·10	–	–	29
30	·21		·01	–	–	–	–	–	–	·24	·04	–	30
31	·02		·15		·13		–	–		–		–	31
Total	4·54	1·04	3·98	2·88	2·04	·80	1·02	1·13	2·11	3·03	2·97	·95	YEAR'S TOTAL 26·49
Rain Days.	22	13	22	18	15	9	9	11	15	16	19	10	179

W. 7,500, XI. ·12

IX. 15 [illegible] 6. VIII. 15 2168?

FORM A. BRITISH RAINFALL. 6. AUG. 1915

REGISTER OF RAINFALL IN 1914

Kept at The Park Gloucester

in the County of Gloucester

by Geo. Embrey F.I.C., F.C.S.

Lat. 50° 30" Long. 2° 15" W

Time of Observation 9 a.m.

Nearest Railway Station Gloucester M.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·01	·10	—	·01	·94	·36	—	—	·02	·11	1
2	—	—	—	·01	—	·01	·54	·25	—	·02	·46	·58	2
3	—	—	·02	·11	·32	—	·11	·03	—	—	·03	·01	3
4	·17	—	—	·15	·04	—	·11	·02	—	—	·37	·42	4
5	·02	—	·06	·13	·12	—	·16	·01	—	—	·05	—	5
6	·01	·10	·02	·01	·02	—	·03	·05	—	—	·03	·17	6
7	—	·15	·11	·08	·15	·09	·20	·11	·06	—	·01	·06	7
8	·01	—	·25	·03	·08	1·11	·02	·03	—	—	—	·08	8
9	·06	·02	·23	·18	·09	1·41	—	·06	·02	—	—	—	9
10	·02	·20	·02	·27	·06	·01	—	—	·28	—	—	—	10
11	—	·08	·25	·04	·11	·45	—	—	—	—	·15	·32	11
12	·01	·10	·13	—	—	—	·08	—	·25	—	·03	·08	12
13	—	·26	·38	—	—	—	·02	—	·16	·22	·04	·61	13
14	—	·23	·25	—	—	—	·04	·01	—	·34	·16	—	14
15	·03	·02	·10	—	—	—	·01	·11	·04	·01	·13	·01	15
16	·04	—	—	—	—	—	·10	—	·13	—	—	—	16
17	—	·14	·18	—	—	—	·01	—	·02	—	—	·23	17
18	—	—	·01	—	—	—	·21	—	—	—	—	·30	18
19	—	·04	·05	—	—	—	·55	·07	—	—	·07	·06	19
20	—	·37	·09	—	—	·01	—	—	—	—	—	·12	20
21	—	·48	·01	—	—	—	·03	·42	—	·12	—	·07	21
22	—	·03	·05	—	·18	·01	—	·05	—	·12	—	—	22
23	—	·05	·10	—	·08	—	·03	·01	—	·11	—	—	23
24	—	—	·04	—	·04	—	·03	·02	—	·04	·11	—	24
25	·09	—	·12	—	—	—	—	·21	—	·20	·02	·09	25
26	—	—	·03	—	—	—	·05	·01	—	·07	·02	·29	26
27	·06	—	—	—	—	—	—	—	—	·02	·16	·18	27
28	—	·17	·14	—	·03	—	—	—	—	·01	·16	1·02	28
29	·04	—	·11	—	·09	—	—	—	—	·30	·29	—	29
30	·02	X	·09	—	—	—	—	·01	—	·10	·54	·61	30
31	·05	X	—	X	·02	X	·30	·01	X	·06	X	·02	31
Total	·63	2·45	2·85	1·11	1·43	3·11	3·57	1·85	·96	1·74	2·95 2·96	5·44	YEAR'S TOTAL 28·09 28·19
Rain Days.	14	17	26	11	15	9	21	20	8	15	20	22	198 ✓

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL
14. APR. 1916

Kept at The Park, Gloucester

in the County of Gloucester

by Geo. Embrey F.I.C., F.C.S.

Lat. 50°30" N. Long. 2°15" W

Time of Observation 9 a.m.

Nearest Railway Station M.R. Gloucester

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·05	—	—	·21	—	·09	·06	·14	·20	·01	·06	1
2	·18	·14	·11	—	—	·05	—	1·16	·03	·04	—	·09	2
3	1·03	·10	·04	·03	·16	—	·83	·42	—	·01	—	·10	3
4	·02	·01	—	—	·02	—	·25	·10	—	·01	·01	·48	4
5	—	·59	—	·02	·01	—	·16	·06	—	—	—	·33	5
6	·18	·01	—	·18	—	—	·38	·01	—	—	—	·24	6
7	·07	·42	—	·02	—	·03	·25	·05	—	—	—	·22	7
8	·27	·21	—	·01	—	—	·03	·05	—	—	·04	—	8
9	·12	·02	—	·07	—	—	—	·20	—	—	·14	·54	9
10	·15	·01	·05	·04	—	—	—	·01	—	·01	—	·01	10
11	·01	—	·12	·07	·02	—	—	—	—	—	·60	·03	11
12	·12	·10	—	·25	·45	—	—	·03	·01	·04	·44	·03	12
13	·02	·54	—	—	·80	—	—	·11	·05	—	—	·02	13
14	·01	·02	—	—	—	—	·05	·36	·07	·01	—	·37	14
15	·23	—	—	—	·06	—	·03	·01	—	·08	·03	·11	15
16	·02	·63	—	·02	·15	—	·43	·13	—	—	—	·04	16
17	—	·28	·01	—	·95	—	—	—	·01	—	—	·02	17
18	—	·33	·01	—	—	—	—	—	—	·01	·03	—	18
19	—	·03	—	·01	·09	—	·24	—	—	—	—	—	19
20	·17	—	—	·16	—	—	—	—	—	—	—	·16	20
21	·14	·09	—	—	—	—	·02	—	—	·10	—	·08	21
22	·15	·06	·30	·02	—	·01	·17	—	·01	—	—	·25	22
23	·02	·08	·39	—	—	·04	·08	—	·02	1·09	—	·57	23
24	—	—	·05	·07	—	—	·48	—	·42	·19	—	·34	24
25	—	—	·01	—	—	·67	—	—	—	·03	—	·15	25
26	·01	·10	—	—	—	—	·18	—	·01	—	—	·39	26
27	—	·02	—	—	—	—	·17	—	—	·33	—	·05	27
28	—	·05	—	—	—	·01	·04	·02	·31	—	—	·01	28
29	—	X	—	—	—	·15	·36	·10	·03	—	·03	·01	29
30	·09	X	—	—	—	·22	·02	—	—	·15	·15	·08	30
31	·02	X	—	X	—	X	·07	·01	X	·81	X	·35	31
al	3·26	3·89	1·09	·97	2·92	1·18	4·33	2·89	1·11	3·11	1·48	5·13	YEAR'S TOTAL 31·36
ain ys.	22	23	10	14	11	8	21	18	12	16	10	28	193

✓

W. 8,000. X. 15.

2195

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
8 MAR 1917

Kept at The Park, Meteorological Station, Gloucester
in the County of Gloucester
by Geo. Embrey F.I.C., F.C.S.

Lat. 50°30″N Long. 2°15″W
Time of Observation 9 a.m.
Nearest Railway Station Gloucester, Midland
Diameter of Funnel of Rain Gauge 8″ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule; he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	—	·03	—	·09	·07	·18	—	—	·20	·21	—	1
2	·25	·03	·20	—	·33	·13	—	—	·04	·65	·03	—	2
3	—	·62	—	—	·10	—	—	—	·01	·27	·10	—	3
4	·33	·05	—	—	·30	·24	—	—	·15	·07	·10	—	4
5	—	·01	·03	—	·23	·06	·14	—	—	·08	·34	—	5
6	·02	·13	·05	—	·24	·02	·36	—	—	·14	·53	—	6
7	·01	—	·13	—	·07	—	·04	—	—	·03	·35	·18	7
8	·05	·01	·04	—	·27	·01	—	—	—	—	·15	·13	8
9		—	—	—	·04	·13	—	—	—	·07	·01	·01	9
10	—	·45	·02	·08	·01	·18	—	—	—	·06	—	·01	10
11	·04	·04	·05	·09	·08	·45	—	—	·02	—	—	·19	11
12	·03	·04	·05	·01	·27	—	·26	·01	—	·12	·01	—	12
13	—	·31	·13	·02	·01	—	·07	·27	—	·01	·01	—	13
14	—	·35	·07	·01	·12	—	—	·03	—	·11	—	—	14
15	—	·17	·33	·05	·09	—	·02	·19	—	·02	—	—	15
16	·02	·01	—	·18	—	—	·23	·35	—	·07	—	—	16
17	·10	·13	—	·13	—	—	·02	·01	·30	·32	—	—	17
18	·04	·06	·03	·01	—	—	—	—	·12	·11	·49	·09	18
19	·15	—	·24	·42	—	—	—	—	—	—	·18	—	19
20	·06	·01	·46	·01	—	—	—	—	—	—	·01	·33	20
21	·02	—	·44	·05	·11	—	·10	—	—	—	—	·40	21
22	·01	·01	—	·09	—	·01	—	—	—	·08	·01	·44	22
23	·01	·18	·01	·01	—	—	—	·09	—	·13	·04	·11	23
24	—	·12	·10	·01	·21	·41	—	·04	—	·34	—	·16	24
25	—	·39	·22	—	—	·01	—	·60	·02	·02	·14	—	25
26	—	·07	·03	—	—	·07	—	·03	·05	·28	—	—	26
27	·02	·10	·84	—	·01	·08	·03	·47	·18	·34	—	—	27
28	—	·68	·56	—	—	—	—	·01	·37	·08	·01	·10	28
29	—	·14	—	—	—	·21	—	1·93	—	·34	—	·20	29
30	—	X	—	—	—	·02	—	·02	—	·29	—	—	30
31	—	X	—	X	—	X	—	—	X	·45	X	·03	31
Total	~~1·06~~ 1·26	4·11	4·06	1·17	2·58	2·10	1·45	4·05	1·26	4·68	2·72	2·38	YEAR'S TOTAL 31·62 31·82
Rain Days.	17	24	22	15	18	16	11	14	10	26	18	14	205

W. 8,000, VIII. 16

spade

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

24A

Kept at The Park, Meteorological Station, Gloucester

in the County of Gloucester

by Geo. Embrey F.I.C., F.C.S.

Lat. 50° 30" N. Long. 2° 15" W

Time of Observation 9 a.m.

Nearest Railway Station Gloucester M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3" in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·01	·16	·12	—	·09	—	1·06	·13	—	·14	—	1
2	—	—	·01	·01	—	·05	—	·05	—	·01	·01	—	2
3	·08	·03	—	·12	—	·01	·02	·07	—	1·17	—	—	3
4	—	·18	·10	—	—	—	·03	·12	—	·39	—	—	4
5	·16	—	·10	·19	—	·02	—	·42	·11	·15	·14	—	5
6	·01	—	·20	—	—	·24	—	—	—	·09	·16	·01	6
7	·15	—	—	—	—	—	·14	·21	—	·33	·05	—	7
8	·52	—	·02	·16	—	—	·70	·31	·10	·41	·05	·21	8
9	—	—	·07	·01	·64	—	—	·16	·13	·04	·01	—	9
10	·27	—	·22	·21	·04	—	—	·13	·06	·02	—	·01	10
11	·06	—	·17	·33	·01	—	—	·48	·07	·13	·02	—	11
12	·03	·01	·01	—	·22	—	—	·03	·02	·13	·01	—	12
13	—	—	·05	·05	·01	·02	—	·14	·07	·10	—	·01	13
14	·01	—	·23	·03	—	—	—	·19	—	·01	—	·01	14
15	·02	—	—	—	—	—	—	·52	·01	·05	—	·12	15
16	·05	·04	—	·20	·01	—	—	—	—	·05	·02	·07	16
17	—	—	—	·07	·56	·35	·26	·02	·13	·06	—	—	17
18	·01	·03	—	—	—	—	·25	·01	1·33	—	—	—	18
19	—	·33	·25	—	—	·02	—	·01	·01	—	—	—	19
20	·01	·11	·15	—	·70	·09	·02	—	·02	—	—	—	20
21	·02	·01	(·23)	—	—	·03	—	·01	—	·02	·08	—	21
22	·01	·01	·04	—	—	·36	—	·36	—	·12	—	—	22
23	—	·20	—	—	·10	—	—	·29	—	·04	—	·02	23
24	—	—	—	—	—	·07	·01	·20	—	·20	·05	—	24
25	—	·12	·04	—	—	—	—	·01	—	—	·01	—	25
26	—	—	·01	—	·03	·03	—	·20	·12	—	·09	—	26
27	—	—	—	—	1·16	·04	·01	·46	—	—	—	—	27
28	—	—	·05	—	—	·65	·01	·12	—	—	—	·03	28
29	—	X	·07	—	·05	·45	·04	·01	—	·38	—	·21	29
30	·01	X	·01	—	—	—	·32	·26	—	·10	·02	—	30
31	—	X	·13	X	—	X	—	·12	X	—	X	·05	31
Total	1·42	1·08	2·32	1·50	3·53	2·52	1·81	5·97	2·31	4·00	·86	·75	YEAR'S TOTAL 28·07
Rain Days.	16	12	22	12	12	16	12	28	14	22	15	11	192

W. 8,000, IX. 17.

1·54

B. Made

Ex. 8.

40

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

21 3 19

Kept at The City Meteorological Station - Gloucester

in the County of Gloucester

by Geo Embrey F.I.C., F.C.S.

Lat. 50° 30" Long. 2° 15"

Time of Observation 9 a.m.

Nearest Railway Station Gloucester M.R.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ~~56~~1 ft. 3 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·02	·02	·10	—	—	·10	—	·02	·31	·01	1
2	—	·18	—	—	—	—	—	·68	·05	·01	·01	·05	2
3	—	·14	·03	·33	·06	—	—	·04	·07	·03	·01	·01	3
4	·01	·06	·01	·09	—	—	—	·08	·35	·04	·90	·11	4
5	—	—	—	·02	·21	—	—	·03	·24	·09	·06	·01	5
6	·05	·24	—	·05	—	·04	—	—	·06	·14	·01	·05	6
7	·01	·17	—	·06	·48	·01	—	—	·09	·06	·25	·03	7
8	—	·08	—	—	—	—	—	—	—	·11	—	·13	8
9	—	·07	—	·11	—	·17	·05	—	·35	·15	—	·11	9
10	·02	—	—	·12	—	—	·33	—	·60	·10	·01	·12	10
11	·03	—	·02	·02	·01	—	·09	—	·09	—	·05	·10	11
12	—	·02	·31	—	·10	—	·07	—	—	—	—	—	12
13	·01	—	—	—	·11	·03	·14	—	·15	·04	—	·12	13
14	·40	—	·03	—	—	·04	·03	—	·50	·04	—	·08	14
15	1·60	—	—	·58	—	—	·14	—	—	—	—	·33	15
16	·20	—	—	·58	—	·04	·17	—	·26	·03	—	·02	16
17	·16	—	·02	·10	·26	—	—	—	·06	·06	—	·10	17
18	·59	—	—	—	—	·30	·28	—	·81	·03	—	·44	18
19	·07	·06	·14	·12	—	—	·11	—	—	—	—	·06	19
20	·01	·09	—	·32	—	·03	·11	—	·20	·03	—	—	20
21	·02	·01	—	·02	—	—	—	—	·41	·03	·01	·01	21
22	·07	—	—	—	·10	—	·01	—	·23	·02	—	·20	22
23	·01	—	—	—	·29	·01	·03	—	—	—	—	—	23
24	—	·11	—	—	—	—	·21	·01	·02	—	·06	—	24
25	—	—	—	—	—	—	·15	·38	—	·03	·06	—	25
26	—	—	—	—	—	—	·55	·01	·05	·02	·04	·09	26
27	—	—	·05	—	—	·01	·45	·19	·10	—	·08	·04	27
28	—	·19	·22	·01	—	—	—	—	—	—	·11	·02	28
29	—	✕	·04	—	—	—	—	—	1·35	·01	—	·02	29
30	—	✕	·29	—	—	—	—	—	—	·01	·10	·07	30
31	—	✕	·28	✕	—	✕	—	·05	✕	·02	✕	—	31
Total	3·26	1·45	1·46	2·55	1·72	·68	2·92	1·57	6·04	1·12	2·07	2·33	YEAR'S TOTAL 27·17
Rain Days.	16	14	13	16	10	10	17	10	21	23	16	25	191

W, 6,500, VII. 18. W W C

cond for WD cond for auth W. 18/6 1964

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at The Park, Gloucester.

in the County of Gloucestershire

by Wm Geo. Embrey. F.I.C., F.C.S.

Lat. 50° 30" N Long. 2° 15" W

Time of Observation 9 A.M.

Nearest Railway Station MIDLAND – N.E. ¼ mile.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. –

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	–	·01	·18	–	·19	·02	–	–	·01	·16	1
2	·31	·01	·02	·02	·03	·07	·23	–	·03	·13	·01	·48	2
3	·21	–	·01	–	·03	–	·17	–	·51	–	·10	·08	3
4	·85	–	·06	–	·03	·10	·03	–	·07	–	·09	·20	4
5	·03	·03	·46	–	–	·11	–	·03	·45	–	–	·11	5
6	·12	·23	·29	–	·13	–	–	–	·36	–	·02	·15	6
7	·07	–	·10	–	·21	–	–	–	–	–	·05	·06	7
8	·16	–	·27	·21	·01	–	–	–	–	–	·07	·01	8
9	·10	–	·03	·07	–	–	–	–	–	–	–	–	9
10	·23	–	·02	·11	–	–	–	–	·01	–	·03	–	10
11	–	–	·43	·01	–	–	–	–	–	·02	–	·21	11
12	·04	–	·43	·01	·05	–	·51	–	–	·04	–	·02	12
13	–	–	·04	·01	–	·47	–	–	–	·10	·01	·02	13
14	·05	–	–	·25	–	–	–	–	·02	·03	–	·04	14
15	·22	–	–	·23	–	–	·08	–	·05	·01	–	·01	15
16	·43	·04	–	·02	·03	–	–	·01	–	·05	–	·18	16
17	·11	·74	–	–	–	–	–	·01	–	–	·07	·02	17
18	–	·68	–	–	·04	·01	–	–	–	–	·08	·01	18
19	·04	·03	·47	–	·01	–	–	·22	·02	–	·04	·04	19
20	·09	·28	·85	–	–	·19	1·75	·56	·05	–	·01	·02	20
21	·23	·03	·23	–	–	·03	–	·15	·04	–	–	·01	21
22	·03	·53	·03	–	–	·09	·16	–	·03	–	·02	·11	22
23	–	·16	–	–	–	·01	·03	·01	·22	–	–	·09	23
24	–	–	–	–	–	–	–	·02	–	·90	·08	–	24
25	–	–	–	·03	–	·05	–	–	–	1·03	·16	·02	25
26	·11	–	–	·01	·04	·01	–	·21	–	·01	·03	·09	26
27	·02	–	·01	·07	–	·02	·03	–	·09	–	–	·23	27
28	·11	–	–	·55	–	–	–	·41	–	–	–	·02	28
29	·03		·35	–	–	–	–	·13	–	–	·25	·21	29
30	·05		·01	·07	–	·01	–	·01	–	·17	·14	·16	30
31	·03		–		–		–	·30		·04		·42	31
TOTAL	3·67	– 2·76	·01 ~~4·11~~ 4·12	·18 ~~1·68~~ 1·85	– ~~·79~~ ·61	·19 ~~1·17~~ 1·36	·02 ~~3·18~~ 3·01	– ~~2·09~~ 2·07	– 1·95	·01 ~~2·53~~ 2·54	·16 ~~1·27~~ 1·42	– ~~3·16~~ 3·02	YEAR'S TOTAL 28·38
Days with ·01 in. or more	24	11	~~19~~ 20	16	~~12~~ 11	~~13~~ 14	10	~~14~~ 13	14	~~17~~ 13	19	~~26~~ 27	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1818

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at The Park, Gloucester

in the County of Gloucestershire

by George Embrey F.I.C.

Lat. 50°30" N Long. 2°15" W

Time of Observation 9 a.m

Nearest Railway Station Glos M.R

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·33	·30	–	·19	–	·01	·10	–	·33	1
2	·06	–	·05	·13	–	–	·18	·06	·05	·04	–	·22	2
3	·04	·04	·01	·25	·02	·01	·65	–	·06	·25	–	–	3
4	–	–	·01	·06	–	–	·03	·45	–	·10	–	–	4
5	–	·01	·25	·21	·07	–	·24	·07	–	·39	–	·01	5
6	–	–	·16	–	·10	–	·18	–	–	·06	·01	·01	6
7	·01	–	·01	·11	–	–	·04	–	–	–	·01	·01	7
8	·06	·09	–	·37	·01	–	·60	·01	–	–	–	·32	8
9	·13	·01	–	·35	–	–	·03	–	–	–	–	·01	9
10	·76	·07	·04	·02	–	·12	·09	–	–	–	·02	·02	10
11	·22	·02	·13	·19	·37	·08	·04	–	–	–	·01	·01	11
12	·16	·07	–	·06	·01	·55	·02	·01	–	–	·03	–	12
13	·06	·03	·25	·07	–	–	–	–	·01	–	·01	·01	13
14	·01	·01	·58	·40	–	·12	·01	·02	·16	·15	·29	–	14
15	–	·05	·03	·36	·01	·03	–	–	·02	·11	·04	–	15
16	–	–	–	·01	·10	·07	·33	–	·37	·21	–	–	16
17	·02	–	–	·01	·19	·14	–	–	1·03	·16	–	·01	17
18	·25	–	–	·13	·06	–	–	·38	·42	–	–	·01	18
19	·02	·27	–	·34	–	·17	·02	·01	–	–	–	–	19
20	·03	·03	–	·08	–	·13	–	–	·01	–	–	·10	20
21	–	–	–	·05	–	–	–	·01	·01	·03	–	·04	21
22	·01	–	–	·15	–	–	–	·13	–	·01	–	·30	22
23	–	·02	–	–	–	–	·45	·05	·01	–	–	·22	23
24	·01	–	·32	·02	–	–	–	–	–	–	·02	·10	24
25	·01	·03	·09	·01	–	·02	·39	·01	–	·01	·01	·02	25
26	·18	–	·27	–	·03	·24	·05	–	–	·01	·03	·11	26
27	·38	·03	·08	·09	·03	·47	·02	–	·01	·01	·01	·13	27
28	·75	–	·05	·01	·18	·02	·05	–	–	·01	–	·01	28
29	·18	–	·18	–	·03	·12	·14	–	–	–	·06	·37	29
30	·02		·13	·06	–	·16	·08	–	·23	·01	·27	·20	30
31	·09		·12		·01		–	–		·35		·07	31
TOTAL	3·46	·78	2·78	3·87	1·52	2·45	3·83	1·21	2·40	2·01	·82	2·64	YEAR'S TOTAL 27·77
Days with ·01 in. or more	23	~~16~~ 15	20	26	16	16	~~23~~ 22	12	14	18	14	24	~~221~~ 220
Days with ·04 in. or more	~~14~~	6	15	20	8	12	16	6	7	11	4	~~12~~ 13 3	~~134~~ 132 2

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Dl

R 1

FORM A2. BRITISH RAINFALL. 30 JAN 1912

Kept at Llanthor in.

in the County of W. ve Ground ft. in.

Sea Level ft.

by J. W. Brad

Name

Distance Direction

GLOUCESTER

LLANTHONY LOCK

GLOUCESTER

1911 - 1920

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t ment of rain, the selection and plac ritish Rainfall Organization are given i application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·03	·11			·04	·08				·04	1
2	·01		·01	·08	·22			·23		·06	·16	·13	2
3					·42				02		·03	·03	3
4	·01		·12	·01				·01	·03	·03	·28	·28	4
5	·13		·03·	·01				·11			·03	·01	5
6	·21		·16								·09	·89	6
7	·01		·01								·50		7
8	·21		·07								·08	·14	8
9	·09		·01								·09	·17	9
10	·02	·14	·20					·04			·03	·16	10
11	·22	—									·62	·01	11
12	·01		·57						·10		·15	·15	12
13					·05				·30	·03		·51	13
14												·67	14
15		·03	·02								·22	·10	15
16			·01			·13					·18	·25	16
17			·02			·07					·19	·36	17
18		·15	·02	·05		·06				·02		·28	18
19	·02				—	·13			·11	·11	·01	·08	19
20	·01	·05	·07	·02					·06	·03		·51	20
21		·13	·29					·20		·32		·07	21
22		·01	·11			·21				·08		·55	22
23		·16	·09			·17				·31		·17	23
24		·06				·45		·14		·24		·17	24
25				·03	·02	·03			·01	·01		·06	25
26		·11		·17	·04	·01		·02		·23	·14	·12	26
27		·09	·17	·07				·38	·39		·12	·07	27
28		·20		·19	·01						·06		28
29			·01			·13			·08	·26	·01		29
30				·03	·06	·01		·02	·02	·19	·04	·01	30
31													31
Total	·98	1·13	2·02	·77	·82	1·40	·04	1·23	1·12	1·92	3·03	5·99	TOTAL for year 20·45
No. of Rain Days	13	11	20	11	7	11	1	10	10	14	20	27	155

9,000, IX. '10.

Dl ✓

R 1

FORM A2.

BRITISH RAINFALL 30 JAN 1912

Kept at Llanthony Lock, Gloucester

in the County of W. Gloucestershire 3

by J. W. Bradley

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft. ______ in.
" " " Sea Level ______ ft.

Time of Observation

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·03	·11			·04	·08				·04	1
2	·01		·01	·08	·22			·23		·06	·16	·13	2
3					·42				02		·03	·03	3
4	·01		·12	·01				·01	·03	·03	·28	·28	4
5	·13		·03	·01				·11			·03	·01	5
6	·21		·16								·09	·89	6
7	·01		·01								·50		7
8	·21		·07								·08	·14	8
9	·09		·01								·09	·17	9
10	·02	·14	·20					·04			·03	·16	10
11	·22										·62	·01	11
12	·01		·57						·10		·15	·15	12
13					·05				·30	·03		·51	13
14												·67	14
15		·03	·02								·22	·10	15
16			·01			·13					·18	·25	16
17			·02			·07					·19	·36	17
18		·15	·02	·05		·06				·02		·28	18
19	·02					·13			·11	·11	·01	·08	19
20	·01	·05	·07	·02					·06	·03		·51	20
21		·13	·29					·20		·32		·07	21
22		·01	·11			·21				·08		·55	22
23		·16	·09			·17				·31		·17	23
24		·06				·45		·14		·24		·17	24
25				·03	·02	·03			·01	·01		·06	25
26		·11		·17	·04	·01		·02		·23	·14	·12	26
27		·09	·17	·07				·38	·39		12	·07	27
28		·20		·19	·01						·06		28
29			01			·13			·08	·26	·01		29
30				·03	·06	·01		·02	·02	·19	·04	·01	30
31													31
Total	·98	1·13	2·02	·77	·82	1·40	·04	1·23	1·12	1·92	3·03	5·99	TOTAL for year 20·45
No. of Rain Days	13	11	20	11	7	11	1	10	10	14	20	27	155

9,000, IX. '10.

Dl

35·0

FORM A2. BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gloucester, Llanthony Lock

3

in the County of Gloucestershire

by J. W. Bradley

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04			·44	·26		·02	·23		·09	1
2			·14	·07		·45	·21	·10					2
3	·05		·10		·08	·11	·17	·28			·03	·02	3
4	·07		·71		·10	·72	·01	·10			·21		4
5	·23	·10	·07		·17	·03		·26	·01		·02	·07	5
6	·17	·15			·06	·01	·06	·51				·02	6
7	·01	·16	·05		·03	·90	·58	·06			·01	·01	7
8	·22	·08	·17				·02	·09			·01	·11	8
9	·05	·05	·23	·05		·17	·01	·16				·15	9
10	·07	·05	·01			·16	·01	·12			·05		10
11	·04	·03	·01			·07		·02			·02	·33	11
12	·02	·48	·07	·03	·05		·02					·02	12
13	·02	·09	·01					·26		·01	·01	·02	13
14	·09		·53		·15			·02					14
15	·15	·10	·01		·26	·21		·05				·11	15
16	·78	·01	·17					·04		·04	·05		16
17	·93		·19			·04		·54			·01	·44	17
18	·14	·03	·09					·28		·01		·01	18
19	·06	·02	·01		·05		·31	·43			·01	·01	19
20	·02		·36		·09		·38	·14		·25	·03		20
21	·02	·02	·32		·80		·01	·18		·29			21
22	·28	·11	·06		·18	·26	1·02	·09		·02		·02	22
23	·18	·47	·29		·01	·31		·18		·03	·04	·32	23
24	·07	·02	·01			·24		·03				·08	24
25						·61	·01	·75			·26	·33	25
26		·04	·01				·53	·90		·44	·41	·14	26
27						·23	·90			1·00		·21	27
28		·07				·15	1·50	·62	·09	·24	·11	·43	28
29		·26	·01			·15	·41	·09	·37	·34		·02	29
30						·05	·14		·04	·12		·01	30
31			·14		·37		·53	·06		·02		·04	31
Total	3·67	2·34	3·81	·15	2·40	5·31	7·09	6·36	·53	3·04	1·28	3·01	TOTAL for year 38·99
No. of Rain Days.	22	20	26	3	14	20	21	27	5	14	16	24	212

W. 8,000, X. '11.

82

360

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Gloucester Llanthony Lock Ex H Ob

in the County of Gloucestershire

by J. W. Bradley

3

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·08	·15	·01					·70		·09		1
2	·01	·14	·04	·12			·04		·09	·79	·10		2
3	·20		·02		·37				·01			·03	3
4	·90	·01	·01		·35				·31	·74		·12	4
5		·02	·16		·01	·11	·13		·03	·10	·07	·03	5
6	·03	·05			·25	·11	·20			·09	·39	·45	6
7		·37			·24	·07	·06			·16	·14		7
8		·06			·10					·33	·01	·01	8
9		·19			·11	·03	·16	·10	·18	·01	·04		9
10	·12			·04	·01			·16			·13		10
11	·94	·01		·25	·07					·08	·80		11
12				·01	·04						·54		12
13	·02	·01	·12		·16				·09		·25		13
14	·08		·28	·01	·01			·02	·02	·09	·01		14
15	·26	·09	·42	·75				·02	·07		·01		15
16	·14		·81	·04		·14		·05	·03		·01		16
17	·04		·08	·05		·02	·20		·02		·02		17
18	·06		·16	·05					·14		·03		18
19	·12		·05			·11	·06		·04				19
20	·28		·09	·05					·01	·06	·10		20
21			·09	·09	·08		·06			·04	·37		21
22	·38		·47	·02		·05		·05	·38				22
23	·01		·01			·03		·01			·02	·10	23
24	·01			·03									24
25				·20								·01	25
26		·02		·33				·40		·01		·21	26
27			·07	·20	·01					·06			27
28	·42		·11	·27						·47		·01	28
29	·02		·35	·46				·12		·08	·02		29
30	·23		·01							·25	·04		30
31	·03		·17		·12					·01			31
Total	4·30	1·05	3·67	2·98	1·93	·67	·91	·93	2·12	3·37	3·19	·97	YEAR'S TOTAL 26·09
Rain Days.	21	12	21	19	15	9	8	9	15	17	21	9	176

W. 7,500, XI. 12

345

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Gloucester Llanthony Loch
in the County of Gloucestershire 3
by J. W. Bradley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·09		·02	1·13	·58			·02	·07	1
2							·54	·13		·02	·54	·50	2
3			·02	·13	·33		·10	·08			·02		3
4	·16			·15	·04		·12	·05			·40	·40	4
5	·03		·06	·13	·11		·18	·01			·05	·01	5
6		·11	·02	·01	·03		·02	·03			·04	·18	6
7	·01	·14	·11	·06	·16	·11	·24	·12	·08		·01	·05	7
8	·01		·25	·03	·08	·97		·04				·07	8
9	·07	·02	·22	·16	·09	1·40		·07	·02				9
10	·02	·22	·03	·27	·07	·02			·28				10
11		·07	·26	·05	·11	·40					·12	·30	11
12	·01	·08	·13			·01	·07		·22		·02	·07	12
13		·26	·35				·04		·15	·19	·02	·61	13
14		·23	·26				·03			·27	·18	·01	14
15	·03	·01	·11				·01	·11	·03	·02	·12		15
16	·04		·01				·09		·15				16
17		·13	·18				·01		·03			·20	17
18			·01				·19					·32	18
19		·04	·06				·50	·14			·05	·06	19
20		·37	·06									·13	20
21		·43					·01	·44		·11		·06	21
22		·03	·06		·18			·05		·15			22
23		·07	·10		·06		·03	·01		·13			23
24			·04		·04		·03	·02		·04	·09		24
25	·07		·12					·22		·20	·03	·11	25
26			·03				·04	·01		·07	·12	·31	26
27	·05									·02	·20	·17	27
28	·01	·13	·20		·05					·01	·09	1·01	28
29	·03		·08		·08					·25	·30		29
30	·02		·09							·09	·60	·64	30
31	·06				·01		·30			·06		·04	31
Total	·62	2·34	2·86	1·08	1·44	2·93	3·68	2·11	·96	1·63	3·02	5·32	YEAR'S TOTAL 27·99
Rain Days.	15	16	25	10	15	7	20	17	8	15	20	22	190

W.7,000, XI. 13

82

2264
338

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Gloucester Llanthony Lock

in the County of Gloucestershire

by J. Bradley.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·19	·05			·19		·03	·15	·14	22		·08	1
2	·21	·15	·10	·22		·05		1·15	·04	·05		·10	2
3	1·00	·12	·03	·02	14		·91	·35				·11	3
4	·02	·01			·03		·41	·14				·51	4
5		·45		·02	·01		·15	·06				·34	5
6	·20	·01		·19			·39	·04				·25	6
7	·07	·48		·01		·03	·22	·05				·24	7
8	·22	·24		·01			·04	·05			·04		8
9	·10	·02		·06				·18			·12	·61	9
10	·16		·05	·04						·01	·01		10
11			·09	·06	·01						·56	·04	11
12	·14	·10		·24	·45			·02		·03	·38		12
13	·03	·56		·01	·83			·09	·06				13
14		·01					·12	·31	·07			·36	14
15	·21				·06		·04	·02		·10	·01	·12	15
16	·01	·68		·02	·20		·52	·18				·03	16
17		·23			1·05		·01	·03				·02	17
18		·29	·02								·02		18
19		·02		·01	·12		·22						19
20	·17			·09								·15	20
21	·13	·08		·01			·02			·10		·08	21
22	·14	·05	·30	·01			·13					·26	22
23	·02	·05	·38			·05	·05		·02	1·00		·62	23
24			·06	·07			·54		·40	·21		·33	24
25						·55	·03					·13	25
26		·10					·12		·01			·40	26
27							·19			·34		·02	27
28		·05				·04	·06	·07	·32	·01			28
29						·09	·38	·03	·01		·04	·02	29
30	·09	✕				·25	·03			·12	·12	·08	30
31	·02	✕		✕		✕	·08	·01	✕	·82	✕	·35	31
Total	3·13	3·75	1·03	1·09	3·09	1·06	4·69	2·93	1·07	3·01	1·30	5·25	YEAR'S TOTAL 31·40
Rain Days.	19	21	8	17	11	7	23	18	9	12	9	24	178

W. 8,000. X. 14.

Dl ✓

2199
~~301~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Gloucester Llanthony Lock

in the County of Gloucestershire

by J. M. Bradley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08		·03		·07	·05	·19			·18	·29		1
2	·23	·03	·16		·32	·13			·03	·66	·04		2
3	·01	·61			·11				·01	·26	·04		3
4	·28	·04			·28	·17			·12	·06	·34		4
5			·02		·24	·06	·12			·06	·07		5
6	·02	·11	·05		·25	·01	·42			·14	·54		6
7	·02		·08		·06		·06			·03	·36	·21	7
8	·05	·03	·06		·37						·16	·12	8
9					·04	·16				·06	·01	·01	9
10		·48	·02	·07	·01	·13				·05			10
11	·04	·03	·06	·08	·08	·47			·01			·17	11
12	·03	·02	·06		·24		·28			·10			12
13		·32	·11	·01	·01		·06	·23					13
14		·35	·07	·01	·08			·03		·07			14
15		·11	·30	·05	·08		·01	·18		·01			15
16	·01	·01		·17			·21	·40		·07			16
17	·09	·14		·10			·01	·01	·25	·33			17
18	·02	·05	·03	·13					·09	·10	·52	·07	18
19	·16		·25	·24							·16		19
20	·06		·49	·01								·30	20
21	·02		·47	·04			·08					·42	21
22				·08	·08	·08				·08		·44	22
23		·16		·01				·10		·12	·05	·13	23
24		·10	·09		·28	·38		·07		·34		·17	24
25		·39	·26					·60		·02	·12		25
26		·07	·04			·07		·03	·04	·24			26
27	·02	·09	1·09			·11		·21	·16	·46			27
28		·78	·10						·33	·08		·10	28
29		·15				·20		1·92		·42		·16	29
30		X				·01		·01		·25		·02	30
31		X		X		X			X	·42	X	·02	31
Total	1·14	4·07	3·84	1·00	2·60	2·03	1·44	3·79	1·04	4·61	2·70	2·34	YEAR'S TOTAL 30·60
Rain Days.	16	21	21	13	17	14	10	12	9	25	13	14	185

W. 8,000. X. 15.

81 E. 81

210 ~~28~~

FORM A.
BRITISH RAINFALL.

25. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Llanthony Lock

in the County of Gloucestershire

by J. W. Bradley

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·16	·09		·08		·98	·15		·14		1
2				·03		·08		·10		·01	·01		2
3	·07			·09				·05		·62			3
4		·10	·09				·03	·11		·45			4
5	·17		·08	·16				·22	·11	·15	·13		5
6	·01		·16			·27				·06	·17		6
7	·14						·15	·25		·30	·04	·01	7
8	·42			·16			·73	·35	·06	·40	·04	·24	8
9			·10		·34			·16	·15	·02			9
10	·25		·25	·19	·06			·12	·12	·01			10
11	·07		·28	·33	·01			·43	·06	·12	·01		11
12	·04			·01	·25			·01		·12	·01		12
13			·08	·04	·02			·11	·06	·10			13
14			·25	·01				·17		·01			14
15	·04							·46		·03		·15	15
16	·02	·05	·01	·12	·01					·04		·08	16
17		·02		·06	·54	·13	·27	·04	·11	·05			17
18		·02					·21		1·36				18
19		·33	·21			·02							19
20		·16	·16		·76	·05	·01			·01			20
21		·02	·27							·10	·07		21
22			·03			·37		·16		·01			22
23		·20			·08			·28		·05		·02	23
24		·02				·09		·13		·18	·02		24
25		·10	·05					·01					25
26					·04	·05		·19	·12		·07		26
27					1·17	·03		·49					27
28			·04			·35		·11				·02	28
29			·06		·16	·63	·05			·37		·24	29
30		X					·27	·27		·09			30
31		X	·12	X		X		·12	X		X	·07	31
													YEAR'S TOTAL
Total	1·23	1·02	2·40	1·29	3·44	2·15	1·72	5·32	2·30	3·30	·71	·83	25·71
Rain Days.	10	10	18	12	12	12	8	24	10	23	11	8	158

W. 8,000, VIII. 16

81 ~~88~~ 44 ~~267~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
30.1.19

Kept at Llanthony Lock
in the County of Gloucestershire
by J. W. Bradley

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·01	·10			·07			·29		1
2		·17						·62		·02		·04	2
3		·17	·01	·33	·06			·03	·40		·01	·01	3
4		·07						·05	·10	·02	·88	·12	4
5					·21			·01	·25	·08	·04		5
6	·04	·21		·08		·08			·06	·14		·05	6
7		·17		·10	·47				·04	·05	·28	·03	7
8		·15							·06	·10		·13	8
9		·15		·13		·15	·02		·34	·15		·08	9
10				·11			·35		·56	·09		·14	10
11	·03			·02			·08		·05		·04	·07	11
12		·02	·34		·10		·08		·04				12
13			·01		·13		·02		·20	·05		·10	13
14	·41		·02			·06	·09		·52	·03		·08	14
15	1·40			·50			·17					·35	15
16	·19			·73		·03			·31	·03		·04	16
17	·22			·08	·32		·20		·43	·01		·08	17
18	·54					·32	·11		·67	·03		·42	18
19	·07	·06	·15	·10			·15			·03		·04	19
20	·01	·05		·35		·02			·16	·02			20
21	·01			·01					·35	·02			21
22	·05				·05		·03		·31	·02		·21	22
23					·27		·25						23
24		·09					·13		·02		·07		24
25							·23	·35		·04			25
26							·68		·02	·02	·09	·08	26
27			·04					·19	·09		·05	·04	27
28		·18	·22								·13	·02	28
29			·04						1·32			·02	29
30		×	·21								·09	·07	30
31		×	·23	×		×		·01	×		×		31
Total	2·97	1·52	1·27	2·55	1·71	·66	2·59	1·33	6·30	·95	1·97	2·22	YEAR'S TOTAL 26·04
Rain Days.	11	13	10	13	9	6	15	8	22	19	11	22	159

W. 8,000, IX. 17.

81

Esa 81

1968

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Llanthony Lock

in the County of Gloucestershire

by J. W. Bradley

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31		·02			·20	·14		·03	·12		·45	1
2	·21		·01		·03		·16		·26		·10	·06	2
3	·82		·07		·04	·01	·02		·08		·07	·17	3
4	·18	·02	·46			·22		·03	·44			·10	4
5	·05	·29	·34		·12				·36			·13	5
6			·06		·19						·05	·04	6
7	·15		·30	·19							·03		7
8	·08		·01	·15									8
9	·18		·02	·08							·02		9
10	·01		·45	·04						·02		·22	10
11			·46	·01	·05		·48					·01	11
12	·03		·03			·50				·12		·02	12
13	·09			·22					·02	·02		·03	13
14	·20			·25			·07		·03			·01	14
15	·45	·03		·02						·03		·15	15
16	·12	·89									·06	·01	16
17		·60				·01					·07		17
18		·20	·40					·17	·01		·03	·04	18
19	·09	·30	·82			·18	2·80	·45	·03			·02	19
20	·25	·03	·27			·02		·20	·04				20
21	·03	·52	·04			·14	·12		·01				21
22		·18					·04		·24		·02	·08	22
23					·01					1·03	·07		23
24				·01		·05				·92	·15		24
25	·10			·01	·01			·19			·01	·08	25
26	·05		·09				·02	·04	·10			·23	26
27				·65				·38				·02	27
28			·23					·19			·43	·21	28
29	·09			·07						·13	·04	·15	29
30		X		·17		·19		·30		·03	·15	·37	30
31		X		X		X			X		X		31
Total	3·49	3·06	4·08	1·87	·45	1·52	3·85	1·95	1·65	2·42	1·30	2·60	YEAR'S TOTAL 28·24
Rain Days.	20	10	18	13	7	10	9	9	13	9	15	22	155

65

W. 6,500, VII. 18. w w c

374 [illegible] 1881

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gloucester, Llanthony Lock

in the County of Gloucestershire

by E. J. Bradley

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·36	·30		·20			·09		·28	1
2	·08		·05	·15			·12	·04	·05	·05		·20	2
3		·05		·22	·01		·46	·43	·02	·10			3
4				·06			·02	·01		·22			4
5			·24	·19	·08		·20			·22			5
6			·16		·05		·17			·22			6
7	·02			·10									7
8	·05	·08		·38			·62					·28	8
9	·12			·33			·01					·01	9
10	·72	·05	·02	·02		·06	·03				·01		10
11	·22		·12	·20	·38	·11	·02						11
12	·16	·04		·06		·54	·04						12
13	·05		·23	·06									13
14			·57	·27		·13			·12	·15	·26		14
15		·05	·03	·47		·03			·04	·09	·03		15
16					·08	·05	·32		·32	·22			16
17	·01				·19	·22			·95	·21			17
18	·20			·06	·08			·36	·45				18
19	·02			·32		·16							19
20	·03			·11		·13						·11	20
21										·03		·01	21
22				·17				·10				·33	22
23							·45	·05				·25	23
24			·35										24
25		·04	·13			·01	·35					·09	25
26	·18		·24			·18	·05				·03	·09	26
27	·35	·02	·07	·10		·43	·01					·10	27
28	·75		·03		·25		·01					·01	28
29	·16		·18		·03	·15	·03				·08	·32	29
30	·07	X	·12			·06	·17		·20		·28	·21	30
31	·04	X	·10	X		X			X	·22	X	·05	31
TOTAL	3·23	·33	2·64	3·63	1·45	2·26	3·28	·99	2·15	1·82	·69	2·34	YEAR'S TOTAL 24·81
Days with ·01 in. or more	18	7	16	19	10	14	19	6	8	12	6	15	150

(44,283). Wt.21,958—218 7500. 10/19. Gp.132. A.&E.W.

·04	14	6	13	18	8	12	12	5	7	11	3 1	12	121

8L

36c

GREAT BARRINGTON

GLOUCESTER
1911 - 1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Great

in the County of E. G

by H. J. Barret

5 in.

Ground 1 ft. 6 in.

Sea Level 430 ft.

Name

Distance Direction

IMPORTANT NOT … the result entered to the previous day. If an Ob … ersal rule, he is earnestly requested to add the read … r in the space provided for it at the end of this … nt of rain, the selection and placing … ish Rainfall Organization are given in " … ," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·14			·04				·08	·08	1
2	·06		·01	·08	·23			·19	—	·32	·17	·17	2
3					·38								3
4			·14	·04						·14	·28	·43	4
5			·02					·41			·03		5
6	·48											·65	6
7	·01		·01						—	·23	·34	·21	7
8	·15		·13									·22	8
9									—		·16	·14	9
10		·17	·39									·20	10
11	·36										·66		11
12			·58						·03		·46		12
13									·43	·23		·51	13
14			·04									·52	14
15											·23	·07	15
16						·17					·43	·09	16
17						·05						·32	17
18		·33	·05			·14							18
19				·02		·52				·19	·10	·40	19
20	·02			·02		·01		·12					20
21								·03		·38			21
22		·01	·28			·35		·09	·09			·90	22
23		·12	·12			·15	·18		·09	·20		·22	23
24		·09				·23		·04		·52		·18	24
25		·09	·03			·24			·06			·10	25
26		·12	·02		·17	·03				·27	·23	·26	26
27		·35	·22									·20	27
28		·20		·36			1·77					·01	28
29				·03		·33	·07		·51	·30		·01	29
30					·22	·08							30
31					·03					·12			31
Total	1·10	1·48	2·07	·69	1·03	2·30	2·06	·88	1·21	2·90	3·17	5·89	TOTAL for year 24·78
No. of Rain Days	7	9	15	7	5	12	4	6	6	11	12	22	116

9,000, IX. '10.

82

RE

FORM A2. BRITISH RAINFALL.
26 JAN 1912

360

Kept at Great Barrington

in the County of E. Gloucestershire

by H. J. Barrett

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 430 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·14			·04				·08	·08	1
2	·06		·01	·08	·23			·19		·32	·17	·17	2
3					·38								3
4			·14	·04						·14	·28	·43	4
5			·02					·41			·03		5
6	·48											·65	6
7	·01		·01							·23	·34	·21	7
8	·15		·13									·22	8
9											·16	·14	9
10		·17	·39									·20	10
11	·36										·66		11
12			·58						·03		·46		12
13									·43	·23		·51	13
14			·04									·52	14
15											·23	·07	15
16						·17					·43	·09	16
17						·05						·32	17
18		·33	·05			·14							18
19				·02		·52				·19	·10	·40	19
20	·02			·02		·01		·12					20
21								·03		·38			21
22		·01	·28			·35		·09	·09			·90	22
23		·12	·12			·15	·18		·09	·20		·22	23
24		·09				·23		·04		·52		·18	24
25		·09	·03			·24			·06			·10	25
26		·12	·02		·17	·03				·27	·23	·26	26
27		·35	·22									·20	27
28		·20		·36			1·77					·01	28
29				·03		·33	·07		·51	·30		·01	29
30					·22	·08							30
31					·03					·12			31
Total	1·10	1·48	2·07	·69	1·03	2·30	2·06	·88	1·21	2·90	3·17	5·89	TOTAL for year 24·78
No. of Rain Days	7	9	15	7	5	12	4	6	6	11	12	22	116

9,000, IX. '10.

82

360

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Great Barrington

in the County of Gloucestershire 7

by H. J. Barrett

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·02		·51	·29			·42		·20	1
2			·17			·27	·43						2
3			·10		·17	·14	·18	·67			·01	·07	3
4			·90		·19	·74		·03			·24		4
5	·25	·02			·19			·52	·01			·07	5
6	·36	·22	·04		·03		·17	·83				·36	6
7		·20	·06		·04	·63	·53	·10				·07	7
8	·54	·10	·35			·01						·06	8
9		·15	·39	·03		·25						·45	9
10	·10	·10				·07		·05			·14	·01	10
11	·15	·05				·03					·12	·35	11
12	·07	·38	·17				·01	·12			·03	·02	12
13		·07										·01	13
14	·23		·60		·29			·09				·01	14
15	·17	·12	·01		·31	·28					·02	·27	15
16	·62		·18		·18	·09		·09		·11	·11		16
17	1·15		·26					·41				·27	17
18	·20		·40							·05		·02	18
19	·01	·07					·12	·21					19
20	·04		·42				·12	·26		·38			20
21		·08	·40		·58			·15		·40			21
22	·47	·15	·04		·27	·17	·50	·15				·19	22
23	·10	·40	·26			·25		·30		·09	·06	·42	23
24		·02	·02			·30	·08	·13				·10	24
25						·20		·46			·37	·43	25
26		·06	·02				·20	·70		·59	·33	·21	26
27		·05				·07	·30			·69		·27	27
28						·09	·29	·71	·17	·43	·28	·90	28
29		·12				·48	·32		·70	·47		·06	29
30						·69	·17		·10	·38			30
31			·05		·23		·64	·08		·02		·07	31
Total	4·46	2·36	4·93	·05	2·48	5·27	4·35	6·06	·98	4·03	1·71	4·89	TOTAL for year 41·57
No. of Rain Days.	15	18	21	2	11	19	16	20	4	12	11	24	173

W. 8,000, X. '11.

DL mar 29 ansd. 1.v.14 written 28.4.14 5.14 ·60

FORM A. BRITISH RAINFALL.

28 JAN 1914

370

REGISTER OF RAINFALL IN 1913

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·01	·24	·21	·01					1·10		·22		1
2		·15	·02						·20	1·36			2
3	·06		·08		·49						·05	·08	3
4	·85				·39				·05	·29		·21	4
5	·01					·03	·05			·09	·05	·03	5
6	·02		·13		·17	·13	·68			·30		·32	6
7		·42			·30	·18				·30	·23		7
8		·13			·16	·12				·60			8
9		·22			·01			·24			·03		9
10	·15			·05	·03			·09			·41		10
11	1·35			·41	·03					·10	·49		11
12					·30				·05		·35		12
13			·02						·23		·20		13
14	·13		·3[illegible]				1·17	·11		·09		·01	14
15		·09	·46	·82			·37				·01		15
16			·54	·11									16
17				·05		·02					·03		17
18	·03		·16	·20			·03				·02		18
19	·56					·03	·01		·17			·05	19
20	·12		·23	·11			·03			·22	·20		20
21			·25	·20	·26					·03	·43		21
22	·33		·47					·09	·36				22
23				·13		·05						·08	23
24	·05												24
25		·16		·16						·04			25
26				·19				·11		·16		·29	26
27		·04	·06	·19	·10					·34	·01		27
28	·34		·21	·34						·21		·01	28
29			(·60)	·55						·09		·08	29
30	·29									·15	·03		30
31			·09		·15			·15		·24			31
Total	4·30	1·45	~~3·24~~ (3·84)	3·52	2·39	·56	2·34	·79	2·16	4·61	2·76	1·16	YEAR'S TOTAL 29·88
Rain Days.	15	8	~~15~~ 16	15	12	7	7	6	7	17	16	10	136

W. 7,500, XI. ·12

DL 7.IV.15 cadby obsr. 9.IV.15

33-6

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Great Barrington

in the County of Gloucestershire 7

by H. J. Barrett

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09			·09	·42			·07	·31	1
2				·03			·24	·04			1·41	·03	2
3			·08	·12	·33		·20	·02					3
4	·29			·30	·03		·09	}			·38	·58	4
5			·01	·20	·05		·29	·45 }			·28		5
6		·02	·09	·04	·14			·01			·12	·21	6
7		·37	·28	·18	·19		·31	·03				·11	7
8		·06	·37	·10	·11	·04	·14	·19				·05	8
9	·17		·32	·08	·03	·75		·05	·07			·37	9
10	·03	·21		·15	·11	·91			·37		·01		10
11		·12	·40	·02	·17				·02		·27		11
12		·05	·21			·50	·47		·27		·03	·39	12
13		·52	·28						·25	·04	·05	·45	13
14		·25	·34				·23		·03	·75	·18	·03	14
15	·06	·03	·11					·04	·26	·04	·16		15
16									·25				16
17		·36							·10			·38	17
18			·03				·25					·44	18
19		·01	·14				·83		·02		·08	·04	19
20		·23	·34			·10						·25	20
21		·48	·05			·01		·01		·17		·05	21
22			·01		·07	·01	·04	·03		·20			22
23		·04	·11		·03		·01			·11		·15	23
24			·04		·06		·02			·08	·10		24
25	·09		·35				·05	·31		·32	·02	·16	25
26			·08					·07		·08	·15	·44	26
27	·06		·05							·04	·08	·26	27
28		·10	·10		·03						·12	·78	28
29	·06		·16		·01					·28	·52		29
30	·02		·19		·03					·15	·58	·50	30
31	·01						·29			·02			31
Total	·79	2·85	4·14	1·31	1·29	2·32	3·55	1·67	1·64	2·28	4·71	5·98	YEAR'S TOTAL 32·43
Rain Days.	9	15	24	11	15	7	16	14	10	13	19	21	174

W.7,000, XI, 13

8L

2317
308

FORM A.
BRITISH RAINFALL.
1 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Great Barrington

in the County of Gloucestershire

by H. J. Barrett

+8L

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	17			·12		·01	·02	·17	·24	·03	·08	1
2	·30	·21	·27	·02	·08	·03		1·16		·40		·10	2
3	1·00	·03		·26			·04	·36				·14	3
4	·01						·89	·08				·82	4
5	·02	·40						·05			·03	·42	5
6	·20	·08		·21	·01		·48	·01				·03	6
7	·09	·56		·01	·88		·25	·07				·10	7
8	·27	·28	·05	·04								·11	8
9	·12		·03	·15				·01			·17	·65	9
10	·26			·03				·02			·01	·02	10
11	·08		10	·08	·02						·77	·04	11
12	·05	·07		·17	·41			·01		·03	·67	·05	12
13	·02	·44		[illegible]	·93			·01		·01			13
14	·11	·09					·05	·02	·07			·60	14
15	·30			·01	·08						·04	·09	15
16		·62			·21		·60					·06	16
17		·63			1·12		·01						17
18		·37	·09		·01	·01							18
19			·01		·10		·10						19
20	·26			·07								·16	20
21	·09	·01					·08			12		·01	21
22	·20		·32	·03			·47			·76		·26	22
23	·04	·23	·03				·17		·26			·29	23
24			·10	·09			·10		·47	·45		·18	24
25						1·11	·04			·03		·25	25
26		·10		·02								·42	26
27		·06				·05	·03			·50		·02	27
28						·04	·07		·64	·02		·01	28
29						·02	·20	12			·10	·04	29
30		×					·01			·10	·20	·15	30
31	·07	×		×		×	·02	·03	×	·92	×	·27	31
Total	3·89	4·35	1·00	1·19	3·97	1·26	3·62	1·97	1·61	3·58	2·02	5·37	YEAR'S TOTAL 33·83
Rain Days.	20	17	9	14	12	6	19	14	5	12	9	27	164

W. 8,000. X. 14.

8l

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. ________ Long. ________
Time of Observation ________
Nearest Railway Station ________
Diameter of Funnel of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ________

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			–	·08	·06	·45		–	·04	·04		1
2	·40	·03	·03		·63				·08	·85	·39		2
3		·68	·10				·02		·03	·41	·09		3
4	·09	·18			·17	·35			·02	·17	·36		4
5	·26	·03	·01		·12	·07	·01			·07	·25	-	5
6	·03	·19	·01		·09	·11	·39			·09	·38		6
7	·01	(·03)	·30		·12	·01	·08			·02	·30	}	7
8	·03	·04	·03	·	·14	·27	·03				·03	·48 }	8
9	·02					·09				·02	·01		9
10	·01	·40	·06	·08	·02	·06	·42			·04			10
11		·07	·13	·03	·04	·16	·22					·55	11
12		·04	·03	·15	·27	·02				·09			12
13		·30	·14	·07				·10		·07			13
14		·40	·07		·05		·02	·28		·07			14
15	·02	·15	·56		·07			·13		·01			15
16	·03	·17	·07	·17	·05		·08	·09		·06			16
17	·14		·23	·13				·41	·34	·61			17
18			·03	·17				·07	·18	·05	·62	·14	18
19	·17		·08	·20					·05		·29	·53	19
20	·13		·32	·01									20
21	·23		·93									}	21
22			·01		·12					·10	·03	1·84 }	22
23	·04	}						·05		·08	·11	}	23
24		}	·02		·10	·17		·05		·17	·02	}	24
25		}	·33					·40	·50	·02	·10		25
26		}	·21			·20		·03	·04	·10	·09		26
27	·10	2·10 }	}			·04		·25	·19	·35			27
28		·03	1·25 }			·16		·01		·10			28
29		·01				·26		2·59		·39		·11	29
30		X		·04	·35	·12				·34		·20	30
31		X		X		X		·01	X	·34	X	·01	31
Total	1·72	4·85	4·95	1·05	2·42	2·15	1·72	4·47	1·43	4·66	3·11	3·86	YEAR'S TOTAL 36·39
Rain Days.	17	(19)	24	10	16	16	10	14	~~10~~ 9	26	16	11	188

W. 8,000. X. 15.

82

2144
~~292~~

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	·10	·02		·02		·69	·15		·05		1
2			·01	·01		·15		·03		·04	·05	·03	2
3	·06			·03				·24		·41	·04		3
4		·12	·10					·10		·47			4
5	·35		·08	·14				·07	·10	·10	·17		5
6						·19		·03			·08		6
7	x		·10	·15			·19	·32		·09		·04	7
8	x1·03		·05				·78	·43		·28	·11	·18	8
9			·20	·05				·18	·10	·35	·09	·02	9
10	·23		·27	·30	·23			·10		·02			10
11		·04	·32	·31	·12			·24	·55	·30	·02		11
12			·01	·01	·03			·07		·28			12
13	·12		·10	·05				·15	·20	·02	·08		13
14				·04				·21					14
15							·08			·10		·02	15
16	·04	·07	·01	·27			·02		·01	·20		·83	16
17				·10	·56		·35	·04	·15	·18			17
18		·05		·02	·01	·01	·49		1·08	·02			18
19		·32	·09			·02			·03				19
20		·16	·02		·45	·04	·04				·02		20
21			·10			·11				·02	·07		21
22					·01	·04		·05		·07			22
23	·04	·20			·03			·58		·17		·01	23
24		·14	·09			·30		·32		·27		·02	24
25		·08	·04					·01	·02	·02	·02		25
26			·06					·40	·12		·23		26
27					1·90	·01		·86					27
28			·08			·84		·21				·02	28
29			·15		·01	·59	·03	·06		·40			29
30	·03	X	·20				·29	·20			·01		30
31		X	·15	X		X	·01	·05	X	·04	X	·01	31
Total	1·91	1·18	2·33	1·50	3·35	2·32	2·28	5·64	2·51	3·85	1·04	1·18	YEAR'S TOTAL 29·09
Rain Days.	16 9	9	22	14	10	12	10	25	11	22	14	10	169

W. 8,000, VIII. 16

129

8L Entered 30.IV.19

REGISTER ~~of~~ 8L OF RAINFALL IN 1918

and for anth

FORM A.
BRITISH RAINFALL.

30·1·19

~~275~~ 87

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.04		.03				.04	–	.01	.02	.02	1
2		.18	.03	.10				.24	.01		.28	.14	2
3		.07	.04	.07	.17			.26	.26		.09	.03	3
4		.07						.09	.14		.75	.10	4
5		.08			.29			.05	.07	.16		.05	5
6		.13		.22					.05	.06	.02	.09	6
7		.10			.30	.01			.04	.14	.28	.03	7
8	.12	.08							.10	.09	.01	.05	8
9	.02	.15		.18		.28	.43		.71	}	.02	.07	9
10	.07			.11		.03	.61		.08	.50 }		.15	10
11	.03			.02			.02		.07	.10		.14	11
12		.08	.09	.02	.27		.18		.02			.22	12
13	.18	.02					.13		.30				13
14	.17		.05		.07	.07	.43		.02	.25		.03	14
15	}			.70			.35		.05			.30	15
16	}			.55			.02		.10	.01		.02	16
17	1.59 }			.17	.04	.22	.37		.04	.04		.13	17
18	.57			.02		.45	.19		.39	.07		.44	18
19	.03		.15	.05		.01	.05		.03	.06		.03	19
20		.15		.38		.05	.11		.14	.04		.05	20
21		.01		.32		.01			.71	.07		.08	21
22	.21	.08		.01	.13		.10		.17		.02	.26	22
23	.09				.48	.01	.17		.01		.05	.03	23
24	.01	.12					.14		.03	.02	.08		24
25						.01	.04	.64		.05	.11		25
26		.08					.46	.01	.04	.10	.08	.19	26
27								.11	.24	.01	.12	.05	27
28			.20			.02		.01			.04	.05	28
29									1.48	.01	.03	.03	29
30		✕	.51						.03		.05	.07	30
31		✕	.31	✕		✕		.03	✕	.02	✕		31
Total	3.11 ~~2.11~~	1.44	1.38	2.95	1.75	1.17	3.80	1.48	5.33	1.81	2.05	2.85	YEAR'S TOTAL 29.12
Rain Days.	15	16	8	16	8	12	17	10	27	20	17	27	194

W. 8,000, IX. 17.

82 [illegible] 26.3.20

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·45		·05				·14			·10		·87	1
2	·12				·02		·17	·01	·50	·04	·11	·10	2
3	1·23		·20		·03		·25		·34		·03	·45	3
4	·02		·40			·21	·02	·04	·35		·11	·15	4
5		·54	·60						·29			·20	5
6	·05	·03			·24						·02	·02	6
7	·03		·34	·02							·07		7
8	·05		·02	·30									8
9			·02										9
10	·04		·40	·21						·01		·20	10
11	·15		·06	·06	·02		·38						11
12			·63	·02	·06	·37				·08		·09	12
13	·05	·01		·74					·02	·05		·03	13
14	·35	·02		·08			·02		·04	·03	·01	·04	14
15	·30	·03	·02							·02	·07	·50	15
16	·08	·75		·01							·10		16
17		·49		·08							·17	·02	17
18			2·06				·01	·23			·10	·06	18
19	·37	·40				·09	1·21	·22	·02		·08	·01	19
20	·67	·02				·07	·05	·34			·06		20
21		·90	·02			·02	·12		·03		·02	·15	21
22		·09					·05		·23			·16	22
23		·01				·06		·02		~~·10~~	·10	·01	23
24										1·36	·06		24
25				·01	·02	·04		·15				·10	25
26	·14			·15			·17	·01	·16			·39	26
27	·18			·98				·49				·17	27
28	·02		·01	·01				·61			·16	·30	28
29	·01		·29					·30		·11	·14	·40	29
30	·01	X		·24		·01					·28	·38	30
31		X		X		X			X	·06	X	·01	31
Total	4·32	3·29	5·12	2·91	·39	·87	2·59	2·42	1·98	1·96	1·69	4·81	YEAR'S TOTAL 32·35
Rain Days	20	12	15 7	14	6	8	12	11	10	11	18	24	163

W. 6,500, VII. 18. W W C

323

1924

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Stn. No 2206

Kept at Great Barrington
in the County of Gloucestershire
by H. J. Barrett

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·01	·20	·46		·27	·01		·27		·28	1
2	·02			·14	·01		·08	·23	·06		·02	·17	2
3	·03	·02		·13	·05	·02	·41			·10		·01	3
4			·05	·11			·02	·47	·07	·30		·01	4
5			·10	·01	·08		·63	·02	·01	·69			5
6			·20		·11		·25			·15			6
7			·01	·18	·01		·03			·01			7
8	·07	·07		·57	·01		·19						8
9	·23			1·54			·61						9
10	·49	·05	·04	·06		·18	·25						10
11	·29	02	·11	·31	·36	·10	·05					·05	11
12	·05	·09	·01	·21		·70		·19			·07		12
13			·37	·05			·01				·01		13
14	·07	·07	·79	·30		·15	·04		·08	·27	·39	·02	14
15			·06 ~~·36~~	·25		·13			·04	·11			15
16	·02			·03	·08	·34	·04		22	07			16
17	·01		·01	·03	·10	·04	·01		·35	·03			17
18	·15			·04	·15	·02		·21	·27		·01		18
19	·04	·05		·52		·11		·03	·05		·01		19
20		·37		·33		·33			03	·01		·03	20
21				·05				·02	·03			·45	21
22	·09			·17					·14				22
23							·64					04	23
24		·02	·23	·01								·48	24
25	·03	·08	·17	·03			·47	05				·01	25
26	·20	·01	·35	·02	·08	·11	·07				·05	·14	26
27	·39	·09	·03	·20		·30	·05				·04	·32	27
28	·57		·03		·40	·01	·05					02	28
29	·11		·07	·01	·04	·07	·09				·05	·36	29
30	·04		·29	·05		·09	·26		·29		·33	·32	30
31	·11		·03		·02		·01			·95		·15	31
TOTAL	3·01	·94	2·96	5·55	1·96	2·70	4·53	1·23	1·64	2·96	·98	2·86	YEAR'S TOTAL 31.32
Days with ·01 in. or more	20	12	20	27	15	16	23	9	13	12	10	17	194
	15	8	13	20	11	13	18	5	10	9	6	11	139

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

HARESCOMBE
GRANGE

GLOUCESTER
1911 - 1920

FORM A2.
BRITISH RAINFALL.

2 - JAN 19..

R

Kept at Harescom ... rden

... 725 inches

... e Ground 1 ft. 0 in.

in the County of Glo ... Sea Level 545 ft.

... o a.m

by Stamford H ... Name Haresfield

Distance 2¼ m Direction W by S

IMPORTANT NO ... d the result entered to the previous day. If an O ... versal rule, he is earnestly requested to add the re ... year in the space provided for it at the end of th ... ement of rain, the selection and plac ... British Rainfall Organization are given i ... application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06	—	·01	·12	—	—	·03	·03	—	—	·03	·05	1
2	·02	—	—	·12	·24	—	—	·25	—	·07	·22	·25	2
3	—	—	—	—	·26	—	—	—	—	—	·08	·03	3
4	·04	—	·18	(snow) ·02	—	—	—	·02	·03	·14	·29	·35	4
5	·02	—	·04	—	—	—	—	—	—	·01	·01	·03	5
6	·16	—	·23	—	—	—	—	·22	—	—	·07	·54	6
7	·01	—	—	—	—	—	—	—	—	—	·24	—	7
8	·28	—	·13	—	—	—	—	—	—	—	·13	·19	8
9	·16	—	·03	·01	—	—	—	—	—	—	·14	·16	9
10	·01	·09	·19	—	—	—	—	·08	—	—	·04	·16	10
11	·20	—	—	—	·22	—	—	—	—	—	·51	·01	11
12	—	—	·69	—	—	—	—	—	·06	—	·33	·11	12
13	—	—	—	—	·06	—	—	—	·39	·10	·01	·62	13
14	—	—	—	—	—	—	—	—	—	—	·01	·59	14
15	—	·02	·02	—	—	—	—	—	—	·01	·15	·13	15
16	—	—	—	—	—	·22	—	—	—	—	·27	·18	16
17	—	—	—	—	—	·05	—	—	—	—	·09	·25	17
18	—	·25	·04	·12	—	·31	—	—	—	·01	—	·26	18
19	—	—	—	·03	—	·36	—	—	·13	·10	·01	·16	19
20	·02	·08	·10	·01	—	—	—	—	·13	·03	—	·62	20
21	—	·13	·18	—	—	—	—	·13	·01	·43	—	·13	21
22	·01	·02	·11	—	—	·50	—	·02	—	·09	—	·42	22
23	—	·16	·11	—	—	·14	—	—	·11	·24	—	·14	23
24	—	·07	—	—	—	·49	—	·24	—	·34	—	·11	24
25	—	·05	·01	·02	·02	·07	—	·10	·02	·02	—	·02	25
26	—	·12	—	·20	·01	·02	·05	—	—	·21	(snow) ·21	·13	26
27	—	·14	·18	·02	·02	—	—	—	·36	—	·06	·10	27
28	—	·22	—	·20	—	—	—	·42	—	—	·03	—	28
29	—		—	—	—	·22	·05	·02	·08	·20	—	—	29
30	—		—	·03	·04	—	—	·03	·01	·11	·01	·01	30
31	—		—		—		—	—		·02		—	31
Total	1·01	1·35	2·25	·90	·87	2·38	·13	1·56	1·33	2·13	2·94	5·75	TOTAL for year 22·60
No. of Rain Days.	12	12	16	12	8	10	3	12	11	17	22	27	162

W. 8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.

2 - JAN 191

Kept at Harescombe Grange

in the County of Gloucester 3

by Stamford Hutton

rden

RAIN GAUGE Diameter of top ~~12~~5 inches
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 545 ft.

Time of Observation 9·0 a.m

Nearest Railway Station Name Haresfield
Distance 2¼ m Direction W by S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
☒

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	—	·01	·12	—	—	·03	·03	—	—	·03	·05	1
2	·02	—	—	·12	·24	—	—	·25	—	·07	·22	·25	2
3	—	—	—	—	·26	—	—	—	—	—	·08	·03	3
4	·04	—	·18	(snow) ·02	—	—	—	·02	·03	·14	·29	·35	4
5	·02	—	·04	—	—	—	—	—	—	·01	·01	·03	5
6	·18	—	·23	—	—	—	—	·22	—	—	·07	·54	6
7	·01	—	—	—	—	—	—	—	—	—	·24	—	7
8	·28	—	·13	—	—	—	—	—	—	—	·13	·19	8
9	·16	—	·03	·01	—	—	—	—	—	—	·14	·16	9
10	·01	·09	·19	—	—	—	—	·08	—	—	·04	·16	10
11	·20	—	—	—	·22	—	—	—	—	—	·51	·01	11
12	—	—	·69	—	—	—	—	—	·06	—	·33	·11	12
13	—	—	—	—	·06	—	—	—	·39	·10	·01	·62	13
14	—	—	—	—	—	—	—	—	—	—	·01	·59	14
15	—	·02	·02	—	—	—	—	—	—	·01	·15	·13	15
16	—	—	—	—	—	·22	—	—	—	—	·27	·18	16
17	—	—	—	—	—	·05	—	—	—	—	·09	·25	17
18	—	·25	·04	·12	—	·31	—	—	—	·01	—	·26	18
19	—	—	—	·03	—	·36	—	—	·13	·10	·01	·16	19
20	·02	·08	·10	·01	—	—	—	—	·13	·03	—	·62	20
21	—	·13	·18	—	—	—	—	·13	·01	·43	—	·13	21
22	·01	·02	·11	—	—	·50	—	·02	—	·09	—	·42	22
23	—	·16	·11	—	—	·14	—	—	·11	·24	—	·14	23
24	—	·07	—	—	—	·49	—	·24	—	·34	—	·11	24
25	—	·05	·01	·02	·02	·07	—	·10	·02	·02	—	·02	25
26	—	·12	—	·20	·01	·02	·05	—	—	·21	(snow) ·21	·13	26
27	—	·14	·18	·02	·02	—	—	—	·36	—	·06	·10	27
28	—	·22	—	·20	—	—	—	·42	—	—	·03	—	28
29	—		—	—	—	·22	·05	·02	·08	·20	—	—	29
30	—		—	·03	·04	—	—	·03	·01	·11	·01	·01	30
31	—		—		—		—	—		·02		—	31
Total	1·01	1·35	2·25	·90	·87	2·38	·13	1·56	1·33	2·13	2·94	5·75	TOTAL for year 22·60
No. of Rain Days.	12	12	16	12	8	10	3	12	11	17	22	27	162

W. 8,000, X. '11.

[illegible] stats 28.11.13 ~~✗~~ DL

Note – February & March accidentally transposed in copying SH

FORM A2.
BRITISH RAINFALL.

4 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept ~~at~~ Harescombe Grange 3

in the County of Gloucester

by Stamford Hutton

RAIN GAUGE: Pattern Snowdon
Diameter of top 5 ~~12~~ in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 545 ft.

Time of Observation 9:0 a.m

Nearest Railway Station: Name Haresfield
Distance 2 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	~~Feb.~~ March	~~March.~~ Feb.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·09	—	—	—	·58	·19	·10	·04	·35	—	·08	1
2	—	·18	—	·06	—	·22	·46	·03	—	—	—	—	2
3	·06	·13	—	—	·02	·44	·13	·34	—	—	—	·02	3
4	·12	·81	—	—	·11	·78	—	·14	—	—	·17	—	4
5	·22	·06	·07	—	·16	·05	—	·55	·01	—	·02	·15	5
6	·36	·01	·10	—	·05	·02	·38	·68	—	—	—	·02	6
7	~~✗~~·01	·03	·17	—	·05	·55	—	·05	—	—	—	·02	7
8	·23	·21	·10	·01	—	·01	·17	·14	—	—	—	·15	8
9	·04	·31	·03	·03	—	·14	·02	·28	—	—	·01	·16	9
10	·06	·02	·09	—	—	·06	·04	·06	·01	—	·05	—	10
11	·09	·01	·05	—	—	·03	—	·03		—	·04	·39	11
12	·03	·07	·63	·03	·02	·01	·02	—	—	—	·02	·05	12
13	·02	—	14	—	—	—	—	·13	—	·01	—	·04	13
14	·12	·48	—	—	·15	—	—	·15	·01	—	—	·01	14
15	·12	·01	·10	—	·38	·38	—	·04	—	—	—	·28	15
16	·56	·18	—	—	—	·01	—	·11	—	·08	·10	—	16
17	·80	·19	—	—	—	·04	—	·73	—	—	·01	·41	17
18	·34	·15	·03	—	—	—	—	·05	—	·02	—	·04	18
19	·06	—	·06	—	—	—	·33	·13	—	·02	—	—	19
20	·01	·46	·01	—	·21	—	·22	·72	—	·34	·04	—	20
21	·02	·30	·01	—	·78	—	·03	·22	—	·50	—	—	21
22	·49	·06	·11	—	·18	·13	·45	·13	—	·04	·01	·03	22
23	·10	·27	·49	—	—	·32	·01	·22	—	·05	·05	·41	23
24	·05	·02	·02	—	—	·24	·02	·08	—	—	—	·07	24
25	·01	·01	—	—	—	·92	—	·75	—	—	·28	30	25
26	—	·02	·04	—	—	—	·58	1·14	—	·41	·37	·17	26
27	—	—	·01	—	—	·21	1·37	—	—	·83	—	·40	27
28	—	—	·09	—	—	·22	·82	·92	·19	·26	·12	·55	28
29	—	—	·13	—	—	·31	·55	·17	·55	·31	—	·16	29
30	—	·01		—	—	·06	·13	·05	·06	·16	—	—	30
31	—	·12			·17		·48	·21		·03		·14	31
Total	3.92	4.21	2.48	·13	2.28	5.73	6.40	8.35	·87	3.41	1.29	4.05	TOTAL for year 43.12
No. of Rain Days.	23	26	21	4	12	23	20	29	7	15	14	23	217

W. 8,000, X. '11.

~~W~~ 7C

FORM A.
BRITISH RAINFALL.

3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Harescombe Grange
in the County of Gloucester 3
by Stamford Hutton

Lat. Long.
Time of Observation
Nearest Railway Station As in 1912
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 545 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·15	·14	·13	—	—	—	—	·94	—	·07	·01	1
2	·01	·13	·06	·11	—	—	·08	—	·08	~~·45~~	·10	—	2
3	·14	·01	·03	—	·28	—	—	—	—	·01	—	·09	3
4	1·03	·02	·03	—	·41	—	—	—	·31	·88	·03	·10	4
5	·01	·05	·02	—	·03	·18	·10	—	·06	·10	·09	·02	5
6	·04	·01	·16	—	·27	·13	·38	—	—	·20	·40	·42	6
7	—	·34	—	—	·29	·07	·05	—	—	·24	·18	·01	7
8	—	·11	—	—	·17	—	—	·02	—	·17	—	—	8
9	—	·18	·01	—	·15	·07	·09	·07	—	—	·05	·01	9
10	·15	—	·01	·05	·01	—	—	·17	·19	—	·11	—	10
11	·92	—	—	·25	·05	—	—	·01	—	·08	·66	—	11
12	—	—	—	—	·15	—	—	—	—	—	·35	·01	12
13	·02	—	·11	~~—~~	—	—	—	·01	·15	—	·21	—	13
14	·10	·02	·27	·01	—	—	—	·05	·01	·15	·01	—	14
15	·26	·12	·27	·54	—	—	—	·06	·09	—	·02	·01	15
16	·21	—	·61	·08	—	·06	—	·10	·01	—	—	—	16
17	·04	·02	·11	·17	—	·05	·12	—	·03	—	·03	·03	17
18	·04	—	·10	·07	—	—	·08	—	·51	—	·03	—	18
19	·26	—	·04	—	·04	·12	·03	—	·19	—	—	·0~~3~~4	19
20	·19	—	·15	·07	—	—	—	—	—	·07	·14	—	20
21	—	—	·75	·10	·15	—	·03	·02	—	·13	·38	—	21
22	·31	—	·48	·21	·01	·05	—	·09	·40	·01	—	—	22
23	·01	—	·01	—	—	·05	—	—	—	—	·02	·09	23
24	·01	—	—	·07	—	—	—	—	—	—	—	—	24
25	—	—	—	·28	—	—	—	—	·01	—	—	·02	25
26	—	·05	—	·40	—	—	—	·37	—	·02	—	·21	26
27		—	·10	·37	—	—	—	—	—	·10	—	—	27
28	·30	—	·09	·25	—	—	—	—	—	·32	—	·02	28
29	—		·42	·43	—	—	—	·05	—	·10	—	—	29
30	·20		—	—	—	—	—	·01	—	·38	·10	—	30
31	·04		·12		·50	~~—~~	—	·03		—			31
Total	4·29	1·21	4·09	3·59	2·51	·78	·96	1·06	2·98	3·41	2·98	1·09	YEAR'S TOTAL 28·95
Rain Days.	21	13	23	18	14	9	9	14	14	17	19	16	187

W.7,000, XI. 13

Esc. Mg.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 JAN 1915

Kept at Harescombe Grange
in the County of Gloucester 3
by Stamford Hutton

Lat. 51° 47′ ·5 Long. 2·14 W
Time of Observation 9·0 a.m
Nearest Railway Station Haresfield
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 5~~6~~45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	01	—	·10	—	01	·39	·33	—	—	—	·05	1
2	—	—	—	01	—	01	·60	·23	—	—	·63	·47	2
3	—	—	03	·14	·43	—	·19	—	—	01	09	04	3
4	·15	—	—	·18	03	—	·18	02	—	—	·30	·51	4
5	·01	—	03	·22	07	—	·21	03	—	—	05	—	5
6	—	·19	05	01	—	—	09	·11	—	—	02	·21	6
7	·02	·23	·19	·16	04	·12	·22	07	—	—	01	·07	7
8	·03	·01	·29	04	·20	·96	02	—	—	—	—	·16	8
9	·04	·02	·29	·19	05	1·44	—	09	09	—	—	01	9
10	·05	18	01	09	·10	03	—	—	·30	—	—	—	10
11	—	·15	·19	·10	—	·48	03	—	—	—	·15	·46	11
12	·01	·15	·16	—	—	—	07	—	·25	·21	·04	·17	12
13	—	·32	·32	—	—	—	01	—	·27	·39	06	·61	13
14	—	·37	·33	—	—	—	03	01	—	03	·12	—	14
15	·05	·06	·14	—	—	—	01	·11	·16	—	·26	—	15
16	·02	—	01	—	—	—	08	—	·12	—	—	—	16
17	—	·14	·19	—	—	—	01	—	01	·01	—	·35	17
18	—	—	01	—	—	—	·18	—	—	—	—	·35	18
19	—	·07	09	—	—	—	·71	·16	01	—	·08	08	19
20	—	·39	·19	—	—	—	—	—	—	—	—	·20	20
21	—	·50	01	—	—	08	·11	—	—	·15	·01	08	21
22	—	·06	09	—	—	05	—	05	—	08	—	02	22
23	—	·03	·13	—	·14	—	08	02	—	09	—	01	23
24	—	—	06	—	·16	—	04	—	—	09	·07	—	24
25	·12	—	·17	—	02	—	03	·40	—	22	·02	·13	25
26	—	—	·10	—	—	—	·15	—	—	09	·10	·36	26
27	·07	—	—	—	—	—	02	—	—	03	·16	·23	27
28	—	·19	·13	—	06	—	—	—	—	—	·28	·90	28
29	·05	X	·18	—	09	—	—	—	—	·33	·35	—	29
30	·07	X	·14	—	01	03	—	—	—	·18	·61	·68	30
31	·03	X	—	X	04	X	·40	—	X	09	X	·02	31
Total	·72	3·07	3·53	1·24	1·44	3·21	3·86	1·63	1·21	2·00	3·41	6·17	YEAR'S TOTAL 31·49
Rain Days.	14	18	26	11	14	10	24	13	8	15	20	24	197

W. 8,000. X. 14.

~~W~~ DL entd on stats 22.iii.16 2256

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915.

Kept at Harescombe Grange

in the County of Gloucester

by Stamford Hutton

Lat. 51'·47·5 N Long. 2'14" W

Time of Observation 9·0 a.m

Nearest Railway Station Haresfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·37	·06	—	—	·19	—	—	·10	·42	·22	·01	·04	1
2	·20	·18	·15	·11	—	·04	—	1·36	·02	·11	—	·08	2
3	1·14	·09	·05	·06	·04	—	·34	·15	·01	—	—	·10	3
4	·04	·01	—	—	·02	—	·12	·05	—	—	—	·66	4
5	—	·66	—	·15	—	—	·37	·09	—	—	—	·40	5
6	·20	·02	—	—	—	—	·49	·06	—	—	—	·24	6
7	·14	·57	—	—	·02	·02	·12	·63	—	—	—	·21	7
8	·26	·20	—	·01	~~·07~~	~~·03~~	·07	·03	—	—	·01	—	8
9	·10	·04	—	·05	—	—	—	·28	—	—	—	·47	9
10	·15	—	·05	·03	—	—	—	—	—	·01	—	—	10
11	·09	—	·11	·12	·01	—	—	—	—	—	·78	·10	11
12	·10	·10	—	·24	·46	—	—	—	—	·07	·47	·05	12
13	·03	·71	—	—	·87	—	—	—	·05	—	—	—	13
14	·03	·03	—	—	—	—	·05	·06	·07	·03	—	·41	14
15	·16	—	—	·01	·05	—	·02	·21	—	·05	·03	·12	15
16	—	·81	—	·01	·25	—	·61	·01	—	—	—	·07	16
17	—	·26	·02	—	·82	—	—	·69	—	·01	—	—	17
18	—	·13	·02	—	·01	—	—	—	—	·01	·02	·01	18
19	—	·03	—	—	·10	—	·28	—	—	—	—	—	19
20	·10	—	—	·13	—	—	·01	—	—	—	—	·12	20
21	·16	·05	—	—	·04	—	·05	—	—	·11	—	·16	21
22	·11	·13	·31	0!	—	·03	·21	—	—	—	—	·19	22
23	·01	·10	·58	—	—	·08	·04	—	·04	1·62	—	·34	23
24	—	—	·02	·05	—	—	·27	—	·45	·33	—	·22	24
25	—	—	—	—	—	·54	—	—	—	·02	—	·16	25
26	—	~~·08~~	—	—	—	·03	·17	—	—	—	—	·40	26
27	—	·01	—	—	—	·17	·05	—	—	·37	—	~~?·03~~ see back	27
28	—	·04	·01	—	—	·05	·01	·02	·50	·02	—	—	28
29	—	×	—	—	—	—	·13	·13	·01	—	·03	·02	29
30	·08	×	—	—	—	·14	—	—	—	·25	·24	·13	30
31	·01	×	—	×	—	×	·07	·01	×	1·17	×	·26	31
Total	3·41	4·31	1·32	·98	2·88	1·10	3·48	3·27	1·57	4·40	1·59	4·99 ?	YEAR'S TOTAL 33·30
Rain Days.	20	22	10	13	13	9	20	16	9	16	8	25	187

W. 8,000. X. 15.

Exp

2191

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Harescombe Grange
in the County of Gloucester
by Stamford Hutton

Lat 51.47.5 Long. 2.14
Time of Observation 9.0 a.m
Nearest Railway Station Haresfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	—	02	—	13	09	29	—	—	14	20	—	1
2	·35	05	25	—	26	04	—	—	—	~~88~~	01	—	2
3	—	75	—	—	09	—	—	—	11	40	08	—	3
4	·45	05	—	—	30	25	—	—	15	21	44	—	4
5	—	—	05	—	25	04	20	—	—	06	18	—	5
6	—	26	04	—	22	24	39	—	—	20	59	—	6
7	·03	—	23	—	08	04	13	—	—	15	72	19	7
8	06	02	06	—	19	—	—	—	—	—	07	17	8
9	01	—	03	—	05	13	—	—	—	07	01	01	9
10	01	56	04	07	02	10	—	—	03	—	—	01	10
11	04	05	05	—	09	48	25	—	01	10	—	18	11
12	04	02	03	08	42	—	15	01	—	18	—	—	12
13	—	36	09	05	—	—	06	18	—	01	—	—	13
14	—	34	02	—	12	—	—	02	—	02	—	—	14
15	—	11	18	05	06	—	01	43	—	—	—	—	15
16	01	03	—	21	02	—	34	71	—	05	—	—	16
17	17	14	—	10	—	—	01	03	35	41	—	—	17
18	—	07	03	01	—	—	—	04	08	21	74	08	18
19	18	—	28	35	—	—	—	—	01	—	18	—	19
20	08	—	44	03	—	—	—	—	—	—	01	30	20
21	07	—	58	—	10	—	06	—	—	—	—	62	21
22	—	—	01	10	11	09	—	—	—	09	—	51	22
23	03	38	—	01	—	02	—	07	—	05	02	11	23
24	—	10	04	03	32	35	—	07	—	32	01	17	24
25	—	51	20	—	—	—	—	50	02	01	11	—	25
26	—	17	02	—	07	10	—	02	04	27	—	—	26
27	03	13	1.06	—	01	02	32	15	25	44	—	—	27
28	—	58	14	—	—	—	—	01	30	10	—	16	28
29	—	21	—	—	—	23	—	2.01	—	45	—	35	29
30	—	X	—	—	—	06	—	02	—	35	—	01	30
31	—	X	—	X	—	X	—	—	X	44	X	01	31
Total	1.64	4.89	3.89	1.09	2.85	2.28	2.21	4.27	1.35	5.61	3.31	2.88	YEAR'S TOTAL 36-27
Rain Days.	16	21	23	12	20	16	12	15	11	25	15	15	201

W. 8,000. X. 15.

N.B. Readings taken at 10.a.m Greenwich time 21st May to 30th Sept inclusive

2092

FORM A
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Harescombe Grange
in the County of Gloucester
by Stamford Hutton

Lat. 51·47·5 N Long. 2·14 W.
Time of Observation 9·0 a.m
Nearest Railway Station Haresfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 557 ft.

2 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	26	14	—	13	—	96	38	—	09	—	1
2	—	—	02	15	—	15	—	14	—	01	01	—	2
3	04	03	—	12	—	01	02	10	—	67	—	—	3
4	—	21	17	02	—	—	11	18	—	40	—	—	4
5	20	—	15	22	—	02	—	38	·09	20	03	—	5
6	02	—	67	—	—	37	—	—	—	13	15	—	6
7	10	—	01	—	—	—	31	18	—	40	—	01	7
8	34	—	03	10	—	—	88	52	04	37	06	27	8
9	—	—	11	03	25	—	01	24	04	02	01	—	9
10	31	—	24	21	01	—	—	33	02	12	01	—	10
11	08	—	16	36	—	—	—	81	28	27	01	—	11
12	02	—	01	01	19	—	—	08	—	22	—	—	12
13	01	—	05	06	02	03	—	19	13	09	—	—	13
14	01	—	15	09	—	—	—	07	—	—	—	01	14
15	02	—	—	—	—	—	05	47	—	05	—	15	15
16	05	07	—	09	—	—	02	—	—	07	—	28	16
17	01	01	—	09	44	08	25	03	14	08	01	—	17
18	02	02	—	01	—	—	(22)	01	1·78	02	—	—	18
19	01	48	13	—	—	02	—	06	02	—	—	—	19
20	01	12	13	—	56	12	17	01	02	—	—	—	20
21	—	03	20	—	01	—	—	—	—	02	12	—	21
22	03	—	03	—	10	(26)	—	03	—	19	—	—	22
23	—	13	—	—	—	02	—	32	—	10	—	04	23
24	—	02	01	—	—	08	—	16	—	07	—	—	24
25	—	09	03	—	—	—	—	—	—	01	—	—	25
26	—	01	—	—	05	16	—	26	15	—	10	—	26
27	—	—	—	—	1·07	02	—	64	—	—	—	01	27
28	—	—	02	—	02	70	—	21	—	—	—	03	28
29	—	X	19	—	01	96	13	—	01	43	—	21	29
30	—	X	02	—	—	—	31	24	—	02	—	—	30
31	—	X	49	X	—	X	—	10	X	—	X	03	31
Total	1·28	1·22	3·28	1·70	2·73	3·13	2·48	6·72	3·10	3·96	·60	1·04	YEAR'S TOTAL ~~31·94~~ 31·22
Rain Days.	17	12	23	15	12	16	12	26	13	23	11	10	190

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

4. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Harescombe Grange

in the County of Gloucester

by Stamford Hutton

Lat 51·47"·5 N Long. 2·14" W

Time of Observation 9-0 a. m

Nearest Railway Station Haresfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·03	·01	·05	·13	—	—	·07	—	·03	·42	·02	1
2	—	·21	—	·01	—	—	—	·40	—	·02	·01	·07	2
3	—	·13	·01	·28	·12	—	—	·25	·28	·04	·01	·01	3
4	—	·16	·02	·03	—	—	—	·11	·09	·01	·72	·10	4
5	—	—	—	·01	·20	—	—	·05	·19	·11	·09	·03	5
6	·07	·20	—	·06	—	·03	—	—	·02	·10	—	·09	6
7	·02	·10	—	·06	·50	·02	—	—	·06	·08	·25	·01	7
8	—	·15	—	—	—	—	·01	—	·06	·13	—	·20	8
9	—	·16	—	·09	—	·15	·04	—	·54	·15	—	·11	9
10	·02	·01	—	·27	—	—	·26	—	·40	·14	—	·16	10
11	·02	—	—	·03	—	—	·06	—	·14	—	·07	·12	11
12	·02	·04	·25	—	·16	—	·07	—	·04	—	—	·01	12
13	·01	—	·02	·01	·10	—	·02	—	·16	·03	—	·21	13
14	·35	—	·05	—	—	·11	·27	—	·64	·06	—	·11	14
15	·94	—	—	·42	·02	—	·21	—	·05	·01	—	·26	15
16	·27	—	—	·58	—	·12	·01	—	·23	·02	—	·02	16
17	·15	—	·03	·13	·20	—	·27	—	—	·05	—	·08	17
18	·53	—	—	—	—	·37	·22	—	·80	·02	—	·38	18
19	·04	·08	·11	·11	—	—	·11	—	·04	·10	—	·06	19
20	·02	·09	—	·30	—	·09	·05	—	·39	·03	—	·01	20
21	·04	·01	—	·06	—	—	·09	—	·49	·02	—	·02	21
22	·06	—	—	—	·06	—	·11	—	·14	·10	—	·16	22
23	·02	—	—	—	·28	—	·17	—	—	·01	·01	·01	23
24	—	·14	—	—	—	—	—	·04	·03	—	·11	—	24
25	—	—	—	—	—	·01	·21	·33	—	·03	·02	—	25
26	—	—	—	—	—	—	·70	—	·04	·02	·14	·09	26
27	—	—	—	—	—	·05	—	·15	·17	—	·08	·03	27
28	—	·18	·16	·03	—	·01	—	—	—	—	·11	·02	28
29	—	×	·09	—	—	—	—	—	1·44	·01	·01	·01	29
30	—	×	·26	—	—	—	—	—	—	·02	·08	·06	30
31	—	×	·35	×	—	×	—	·12	×	·01	×	—	31
Total	2·58	1·69 ~~1·68~~	1·36	2·53	1·77	·96	2·88	1·52	6·44	1·35	2·13	2·46	YEAR'S TOTAL 27·67 ~~26·64~~
Rain Days.	16	15	12	18	10	10	18	9	23	26	15	28	200

W. 8,000, IX. 17.

1961

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Harescombe Grange
in the County of Gloucester
by Stanford Hutton

Lat. 51° 47' 5" N Long. 2° 14" W
Time of Observation 9·0 a.m.
Nearest Railway Station Haresfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	31	01	02	—	02	04	21	—	02	13	01	57	1
2	21	—	01	—	06	—	20	02	25	—	17	23	2
3	1·07	—	16	—	04	—	13	—	14	—	18	10	3
4	18	02	52	—	—	23	—	05	27	—	01	15	4
5	—	23	50	—	10	—	08	01	45	—	03	10	5
6	10	03	10	01	19	—	—	—	—	—	03	04	6
7	18	—	19	11	20	—	—	—	—	—	02	01	7
8	~~2~~ 15	—	04	~~25~~21	—	~~04~~	—	—	—	—	—	—	8
9	21	—	02	26	—	04	—	—	—	—	03	—	9
10	—	—	45	03	—	—	—	—	—	03	—	15	10
11	02	—	41	04	06	—	46	—	—	01	—	02	11
12	—	—	13	15	—	69	01	—	—	11	02	02	12
13	07	—	—	35	—		—	—	03	06	—	08	13
14	42	—	—	15	—	—	10	—	02	—	—	02	14
15	18	03	—	01	04	—	—	—	—	02	—	23	15
16	15	74	—	—	—	—	—	—	—	—	08	—	16
17	—	76	—	—	—	01	—	—	—	—	10	—	17
18	[illegible]	—	51	—	02	—	—	39	06	—	06	04	18
19	16	28	94	—	—	18	1·92	41	05	—	01	02	19
20	41	08	24	—	—	07	01	25	03	—	—	—	20
21	05	61	05	—	—	04	18	02	02	—	02	15	21
22	—	21	—	—	—	—	13	—	18	—	—	08	22
23	—	—	—	—	—	—	—	05	—	1·11	12	01	23
24	—	—	01	02	—	05	01	—	—	86	(1D)	03	24
25	09	—	—	01	06	01	—	21	02	01	01	06	25
26	06	—	08	02	—	02	—	05	12	—	—	21	26
27	03	01	01	64	—	—	—	36	—	—	—	03	27
28	02	—	30	—	—	—	—	35	—	—	33	22	28
29	03	╳	—	08	—	02	—	02	—	18	10	45	29
30	—	╳	—	~~[illegible]~~21	—	26	—	25	—	04	21	34	30
31	02	╳	—	╳	—	╳	04	—	╳	—	╳	01	31
TOTAL	4.12	3.01	4.69	2.29	·79	1.66	3.48	2.44	1.66	2.56	1.64	3.37	YEAR'S TOTAL 31.71
Days with ·01 in. or more	22	12	20	16	10	13	13	14	14	11	20	26	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1875

FORM A.
BRITISH RAINFALL.

9 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Harescombe Grange
in the County of Gloucester
by Stamford Hutton

Lat. 51' 47" 5 N Long. 2' 14" W
Time of Observation 9.0 a.m
Nearest Railway Station Haresfield
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 557 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	~~Feb.~~ March	~~March~~ Feb	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	·27	·37	—	·24	—	·01	·28	·01	·39	1
2	·04	·08	—	·17	·01	—	·10	·14	·08	·05	—	·18	2
3	—	—	—	·21	·02	·03	·70	·01	·08	·34	—	—	3
4	—	·02	·11	·09	—	—	·01	·52	—	·19	—	—	4
5	—	·19	—	·06	·04	—	·26	·01	—	·22	—	—	5
6	—	·26	—	—	·14	—	·25	—	—	·15	—	·01	6
7	—	·01	—	·17	—	—	·04	—	—	—	—	—	7
8	—	—	·11	·38	·02	—	·49	—	—	—	—	·06	8
9	·13	—	·01	·60	—	—	·01	—	—	—	—	—	9
10	·78	·05	·10	·03	—	·28	·16	—	—	—	·05	—	10
11	·15	12	·01	·27	·42	·15	·06	—	—	—	—	·01	11
12	·18	—	·06	·12	·03	·59	—	—	—	—	·05	—	12
13	·09	·25	·03	·11	—	·[illegible]	—	—	—	—	—	·02	13
14	—	·70	·02	·33	—	·50	—	·04	·06	·10	·44	—	14
15	—	·08	·06	·29	·02	·02	·02	—	·02	·06	·05	—	15
16	—	—	·01	·03	·14	·10	·36	—	·51	·19	·01	—	16
17	·01	—	—	—	·17	·29	—	·02	·71	·11	—	·02	17
18	·42	—	—	·11	·15	—	04	·43	·62	—	—	·01	18
19	·02	—	·35	·32	·01	·15	·01	·03	·01	—	—	·01	19
20	·04	—	·10	·18	—	·22	—	—	·01	—	—	·09	20
21	—	—	—	·04	—	—	·02	—	—	·01	—	·07	21
22	·01	—	—	·12	—	—	—	·16	—	—	—	·35	22
23	—	—	·01	—	—	—	·53	·09	—	—	—	·20	23
24	—	·30	—	—	—	—	—	—	—	—	·02	·23	24
25	·02	11	·08	—	—	—	·61	·01	—	—	·01	·02	25
26	·25	28	—	—	—	·08	·04	—	—	—	·04	·10	26
27	·32	07	·02	·15	·02	·58	·01	—	—	—	·01	·27	27
28	·74	06	—	·02	·20	—	·03	—	—	—	—	—	28
29	·13	15	—	—	·01	·14	·04	—	—	—	·02	·40	29
30	·02	·12		·07	—	12	·15	—	·26	—	22	·33	30
31	·09	·17			—		·05	—		·33		·07	31
Total	3·44	3·02	1·08	4·14	1·77	3·25	4·23	1·46	2·37	2·03	·93	2·84	YEAR'S TOTAL 30·56
Rain Days.	18	18	15	23	16	14	24	11	11	12	12	20	194
	13	16	8	20	8	13	17	6	7	11	6	13	138

W. 8,000, IX. 17.

GLOUCESTER

HORFIELD

"462, GLOUCESTER RD,"

1914-1915

REGIST 14

FORM A.
BRITISH RAINFALL.

29 APR 1915

Kept at 462 Gloucester

in the County of Bristol

by J H Robbin

ong. 2° 35'

9 AM

ion Ashley Hill

ge 8 in.

ge above Ground 1 ft. 6 in.

„ Sea Level 310 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·045				1·11	·46			·13	·20	1
2				·09		·03	·38	·81			·34	·26	2
3				·02	·25		·73	·13			·32	·27	3
4	·01		·03	·21	·15		·02	·025			·04	·55	4
5	·035		·065	·59	·285		·32	·06			·72	·56	5
6	·015	·07	·015	·03	·02		·135	·055			·01	·15	6
7	·01	·70	·12	·40	·40	·08	·325	·02				·21	7
8	·09	·395	1·05	·035	·03		·41	·18			·02	·15	8
9	·06		·64	·09	·01	·585			·15				9
10	·17			·01	·04	·71		·075	·22				10
11		·22	·06	·015	·095	·225			·23		·06	·33	11
12		·105	·165			·05	·285		·18		·02	·22	12
13		·35	·35						·04		·04	·19	13
14		·26	·63				·02		·18	·34		·38	14
15	·01	·23	·055					·74	·30	·065	·54		15
16		·14	·08						·17				16
17		·245					·105		·30			·135	17
18		·18	·145						·02			·82	18
19		·16	·11				·34		·01		·08	·13	19
20			·215				·27					·16	20
21		·36	·035			·225						·02	21
22		·40			·28	·12		·025		·17	·06	·22	22
23		·075	·10	·01	·125	·125		·02		·01		·18	23
24			·26				·14	·01		·42	·07		24
25			·13							·33	·01	·20	25
26	·02		·04				·04	·40			·22	·525	26
27	·16						·02			·055	·22	·58	27
28	·02	·15			·025					·05	·68	·60	28
29	·14		·31		·15					·03	·22		29
30	·195	×	·07				·12			·15	·47	·30	30
31	·015	×		×	·02	×	·03		×	·23	×	·28	31
Total	·95	4·04	4·72	1·50	1·88	2·15	4·80	3·01	1·80	1·85	4·27	7·62	YEAR'S TOTAL 38·59
Rain Days.	14	16	23	11	14	9	18	14	11	11	20	25	186

W. 8,000. X. 14.

REGIS

14

Kept at 462 Gloucester Rd Horfield

in the County of Bristol & Gloucestershire

by F H Robbins

Lat. 51 29 30 Long. 2° 35'

Time of Observation 9 AM

Nearest Railway Station Ashley Hill

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 310 ft.

FORM A.
BRITISH RAINFALL.

29 APR 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·045				1·11	·46			·13	·20	1
2				·09		·03	·38	·81			·34	·26	2
3				·02	·25		·73	·13			·32	·27	3
4	·01		·03	·21	·15		·02	·025			·04	·55	4
5	·035		·065	·59	·285		·32	·06			·72	·56	5
6	·015	·07	·015	·03	·02		·135	·055			·01	·15	6
7	·01	·70	·12	·40	·40	·08	·325	·02				·21	7
8	·09	·395	1·05	·035	·03		·41	·18			·02	·15	8
9	·06		·64	·09	·01	·585			·15				9
10	·17			·01	·04	·71		·075	·22				10
11		·22	·06	·015	·095	·225			·23		·06	·33	11
12		·105	·165			·05	·285		·18		·02	·22	12
13		·35	·35						·04		·04	·19	13
14		·26	·63				·02		·18	·34		·38	14
15	·01	·23	·055					·74	·30	·065	·52		15
16		·14	·08						·17				16
17		·245					·105		·30			·135	17
18		·18	·145						·02			·82	18
19		·16	·11				·34		·01		·08	·13	19
20			·215				·27					·16	20
21		·36	·035			·225						·02	21
22		·40			·28	·12		·025		·17	·06	·22	22
23		·075	·10	·01	·125	·125		·02		·01		·18	23
24			·26				·14	·01		·42	·07		24
25			·13							·33	·01	·20	25
26	·02		·04				·04	·40			·22	·525	26
27	·16						·02			·055	·22	·58	27
28	·02	·15			·025					·05	·68	·60	28
29	·14		·31		·15					·03	·22		29
30	·195		·07				·12			·15	·47	·30	30
31	·015				·02		·03			·23		·28	31
Total	·95	4·04	4·72	1·50	1·88	2·15	4·80	3·01	1·80	1·85	4·27	7·62	YEAR'S TOTAL 38·59
Rain Days.	14	16	23	11	14	9	18	14	11	11	20	25	186

W. 8,000. X. 14.

GLOUCESTER
~~—~~ LETCHLADE
SOUTHROP
1912

FORM A.
BRITISH RAINFALL.

9- JAN 1913

REGIS 912

Kept at Sou

in the County of

by Thos

Long. —

tion Lechlade

uge — in.

ge above Ground 1 ft. — in.

„ Sea Level — ft.

IMPORTANT NOTE. and the result entered to the previous day. If an Obser conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·46	·30		·01	·37			1
2			·97	·09		·20	·30						2
3			{·85		·08	·10	·18	·49	·03		·02	·23	3
4	·24				·17	·57		·10			·23		4
5	·25		·09		·04	·02		·43					5
6	·56	·30	·		·02		·22	·28				·18	6
7		·22			·06	·47		·09				·10	7
8	·45	·09	·15				·12	·07	·07				8
9	·09	·05	·22			·18	·02	·01				·30	9
10		·07				·15		·30			·09	·05	10
11	·16	·03				·02					·11	·26	11
12	·06	·37	·15								·02	·02	12
13		·04					·05	·10			·02	·	13
14	·10	·12	·29		·35			·12				·02	14
15	·08		·04		·20	·35		·03				·33	15
16	×		·10		·09			·08		·17			16
17	×		·06			·06		·34				·23	17
18	1·85 ×		·38					·04		·04		·04	18
19	×		·03				·15	·39		·03		·02	19
20	×		·25				·03	·20		·23			20
21	·91 ×	·18	·22		·70			·14		·32		~~·27~~	21
22	×	·12	·14		·35	·10	·20	·09		·02	·05	·21	22
23	×	·70	·41				·09	·36		·03	·05	·35	23
24		·03	·02			·10	·28	·18				·15	24
25						·09		·38		·03	·30	·38	25
26			·02				·08	·48		·45	·40	·11	26
27		·03				·11	·23			·62		·23	27
28		·06					·05	·45	·11	·27	·27	·93	28
29		·03				·71	·47		·66	·44		·03	29
30						·53	{·57		·14	·30			30
31			·04		·27			·13		·02		·01	31
Total	4·75	2·44	3·71	·09	2·33	4·22	3·28	5·28	1·02	3·34	1·56	4·18	YEAR'S TOTAL 36·20
Rain Days.	19	16	21	1	11	17	18	24	6	15	11	21	178

W. 7,500, XI. 12

[illegible]

REGIS 912

FORM A.
BRITISH RAINFALL

9 - JAN 1913

Kept at Southrop

in the County of Glos. 7

by Thos Arkell.

Long. ——

Time of Observation

Nearest Railway Station Lechlade.

Diameter of Rain Gauge —— in.

Height of top of Gauge above Ground 1 ft. —— in.

" " " " Sea Level —— ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·07			·46	·30		·01	·37			1
2			·97	·09		·20	·30						2
3			{·85		·08	·10	·18	·49	·03		·02	·23	3
4	·24				·17	·57		·10			·23		4
5	·25		·09		·04	·02		·43					5
6	·56	·30			·02		·22	·28				·18	6
7		·22			·06	·47		·09				·10	7
8	·45	·09	·15				·12	·07	·07				8
9	·09	·05	·22			·18	·02	·07				·30	9
10		·07				·15		·30			·09	·05	10
11	·16	·03				·02					·11	·26	11
12	·06	·37	·15								·02	·02	12
13		·04					·05	·10			·02		13
14	·10	·12	·29		·30			·12				·02	14
15	·08		·04		·20	·35		·03				·33	15
16	×		·10		·09			·08		·17			16
17	×		·06			·06		·34				·23	17
18	1·85 ×		·38					·04		·04		·04	18
19	×		·03				·15	·39		·03		·02	19
20	×		·25				·03	·20		·23			20
21	·91 ×	·18	·22		·70			·14		·32		~~·27~~	21
22	×	·12	·14		·35	·10	·20	·09		·02	·05	·21	22
23	×	·70	·41				·09	·36		·03	·05	·35	23
24		·03	·02			·10	·28	·18				·15	24
25						·09		·38		·03	·30	·38	25
26			·02				·08	·48		·45	·40	·11	26
27		·03				·11	·23			·62		·23	27
28		·06					·05	·45	·11	·27	·27	·93	28
29		·03				·71	·47		·66	·44		·03	29
30						·53	{·57		·14	·30			30
31			·04		·27			·13		·02		·01	31
Total	4·75	2·44	3·71.	·09	2·33	4·22	3·28	5·28	1·02	3·34	1·56	4·18	YEAR'S TOTAL 36·20
Rain Days.	19	16	21	1	11	17	18	24	6	15	11	21	178

W. 7,500, XI. 12